

CERAMIC ABSTRACTS

compiled by the
American Ceramic Society

NOVEMBER-DECEMBER 1980
CEAUAA, Vol. 59, No. 11-12, pp. 193-304

INDEX ISSUE

CERAMIC ABSTRACTS

compiled by
The American Ceramic Society

ISSN 0095-9960
Volume 59
Number 11-12
November-December 1980



ABSTRACT SECTIONS

Author Index	193
Subject Index	250

Abstracters

Ilhan A. Aksay	B. Z. Kamich	D. R. Rossington
M. J. Bannister	T. S. Kannan	Zbynek Ryslavý
J. Lambert Bates	D. L. Kinser	Franco Sandrolini
M. P. Bauleke	T. Kishii	Jorgen Selsing (2)
Henry P. Beerman	Lisa C. Klein	Jaroslav Sestak (3)
Charles L. Booth	Brent J. Knipfer	H. Severin
Paul S. Boucher	Jiri Kristek	James F. Shackelford
F. N. Bradley	M. P. Lepie	R. G. Shah
Bohus Brezny	Christopher Maurer	S. C. Singhal
Luke L. Y. Chang	Gary L. Messing	W. J. Smothers
G. W. Cleek	Thomas O. Mooney	Roland B. Snow
T. J. Curci	James L. Murphy	J. E. Snyder
F. V. DiMarcello	Joseph Nemeth	Shigeyuki Somiya
R. A. Eppler	S. M. (Paul) Oh	Fred W. Stover
W. Ralph Factor	Victor R. Palmeri	Lisa Taft
M. Farnsworth	Kim Papadopoulos	Ferenc Tamas
J. E. Gillott	W. W. Perkins	R. L. Thakur
Irwin Gordon	Daniel S. Petty	A. R. West
Charles H. Greene	E. R. Plante	O. J. Whittemore
Cathy D. Gurganious	Elizabeth K. Powell	D. T. Williams
Cullen L. Hackler	V. S. Ramachandran	Gerd Willmann
D. P. H. Hasselman	Venkat K. Raman	Boon Wong
R. H. Insley	P. E. Rempes, Jr.	R. K. Wood
Donald A. Jameson	Roy W. Rice	M. F. Yan
		Julie C. Yang

A list of periodicals abstracted in Ceramic Abstracts is available on request

Vols. 1-53 (1922-1974) of *Ceramic Abstracts* were published
with the *Journal of the American Ceramic Society*

*Executive Director
and Publisher*
Arthur L. Friedberg

Editor
William J. Smothers

Associate Editors
Barbara Layne
Virginia Voedisch

Technical Editor
Nancy L. Reed

Editorial Consultant
R. S. Sheldon

Committee on Publications
J. Lambert Bates, *Chairman*
H. Kent Bown
Delbert E. Day
William C. Mohr
Richard M. Spriggs
Louis J. Trostel, Jr., *ex officio*
William J. Smothers, *ex officio*
Arthur L. Friedberg, *ex officio*

Editorial Advisory Board
L. J. Trostel, Jr., *Chairman*
W. G. Coulter
R. T. Dirstine
R. A. Eppler
E. J. Friebele
I. J. Hastings
F. A. Hummel
Y. S. Kim
W. A. Klemm
G. W. Phelps
T. F. Root
R. E. Tressler

Editorial and Subscription Offices: 65
Ceramic Drive, Columbus, Ohio
43214. Subscription \$70 a year (in-
cludes *Ceramic Bulletin* and *Journal*
of the *American Ceramic Society*).
Postage outside United States, \$4 ad-
ditional. Single copies \$4 (Novem-
ber-December \$5) plus postage.
Published bimonthly six times a year.
Printed in the United States of Ameri-
ca. Second-class postage paid at Col-
umbus, Ohio. Allow six weeks for ad-
dress changes. Missing copies will be
replaced only if valid claims are re-
ceived within six months from date of
mailing. Replacements will not be
allowed if the subscriber fails to notify
the Society of a change of address.

©Copyright 1980 by
The American Ceramic Society, Inc.

CERAMIC ABSTRACTS

November–December, 1980

Compiled by the American Ceramic Society

AUTHOR INDEX FOR 1980

The abstract number appears at the end of each citation. The letters A, B, or P following the abstract number indicate an abstract of (A) a periodical, (B) a book, bulletin, or separate publication, or (P) a patent. Abstracts are numbered continuously through an entire volume. Author names are given in inverted style (last name first). Coauthor names are separated by semicolons. For papers with 3 or more authors, only the first 3 names are printed in the index.

- Abadir, M. F. See Salama, R. W.
- Abbassian, Mohammad; Hennicke, Hans Walter; and Kienow, Sigismund
Flow behavior of refractory materials at different temperatures and mechanical loads. 59-00409A
- Abdel-Fattah, W. I.; and El-Kolali, A. A.
Effect of four fluxing oxides on some physical and electrical properties of porcelain. 59-01463A
- Abdrakhmanov, R. S.
EPR spectra of vanadyl and chromium ions in glasses of the system $\text{Na}_2\text{O}-\text{ZrO}_2-\text{SiO}_2$. 59-03270A
- Abdrakhmanov, R. S.; Bogdanova, G. S.; and Bezmerina, Z. G.
EPR study of the structural state of Cr^{III} and V^{IV} ions in crystallized Li-Al silicate glasses. 59-04181A
- Abdrakhmanov, R. S.; and Ivanova, T. A.
EPR study of the effect of glass composition on the nature of Cr^{III} complex symmetries in two-component glasses. 59-00166A; Structural characteristics of Nd^{III} complexes in glass. 59-04261A
- Abdrakhmanova, N. S.; and Kiseleva, Z. A.
Glaze. 59-00533P
- Abdrashitova, E. I.; and Artamonova, M. V.
EPR of Cd^{II} ions in silicate glasses. 59-01141A; EPR spectra of aluminosilicate glasses containing copper and halogen impurities. 59-01142A
- Abdu, K. S. See Abou El Ela, A. H.
- Abdullaviev, T. A.; Razumov, V. A.; and Suleimenov, S. T.
Glass-formation region in the system anorthite-diopside-ackermanite. 59-03294A
- Abe, Hidekazu; and Nitta, Yoshifumi
Process and apparatus for calcining finely divided cement raw materials including finely divided combustible materials. 59-03225P
- Abe, Ryuji See Horioka, Masakiyo
- Abe, Yoshitiro
Abnormal characteristics in crystallization of $\text{Ca}(\text{PO}_3)_2$ glass. 59-03248A
- Abbe, M.; and Walrafen, G. E.
Raman studies of ice VI using a diamond anvil cell. 59-00910A
- Abelile, Andris
Method and apparatus for the production of cement clinker low in alkali from alkali-containing raw material. 59-04133P
- Abeg, Ulf L. See Breten, Hans E. O.; Cederqvist, Gunnar
- Abnova, M. S. See Andreev, A. A.
- Abo-El-Ezain, S. A.; and Mikhail, R. Sh.
Hardened alite pastes of various porosities: II. Morphology and microstructure. 59-02076A
- Abou El Ela, A. H.; El Mously, M. K.; and Abdu, K. S.
Studies of structural relaxation and crystallization kinetics of $\text{Se}_{1-x}\text{Te}_x$ amorphous system by DTA measurements. 59-05056A
- Abou Sekkila, M. M. See Hanna, S. B.
- Abou-el-Hel, Mahmoud See Cooper, A. R.
- Abraham, Farid F.
Isothermal-isobaric computer simulation of the supercooled-liquid/glass transition region—is the short-range order in the amorphous solid fee? 59-04215A
- Abraham, M. M. See Lacy, J. B.
- Abraham, M. M.; Chen, Yoke; and Peters, W. C.
ENDOR of F^+ centers in SrO . 59-00828A
- Abrahams, S. C. See Svensson, C.
- Abrahams, S. C.; Bernstein, J. L.; and Lissalde, F.
Thermal expansivity and spontaneous strain temperature dependence in $\text{Tb}_2(\text{MoO}_4)_3$. 59-03102A
- Abrahams, S. C.; Bernstein, J. L.; and Svensson, C.
Crystal structure and absolute piezoelectric d_{11} coefficient in levorotatory Bi_2SiO_5 . 59-01801A
- Abramyan, E. A. See Bartenev, G. M.
- Abramson, I. A. See Shchegolev, B. F.
- Abrosimova, G. D.; Kachanova, G. A.; and Geroimenkova, L. G.
Internal friction study of the structure of modified surface layer of alkali aluminosilicate glasses. 59-01197A
- Absoion, Viktor J.; Hurst, George T.; and Worboys, John C.
Cementitious composition containing asbestos fibers and prepared using a surfactant. 59-03215P
- Abuzin, Yu. M.; Burkov, V. I.; and Zelentsova, S. A.
Magneto-optical study of Tb^{III} -activated glass. 59-00213A
- Abzgl'din, F. Yu.; Ozerkaya, E. I.; and Shchetnikov, V. A.
Charge for manufacturing facing tiles. 59-00528P
- Ache, Hans J. See Boothe, Thomas E.
- Achenbach, Kurt; and Turk, Gunter
Process for treating airborne (metallic) dusts containing silicon dioxide to form precipitated silicic acids and silicates. 59-03792P
- Ackley, Richard H.
Composite strands of resin, carbon, and glass and product formed from said strands. 59-04848P; Method of manufacturing resin sheets reinforced with glass and carbon strand. 59-01338P
- Acuna, Rodolfo J.; and Craievich, Aldo F.
Spinodal decomposition during continuous cooling of a $\text{PbO}-\text{B}_2\text{O}_3-\text{Al}_2\text{O}_3$ glass. 59-00257A
- Adachi, Hideo See Nameishi, Naoyuki
- Adachi, Shichiro; Takayama, Suguru; and Sato, Takao
Catalysts $[\text{Al}_2\text{O}_3]$ for purification of exhaust gases from internal combustion engines. 59-02887P
- Adachi, Takahiko
Technical improvements for prolonging ladle life. 59-03574A
- Adamek, Vladimir
Full scale use of grinding materials with high abrasion resistance. 59-02073A
- Adams, J. M.; and Pritchard, R. G.
Neutron profile refinement and deuterium positions in $\text{Na}_2\text{CO}_3 \cdot 1.5\text{D}_2\text{O}$. 59-01873A
- Adams, Roger W. See Bidwell, Jan I.
- Adhikari, M.; Mukhopadhyay, T. K.; and Majumdar, M. K.
Physicochemical properties of clay minerals from alluvial soil sediment of West Bengal. 59-03049A
- Adil'baev, M. K.; Khoroshavin, L. B.; and Perepelitsyn, V. A.
Reaction between Zn filter cake and refractories. 59-02478A
- Adjemian, Alain See Cohen, Joseph
- Adomitis, John T. See Larson, Richard I.
- Adukhin, L. E.; Antonyuk, G. M.; and Demidova, Zh. K.
Enamel. 59-01080P
- Aechter, Reinhard See Schueller, Karl-Heinz
- Agafonov, V. N.; Davydov, V. A.; and Porotnikov, N. V.
Structure of compounds $\text{Ln}_2\text{Ti}_2\text{O}_7$ ($\text{Ln} = \text{La}, \text{Pr}, \text{Nd}$) and phases of high pressure of $\text{Sm}_2\text{Ti}_2\text{O}_7$ studied by vibration spectroscopy. 59-05055A
- Agafonova, K. A. See Petrovskii, G. T.
- Agamirova, L. M.; Zhukov, E. G.; and Kalanikov, V. T.
P-T-X phase diagram of the system arsenic iodide-arsenic sulfide. 59-05006A
- Agarwal, Dwarika P. See Ingersoll, Clyde E.
- Agulhotri, O. P.; Jain, A. K.; and Gupta, B. K.
Single crystal growth of stannous selenide. 59-05046A
- Agoston, George A. (Editor)
Color Theory and Its Application in Art and Design. 59-01950B
- Agrawal, G. N. See Prasad, K.; Tripathi, U. C.
- Agrawal, G. N.; and Narasimhan, M. D.
Eutectic sintering of MgO and Al_2O_3 . 59-02433A
- Aguliar S., G. See Rubio O., J.
- Agyeman, K. See Kuenzi, H. U.
- Ahmed, Ahmed A.; El-Shamy, T. M.; and Sharaf, N. A.
States of sulfur in alkali borate glasses. 59-04258A
- Ahn, Young-Pil; Choi, Suk-Hong; and Lee, Kwang
Synthesis of anorthite by addition of flux. 59-03654A
- Ahn, Young-Pil; Chung, Bok-Hwan; and Kim, Il-Ki
Dielectrics and insulators of the diopside-anorthite system. 59-03672A
- Ailor, James C.
Methods and apparatus for glass removal. 59-02360P
- Alta, Saburo See Hayashi, Hisato
- Alvarez, M. I.; Bryukhova, T. I.; and Mirkhyan, V. S.
Thermal conductivity of LaB_6 - EuB_6 solid solutions. 59-05098A; Thermal conductivity of solid solutions in the system $\text{TlN}-\text{CrN}$. 59-04028A
- Alzenberg, A. N.
Rapid method for determining the contents of total and free C in refractory materials, using the analyzer AN-29. 59-02476A
- Alzenberg, A. N.; Kuzhnikskii, G. M.; and Lande, Ya. A.
New Soviet Standard for alphabetic notation in testing of refractories. 59-02457A
- Ajlma, Takashi See Yonezawa, Toshio
- Ahn, Y.; Armstrong, N.; and Aydin Uraz, A.
Crystal data for barium thiosulfate monohydrate, $\text{BaSO}_3 \cdot \text{H}_2\text{O}$. 59-02940A
- Akaba, Noriyuki; Suzuki, Shigeo; and Takagi, Mieko
Domain formation in ferroelectric BaTiO_3 studied by X-ray topography. I. 59-02863A
- Akai, Shinichi; Nishida, Yasuhiro; and Fujita, Keiichiro
Semi-insulating gallium arsenide single crystal. 59-00628P
- Akao, Fumio See Kojima, Akira
- Akao, Masaru; and Iwai, Shinichi
Thermal changes of hydromagnesite. 59-03100A
- Akashi, Tamotsu See Sawakata, Akira
- Akatsuka, Kyube See Yamaguchi, Hiroshi
- Akeson, Bengt A.
System for the storage of radioactive material. 59-03786P
- Akhmechet, Zh. N.; Matyash, A. Ya.; and Lomanov, M. A.
Enamel with increased elasticity. 59-01076P
- Akhmechet, Zh. N.; Matyash, A. Ya.; and Shinkareva, K. A.
Enamel [primer-free with decreased firing temperature]. 59-02154P
- Akhmedov, M. A.; and Atakutsev, T. A. (Editors)
Phosphogypsum (Fosfogips). 59-01987B
- Akhmedova, D. A. See Rza-Zade, P. F.
- Akhmedova, M. T.; Nurullayev, Z. F.; and Akramova, N. N.
Ceramic heat-insulating materials. 59-04393A

- Akhmetov, S. F.; Gazizov, G. A.; and Ivanov, S. N.
Attenuation of ultrasound in doped crystals of yttrium aluminum garnet and aluminum magnesium spinel. 59-00793A
- Akshiev, A. Kh. See Babin, P. N.
- Akshiev, A. Kh.; and Babin, P. N.
Scanning electron microscopic study of the texture of refractories. 59-02486A
- Akita, Hiroshi
Offset grinding wheel. 59-00010P
- Akiyama, Katsuichi See Arai, Hisao
- Akiyama, Yutaka See Hamano, Kenya
- Akmyradov, R. N.; Davydova, Z. F.; and Khodzhev, M. D.
Physicochemical Properties of Raw Materials for the Production of Keramzit (Issledovanie Fiziko-Khimicheskikh Svoystv Syr'evykh Komponentov Keramzitovogo Proizvodstva). 59-04052B
- Akopyan, S. A.; Darbinyan, G. M.; and Dianov, E. M.
Glass [charge of SiO₂, plus coloring metal ions and metal oxide sources]. 59-02320P
- Akopyan, S. A.; Darbinyan, G. M.; and Manukyan, A. M.
Electrical-conducting carbon-containing glass. 59-04289P
- Akramova, N. N. See Akhmedova, M. T.
- Aksel'rod, E. I.; Vishnevskii, I. I.; and Glushkova, D. B.
Thermal conductivity of high-porosity insulating materials made from high-alumina refractory fibers. 59-04453A
- Akulova, G. I. See Shabrova, E. A.
- Akunov, V. I.; and Dushko, Yu. I.
Cement industry should be provided with efficient crushers. 59-03172A
- Akumova, L. F.; and Pribyl, S. Z. (Editors)
Materials Science and Production Technology of Decorative Ceramic Wares (Materialovedenie i Tekhnologiya Proizvodstva Khudozhestvennykh Keramicheskikh Izdelii). 59-04049B
- Aklev, V. Ya. See Ovcharenko, N. V.
- Akmal, Hamid; and Stamires, Dennis
Exchanged faujasite zeolite, catalyst containing same, and process for producing it. 59-04851P; Method of producing zeolitic catalysts with silica alumina matrix. 59-03906P
- Alapin, B. G. See Krivoruchko, P. P.; Pitak, N. V.
- Albach, Eberhard R.
Stacking glass sheets. 59-03451P
- Albano-Muller, L.; and Rohlig, R.
Threads by P/M isostatic compaction. 59-01750A
- Albas, B. S. See Timashev, V. V.
- Albers, Edwin W. See Edwards, Grant C.
- Albert, Peter; and Rendetzy, Janos
Role of brookite in increasing the whiteness of titanium-oxide enamels. 59-03243A
- Alberti, Antonio; and Vezzani, Giovanni
Modeling energies and cation distributions in olivine-type structures. 59-03978A
- Albon, Derek
Advantages of dry-pressed hollow load-bearing masonry units. 59-00378A
- Alder, Hanspeter See Rieger, Hans W.
- Aleikina, T. N. See Kosobokova, P. A.
- Aleksandrov, A. V. See Monastirev, A. V.
- Aleksandrov, A. I. See Andreev, V. V.
- Alekseev, F. F.; Kozhevnikova, N. M.; and Mokhosev, M. V.
Reactions of alkali metal sulfatolybdates with thallium(III) oxide. 59-05033A
- Alekseev, L. F.; Gorbachev, V. A.; and Maizel, G. M.
Stresses in magnetite-fayalite system. 59-01915A
- Alekseev, V. P. See Lysanov, V. S.
- Alekseev, I. P.; Golubkov, V. V.; and Karapetian, G. O.
Crystallization in Li aluminosilicate glasses with ZrO₂ additions. 59-01126A
- Alexanderson, Walter H. See Fitzpatrick, Thomas H.
- Alford, N. McN.; and Poole, A. B.
Use of the flow cone test in the prediction of the physical properties of cement mortars. 59-04119A
- Algra, H. A. See Robertson, John M.
- Ali, M. el Sayed; and Lorenzelli, R.
Kinetics of initial stage sintering of stoichiometric and nonstoichiometric actinide oxides. 59-02746A
- Aliev, I. M. See Ismailzade, I. H.
- Aliev, M. I.; Isakov, G. I.; and Zeinulov, S. A.
Electrical activity of trace concentrations of Gd and Yb in GaSb. 59-02641A
- Alizov, M. R. See Rustamov, P. G.
- Allen, Richard E.; and Segatto, Peter R.
Magnetic recording and storage device having high abrasion resistance and method. 59-01564P
- Allen, Roger E. See Bartoli, F. J.
- Allen, William R. See Kinoshita, Donald L.
- Allerton, David A. See Postupack, Dennis S.
- Allibert, M.; Chastillon, C.; and Lourtan, R.
Activity measurement in molten oxide melts by mass spectrometry: Ca-MgO-Al₂O₃ at 1960 K. 59-03930A
- Allison, Ralph E.
Gunning apparatus for in-situ spraying of refractory material. 59-04476P
- Alpha, James W.; and Dumbaugh, William H., Jr.
Thin silicon film electronic device. 59-02383P
- Al'takh, O. L. See Dvoretzky, G. A.
- Altekar, V. A. See Subrahmanyam, A. V.
- Alvarez, M. A.; and Coy-Yu, R.
Raman effect on andalusite (Al₂SiO₅) crystals. 59-04003A
- Alvarez-Estrada, D. See Espinosa de los Monteros, J.
- Alvarez-Estrada, D.; and Espinosa de los Monteros, J.
Saving energy by developing new ceramic compositions. 59-03652A
- Alvera Bortolotto, A.
New decorated majolica bowl by Master Domenico at the Correr Museum of Venice. 59-01014A
- Alvarez Rivas, J. L. See Hodgson, E. R.
- Alyamovskii, S. I. See Zainulin, Yu. G.
- Al-Zawawi, Abdulaziz See Elwan, Sayed M.
- Amauda, Suzanne
Connecticut potter. 59-00015A
- Amara, M. Ben; Olacuna, R.; and Le Flem, Gilles
Crystal structure of cadmium sodium orthophosphate Cd₂(NaPO₃)₂. 59-04908A
- Amarante, Armando, Jr.; and Pradelli, Sebastiao
Effects of sodium carbonate addition on the plasticity of a red clay from the Jacupiranga region, state of Sao Paulo. 59-04519A
- Ambartsumyan, A. G.; Geokchyan, O. K.; and Kostanyan, K. A.
Glass [with K₂O added]. 59-02323P
- Ambasz, Wiktor J.
Preparation of glass-forming alloys under a refining metal oxide/boron trioxide slag. 59-02371P; See also Linares, Robert C.
- Ambrosius, Stefan; and Siegel, Hartmut
Infrared method of surface temperature measurement in rotary kilns. 59-01650A
- Amel'yanovich, K. K. See Pisarenko, G. S.
- Amer, Nabil M.
Method and apparatus for optoacoustic spectroscopy. 59-00718P
- Amick, James A.; Milewski, John V.; and Wright, Franklin J.
Method for producing solar cell-grade silicon from rice hulls. 59-04788P
- Aminov, T. G. See Eliseev, A. A.
- Amore, Francis
Good analytical practices. 59-01645A
- Amoros Albaro, J. L. See Navarro, J. E. Enrique
- Amosov, A. V.
Complex structure of the 4.4 eV luminescence band in quartz glasses. 59-04167A
- Ampian, Sarkis G.
Clays. 59-01701A
- Ananich, N. I.; Galaktionova, E. M.; and Shelyubskii, V. I.
Radiation-optical stability [ROS] of Si-rich glasses. 59-04246A
- Ananichev, V. A.; Baidakov, L. A.; and Tver'yanovich, Yu. S.
Magnetic properties of semiconductor glasses of the system As-S-Te. 59-02265A
- Anastassakis, E. See Grimshild, M. H.
- Anav, Maurice; Cheene, Andre; and Leseur, Andre
Process for the extraction of fission products. 59-02759P
- Andacht, Sandra
Banko—a fascinating form of Japanese pottery. 59-00988A
- Andeen, Carl G. See Fontanella, John; Wintersgill, Mary Anderegg, Charles M. See Moor, Howard H.
- Andersen, N. K.
Newly designed Folax grate cooler. 59-02093A
- Anderson, Ansel C. See Anthony, Philip John; Roth, Emanuel P.
- Anderson, Carl L. See Kamath, G. Sanjiv
- Anderson, Frank
Glass sheet manufacturing method and apparatus. 59-00306P
- Anderson, John B.; and Kurtz, Dennis D.
RUASA—an automated rapid sediment analyzer. 59-02792A
- Anderson, Robert W.; and Kannenberg, Bob G.
Method of stabilizing clay formations. 59-00746P
- Anderson, B. See Nath, P.
- Anderson, Bjorn
Electron diffraction study of diffuse scattering due to atomic displacements in disordered vanadium monoxide. 59-02973A
- Anderson, Clarence A. See Lange, F. F.
- Anderton, D. J.; and Sale, F. R.
Production of conducting oxide powders by an amorphous chalcogen process. 59-03694A; Production of strontium-doped lanthanum cobaltite conducting oxide powder by freeze-drying technique. 59-03695A
- Andlauer, B.; and Tolkdorf, W.
Associated incorporation of boron, lead, and oxygen vacancies in garnets. 59-04882A
- Andrawes, Fikry F.; and Gibson, Everett K., Jr.
Release and analysis of gases from geological samples. 59-01661A
- Andreev, A. A.; Ahlova, M. S.; and Podkhalyazin, V. P.
Properties of A^{III}-Te and A^{IV}-Te glasses in a strong electric field. 59-01232A
- Andreev, M. I. See Shlevin, D. N.
- Andreev, N. S.; and Kasymova, S. S.
Density of a siliceous phase in liquefying Na-Sr silicate glasses. 59-02218A
- Andreev, V. V.; Korneev, V. I.; and Alekseev, A. I.
Alumina cement. 59-00077P
- Andreeva, N. A.; Barashkova, E. I.; and Zbukovskii, V. I.
Ferroelectric ceramic material for manufacturing monolithic capacitors. 59-01552P; Ferroelectric ceramic material. 59-02699P
- Andreeva, N. G. See Pozhidayev, A. A.
- Andres, V. V. See Rabin, N. I.
- Andrews, Harry N.; Orr, Richard S.; and Freuch, Robert J.
Method of refueling reactor. 59-00654P
- Andrews, J. M.; Jackson, B. G.; and Polito, W. J.
High-field dark currents in thin CVD silicon nitride. 59-04567A
- Audriano, N. T.; Kolbasova, V. A.; and Makhnachev, P. P.
Dense corundum ceramics. 59-00447P
- Audriano, L. V. See Molchanov, V. S.
- Audrievskii, R. A.
Strength of refractory compounds. 59-00426A
- Audrievskii, R. A.; Vlasov, K. P.; and Shevchenko, A. S.
Effect of reactor irradiation on the physicochemical properties of NbC and ZrC. 59-02743A
- Audrynsky, Chester A.
Forming glass articles by using a spin plate. 59-04295P
- Audryukhina, T. D. See Bondarev, K. T.
- Audryukhina, T. D.; Bili'yukova, E. P.; and Raevskaya, E. I.
Effective compositions for the production of decolorized container glass. 59-01154A
- Audryukhina, T. D.; and Raevskaya, E. I.
Solidification rate of industrial plate glass. 59-01242A
- Audryukhina, T. D.; Raevskaya, E. I.; and Sanina, E. I.
Crystallization of industrial plate glasses. 59-01128A
- Audryukhina, S. A.; Belova, I. D.; and Roginskaya, Yu. E.
Formation of solid solutions in the systems Nd₂(B³⁺)₂O₃(B³⁺) = Ru, Sn, Sb, and Ti and the electrophysical properties of Nd₂(Ru_{1-x}Sn_x)₂O₇. 59-04949A
- Anfilogov, V. N. See Bobylev, I. B.
- Anfilogov, V. N.; Bobylev, I. B.; and Bragin, G. I.
Polymer equilibrium in silicate melts as exemplified by the system PbO-SiO₂. 59-00237A
- Angeleri, Frederico B. See Cardoso, Sonia Regina F.; Monteiro, Edson Jose
- Angell, C. A. See Smedley, S. I.
- Anisimova, E. M. See Komleva, G. P.
- Anistratov, A. T. See Mel'nikova, S. V.
- Anees, Eric C. See De Rooy, Felix J.
- Anokhin, V. I.; Stasovskaya, V. V.; and Krapivkina, O. V.
Composition containing a ceramic binder for impregnating abrasive tools. 59-00005P
- Anzari, Mubabul Haq
Review of Saudi Arabia's expanding cement industry. 59-00069A
- Anseau, M. R. See Di Rupo, E.
- Anseau, M. R.; Di Rupo, E.; and Robert, T.
Characterization of fused silica powders. 59-01784A
- Ansell, G. E.; Haasen, P.; and Weertman, J. (Editors)
Mechanical and Corrosion Properties 1979—Nonmetals. 59-04050B
- Anselmo, J. C. See Kincheloe, N. K.
- Anthony, Philip John; and Anderson, Ansel C.
Low-temperature dielectric susceptibility of Li, Na, K, and Ag β -alumina. 59-03007A
- Anthony, Thomas R.; and Cline, Harvey E.
Promotion of surface film stability during initiation of thermal migration. 59-02737P
- Antolini, Paolo See Maffei, Alberto
- Antonides, Gene J.; Dillard, Paul A.; and Fritz, Walter M.
Transparent solar cell modules. 59-00271A
- Antonoli, G.; Bianchi, D.; and Franzosi, P.
Temperature variation of refractive index in GaSe. 59-01258A
- Antonov, G. I. See P'yanykh, E. G.
- Antonova, S. L.; and D'yakova, V. V.
Glass formation in 2-component Si-rich borosilicate glasses synthesized by the sol-gel method. 59-02249A
- Antonyuk, G. M. See Adukhin, L. E.
- Antsyukhina, A. S. See Minacheva, L. Kh.
- Anurova, E. N.
Effect of ion-exchange treatment temperature on the physicochemical properties of glass. 59-01147A
- Aoki, Shigeki; Suzuki, Yoshihiro; and Arai, Yasuo
Precipitation of calcium sulfate dihydrate from aqueous solution by calcium ion electrode. 59-02103A
- Apilati, V. Ya.; Litichevskii, M. I.; and Myulendorf, O. S.
Apparatus for pulling single crystals from melt. 59-03706P
- Appelo, C. Anton J.
Layer deformation and crystal energy of micas and related minerals: I, Structural models for 1M and 2M, polytypes. 59-01862A; Layer deformation and crystal energy of micas and related minerals: II, Deformation of the coordination units. 59-01863A
- Appen, Z. S. See Udalov, Yu. P.
- Appendino, Pietro See Montorsi, Margherita
- Apkhtin, N. N. See Borisova, Z. U.
- Apkhtin, N. N.; Dunae, A. A.; and Mikhailov, M. D.
Cooling rate of melts during glass formation in chalcogenide systems. 59-04169A
- Arachi, John M.
Method for fabricating a composite bonded structure. 59-01089P
- Aragaki, Tsutomu See Shirato, Mompei
- Araki, Hiromichi See Shiraki, Yoshiro
- Arai, Hisao; Akiyama, Katsuichi; and Tadano, Yosaburo
Operations to remove hot scales from heating furnace flues. 59-02460A

- Arai, Kanbiko See Matsura, Katsuji
- Arai, Toshihiro See Kitahara, Tadashi
- Arai, Yasuo See Aoki, Shigeki; Yasue, Tamotsu
- Arakawa, K. See Iseki, Takayoshi
- Aranjo, Roger J.; Borrelli, Nicholas F.; and Crow, John B.
Fluorine out-diffused optical device and method. 59-04294P
- Aranjo, Roger J.; Borrelli, Nicholas F.; and Nolan, Daniel A.
Influence of electron-hole separation on the recombination probability in photochromic glasses. 59-01192A
- Aranjo, Roger J.; and Tick, Paul A.
Refractive index-corrected copper-cadmium halide photochromic glasses. 59-01355P
- Arcan, L. J. See Voloshin, Arkady
- Archakov, Yu. I.; Vasil'ev, L. N.; and Seregina, L. N.
Spectroscopic study of As chalcogenides and chalcotellurides. 59-03078A
- Ardary, Zane L.; and Reynolds, Carl D.
Method for fabricating boron carbide articles. 59-04858P
- Ardelean, Ioan See Burzo, Emil; Surdeanu, Tudor
- Ardelean, Ioan; and Indrea, E.
X-ray diffraction studies of $x\text{Fe}_2\text{O}_3 \cdot (1-x)[3\text{B}_2\text{O}_3 \cdot \text{PbO}]$ glasses. 59-03355A
- Ardell, Marilyn
Options in air quality control. 59-04707A
- Arends, J.; Schuthof, J.; and Van der Linden, W. H.
Preparation of pure hydroxyapatite single crystals by hydrothermal recrystallization. 59-03053A
- Arensburger, D.; and Pirso, J.
Chromium carbide-based sintered material. 59-00783P
- Arifov, P. A.; and Siraziddinov, N. A.
Elastic and electrical properties of solid solutions in the system $\text{SrGa}_2\text{Si}_2\text{O}_7\text{-SrGa}_2\text{Ge}_2\text{O}_7$. 59-02971A
- Arioka, Masayuki; Kokubo, Tadashi; and Tsuboi, Megumi
Thermal and mechanical properties of unidirectionally solidified $\text{Li}_2\text{O-2SiO}_2$ ceramics. 59-03879A
- Arita, Minoru; Hosoya, M.; and Kobayashi, Mutsuhiko
Depth profile measurement by secondary ion mass spectrometry for determining the tracer diffusivity of oxygen in rutile. 59-00821A
- Arkstova, T. G. See Mikhailov, B. A.
- Armagan, N. See Aka, Y.
- Armijo, Joseph S.; and Coffin, Louis F., Jr.
Nuclear fuel element. 59-03780P
- Armington, A. F. See Halliburton, L. E.
- Armistead, William H.; and Lachman, Irwin M.
Manganese cordierite glass-ceramics. 59-03393P
- Armistead, William F., Jr.; and Crisman, Everett E.
Fabrication of photovoltaic devices by solid phase epitaxy. 59-00959P
- Arnaudov, P. See Dmitriev, Ya.
- Arora, S. K. See Sangwal, K.
- Arras, K.
Development status and trends of modern electro-filter installations for the cement industry. 59-00044A
- Arraga-Ortiz, Hector M.
Industrial oven for the calcining of limestone. 59-02117P
- Artamonov, V. A.; and Denisova, L. A.
Charge for the manufacture of refractory articles. 59-02514P
- Artamonova, G. I. See Pavlushkina, T. K.; Tarasov, B. V.; Zhukova, T. S.
- Artamonova, G. I.; Kaplina, E. N.; and Potolovkova, T. N.
Glass. 59-01325P; 59-01323P
- Artamonova, G. I.; Kaplina, E. N.; and Tarasov, B. V.
Use of insulating glass in hybrid integrated circuits with an Al plating system. 59-01268A
- Artamonova, M. V. See Abdrashitova, E. I.; Pavlushkin, N. M.
- Art'nykh, V. G. See Bukhmastov, V. I.
- Arthur, J. See Gregory, Brooke
- Artyushkina, N. G. See Pronkin, A. A.
- Artyushkina, N. G.; Evstrop'ev, K. K.; and Pronkin, A. A.
Glass with anionic conductivity. 59-01316P
- Asada, Chisaki; Saito, Makoto; and Kajima, Hisashi
Molybdenum base composite materials reinforced with continuous silicon carbide fibers and a method for producing. 59-02902P
- Asaga, Kiyoshi See Kondo, Renichi; Roy, Della M.
- Asaga, Kiyoshi; and Roy, Della M.
Rheological properties of cement mixes: IV, Effects of superplasticizers on viscosity and yield stress. 59-04114A
- Asahara, Yoshiyuki
Faraday rotation glass. 59-00296P
- Asahi, Kunihiko See Inoue, Morio
- Asai, Kiyotugu; Takaguchi, Kazuo; and Kawabata, Toshihiko
Method of coating glass bottle with aqueous dispersed urethane composition. 59-00339P
- Asam, Adolf R.
Method of fabricating high strength optical preforms. 59-03415P
- Asano, Ketsuke See Hamano, Kenya
- Asano, Motokin See Miyake, Tetsuya
- Asano, Sadame; and Hayase, Masahiro
Antislaking equipment named "Moistorer." 59-03493A
- Ascalabar, E. See Barandiaran, J. M.
- Aschoff, Hermann; Hagenburger, Klaus; and Urban, Heinz
Thermal investigations of brick clays and brick clay mixtures. 59-02401A
- Ashbee, K. H. G.
Particle orientation method. 59-02904P
- Ashby, M. F. See Swinkels, F. B.; Wilkinson, D. S.
- Aslami, M. A.
Reactants delivery system for optical waveguide manufacturing. 59-04374P
- Aslanova, M. S.; Kolesov, Yu. I.; and Khasanov, V. E.
Glass Fibers (Steklyannye Volokna). 59-01966B
- Aslanova, M. S.; Popova, G. S.; and Khasanov, V. E.
Glass for glass fiber production. 59-03032P
- Asmadi, F. See Timossi, P.
- Astakhova, I. S.; Goryushkin, V. F.; and Laptev, D. M.
X-ray investigation of the compound $\text{SmCl}_2 \cdot 2\text{SmCl}_3$. 59-05118A
- Atakushev, T. A. See Akhmedov, M. A.
- Atalla, S. See Basili, R.
- Athanas, Terry G.
Method of stabilizing semiconductor device by converting doped polysilicon to polyoxides. 59-02727P
- Atanova, A. F.; and Rozhkova, S. V.
Enamel coating for antioxidation protection of metal. 59-01074P
- Attard, Alfred E.; and Lee, Henry C.
X-ray crystallographic computations using a programmable calculator. 59-04745A
- Augustov, P. A.; Gotlib, V. I.; and Rubinsina, N. M.
Photorefractive in lithium niobate. 59-03996A
- Aulich, Hubert; Donkals, Nikolaos; and Hacker, Heinz
Light waveguide with a high tensile strength [coating]. 59-04322P
- Aulich, Hubert; Grabmaier, Josef; and Elacanth, Karl-Heinz
Device for drawing a group of clad light-conducting fibers. 59-03373P
- Aulich, Hubert; Grabmaier, Josef; and Pink, Hans
Method for producing a light conducting fiber. 59-01334P
- Ault, Neil N. See Schwartz, Murray A.
- Auracher, Franz; and Kersten, Ralf
Distributor for optical signals. 59-00292P
- Austin, T. M.
Techniques for particle measurement. 59-01669A
- Auth, Susan Handler
Fragmentary Christian gold-glass at the Newark Museum. 59-00999A
- Avanesov, V. A.; Bochenov, E. E.; and Kulyamina, L. L.
Glass. 59-00317P
- Avdeenko, B. K.; Iyon, A. L.; and Shchelokov, A. I.
Electrical properties of ZnO ceramics produced at different annealing temperatures. 59-02643A
- Avdeeva, T. I.; Romanova, O. V.; and Khomyeva, T. M.
Paste for metallization of un-fired ceramics. 59-02621P
- Averbuch-Pouchot, M. T. See Blum, D.
- Avison, N. L.; Winters, R. M.; and Perlmutter, D. D.
Kinetics of coal oxidation. 59-00727A
- Aydin Uraz, A. See Aka, Y.
- Aymard, Pierre See Dewitte, Jean
- Azimov, I. See Irakhodzhaeva, A. P.
- Azimov, Sh. Yu. See Ismatov, A. A.
- Azzoni, C. B.; Del Nero, G. L.; and Krajewski, Adriano
EPR analyses on a lead ceramic coating with a complex industrial composition doped with first transition group chromophorous cations. 59-02581A; Pb²⁺ release by lead-ceramic glazes related to the chromophorous ion Cu²⁺. 59-04527A
- Baah, Kenneth A. See Herron, Robert H.
- Babaeva, P. K. See Rustamov, P. G.
- Babany, M. B. See Gotuk, Ali Alaric
- Babcock, Clarence L.; Bueckler, Robert A.; and Hagedorn, Erwin C.
Product [glass-ceramic] and process for forming. 59-03445P
- Babich, N. F. See Bednosheva, Y. Ya.
- Babin, P. N. See Akishev, A. Kh.
- Babin, P. N.; and Akishev, A. Kh.
High-temperature testing of periclase refractories. 59-02442A
- Babitsyna, A. A.; Emel'yanova, T. A.; and Kalinikov, V. T.
Interactions in the system copper-selenium-bromine. 59-04973A
- Babkina, L. A. See Pirogov, Yu. A.
- Baburek, Jiri; Hannus, Václav; and Kade, Vladimír
Control of the capacity of magnetic separator during dressing of kaolins for production of paper. 59-02825A
- Babuyuk, T. I. See Mocharnyuk, G. F.
- Bachiorri, Alessandro
Infrared spectrophotometry in the study of cordierite glass crystallization. 59-01194A
- Bachman, David L.; and Voorhees, Francis W.
Method for making vitreous carbon coatings on glass fibers. 59-04342P
- Beckrich, Robert Z.
Semiconductor surface and crystal physics studied by MBE [molecular beam epitaxy]. 59-04587A; See also Bianconi, Antonio
- Bacon, George Edward; Bacon, P. J.; and Griffiths, R. K.
Orientation of apatite crystals in bone. 59-03036A
- Bacon, P. J. See Bacon, George Edward
- Badev, B. N. See Vorobiev, Y. K.
- Bade, Werner; Gelsdorf, Guenther; and Wieland, Guenther
Lining materials. 59-03604P
- Bader, Ernst
Influence of cullet on melting reactions of B_2O_3 and Na-Ca-silicate glass batches. 59-01191A
- Bedinszky, Peter
Economic geology of quarrying. 59-04777A
- Bedirnarayan, M. K. See Todd, Lee T., Jr.
- Badurski, Marek; and Stros, K.
Growth and phase transitions in single crystals of $(\text{K},\text{Na})_2\text{NbO}_6$. 59-02986A
- Badwal, S. P. S.; and Bevan, D. J. M.
Conductivity measurements on CrVO_4 , CrNbO_4 , CrUO_4 , $6.14\text{ZrO}_3 \cdot \text{Nb}_2\text{O}_5$, $4.26\text{ZrO}_3 \cdot \text{Nb}_2\text{O}_5$, and $6.14\text{ZrO}_3 \cdot \text{Ta}_2\text{O}_5$. 59-02634A
- Baerner, K. See Krokoszinski, H. J.
- Baghdadi, Aslan; Ellis, R. James; and Gurtler, Richard W.
Silicon ribbon growth using scanned lasers. 59-04589A
- Baginski, V. I.; Bolko, G. P.; and Bolko, V. N.
Production of wall tiles for furnaces based on local ceramic raw materials. 59-00421A
- Bahat, D.; and Chu, G. P. K.
High temperature glass-ceramics of the $\text{BaO-Al}_2\text{O}_3\text{-SiO}_2\text{-Ta}_2\text{O}_5$ system and molybdenum metal composites. 59-01183A
- Baidakov, L. A. See Ananichev, V. A.
- Baier, Bernd
Waste heat utilization for production of power behind regenerative container-glass tanks. 59-01276A
- Balk, Yong-Hyuck; Choi, Sang-Heul; and Chung, Chang-Ju
Influence of mixtures containing Fe_2O_3 , MnO_2 , CaF_2 , and TiO_2 as mineralizers on mullitization. 59-00862A
- Bailey, Harold A.
Glass sheet bending mold apparatus. 59-03386P
- Bailey, John Edward See Birchall, James Derek
- Bailiff, Patrick See Regourd, Micheline; Thomassin, Jean Hugues
- Bailly-Lacresse, J. F. G.; Crepeux, Alain P.; and Thomas, Philippe G.
Manufacture of carbon fibers. 59-03607P
- Balocchi, E.; Montenero, A.; and Momo, F.
High temperature ESR study of Fe(III) in lead silicate glass. 59-04209A
- Bajwa, Iqbal; and Jenkins, David
Technique for the preparation of clay samples on ceramic slides for XRD analysis under pressure. 59-01668A
- Bakalkin, A. P.; Shapiro, Ya. Z.; and Rukhin, V. P.
Review of the [Soviet] State Standards for lightweight refractory goods. 59-02484A
- Bakalov, Z.
New porcelain products manufactured at 1350°C at the Kiika Plant. 59-03649A
- Bakalov, Z.; and Boyadzhieva, P.
Effect of activated bentonite clays in the production of porcelain wares. 59-03637A
- Bakalova, Y. P. See Grancharov, I. N.
- Baker, Gordon C.
New Geneva tanware. 59-01013A; Union Pottery, Point Marion, Pennsylvania. 59-02050A
- Baki-Borodov, E. L.; Grunin, V. S.; and Zhdanov, S. P.
EPR study of the low-temperature dehydroxylation of microporous glasses. 59-04180A
- Bakker, Wate T.
Periclase refractory and its method of manufacture. 59-04493P
- Bakon, Andrzej See Szymanski, Andrzej
- Bakulin, E. A.; Gilyarov, V. L.; and Scherbina, V. V.
Optical constants of iron germanides. 59-00883A
- Balakshina, V. N. See Karpinos, D. M.
- Balaskirev, V. G. See Belov, N. V.
- Balashov, Ya. S. See Makarov, V. N.; Skripnikov, V. A.
- Balashov, Ya. S.; Chernyshov, A. V.; and Sasin, V. N.
Acoustic properties of mixed-alkali silicate glasses. 59-03249A; Low-temperature mechanical relaxation in alkali silicate glasses containing alkaline-earth oxide additives. 59-04228A
- Balashova, E. M. See Kolchin, V. V.
- Balashovskanin, N. See Ramachandran, B. E.
- Balashov, A. M. See Vas'kovskii, V. O.
- Baldwin, C. M.; and Mackenzie, John D.
Fundamental condition for glass formation in fluoride systems. 59-00197A
- Bale, C. W. See Lin, P.-L.
- Ballin, Fai
Brick and tile industry in Denmark. 59-03464A; Characteristics of ceramic raw materials and greenware which govern the drying process. 59-04516A
- Ballin, Fai; and Jehanz, E.
Desorption isotherms of clays during drying. 59-02579A
- Ballin, Fai; Jehanz, Mrs. Zoltan; and Skvorcov, Tibor
Importance of desorption isotherms of clays in ceramic drying. 59-03644A
- Ball, Russell M.
Apparatus and method for detecting power distribution in a nuclear reactor fuel element. 59-03775P
- Balla-Csaki, Ida
Testing methods for bricks and tile clays in the German Federal Republic. 59-03481A
- Ballard, Geoffrey M. See Ward, Peter
- Ballman, Albert A. See Glass, A. M.
- Balta-Calleja, Francisco See Hosemann, Rolf
- Baltzinger, C. See Roziere, J.
- Baltzinger, C.; Rodiere, J.; and Baro, R.
Interpretation of microtwins observed on the (01.2) faces of hematite. 59-02998A
- Bambrick, William E.
Process for preparing shaped particles from rehydratable alumina. 59-01758P
- Bando, Shinji; and Muta, Genzake
Hot-gunning method for soaking pit. 59-04420A

- Bando, Yoshio; Watanabe, Mamoru; and Sekikawa, Yoshio
Structure analysis of $\text{Na}_2\text{Ti}_2\text{O}_7$ by 1 MV high-resolution electron microscopy. 59-01916A
- Bandyopadhyay, N. See Ritter, John E., Jr.
- Banerjee, G., and Biswas, S. K.
Performance of high alumina bricks in different furnaces of steel plant practices [works] in India. 59-02464A
- Banerjee, H. D. See Nasipuri, Rita
- Banerjee, Lalit K.; Basu, Amarendra N.; and Sengupta, Sukraia P.
Model calculation of the pressure derivative of the high-frequency dielectric constant of alkali-halide crystals. 59-03018A
- Bauk, Gerhard See Sal'nikov, V.
- Bauks, D. A.; and Clough, D. J.
Micropore sintering in UO_2 irradiated below 1100°C in Winfrith SCHWR. 59-04686A
- Baunister, M. J.
Comment on "The role of MgO in the sintering of alumina." 59-01791A
- Banno, Hisao; and Sobue, Hideo
Method to evaluate electrostrictive material for ultrasonic transducer. 59-04575A
- Banno, Shiroe See Ito, Saketoshi
- Bansal, Ben; Jones, Ken; and Stephan, Patrick M.
Batch pelletizing and preheating. 59-01110A
- Bansal, Girraj K. See Shetty, Dinesh Kumar
- Baptiste, J. L.; and White, James
Phase equilibrium relations of the spinel phase in the systems $\text{MgO-Al}_2\text{O}_3$ - CaMgSiO_3 , $\text{MgO-Cr}_2\text{O}_3$ - CaMgSiO_3 , and $\text{MgO}(\text{Al}_2\text{O}_3\text{-Cr}_2\text{O}_3\text{-CaMgSiO}_3)$. 59-03045A
- Bara, E. J. See Botta, Irma L.; Escobar, M. E.
- Barandiaran, J. M.; Hernandez, A.; and Azaouar, E.
Influence of torsion on the magnetic properties of an amorphous ribbon. 59-04970A
- Baranov, E. F. See Gaponov, Ya. G.
- Baranova, T. V. See Usatkov, I. F.
- Baranova, T. F.; Kurakaya, I. N.; and Kindina, O. N.
Periclase crucibles for smelting Ni alloys. 59-02466A
- Baranski, Jozef; Fedulinski, Karol; and Sader, Czeslaw
Factors affecting the life of open hearth furnace regenerators. 59-03529A
- Barashkova, E. I. See Andreeva, N. A.
- Baratta, Francis I.
Stress intensity factor estimates for a peripherally cracked spherical void and a hemispherical surface pit—correction. 59-00929A
- Barczak, Gail Comingsby (Editor)
Ceramic Health Hazards—Occupational Safety and Health Hazards for Artists and Craftsmen. 59-00960B
- Baris, M. F. See Rincón, J. M.
- Barber, M. S. See Timmerhaus, K. D.
- Barile, Leon; Kocuvan, Ivan; and Uric, Jose
Nuclear magnetic resonance studies of the hydration and strengths of cement. 59-02094A
- Barco, Luigi See Beruto, Dario
- Bardehneer, Friedrich See Schuermann, Eberhard
- Barde, Gerard
Plant and a process for [microwave] sintering ceramic products. 59-00674P
- Barlos, Russell
Low and medium Btu coal gasification—a status report. 59-04757A
- Baronay, Gyorgy; Bottani, Lazzio; and Gado, Pál
Automated quantitative phase analysis of bauxites. 59-02782A
- Barosay, Gyorgy; Canaday, A.; and Coorlas, A.
Scanning electron microscope study of bauxites of different ages and origins. 59-01903A
- Barstley, W.; Hurl, D. T. J.; and Mullin, J. B. (Editors)
Crystal Growth—A Tutorial Approach. 59-01952B
- Bargav, N. T.; Bockharev, E. P.; and Vlasenko, L. S.
Behavior of Ho, Gd, and Yb impurities in Si. 59-02923A
- Baril'skaya, T. A. See Brodka, A. S.
- Baril'skii, V. D. See Brodka, A. S.
- Barinov, S. M. See Grevtsev, S. N.
- Barinova, V. A.; Lisovskaya, G. P.; and Pavushkin, N. M.
Mathematical modeling of the crystallization of glasses in the system $\text{Li}_2\text{O-Al}_2\text{O}_3\text{-SiO}_2\text{-TiO}_2$. 59-03305A
- Barker, M. G.
Reactions of the liquid alkali metals with the metals Zr, Nb, Ta, Mo, and W and their oxides. 59-05034A
- Barikhatov, L. S. See Shipil'rain, E. E.
- Barikhatov, L. S.; Kagan, D. N.; and Koroleva, V. V.
High-temperature studies of the solid-phase enthalpy of scandium oxide. 59-04960A
- Barlow, William A.; Rhodes, Maurice; and Sherliker, Francis K.
Electrocoating process for producing a semiconducting film. 59-04613P
- Barnd, P. See Lewis, Michael H.
- Barnes, P. See Ghose, A.
- Baro, R. See Baltzinger, C.; Roziere, J.
- Baroch, Charles J. See Kerr, John M.
- Baron, Dietmar; Felzer, Rudolf; and Stepanek, Premek
Method of and apparatus for production of plate glass. 59-01335P
- Barrett, Joy M.; Clark, David E.; and Hench, Larry L.
Glass-ceramic dental restorations. 59-03895P
- Barrett, Joy M.; Hench, Larry L.; and Bernstein, S.
Effect of heat treatment on the oxidation of hot-pressed Si_3N_4 as determined by infrared reflection analysis. 59-04805A
- Barrett, L. R. See Park, H. K.
- Barrett, R. B.; and Wickham, C. S.
Chemical determination of clay content of mineralogical samples with nickel(II) ammine complexes. 59-01635A
- Barzegov, D. G. See Il'yasov, I. I.
- Barts, Cemal; Zadohkin, B. S.; and Markov, Yu. F.
Heat capacity of HgBr_2 crystals in the phase transition region. 59-00852A
- Bartenev, G. M. See Gorbachev, V. V.; Tulinova, V. V.
- Bartenev, G. M.; Abramyan, E. A.; and Perova, A. A.
Stressed state and strength of large-sized plate glass. 59-00261A
- Bartenev, G. M.; and Kartashov, E. M.
Kinetic theory of the temperature-force relations of the durability of glass, strengthened by ion-exchange and quenching. 59-02263A
- Bartenev, G. M.; Kartashov, E. M.; and Tulinova, B. M.
Theory of brittle rupture in glasses strengthened by ion exchange and quenching. 59-00266A
- Bartenev, G. M.; Shcheglova, N. N.; and Sandytov, D. S.
Characteristics of relaxation of stresses in silicate glasses. 59-01116A
- Bartenev, G. M.; Shcherbakova, I. M.; and Tulinova, B. M.
Equations relating strength with durability of sheet glass. 59-00187A
- Barth, Catherine
Historic lithophanes and their production. 59-00021A
- Barth, Peter
Selection criteria for the use of high alumina and fireclay brick in rotary cement kilns. 59-02111A
- Barth, Peter; and Tutsek, Alexander
Glass-forming compound and brick made therewith. 59-04313P
- Barthe, Marie-Pierre See Battigelli, Jean A.
- Bartholomew, Roger F.; Butler, B. L.; and Hoover, H. L.
Infrared spectra of a water-containing glass. 59-04212A
- Bartholomew, Roger F.; Mach, Joseph F.; and Wu, Che-Kuang
Method for making silver-containing glasses exhibiting thermoplastic properties and photosensitivity. 59-00337P
- Bartholomew, Terese Yue
[Chinese] I-hsing teapots. 59-00014A
- Bartle, W. W.
Zircon sand production and market. 59-02848A
- Bartoli, F. J.; Allen, Roger E.; and Esterowitz, L.
Fluorescence due to magnetic-dipole transitions in $\text{LiYF}_4:\text{Pr}^{3+}$. 59-00192A
- Bartusiak, M. F.; and Becher, J.
Proton-induced coloring of multicomponent glasses. 59-00243A
- Barykin, B. M. See Resnikova, E. D.
- Barykin, B. M.; Gordon, V. G.; and Resnikova, E. D.
Effect of the preliminary oxidation of Cr on the properties of the cermet 60% YCrO_3 -40% Cr. 59-02864A
- Barysheva, G. K.; Ermoleva, E. I.; and Zimina, L. I.
Refractory supports for firing ceramic capacitors. 59-04156P
- Bashkurov, L. A. See Pan'kov, V. V.
- Basile, Giampiero; Gallinotti, Elio; and Boero, Giancarlo
Stabilized ferromagnetic chromium dioxide and process for its preparation. 59-01598P
- Basili, R.; El-Sharkawy, A.; and Atalla, S.
Experimental determination of the thermal properties of Nb_2O_5 , La_2O_3 , and Ce_2O_3 in the temperature range 400–1000 K. 59-04943A
- Basmajian, J. A. See Hollenberg, Glenn W.
- Bass, Jay D.; and Sclar, Charles B.
Stability of trolleite and the $\text{Al}_2\text{O}_3\text{-AlPO}_4\text{-H}_2\text{O}$ phase diagram. 59-01912A
- Bassett, M. B. See Griffiths, T. J.
- Basu, Amarendra N. See Banerjee, Lalit K.
- Basu, S.; Das, D.; and Chakraborty, M.
Microprobe analysis of the corroded surface of a silicate glass. 59-00221A
- Batchelor, Robert L.; and Feldman, Charles F.
Manufactured glass laminates. 59-04330P
- Batdorf, S. B.; and Sines, George
Combining data for improved Weibull parameter estimation. 59-01790A
- Bates, John B. See Kaneda, T.
- Bates, John B.; Kaneda, T.; and Wang, J. C.
Low frequency Raman scattering from ammonium ions in sodium beta-alumina. 59-03006A
- Bates, John B.; Wang, J. C.; and Perkins, R. A.
Mechanisms for hydrogen diffusion in TiO_2 . 59-03014A
- Batsanov, S. S.
Energy of the forbidden zone of AB-type inorganic compounds. 59-04939A
- Battigelli, Jean A. See Leveque, Marcel
- Battigelli, Jean A.; and Barthe, Marie-Pierre
Suppression of pollution in mineral fiber manufacture. 59-01359P
- Battigelli, Jean A.; and Bonquet, Francois
Glass fiberization by centrifugal feed of glass into attenuating [gaseous] blast. 59-04302P
- Battigelli, Jean A.; Bonquet, Francois; and Fezenko, Igor
Glass fiberization spinner. 59-04304P; Method for centrifugal fiberization of hard glass. 59-04336P
- Battigelli, Jean A.; Bonquet, Francois; and Missol, Jean-Jacques
Glass composition and fibers. 59-04301P
- Baturin, A. I. See Kulikov, A. F.
- Batzdorff, Alfred
Brick blending apparatus. 59-00396P
- Bauer, F.; Vollrath, K.; and Eyraud, L.
Ferroelectric energy conversion with PZT ceramics under shock loading. 59-02649A
- Bauer, Klaus; Goldmann, Wolf; and Kretzer, Horst
Process for the production of cement in a fluidized bed. 59-04146P
- Bauer, Lawrence E.
New shuttle kiln design for firing large insulators. 59-02812A
- Bauer, William C. See Semans, Bruce F.
- Banhofer, W.; and Simon, A.
Electrical resistance of rubidium and cesium oxides with high metal content. 59-00554A
- Baumann, Jurgen
Raw material control in a refractory plant. 59-02477A
- Baumgart, Wolfgang
Process for the production of products from naturally-occurring magnesium orthosilicate-rich rocks. 59-04147P
- Baumgartner, Friedrich; Fernow, Karl H.; and Walz, Franz
Apparatus for building up and repairing a refractory lining. 59-03584P
- Baumgartner, Oswald; and Voelkenle, Horst
Crystal structure of the tetragrammate $\text{K}_2\text{Ba}(\text{Ge}_2\text{O}_6)_2$. 59-00814A
- Baumshtein, I. P. (Editor)
Automated Systems for Controlling Thermal Processes in the Ceramic and Glass Industries (Avtomatizirovannyye Sist. Upravleniya Teplovymi Processami v Keram. i Stekol'noi Prom-st.). 59-01940B
- Baxi, D. R. See Desai, G. T.
- Bayles, Christiane See De Panafieu, Arnaud
- Bazakutsa, V. A.; Lazarev, V. B.; and Gaidash, N. I.
Physical properties of the silicoantimonides of the alkali metals A^+SbSe ($\text{A}^+ = \text{Li, Na, K, Rb, Cs}$). 59-05024A; Regularities in the change of the electrophysical properties in a series of compounds A^+SbTe ($\text{A}^+ = \text{Li, Na, Rb, Cs}$). 59-05036A
- Baznev, G. V. See Finkel'shtein, L. D.
- Bazner, G. V.; Makarov, O. V.; and Shvelkina, G. P.
Synthesis of phases of composition $\text{Nd}_{1-x}\text{TiO}_{1-x}$, with the perovskite structure. 59-05065A
- Beale, H. A.
Cubic boron nitride. 59-04801A
- Beall, George H.
Microstructure of glass-ceramics and photosensitive glasses. 59-03311A; 59-01213A; See also McNally, R. N.
- Beall, George H.; and Reade, Richard F.
Glasses exhibiting high lithium ion mobility. 59-00319P
- Beals, Robert J.
Dinnerware production in China. 59-04518A
- Beard, H. R.; Nichols, I. L.; and Seidel, D. C.
Absorption of radium and thorium from Wyoming and Utah uranium mill tailings solutions. 59-01698A
- Beaudoin, James J.
Porosity measurement of some hydrated cementitious systems by high pressure mercury intrusion—microstructural limitations. 59-04108A
- Becher, J. See Bartusiak, M. F.
- Becher, Paul F. See Rice, Roy W.
- Becher, Paul F.; Lewis, David, III; and Carman, Kenneth R.
Thermal shock resistance of ceramics—size and geometry effects in quench tests. 59-02885A
- Bechtold, Bryant C.; and Cutler, Ivan B.
Reaction of clay and carbon to form and separate Al_2O_3 and SiC. 59-03064A
- Becker, Ernst-August See Deutsch, Volker
- Becker, Gordon P.
Article of manufacture having composite layer affording abrasion resistant and release properties. 59-04837P; Good tool to help solve problems for some enamels. 59-00098A
- Becker, Kurt; Baeger, Hermann; and Schwarzer, Siegfried
Multistation glass-forming machine. 59-04361P
- Becker, M. J.
Swedish colonial yellow bricks—notes on their uses and possible origins in 17th century America. 59-03164A
- Beckingham, Thomas G. See Larson, Richard I.
- Bevraj, J.; Cech, B.; and Benadik, A.
Low temperature sintering of UO_2 sol-gel derived microspheres and their properties after heat treatment at 1500–2200°C. 59-02748A
- Beda, L. L. See Markov, S. P.; Usvitskii, M. B.
- Beddow, J. K.; and Meloy, T. P. (Editors)
Testing and Characterization of Powders and Fine Particles. 59-04058B
- Bednosheva, V. Ya.; Babich, N. F.; and Ivanov, V. A.
Enamel. 59-01081P
- Beaiff, Dianne Ebert
Barber bottles. 59-00989A
- Beeler, David R.
Noncombustible high temperature abrasable seal material. 59-02544P
- Beelmann, Richard; Kerstges, Johannes; and Mertens, Paul
Blower beater mill. 59-00667P
- Ben, Karl; and Bontenbal, Cornelis
Granulated material and process for the production of granulated materials. 59-04130P
- Begheijn, L. Th.
Determination of iron(II) in rock, soil, and clay. 59-01638A
- Behrens, Richard
Cone 6 frit glazes. 59-02031A
- Beier, Wolfram See Frisch, G. H.
- Beisner, Klaus See Brachthausen, Kunibert

Belk, Bela

New method of clinker burning—precalcination in a shaft kiln. 59-03194A; Operation of ball mills with revolution control. 59-03788A; Phenomena in speed regulated ball mills. 59-02769A

Belikov, V. N.; Spivak, I. I.; and Belousova, A. P.

Ceramic sealant. 59-00584P

Belkina, E. Ya. See Shibakov, M. V.

Belkina, M. M. See Varzhenskii, N. S.

Bell, David G.; and Gibson, Keith R.

Processing of kaolinitic clays at high solids [60-75% suspension]. 59-03847P

Bell, M. F. See Von Alpen, U.

Bell, M. I. See Shaulov, A.

Belokryz, G. A. See Davydov, I. P.

Belomerya, N. I. See Belyi, Ya. I.

Belous, A. G.; Poltova, E. D.; and Venetstov, Yu. N.

Heat-compensated dielectric material. 59-02706P

Belousova, A. P. See Belikov, V. N.

Belousov, Yu. L.; and Kruchinin, Yu. D.

Effect of alkalis on the properties of Ca-rich aluminosilicate glasses. 59-02272A

Belousov, Yu. L.; Rozhin, Yu. I.; and Kononenko, G. V.

Glass for carbon-containing articles. 59-00320P

Belov, K. P.; Zvezdin, A. K.; and Kadomtseva, A. M.

Metamagnetic phase transitions and instability of the magnetic structure in the rare earth orthoferrites. 59-03016A

Belov, K. P.; Zvezdin, A. K.; and Mukhin, A. A.

Magnetic phase transformations in Tb orthoferrites. 59-03011A

Belov, N. V. See Simonov, M. A.

Belov, N. V.; Tainov, L. I.; and Balakirev, V. G.

Silicification and growth of quartz crystals. 59-04007A

Belov, V. V.; Vlasov, V. N.; and Derbeneva, T. A.

Lead lanthanum zirconate-titanate dielectric. 59-02709P

Belova, I. D. See Andryushenkova, S. A.

Belova, L. A. See Gol'tsov, Yu. I.

Belova, N. A. See Fedorova, V. A.

Belyaev, I. N.; Lupenko, T. G.; and Nalbandyan, V. I.

Effect of potassium chloride on the synthesis of complex titanates of the hollandite type. 59-04926A; Synthesis of the titanates and zirconates of the alkaline earths from their carbonates and dioxides in ionic melts. 59-03066A

Belyakova, N. P. See Kutukov, V. F.

Belyi, Ya. I.; and Belomerya, N. I.

Magnetite-containing material for enamel coating. 59-02193P

Belyi, Ya. I.; and Savchenko, V. D.

Primer enamel. 59-02197P

Belyi, Ya. I.; Shevchenko, T. A.; and Bondar, A. I.

Enamel. 59-00126P

Belyi, Ya. I.; Shevchenko, T. A.; and Pitkevich, S. B.

Enamel [thermally stable salad-green with decreased firing temperature]. 59-04157P

Belyi, Ya. I.; Shevchenko, T. A.; and Sardak, E. M.

Enamel [light-blue with increased luster and decreased firing temperature]. 59-02183P

Belyusinko, N. I.; and Kureev, Yu. P.

Opaque glaze. 59-01505P

Belyustin, A. A. See Kiprianov, A. A.

Benadik, A. See Becvar, J.

Bender, B. A.; Williams, D. B.; and Notis, Michael R.

Absorption effects in STEM microanalysis of ceramic oxides. 59-01767A; Investigation of grain-boundary segregation in ceramic oxides by analytical scanning transmission electron microscopy [AEM]. 59-04975A

Bendig, Larry L. See Stowell, Donald E.

Bendig, Larry L.; Scamhorn, John F.; and Stowell, Donald E.

High pore volume alumina from dilute high injection alkoxide feed. 59-02853P

Bendow, Bernard See Yukon, Stanford P.

Benedicto, John S. J.; Woodgate, Bruce E.; and Hallberg, Frederick C.

Method and apparatus for slicing crystals. 59-02714P

Benn, M.; Kuwabara, M.; and Riley, F. L.

Reactive hot-pressing of phases in the system $\text{Si}_2\text{N}_2\text{O}_2\text{Al}_2\text{O}_3$ (β' -sialon). 59-03067A

Benn, M.; and Riley, F. L.

Reaction sintering of some β' -sialon compositions. 59-03066A

Bennema, P. See Sunagawa, Ichiro

Benneth, Leonard M.; Greiner, Harry S.; and Hancock, Kenneth R.

Particle gamma ferric oxide. 59-02728P

Bennett, Jason Douglas

Cold cleaning prior to porcelain enameling. 59-02134A

Bennett, Joe B.

[Glass] filament wound pipe coupling. 59-04314P

Bensford, John

Early hydration behavior of portland cement containing boro-, citro-, and desulfogypsum. 59-04091A; Early hydration behavior of portland cement containing chemical by-product gypsum. 59-02064A

Bentur, Arnon

Pore structure of hydrated cementitious compounds of different chemical composition. 59-03196A

Berard, Michael F. See Scheidecker, R. W.; Wirkus, C. D.

Berdichevskii, I. M. See Borisov, M. B.

Berezhnaya, N. V.; Bondarenko, E. G.; and Dienna, I. I.

Synthesis of phosphate glasses. 59-02380P

Berg, Egon Antonio Torres See Ruvalo Filho, Adhemar

Berger, Hartmut

Phase relations and reaction behavior of alkali feldspars. 59-01884A

Berger, Rene

Electronic paramagnetic resonance of Cd^{2+} centers in irradiated vitreous sodium borates. 59-01159A

Berger, Richard L. See Goodbrake, Chris J.

Bergmeier, H. See Matthes, Wolf E.

Bergna, Horacio E.

Foundry mold or core compositions and method. 59-00451P

Berkenblit, Melvin; and Reisman, Arnold

Method for etching silicon and a residue and oxidation resistant etchant therefor. 59-03728P

Berkovich, T. M. (Editor)

Principles of the Technology of Asbestos Cement (Osnovy Tekhnologii Asbestotsementa). 59-04054B

Berkovskii, E. Ya. See Shcheglova, M. D.

Berkow, Nancy (Editor)

Fiesta Ware. 59-01962B

Berman, S. See Rain, M.

Bernett, T. W.; and Krebs, H. W.

Theories of alkaline cleaners prior to porcelain enameling. 59-00121A

Bernier, Jean Claude See Laville, H.

Bernstein, V. L. See Verich, E. D.

Bernstein, J. L. See Abrahams, S. C.; O'Bryan, H. M., Jr.; Svensson, C.

Bernstein, S. See Barrett, Joy M.

Berni, H. See Werner, C.

Berni, Jorgen O.

Means for mounting internal kiln hardware. 59-01693P

Berretz, Manfred

Corrosion resistant glasses that contain chemical additives for application over metal substrates. 59-03372P

Berrie, John S.; and Woolley, Graham E.

Manufacture of magnesium carbonate and calcium sulfate from brine mud. 59-04787P

Berry, David

Cementitious compositions. 59-03216P

Berry, E.; and Hope, B. B.

Preparation and properties of sulfur-infiltrated autoclaved concrete. 59-04109A

Bertagnoni, Emmerich; Kittinger, Erwin; and Tichy, Jan

Ferrobiclastic hysteresis in α -quartz. 59-01516A

Bertenshaw, Barry W.; Combe, Edward C.; and Tidy, David C.

Surgical cement compositions containing aluminoborate glass and a polymer glass and a polymer containing recurring carboxylic or carboxylate groups. 59-01763P

Bertolotti, M.; Ferrari, A.; and Scudieri, F.

Differential interferometry of γ -irradiated optical fibers. 59-04177A

Berube, M. A.; Berube, Y.; and Le Houllier, R.

Comparison of dry and wet grinding of a quartzite ground in a small batch ball mill. 59-00660A

Berube, Y. See Berube, M. A.

Beruto, Dario See Ewing, Jay

Beruto, Dario; Barco, Luigi; and Searcy, Alan W.

Characterization of the porous CaO particles formed by decomposition of CaCO_3 and Ca(OH)_2 in vacuum. 59-03935A

Beskov, V. S.; Tertyshnikov, S. A.; and Vainberg, A. M.

Mathematical model for heat and mass transfer in the supply layer of glassmelting charge. 59-00214A; Mathematical modeling of heat transfer during fritting of granulated glass charge. 59-00216A

Besmann, Theodore M.; Lindemer, Terrence B.; and Ling, Cheng

Thermodynamic calculations on coal ash and CaO interactions. 59-01748A

Besnelere, Jean-Pierre

Growth of crystalline rods of gallium arsenide in a crucible of specially treated fibrous silicon dioxide. 59-01557P

Besson, J. L.; Vardelle, M.; and Boch, P.

Arc plasma spraying of ceramic deposits. 59-02128A

Besuner, Philip M. See Rau, Charles A., Jr.

Bettonica, L.

Hydraulic press for the shaping and pressing of hollow ceramic articles. 59-00670P

Bevan, D. J. M. See Badwal, S. P. S.

Bevz, V. A. See Pivinskii, Yu. E.

Beyer, R. P.; and Dant, G. E.

Low-temperature heat capacities of potassium disilicate. 59-01867A

Beyer, R. P.; Ferrante, M. J.; and Brown, R. R.

Thermodynamic properties of potassium metasilicate and disilicate. 59-04032A

Bezhan, N. P. See Simashko, S. G.

Bezjak, Aleksandar See Tkalec, Emilija

Bezlepkin, V. A.; and Gordeev, S. Ya.

Charge for manufacturing vacuum-tight ceramics. 59-00588P

Bezmerzhaya, Z. G. See Abdrahmanov, R. S.

Bezmosikov, B. V. See Mel'nikova, S. V.

Bezrodnyi, V. G.; Fedorova, G. N.; and Komlev, G. A.

Electrical-insulating glass. 59-00294P; Glass for high-voltage insulators. 59-00303P

Bezrodnyi, V. G.; Komlev, G. A.; and Polyakova, M. G.

Ferromagnetic glass with a high Curie point. 59-01295P

Bezrodnyi, V. G.; Kuravina, G. N.; and Komlev, G. A.

Glass for insulators. 59-00304P

Bezukladnikova, L. A. See Tunik, T. A.

Bezvershenko, N. E. See Khalakur, T. K.

Bhaduri, S. K.; and Tyagi, B. S.

Effect of process variables on fired properties of bauxite from Rajhauan (Uttar Pradesh). 59-02429A

Bhalla, Ranbir S.

HID [high-intensity discharge] lamp emission [BaZrO_3 , SrZrO_3] material. 59-04316P

Bhatnagar, L. G.; and Mahapatra, Subrato

Stabilization of a sensitizer used in the electroless deposition of copper on ceramic materials. 59-03700A

Bhatia, Jeet S.

Use of grinding aids in ball mill grinding. 59-02775A

Bhattacharya, G. C. See Borthakur, P. C.

Bhatti, A. R. See Lewis, Michael H.

Bhatti, Nazir A. See Klawitter, Jerome J.

Bianchi, D. See Antonioli, G.

Bianconi, Antonio; Bachrach, Robert Z.; and Hagstrom, S. B. M.

Al_2O_3 - Al_2O_3 interface study using surface soft-X-ray absorption and photoemission spectroscopy. 59-02918A

Blavati, Eros

Archaic (14th century) Italian majolica—the first Sn enamel production decorated with verdigris green and violet Mn brown. 59-00986A

Blidwell, Jan I.; Adams, Roger W.; and Jepson, Walter B.

Improving the rheological properties of clays. 59-02616P

Blegier, F.

Comparison of metallic recuperators installed in furnaces which produce container-, borosilicate-, E-, fiber-, and Pb-glass compositions. 59-03263A

Bleis, I. Ya.

Phase equilibria and glass formation in the system P_2O_5 - WO_3 - MgO . 59-05017A

Bleis, I. Ya.; and Millere, I. V.

Glass-formation and crystalline phases in the system BaO - P_2O_5 - WO_3 . 59-00136A

Blesinskii, Z. T.

Engineering rock mass classification—new aid for engineers and geologists. 59-01643A

Biggers, James V. See Venkataramani, S.

Bigli, A.; and Ravaglioli, Antonio

Application of ceramics as biomaterials. 59-02860A

Bihaniak, Peter P.; Brandes, Lewis H.; and Galle, Donald L.

Method of densifying metal oxides. 59-03414P

Biljen, Jan M. J. M.; and Kleijnans, Peter A. M.

Process for the manufacture of shaped products from calcium sulfate dihydrate. 59-03229P

Bikbas, M. Ya. See Nudel'man, B. I.

Bilyukova, E. P. See Andryushkina, T. D.

Billy, Michel See Ehrl, Thomas C.; Guha, Jyoti P.

Billy, Michel; Labbe, Jean-Claude; and Selvaraj, Alphonso

Variation of the lattice parameters of Si_3N_4 with fast neutron irradiation. 59-00949A

Bilz, Heinz See Martin, Anna J.

Bind, Andrew

Handling the headaches of refractory lined plant. 59-01387A

Bind, J. M.

Contribution of the ionic bonding to the thermal stability of SiC polytypes. 59-00805A

Bindia, Peter J.

Metal-to-ceramic seals. 59-01566P

Binka, Jiri; Novotny, Jiri; and Pios, Josef

Corrosion resistance of Atmofix-type low-alloyed steel reinforcements in cellular concretes and in concretes with lightweight aggregates. 59-02059A

Birch, J. R.; Cook, R. J.; and Pardoe, G. W. F.

Millimeter wavelength absorption in soda-lime-silica glass. 59-03312A

Birchall, James Derek; Howard, Anthony James; and Bailey, John Edward

Hydration of portland cement. 59-02077A

Biscionini Ugolini, G.

Sforza di Marcantonio—16th century potter from Pesaro, Italy. 59-01024A

Biwas, Dipak R. See Virkar, Anil V.

Biwas, Dipak R.; Chandratraya, Sudhir; and Pank, Joseph A.

Thermal expansion, elasticity, and internal friction of polycrystalline PZT ceramic. 59-00578A

Biwas, Dipak R.; and Fulbright, Richard M.

Effect of surface treatments on strength of PZT polycrystalline ceramics. 59-01511A; Strength of porous polycrystalline ceramics. 59-04016A

Biwas, J. R. See Das, Saroj Kanti

Biwas, S. K. See Banerjee, G.

Biwas, S. K.; and Mukerji, Joydeb

Effect of BaF_2 on the nitridation of commercial silicon. 59-01815A

Bitner, Helmut See Hiebl, Kurt

Bizon, Peter T.; and Calfo, Frederick D.

Noncontact strain measurement. 59-00701A

Bjorck, G. L. See Shapiro, R. G.

Black, Philip W.

- Blake, David W.; Sheehan, Gerard M.; and Rowland, John D.
Titanium dioxide slurries from recycle material. 59-01725P
- Blake, R. D. See Hauth, Willard E., III
- Blakemore, Colin R.
Piezoelectric moisture analyzers. 59-00719P
- Blanc, Jean-Pierre; and Meiller, François
Hardening catalysts and alkali metal silicate compositions containing same [foundry molds]. 59-04478P
- Blanchin, M. G.; Fontaine, G.; and Kuhn, L. P.
Dynamic strain aging in stoichiometric rutile single crystals. 59-04922A
- Blank, Richard E.; Pawlowski, Henry; and Silverman, Ann J.
Listen to the light. 59-03802A
- Blann, Patricia; Johnson, David W., Jr.; and Gallagher, Patrick E.
Measurement of oxygen gradients and resultant strains in ferrites. 59-02669A
- Blasberg, Robert; and Bohdan, Carol L. (Editors)
Fulper Art Pottery—An Aesthetic Appreciation 1909–1929. 59-01964E
- Blaschky, G. See Schneider, L.
- Blassey, B.; Robinson, F. N. H.; and Wells, Michael Ronald
Nuclear magnetic resonance in holmium vanadate, HoVO_4 . 59-03027A
- Blattberg, K. C.; and Breddels, P. A.
QMSSC calculations on the thermal quenching of the uranate luminescence in uranium-doped tungstates with perovskite structure. 59-05028A
- Blumenthal, Robert M.
Articulated seal for a rotating cylinder such as a kiln. 59-04764P; See also Conrad, Ralph M.
- Blinov, V. A. See Sizova, R. G.
- Blinova, S. F. See Slododov, B. V.
- Block, S. A. (Editor)
Heat Technology Processes in the Rapid Firing of Ceramics. 59-05137B
- Blockina, A. I. See Izidinov, S. O.
- Blockina, S. I.
Measurement of the homogeneity of glass on a Vidro apparatus. 59-00218A
- Blondens, G.; Froelicher, M.; and Froment, M.
Influence of copper addition on optical properties of TiO_2 . 59-00564A
- Blosser, Charles
Salt glazing in Hoeher-Grenzhausen [Germany]. 59-00029A
- Blum, Martha See Davidson, Marion
- Blum, D.; Averbuch-Pouchot, M. T.; and Guillet, J. C.
Structure of α -barium dichromate. 59-03084A
- Blumenthal, Robert N. See Distine, Roger T.
- Bober, Manfred; and Karow, H. U.
Spectral emissivity of UO_2 up to 3800 K. 59-03771A
- Boberak, William G.; Chang, Wen-Hsuan; and Petracca, Victor G.
Magnesium oxide cementitious compositions containing hydrolyzable organo-silicon compounds. 59-01436P
- Boberak, William G.; Chang, Wen-Hsuan; and Seiner, Jerome A.
Cementitious magnesia compositions containing salts of organo-silanes. 59-01414P
- Bobkova, N. M.; Gorodetskaya, O. G.; and Kozorog, M. G.
Glaze. 59-00532P
- Bobkova, N. M.; Ruzak, V. I.; and Silich, L. M.
Opaque glaze. 59-02620P
- Bobkova, N. M.; Tikhovka, Zh. S.; and Gorodetskaya, O. G.
Opaque glaze for ceramic tiles. 59-02619P
- Bobrov, V. S.; Vedischeva, N. M.; and Shul'ts, M. M.
Electrode properties and dissolution kinetics of Li germanate glasses containing Ga_2O_3 . 59-00182A
- Bobylev, I. B. See Anfilogov, V. N.
- Bobylev, I. B.; and Anfilogov, V. N.
Electrical conductivity and structure of melts in the system PbO-SiO_2 . 59-00179A
- Boch, P. See Besson, J. L.
- Bocharov, L. D. See Simonov, K. V.; Strel'ov, K. K.
- Bocharov, L. D.; Simonov, K. V.; and Kukushkin, A. P.
Wear of refractories in slide valves of steel-pouring ladles. 59-02499A
- Bochenov, E. E. See Avanesov, V. A.
- Bochkarev, E. F. See Bargaev, N. T.
- Bochvar, I. A.; Gimadova, T. I.; and Keirim-Markus, I. B.
Radiothermoluminescent glass for use in the detector of a dosimeter. 59-01353P
- Bocquet, Gilbert See De Massey, Bernard
- Bocsi, Imre
Deformation of glass particles suspended in flame—preparation of dense and hollow glass beads: I. Characteristics of deformation. 59-04172A
- Bocsi, K. See Szij, F.
- Bodak, O. I.; Gladyshevskii, E. I.; and Yarovets, V. I.
Systems (Y,Gd)-Fe-Si. 59-03096A
- Bodov, V. M.
Enamel. 59-00127P
- Bodyshevskii, S. V. See Lingart, Yu. K.
- Boehm, Harald; Fleischmann, Robert; and Heffler, Jochen
Process for the production of a tungsten carbide catalyst by carburization of tungsten oxides. 59-01762P
- Boehm, Josef; Petho, Salvezter; and Tompos, Endre
Alteration of hammermill output and particle size distribution of the product by modification of the grid. 59-04704A
- Boehme, Werner R.; and Schlager, Albert J.
Internal sealant for concrete. 59-04131P
- Boero, Giancarlo See Basile, Giampiero
- Boers, K.
New faience by Bodo Mans. 59-02042A
- Boettcher, G. O.
Abrasion-resistant enamels. 59-02124A
- Boettner, George B.
Using heat balance models to predict energy requirements. 59-01270A
- Bogdanov, A. G. See Trukhin, A. N.
- Bogdanov, B.; and Mittev, T.
Effect of some factors on Cr content in ruby (glasses) synthesized by the Verneer method. 59-02230A
- Bogdanova, G. S. See Abdrakhmanov, R. S.
- Bogdanova, G. S.; and Ioffe, R. S.
Glass filters for compensating Se photoelectric cell. 59-00199A
- Bogdanovich, M. G. See Nikitin, Yu. I.
- Boger, David V. See Sarmiento, Guillermo
- Boggum, Paul P.; and Glaser, Walter
Choice of refractories for use in sidewalls and crowns of glassmelting tank furnaces. 59-03503A
- Bogomolova, L. D.; and Kheener, E. K.
Formation of clusters of Fe^{3+} ions in Na- and Pb-silicate glasses (based on EPR spectral data). 59-04198A
- Bogomolova, L. D.; Makova, I. M.; and Pavlushkina, T. K.
Structural properties of glasses in the system $\text{BaO-V}_2\text{O}_5\text{-P}_2\text{O}_5$. 59-01251A
- Boguslavskii, I. A.; Butsev, A. M.; and Kovalenko, N. P.
Strengthening of glass. 59-00372P
- Boguslavskii, I. A.; and Batenko, V. A.
Electrochemical strengthening of industrial sheet glass. 59-02235A
- Boguslavskii, I. A.; and Pukhlik, O. I.
Calculation methods for studying the ion-exchange strengthening of sheet glass. 59-02209A
- Bohdan, Carol L. See Blasberg, Robert
- Bohlander, Oskar See Schumann, Erwin
- Bohn, Jack R. See Pearson, Durk J.
- Boiko, G. P. See Baginskii, V. I.
- Boiko, L. V. See Chermeko, L. G.
- Boiko, V. N. See Baginskii, V. I.
- Boliot, Jacques P. See Collongues, R.
- Boliot, Jacques P.; Colomban, P.; and Collin, G.
Comparative study of the structures of stoichiometric and nonstoichiometric β -alumina by X-ray diffraction: I. 59-04893A
- Boinet, Jacques
Characterization of expanded schists from the North Basin and Pas-de-Calais coal mines: VI. Exploiting of measures. 59-02055A
- Bokach, G. S. See Semkina, N. V.
- Boksay, Z.
Equation for determining the coefficient of diffusion in glasses. 59-01161A
- Boldo O., J. L. See Lacy, J. B.
- Bolon, R. B. See Mehan, R. L.
- Bolotin, V. N.; and Pilyak, V. G.
Preparation of a charge for glass production. 59-02369P
- Bol'shii, Ya. Ya. See Sedmalis, U.
- Bol'shii, Ya. Ya.; and Sedmalis, U.
Glass. 59-01321P
- Bonaddio, Robert M.
Method of and apparatus for initiating a damage-free score in a refractory material. 59-04346P
- Bonar, John A.; Kennedy, Christopher R.; and Swaroop, Robert B.
Coal-ash slag attack and corrosion of refractories. 59-01375A
- Bonar, Kermit M.
Method of making magnesite grain. 59-04486P
- Bonaventura, O. See Dardi, M.
- Boncheva-Mladenova, Z. See Tsaneva, K.
- Bondar, A. I. See Belyi, Ya. I.
- Bondar, Yu. D.; Khrobostov, L. V.; and Spiridonova, R. F.
Effect of mineral additives to slags on their corrosiveness to refractory linings of steel-pouring ladles. 59-01381A
- Bondarenko, E. G. See Berezhnaya, N. V.
- Bondarenko, M. V. See Granovskii, M. E.
- Bondarev, K. T. See Kravchenko, L. D.
- Bondarev, K. T.; Andryukhina, T. D.; and Raevskaya, E. I.
Effect of the quantity and ratio of alkaline-earth oxides on the production properties of glass. 59-01153A
- Bondarev, K. T.; Rybalkin, P. T.; and Popov, O. N.
Electrosmelted refractory material. 59-04473P
- Bondhus, Sandra V.
Unusual art form—Quimper pottery—French folk art faience at its finest. 59-01030A
- Bondoc, Alfredo A.; Canfield, V. Robert; and Ziegler, B. Hansel
Economical method of making high-strength glass fiber mats particularly useful for roofing products. 59-03376P
- Boneva, Kh. See Kukusheva, M.
- Bongers, Uwe
Application of carbon and graphite for furnace linings. 59-03494A
- Bongianini, Wayne L.
Fixed frequency filters using epitaxial ferrite films. 59-03717P
- Bonham, Roger
Arrowmont [School of Crafts, Gatlinburg] and The University of Tennessee, Knoxville. 59-00013A
- Bontenbal, Cornelis See Been, Karl
- Bonson, Albert C. See Crepaux, Alain P.
- Books, William C. See Indelicato, Bernard A.
- Boonstra, Alexander H.; Mutsaers, Cornelis A. H. A.; and Van der Kraijl, F. N. G. W.
Thick-film resistors with a small TCR value based on lead rhodate and a barium rhodate as conductive materials. 59-03703A
- Boon, Charles J.; Hovsler, Elwood B.; and Hirsch, James A.
Fuel ignitor comprising a novel silicon carbide composition. 59-04616P
- Booth, Charles L.
Sodium ion conducting sodium aluminum borate glasses. 59-03450P; Sodium ion conducting sodium aluminum phosphate glasses. 59-02379P; Sodium ion conducting sodium borophosphate glass. 59-04376P
- Boothe, Thomas E.; and Ache, Hans J.
Physical and chemical interactions of energetic tritium with boron carbide. 59-03767A
- Borer, Werner J.; and Zuzak, Tomas
Process and device for the production of submicron-sized metallic oxides. 59-01719P
- Borgman, V. A.; Kaminskaya, N. D.; and Shuvaeva, I. P.
Er, O_2 -containing decolorizing agent for glass. 59-01293P
- Borgmeier, Donald E.; and Higgs, Edward W.
Graphite or carbon fiber composite structure, low temperature cure. 59-02892P
- Boricheva, V. N.; Senyavin, N. K.; and Sukharev, V. V.
Nondestructive ultrasonic evaluation of the steel-casting stopper SP-12. 59-02459A
- Borisenko, V. A. See Trefilov, V. I.
- Borisko, M. B.; Pashkova, T. A.; and Berdichevskii, I. M.
Charge for manufacturing porous ceramic molds. 59-02510P
- Borisov, V. G. See Gushchin, V. Ya.
- Borisov, V. G.; Val'dman, O. A.; and Mel'nikova, G. G.
Failure of resin-bonded dolomite-magnesite refractories. 59-02434A
- Borisov, Yu. S.; Borisova, A. L.; and Kocherzhinskii, Yu. A.
Reactions in the Ti-Si-N system under ordinary and plasma heating conditions. 59-00911A
- Borisova, A. L. See Borisov, Yu. S.
- Borisova, Z. U. See Danuev, A. A.; Pazin, A. V.; Rykova, T. S.
- Borisova, Z. U.; Panus, V. R.; and Apykhin, N. N.
Glass in the system Ge-Te-Tl. 59-01178A
- Bormann, Manfred
Forming in the abrasives industry. 59-02012A
- Borner, Raoul
Installation for [sintering] burning materials. 59-01692P
- Bornschein, Gerhard
Trends of specific energy usage in the cement industry. 59-01055A
- Borodin, I. N.
Self-lubricating iron coatings containing oxides, carbides, and borides. 59-00768A
- Borom, Marcus P. See Krystyniak, Casimir W.
- Borovikov, S. V.; Davidenko, V. M.; and Digonskii, V. V.
Charge for obtaining superhigh-pressure containers used in the production of Elbor. 59-00444P
- Borovinskaya, I. P. See Merzhanov, A. G.
- Borovinskaya, I. P.; and Loryan, V. E.
Self-propagating high-temperature synthesis of titanium nitrides under high nitrogen pressures. 59-00919A
- Borrelli, Nicholas F. See Araujo, Roger J.; Nolan, Daniel A.
- Borrelli, Nicholas F.; Chodak, Jan B.; and Hares, George B.
Optically induced anisotropy in photochromic glasses. 59-00230A
- Borrelli, Nicholas F.; Chodak, Jan B.; and Nolan, Daniel A.
Interpretation of induced color in polychromatic glasses. 59-01198A
- Borthakur, P. C.; and Chatteraj, B. D.
Study of Na-A molecular sieve degeneration by thermal analysis. 59-03878A
- Borthakur, P. C.; Dutta, S. N.; and Bhattacharya, G. C.
Preparation of molecular sieve zeolite Na-X from clay. 59-04820A
- Borthakur, P. C.; Nagvi, A. A.; and Bhattacharya, G. C.
Preparation of Na-A zeolite from clay. 59-04819A
- Borthakur, P. C.; Upreti, M. C.; and Dutta, S. N.
Progress of crystallization of zeolite Na-A from clay. 59-04822A
- Bostain, T. A. See Murashko, R. E.
- Boesch Reig, F.; Hernandez M., V.; and Martin C., M. L.
Analysis of silicates—determination of SiO_2 by distillation and gravimetry as F_2SiK_2 . 59-02781A
- Boskovic, S.; Gauckler, L. J.; and Petzow, Guenter
Reaction sintering forming $\beta\text{-Si}_3\text{N}_4$ solid solutions in the system Si, Al/N, O: [III]. Sintering of $\text{Si}_3\text{N}_4\text{-AlN-Al}_2\text{O}_3$ mixtures. 59-01893A
- Bosetti, Renato
Oven for firing ceramic material. 59-04773P
- Bost, John; and Carroll, Richard
Use of waste heat gases from a glass furnace to operate a turbine. 59-02301A

- Bostrom, I. G.** See Moskvina, A. S.
- Bothwell, Bruce E.**
Process for making a bent metal tube having a metal-ceramic liner. 59-04497P
- Botto, Irma L.; and Baran, E. J.**
Crystal data for the trimetaphosphates of lanthanum, cerium, and praseodymium. 59-02941A
- Botvina, Lazzio** See Bardosy, Gyorgy
- Boivin, O. K.; Denisenko, O. N.; and Sobolev, E. V.**
Ion-exchange strengthening of large glass plates. 59-01200A
- Boucherle, J. X.; Quezel, S.; and Schweizer, J.**
Redetermination of the neutron scattering length of holmium. 59-03068A
- Boukhari, A.; Chaminade, J. P.; and Pouchard, M.**
Structure of potassium tantalum fluoride oxide, $K_2Ta_{1-x}F_{1-x}O_{6+x}$. 59-03090A
- Boulos, E. N.; De Paula, R. P.; and El-Bayoumi, Osama H.**
Crystallization of nuclear waste disposal glass. 59-04170A
- Bouquet, Francois** See Battigelli, Jean A.
- Bourdon, Bernard**
Method for depositing thin layers of materials by decomposing a gas to yield a plasma. 59-01567P
- Bourgeois, Michel; Manev, Georges; and Roux, Jean-Pierre**
Method for dry reprocessing of irradiated nuclear fuels. 59-04695P
- Bourgoignie, Jacques C.; Massarani, B.; and Viscoekas, R.**
Thermally stimulated luminescence and conductivity in boron-doped diamonds. 59-03103A
- Bourne, William C.; and Tressler, Richard E.**
Molten salt degradation of Si_3N_4 ceramics. 59-01739A
- Boutir, C.** See Lepley, B.
- Bowden, Alan P.**
Cement coloring composition and method of producing it. 59-04123P
- Bowen, H. Kent** See Halloran, John W.; Mizusaki, J.
- Bowen, Rafael L.**
Composite dental material. 59-04541P
- Bowers, Donald J.**
Carbon bonded refractory brick composition. 59-04467P
- Bowman, R.**
Evaluation of sand washing wastes as a plastic additive for the heavy clay industry. 59-01366A
- Bowman, R.; and Tauber, E.**
Potential applications of two high grade kaolinitic clays and a pyrophyllite deposit. 59-01476A
- Bowrey, R. G.; and Jutsen, J.**
Energy storage using the reversible oxidation of barium oxide. 59-02644A
- Boydzhieva, P.** See Bakalov, Z.
- Boyarina, I. L.**
Coking capacity of Al_2O_3 in relation to phase composition. 59-02415A
- Boyer, H.** See Conjeaud, M.
- Bozog, B. M. A.; and Klinzow, George E.**
Adhesion of alumina powder to glass surfaces. 59-03250A
- Bozzo, Alla**
Environmentally protective, up-to-date materials transport in the refractories industry. 59-04409A
- Brachthaeuser, Kunibert; Ramesohl, Hubert; and Beisner, Klaus**
Method for the treatment of finely grained material, particularly for the precalcining of cement. 59-03221P
- Bradshaw, W.**
Stress profile determination in chemically strengthened glass using scattered light. 59-01249A
- Bradt, R. C.** See Darroult, T.; Homeny, J.; Minnear, W. P.; Stewart, R. L.; Treusch, Albert L., Jr.; Winger, L. A.
- Brady, Michael** See Lim, John
- Bradt, Michael** See Frisch, G. H.
- Bragina, G. I.** See Anfilogov, V. N.
- Brailov, Michel A.** See Canteleup, Jean
- Bravilovskii, V. B.; Voskresenskaya, N. A.; and Ermakova, N. V.**
Bonding of quartz glass to metal. 59-02311P
- Brandes, Lewis H.** See Bihuniak, Peter P.
- Brandt, Charles D., Jr.; and Hassell, John B., Jr.**
Method for producing single crystal gadolinium gallium garnet. 59-03731P
- Brandt, Ivan L.; Von Alten, Theodor; and Voss, Richard E.**
Method of manufacturing electrical resistor element. 59-00608P
- Brault, M. Lelya (Editor)**
Early Pottery and Potteries of Maine. 59-01955B
- Bratton, Raymond J.** See Harvey, Francis J., II
- Braun, David B.** See Rosen, Meyer R.
- Braun, Manfred** See Janes, Sigmund
- Brewer, Steven**
Glass transition of BeF_2 —a Monte Carlo study. 59-04205A
- Bray, Donald J.; Smyth, Jay R.; and McGee, Thomas D.**
Creep of 90 + % Al_2O_3 refractory concrete. 59-03505A
- Brandt, James F.; Suresh, Dev D.; and Grasselli, Robert K.**
Process for forming multicomponent oxide complex catalysts. 59-04866P
- Brasovskaya, A. I.** See Khodskii, L. G.
- Brashnikova, I. P.** See Motovilo, A. A.
- Bresault, Richard D.**
Fuel cell electrolyte reservoir layer and method for making. 59-02753P
- Breddele, P. A.** See Bleijenberg, K. C.
- Bremer, R. E.** See Verweij, Henk
- Breiner, J. Shannon; and Greenberg, Charles B.**
Heat treatment of electrolessly deposited cuprous oxide coating. 59-01558P
- Breitwieser, E.** See Spitz, R.
- Brekhovskikh, S. M.; and Gorodnev, A. L.**
Hot-pressing of mullite-corundum ceramic. 59-02443A; Strength of crystal whiskers in a mullite-corundum matrix. 59-02493A
- Breien, Hans E. O.; Dahlberg, Arvid S.; and Aberg, Ulf L.**
Method for control of the surface weight of a mineral wool mat. 59-04339P
- Brennan, John J.** See Prew, Karl M.
- Brennan, Michael P. J.**
Sodium sulfur cells. 59-01597P
- Brereton, Paul A.; and Challis, Roger**
Method of heating glass sheets for conveying. 59-04350P
- Bresciani, Luiz M.; and Ferriera, Luiz G.**
Crystalline cluster model for ionic solids—NaCl. 59-04909A
- Bresler, S. N.; Isac, N. N.; and Kumskov, V. N.**
Binder for abrasive tool. 59-00980P
- Brethous, J. C.** See Levasseur, Alain
- Bretts, Gerald R.** See Nienart, Louis F.
- Brets, Gerald R.; Timan, Dirk A.; and Sellers, Gregory J.**
Electromagnetic shielding envelopes from wound glassy metal filaments. 59-03377P
- Brewer, J. A.** See Harrington, S. N.
- Brezay, Bohus**
Basic oxygen furnace and refractories therefor having improved thermal conductivity. 59-03586P; Chemically bonded magnesite-chrome refractories. 59-01424P
- Brezay, Bohus; and Shultz, Richard L.**
Effect of atmosphere on high-temperature strength of basic refractories. 59-04407A
- Briand, J. P.** See Courtauld, B.
- Brice, John C.**
Lattice constants of α -quartz. 59-01861A
- Brice, John C.; Hill, Owen F.; and Pratt, Ronald G.**
Growth of single crystal bismuth silicon oxide. 59-03720P
- Bricker, Jack A.**
Position selectable glass surface temperature scanner. 59-04366P
- Briedis, V.** See Trufanov, A. G.
- Briem, Karl** See Kienow, Sigismund
- Briem, Karl; Kienow, Sigismund; and Kienow, Ekkehard**
Perfluent sintering, a new method for firing porous ceramic structural products: I. 59-04708A; Perfluent sintering, a new method for firing porous ceramic structural products: II. 59-04709A
- Brillings, A.; Grigas, J.; and Dmytriv, A. Yu.**
Dielectric properties of $Pb_3Sb_2S_7$ crystals. 59-00824A
- Brill, Robert H.**
Use of equilibrated silica gel for the protection of glass with incipient crazing. 59-01267A
- Brinkmeyer, E.** See Krumbholz, D.
- Broch, Eberhard**
Integral manipulator, in particular for glass panes, plates, or metal sheets. 59-04321P
- Brocko, Julius**
Production of ceramic wall tiles in Lucene. 59-02597A
- Brodko, A. S.; Baril'skaya, T. A.; and Baril'skii, V. D.**
Gypsum mixture. 59-01062P
- Brodski, Yu. A.** See Eremina, L. I.
- Brody, Philip S.**
Ferroelectric ceramic devices. 59-00596P
- Brodzki, M. I.** See Modabazade, O. E.
- Bromer, Heinz; Huber, Werner; and Meinert, Norbert**
Zirconium-containing borosilicate glasses. 59-03459P
- Browema, Frank R.; and Chocca, Monika E.**
Method of preparing a controlled pore volume alumina with citric acid. 59-02899P
- Bronstein, D. Kh.; Simkin, E. S.; and Tsypin, N. V.**
Properties of hot-pressed hard alloys based on tungsten monocarbide [with 6–20 wt% Co]. 59-00766A
- Brook, R. J.** See De Almeida, Margarida; Di Rupo, E.
- Brophy, Patricia A.** See Chaudhri, M. M.
- Broser, Immanuel J.; Germer, Rudolf K. F.; and Seliger, F.**
Luminescence of an M center in ZnS ? 59-04986A
- Brotsmann, Karl; and Mantley, Paul G.**
Process for increasing the life of the refractory masonry of metallurgical vessels. 59-03617P
- Broussely, Michel** See Gabano, Jean-Paul
- Brown, A. J.** See Owen, A. J.
- Brown, Brian D.** See Shackelford, James F.
- Brown, Douglas B.**
Apparatus for conveying particulate material. 59-03789P
- Brown, Dwight R.**
Preparation of electrical porcelain bodies. 59-00514A
- Brown, George Stephen** See Eisenberger, Peter
- Brown, Gordon E., Jr.** See Hochella, Michael F., Jr.; Taylor, Mark Peter
- Brown, James N.; Cade, Dale H.; and Logston, Harry A.**
Removable fastener for insulating tiles. 59-00424A
- Brown, Jane J., Jr.** See Cassidy, Roger T.; Craig, Douglas F.
- Brown, John M.**
Coal firing costs after you buy the coal. 59-00724A
- Brown, John T.; and Hoskins, Jerry W.**
Continuous oxygen measurement without sampling in glass tank combustion atmospheres. 59-03265A
- Brown, Kenneth C.**
Near-term prospects for solar industrial process heat. 59-04758A
- Brown, R. R.** See Beyer, R. P.
- Brown, R. R.; Daut, G. E.; and Mrasek, R. V.**
Solubility and activity of aluminum chloride in aqueous hydrochloric acid solutions. 59-01711A
- Brown, Roy W.** See Ito, A.
- Brown, Sherma**
Multibarrier kinetics of brittle fracture: I. Stress dependence of the subcritical crack velocity. 59-00789A; Multibarrier kinetics of brittle fracture: I. Stress dependence of the subcritical crack velocity—correction. 59-00876A; See also Ferber, M. X.
- Brozeli, M. R.; Evans, Trevor; and Stephenson, R. F.**
Partial dissociation of nitrogen aggregates in diamond by high temperature-high pressure treatments. 59-03040A
- Bruckner, Kenneth G.** See Toland, Donald A.
- Bruecker, F.**
Theory and practice of color measurement for quality assurance. 59-04740A
- Bruckner, Rolf** See Stehle, Manfred
- Brugger, G.**
Process [lining] for centrifugal casting copper or alloys thereof. 59-00477P
- Brunk, Jack L.** See Loeffler, Romain E.
- Brurvis, I.** See Shernberg, A. R.
- Bryant, A. H.** See Strange, P. C.
- Bryant, Nelson; and Hodge, Remy**
Glass (bottle) inspection method and apparatus. 59-04297P
- Bryantsev, B. A.** See Kosobokova, P. A.
- Brykova, N. N.** See Popova, V. S.
- Brytov, I. A.; Dikov, Yu. P.; and Konashenok, K. I.**
X-ray diffraction study of crystalline and glass-forming silicates. 59-03114A
- Bryushkova, T. I.** See Aivazov, M. I.
- Brozowski, Stanley F.**
Fiber glassmaking pellets containing fiber glass cullet. 59-03378P
- Bube, Richard H.** See Courreges, Francis G.; Huggins, Robert A.
- Bubsey, R. T.** See Munz, Dietrich
- Bucharov, S.; and Datskova, T.**
Semiconductive glazes—their properties and uses. 59-02685A
- Buckner, John G.** See Lineberry, Cletus E.
- Budkin, I. A.** See Kostin, D. T.
- Budov, V. M.** See Spirina, N. A.
- Buechele, Andrew C.; and De Jonghe, Latgard C.**
Microstructure and ionic resistivity of calcium-containing sodium beta alumina. 59-00764A
- Buehmann, Gerard F.**
Mechanical tap hole maintenance. 59-04424A
- Bueger, Hermann** See Becker, Kurt
- Buescher, William E.; Roberto, Frederick J.; and Sobierajski, Isabelle M.**
Brazing slurry. 59-03710P
- Buessem, W. R.** See Schulze, Walter A.
- Buka, Yu. A.** See Shul'ts, M. M.
- Buker, Gunther; and Lang, Raimund**
Process and apparatus for measuring the length of moving shaped articles particularly red-hot semifinished articles. 59-04751P
- Bukhmastov, V. I.** See Petrova, V. Z.
- Bukhmastov, V. I.; and Artyukh, V. G.**
Glaze. 59-01496P
- Bukin, L. A.; Eransyan, G. M.; and Dargevich, V. G.**
Optical properties of Al_2O_3 -doped vapor-synthesized quartz glass. 59-04233A
- Bulakh, V. L.** See Yutina, A. S.
- Buljan, Sergej-Tomislav**
 Si_3N_4 containing intergranular phase nucleating agent and method. 59-02911P
- Bullard, J. E.; and Petchel, J. J.**
Diversification resistance of a chloride volatility reprocessing system for UO_2/ThO_2 fuel. 59-03759A
- Bunch, James M.** See Hurley, George F.
- Bundy, Francis P.** See De Vries, Robert C.
- Buntenbach, M.** See Kettner, H.
- Burd, Lamar** See Robb, Ronald R.
- Burd, Lamar; and Donnelly, James K.**
Mold for directionally solidified single crystal castings and method for preparing. 59-02542P
- Burdo, R. A.; and Snyder, M. L.**
Determination of boron in glass by direct current plasma emission spectrometry. 59-00162A
- Barfoot, Jack C.; and Taylor, George W. (Editors)**
Polar Dielectrics and Their Applications. 59-01991B
- Burgemeister, E. A.**
Syndite—its thermal conductivity above room temperature. 59-04060A
- Buri, Alberto; Marotta, Alberto; and Caferra, D.**
Devitrification behavior of $CaO-Al_2O_3-SiO_2$ glasses with $SiO_2/Al_2O_3 = 3$ molar ratio. 59-01134A
- Burk, D.** See Shewchuk, J.
- Burke, John J.; Gorum, Alvin E.; and Turpinian, Aram (Editors)**
Advances in Joining Technology—Proceedings of the 4th Army Materials Technology Conference, Boston, Mass., Sept. 16-19, 1975. 59-00957B
- Burke, John J.; and Weiss, Volker (Editors)**
Nondestructive Evaluation of Materials. 59-01983B

- Burkett, William E.**
Process and apparatus for producing an aggregate material from bottom ash. 59-04143P
- Burkov, V. I.** See Abuzin, Yu. M.
- Burkov, V. I.; Fedorushkov, B. A.; and Vakhrameev, V. I.**
Magneto-optical characteristics of Tb-activated fluoroborate glasses. 59-04221A
- Burmistrova, N. P.; Shakhrova, D. M.; and Davletshin, R. Yu.**
Complex formation in nonequilibrium mixtures of bromides of cadmium and alkali metals. 59-04894A
- Burns, Ian**
Mn-doped polycrystalline BaTiO₃. 59-00565A
- Baranham, Robert D.; and Scifres, Donald R.**
Integrated optical devices fabricated by MBE [molecular beam epitaxy]. 59-03298A
- Burns, Mary Louise (Editor)**
Heisey's Glassware of Distinction. 59-01971B
- Burns, W. K.; Klein, P. H.; and West, E. J.**
Ti diffusion in Ti:LiNbO₃ planar and channel optical waveguides. 59-01264A
- Bursill, L. A.; and Withers, R. L.**
Multiple orientation relations between hematite and magnetite. 59-03020A
- Burton, L. C.; Hench, T. L.; and Menkin, J. D.**
Single-thermal-source formation of Zn,Cd,S thin films. 59-00573A
- Burya, A. I.** See Movchan, V. O.
- Burzo, Emil; and Ardelean, Ioan**
Amorphous glasses with high iron content. 59-01104A
- Buscemi, Paul J.** See Hench, Larry L.
- Buschermohle, Gregor**
Tunnel kiln for firing ceramic ware. 59-02821P
- Busdiecker, Robert A.** See Babcock, Clarence L.
- Bushong, R. James** See Smith, Russell D.
- Bushueva, I. M.; Rudenko, L. F.; and Kalmykova, L. P.**
Some properties of glasses used as membranes in chemical sources for current: III, Na-containing borate glass. 59-03343A
- Busa, Martin**
Optical testing for checks in circular and noncircular section glass containers with a single-station rotating machine. 59-01224A
- Busata, Andrej**
New method of screening aggregates without water. 59-01048A
- Butaev, A. M.** See Boguslavskii, I. A.
- Butenko, V. A.** See Boguslavskii, I. A.
- Butler, B. L.**
Molar absorptivity of water in binary borosilicate optical waveguide glasses. 59-01215A; See also Bartholomew, Roger F.
- Butler, James K.**
Mechanical glass knife scorer/breaker. 59-02344P
- Butsikhidze, G. B.** See Gaprindashvili, G. G.
- Butsikhidze, G. V.** See Verulashvili, R. D.
- Butt, Yu. M.; Volkoskii, B. V.; and Egorov, G. B.**
Handbook on the Chemistry of Cement (Spravochnik po Khimii Tsementa). 59-05136B
- Buturkalin, A. P.** See Gurzan, M. I.
- Buturkalin, A. P.; Gurzan, M. I.; and Siliva, V. Yu.**
Ferroelectric properties of Sn₂P₂S₇ crystals. 59-00844A
- Butyleva, E. S.; and Isakova, L. A.**
Heat-resistant glass. 59-01498P
- Daxton, Juan Carlos**
Argentine ceramic industry. 59-05121A
- Dazykin, M. V.; Masnevich, V. E.; and Tsubel'skaya, S. G.**
Planning of transport-economy interrelations in the production of bottle glass. 59-00236A
- Bazzard, Robert J.; and Fisher, Douglas M.**
Accurate determination of work in three-point bend tests. 59-00675A; Improved displacement measurement in bend testing. 59-00696A
- Byers, Joseph B.** See Lyke, Larry R.
- Bychkov, E. B.** See Nikitin, Yu. I.
- Bychen, Stanley A.** See Semans, Bruce F.
- Bykov, A. N.** See Kutukov, V. F.
- Bykov, A. N.; Kovylov, V. M.; and Tomilina, Ya. I.**
Composition for the manufacture of heat-insulating articles. 59-04472P
- Bykov, I. I.** See Kahn, B. Kh.
- Bystrykov, A. S.** See Gaprindashvili, G. G.
- Cable, M.**
Estimation of the homogeneity of glasses by the Christiansen filter method. 59-02239A
- Cade, Dale H.** See Brown, James N.
- Caferro, D.** See Buri, Alberto
- Cagnone, Alexander J.** See Weber, Willis W.
- Cabill, Jerry E.** See Padena, Frank
- Cahn, R. W.**
Metallic glasses—the reason why. 59-03308A
- Cahn, R. W.; Everts, J. E.; and Patterson, J.**
Direct measurement by secondary ion mass spectrometry of self-diffusion of boron in Fe₂Ni₂B₂ glass. 59-04178A
- Cain, Edwin F. C.** See Wooten, John R.
- Calmes, R. Scott** See Snow, John A.
- Calahorra, Eduardo; and Fowler, W. Beall**
Electronic energy-band structure of α-quartz. 59-02975A
- Caldwell, F. W.** See Dole, S. L.; Scheidecker, R. W.
- Caldwell, William H.** See Hansen, Lloyd
- Caldwell, William H.; and McClure, William M.**
Plant experiences with oxy-acid pickling. 59-02165A
- Calfo, Frederick D.** See Bizon, Peter T.
- Calvert, Scott A.**
Moldings for articles. 59-04360P
- Camassel, J.** See Mathieu, Henry; Pascual, J.
- Campana, Patric C.**
Refractory article and method of making. 59-00485P
- Campbell, William J.; Steel, Eric B.; and Virta, Robert L.**
Relation of mineral habit to size characteristics for tremolite cleavage fragments and fibers. 59-01899A
- Campos, Tereza Wagner** See De Souza Santos, Helena
- Campos Assuncao, Ligia M.; and Ferreira, Heber Carlos**
Influence of concentration, velocity, and time of agitation on the rheological properties of dispersions of industrial montmorillonites from Paraíba State, [Brazil]. 59-01468A
- Campos-Loriz, D.; Howlett, S. P.; and Riley, F. L.**
Fluoride accelerated nitridation of silicon. 59-00845A
- Canfield, Sheldon A.; and Karch, Walter J.**
Batch sensor for glassmelting furnaces. 59-03367P
- Canfield, V. Robert** See Bondoc, Alfredo A.
- Cannon, R. M.** See Heuer, A. H.
- Cannon, R. M.; Rhodes, William H.; and Heuer, A. H.**
Plastic deformation of fine-grained alumina (Al₂O₃): I, Interface-controlled diffusional creep. 59-01887A
- Cannon, W. R.** See Mizusaki, J.
- Canonaco, Rudy** See Frank, Robert G.
- Cantaloupe, Francis A.; Colegrove, Robert W.; and Megies, John E., Jr.**
Brown glass-ceramic articles. 59-04281P
- Cantarelli, A.** See Mascolo, Giuseppe
- Canteloup, Jean; Mocellin, Alain M.; and Bruguer, Michel A.**
Process and devices for the elaboration of preforms for optical fibers. 59-04369P
- Canterford, J. H.; and Segni, E. R.**
Cobalt alloy slags. 59-02058A
- Cantrell, Joseph S.** See Morell, Douglas J.
- Cape, J. Neil; and Woodcock, Leslie V.**
Glass transition in a soft-sphere model. 59-04204A
- Caplan, Jerry L.**
Building a raku muffle. 59-00990A
- Capouillet, Phileas** See Van Laethem, Robert
- Cappe, Webster; Scheffer, Helmut A.; and Cronin, David J.**
Effect of striae on the strength of glass. 59-04185A
- Carda, Dan D.; and Lingard, A. L.**
Preparing clay samples for X-ray diffraction. 59-01659A
- Carder, Kendall L.** See Gartner, Jeffrey W.
- Cardona, Manuel** See Grimsditch, M. H.
- Cardose, F.** See Giess, E. A.
- Cardoso, Sonia Regina F.** See Orosz, Jose Maria
- Cardoso, Sonia Regina F.; and Angeleri, Frederico B.**
Presence of soluble salts in clay minerals and feldspathic rocks used in fabricating sanitary ware and their influence on rheological characteristics. 59-01477A
- Cardoso, Sonia Regina F.; Angeleri, Frederico B.; and McLaren, Malcolm G.**
Influence of micaceous and high-iron mineral phases in granites and pegmatites used in sanitary ware in Brazil. 59-01470A
- Cariss, Alan C.** See Ratterman, Ernest
- Carlsson, R.** See Hermansson, L.
- Carman, Kenneth R.** See Becher, Paul F.
- Carpenter, Harry W.** See Wooten, John R.
- Carpenter, Peter G.** See Hayati, Hossein
- Carpenter, Robert E.** See Hackler, Cullen L.
- Carrie, J. P.** See Le Doussal, H.
- Carriere, Bernard; and Lang, B.**
Auger analysis study of mechanisms of charge and reduction of silica surfaces under electron bombardment. 59-03932A
- Carroll, B.** See Ropp, R. C.
- Carroll, Richard** See Bost, John
- Caruthers, T. G.** See De Almeida, Margarida
- Carter, Gary W.** See Lord, David E.
- Carter, Joan**
Canada's Georgian College. 59-04070A
- Carver, Edgar B.** See Sioui, Richard H.
- Casarrini, Jose Roberto**
Nitride ceramics—from economical refractories to turbines. 59-04427A; Resistance to thermal shock of ceramic materials. 59-01901A
- Caslavsky, Jaroslav L.** See Viechnicki, Dennis
- Caslavsky, Jaroslav L.; and Viechnicki, Dennis**
Melt growth of Nd:Y:Al₂O₃ (Nd:YAG) using the heat exchange method (HEM). 59-04991A
- Cassidy, Roger T.; and Brown, Jesse J., Jr.**
Phase equilibria in the system LiF-AlF₃-Na₂AlF₆-Al₂O₃. 59-00896A
- Castelline, John M.**
Baghouse rebuilds. 59-01109A
- Castro, Carlos A.** See Korenstein, Ralph
- Castro, J. H. C.; Suchicital, C. T. A.; and Whittemore, O. J., Jr.**
Characterization of cellular ceramic materials. 59-01730A; Pore morphometry of alpha and beta felds. 59-04107A; Preliminary study of the physical properties and morphologies of aluminas. 59-05027A
- Cattlow, C. R. A.**
Fission gas diffusion in uranium dioxide. 59-02744A
- Cattlow, C. R. A.; Diller, K. M.; and Norgett, M. J.**
Off-center displacements of univalent impurity ions in alkali halide crystals. 59-03028A
- Catterick, T.; and Hickman, D. A.**
Sequential multielement analysis of small fragments of glass by atomic-emission spectrometry using an inductively coupled radiofrequency argon plasma source. 59-00255A
- Catto, C. J. D.** See Gaskell, P. H.
- Caulton, Martin; Sked, William L.; and Wozniak, Francis S.**
Adherence of chromium and titanium films deposited on alumina, quartz, and glass—testing and improvement of electron-beam-deposition techniques. 59-01507A
- Cavaller, J. P.; Trocraz, M.; and Fetiveau, Y.**
Hot-pressing of the triple titanates of strontium, sodium, and bismuth—numerical simulation. 59-02657A
- Cavanagh, G. Thomas**
Handling frit sludge from smelts. 59-02151A
- Cavitt, Roy L.** See Miller, Richard G.
- Cazzoli, J. C.**
Economy and improvement of firing of red ceramics—use of ceramic fiber. 59-03821A
- Cech, B.** See Becvar, J.
- Cecotka, Ryszard** See Wasylak, Jan
- Cederqvist, Gunnar; and Aberg, Ulf L.**
Method for the production of a fiber composite. 59-00468P
- Celler, Francis**
Remote nuclear green pellet processing apparatus. 59-02760P
- Cerchez, Mihai V.**
New possibilities for the application of derivatography in glass research. 59-04231A
- Cermak, Michael J.** See Merchant, Stanley R.
- Cermanovic-Kuzmanovic, A.**
Kominic diatrem. 59-01005A
- Cernoch, Svatopluk F.; Kostial, I.; and Zolner, I.**
Influence of the perviousness of a ceramic recuperator on the deterioration of its efficiency: III. 59-02809A
- Cerutti, Richard L.** See Hummel, Merritt J.
- Chaban, N. G.** See Safonov, V. V.
- Chadda, Madan M.**
Surface process for the stabilization of semiconductor bodies employing glass containing quartz passivating layer. 59-04667P
- Chakarvarti, S. K.; and Nagpaul, K. K.**
Determination of the uranium content in Indian portland cement by nuclear particle etch technique. 59-01038A
- Chakrabarti, Paritosh M.**
Glass fiber dispersions for making uniform glass fiber mats by the wet-laid process. 59-02327P; Method of increasing the strength of wet glass fiber mats made by the wet-laid process. 59-02354P; Wet-strength of wet glass fiber mats by treatment with anionic polyelectrolytes. 59-02388P
- Chakrabarty, Naresh; Einzinger, Richard; and Weitz, Artur**
Thick film varistor and method of producing. 59-03755P
- Chakrabarty, A. K.**
Phase transformation of Al₂O₃-SiO₂ gel and kaolinitic clay. 59-03047A
- Chakrabarty, Akshoy Kumar**
Comment on "Structural analysis of the transition phases in kaolinite-mullite thermal sequence." 59-00800A
- Chakrabarty, M.** See Basu, S.
- Chakravorty, D.** See Srivastava, A.
- Chakravorty, D.; Keshavaram, B. N.; and Venkateswaran, A.**
Glass fibers containing metallic granules. 59-01173A
- Chakravorty, D.; Kumar, D.; and Sastry, G. V. S.**
Electrical conduction in silicate glasses containing antimony oxide. 59-04189A
- Chalabayan, G. A.** See Shchukina, N. E.
- Challiver, Wladimir** See Wasylak, Jan
- Challis, Roger** See Brereton, Paul A.
- Chaminade, J. P.** See Boukhari, A.
- Chamis, C. C.**
Predicting performance of advanced plastic composites. 59-04817A
- Chamorro, Homero J.; Laque, Eusebio; and Krenkel, Teodoro G.**
Clays and kaolins from Cordoba Province, [Argentina]. 59-04892A
- Chamov, A. V.** See Kliment'eva, V. S.
- Chan, Edwin T.; and Jepson, Stanley R.**
Xenon arc lamp with compressive ceramic-to-metal seals. 59-02389P
- Chandrasekhar, H. R.; Chandrasekhar, Meera; and Manghani, Murlil H.**
Phonons in titanium-doped vitreous silica. 59-03327A
- Chandrasekhar, Meera** See Chandrasekhar, H. R.
- Chandrasekhar, G. V.** See Foster, L. M.
- Chandratra, Sudhir** See Biswas, Dipak R.
- Chang, Jeffrey C.**
Catalyst for ozone decomposition. 59-04843P
- Chang, Jing-zhong**
Ceramic education in China. 59-05122A
- Chang, Kenneth; Cosman, David C.; and Gartner, Helmut M.**
Method of forming thin film interconnection systems. 59-02724P
- Chang, Leel**
Infrared reflecting articles. 59-02338P
- Chang, Leel; and Masso, Jon D.**
Glass lens with ion-exchanged antireflection coating and process for manufacture thereof. 59-01311P
- Chang, Leroy L.; and Esaki, Leo**
Semiconductor superlattices [deposited] by MBE [molecular beam epitaxy] and their characterization. 59-04586A

- Chang, Luke L. Y. See Morell, Douglas J.
- Chang, Seung-Hyun See Pyun, Su-Il
- Chang, Tai-gong See Chen, Yao-cheng
- Chang, Tszen-Shih; and Trucano, P.
Lattice parameter and thermal expansion of ReO_3 between 291 and 464 K. 59-03002A
- Chang, W. S. C. See Sopori, B. L.
- Chang, Wen-Hsuan See Boberski, William G.
- Chantikul, P. See Marshall, D. B.
- Chantikul, P.; Marshall, D. B.; and Lawn, Brian R.
Contact-damage resistance of partially leached glasses. 59-00155A
- Chanturishvili, L. D. See Nadiradze, A. A.
- Chapman, James W. See Van der Beck, Roland R.
- Chappell, Robert N. See Schmandt, Gary M.
- Chargelshvili, V. K. See Ratiani, M. N.
- Charkin, O. P.
XAB-ABX intramolecular rearrangement and relative stabilities of isomers in similar compounds of period II and III elements. 59-05119A
- Charkin, O. P.; and Zyubina, T. S.
Certain regularities in the change of characteristics of the potential surfaces for hydroxides of the light elements according to computation: data *ab initio*. 59-04888A
- Charles, R. G.
Thermal methods for characterizing clays and uranium ores. 59-01671A
- Charleston, Robert J.
Glass furnaces through the ages. 59-01001A; Gold and enamel bon in the form of a glass furnace. 59-01002A
- Charlier, H.; Colombia, L.; and Jell, A.
Examination of surface compositional inhomogeneities in glass using X-ray fluorescence and photoelectron spectroscopy. 59-03284A
- Charlier, G.; Collier, P.; and Guez, A.
Graded-index surface or buried waveguides by ion exchange in glass. 59-04206A
- Chase, L. L. See Dissanayake, M. A. K. L.
- Chastant, Marc See Le Doussal, H.
- Chaston, John C.
Precision temperature measurements with platinum thermocouples. 59-04733A
- Chatillon, C. See Allibert, M.
- Chatteraj, B. D. See Borthakur, P. C.
- Chatterjee, A. K.
Phase composition, microstructure, quality, and burning of Portland cement clinkers—a review of phenomenological interrelations: I. 59-00060A; Phase composition, microstructure, quality, and burning of Portland cement clinkers—a review of phenomenological interrelations: II. 59-00061A; Phase composition, microstructure, quality, and burning of Portland cement clinkers—a review of phenomenological interrelations: I and II—reply. 59-02101A
- Chatterjee, D. K.; Mendiratta, M. G.; and Lipsitt, H. A.
Deformation behavior of single crystals of titanium carbide. 59-00820A
- Chatterjee, R. See Sengupta, G.
- Chatterji, S. See Gudmundsson, Halldor
- Chatterji, S.; and Christensen, P.
Mechanism of breakdown of limestone nodules in a freeze-thaw environment. 59-02088A
- Chatterjee, Samuel See Levitt, Charlie M.
- Chaudhri, M. M.; and Brophy, Patricia A.
Single particle impact damage of fused silica. 59-03073A
- Chaudhri, M. M.; Hagan, J. T.; and Wells, J. K.
Contact damage in MgO and LiF crystals by cathodoluminescence. 59-04901A
- Chenchyna, T. V.; and Olsupova, E. A.
Charge for manufacturing ceramic material. 59-00441P
- Cheetham, Colin J.; and Maguire, Phillip
Coating of glass fibers. 59-01290P
- Cheklovskii, V. G. See Sizonenko, A. P.
- Cheklovskii, V. Ya. See Petrova, I. I.
- Cheukova, T. Ya. See Hanc, F.
- Cheukova, L. G.; Kornienko, V. N.; and Oleinik, M. I.
Glass-ceramic enamel coating. 59-02333P
- Cheukova, L. G.; Zhdanova, T. D.; and Bolko, L. V.
Enamel. 59-04160P
- Chen, Bor-Uel
Method for diffusing metals into substrates. 59-04624P
- Chen, C. P.; and Leipold, Martin H.
Fracture toughness of silicon. 59-01517A
- Chen, H. L. S.; and Sladek, R. J.
Piezoresistivity and the semiconductor-semimetal transition in Ti_2O_3 . 59-03051A
- Chen, H. Y. See Tranqui, D.
- Chen, Nai Y.; Reagan, William J.; and Weekman, Vern W., Jr.
Crystalline zeolite catalysts of chemical reactions. 59-03893P
- Chen, Shi-ping See Chen, Xian-qiu
- Chen, T.-J.; and Knapp, W. J.
Fracture of single-crystal silicon under several liquid environments. 59-01833A
- Chen, W. K.; and Peterson, Norman L.
Grain-boundary diffusion of ^{60}Co and ^{51}Cr in NiO . 59-04953A
- Chen, Xian-qiu; Jiang, Ling-zhang; and Chen, Shi-ping
Measurements of refractive index profile of optical glass fiber. 59-03307A
- Chen, Xian-qiu See Li, Jia-zhi
- Chen, Yao-cheng See Yu, Shan-qing
- Chen, Yao-cheng; Kuo, Ying-yi; and Chang, Tai-gong
Chinese blue-and-white ware and its blue pigment. 59-02029A
- Chen, Yok See Abraham, M. M.; Narayan, J.
- Cheneel, Pierre; and Mouchaux, Michel
Apparatus for applying a thick seal to a glass sheet. 59-03361P
- Cheney, M. C.; Curran, D. J.; and Fletcher, K. S., III
Water hardness determination by the catalytic polarographic wave of magnesium ion. 59-04744A
- Cheng, Ji-jian
Problems in expansion of the spectrum of raw materials used in the glass industry. 59-03333A
- Cheng, Ming-Chu; and Cutler, Ivan B.
Vaporization of silica in steam atmosphere. 59-00948A
- Chepur, D. V. See Kutsenko, Ya. P.
- Cherches, G. Kh.; Pechkovskii, V. V.; and Kuz'menkov, M. I.
Gel-chromatographic study of the molecular-mass distribution of vitreous polyphosphates of alkali metals. 59-02246A
- Cherednichenko, I. F. See Limar, T. F.
- Cherepanov, B. S. See Sovetova, L. K.
- Cherepanov, Genady P. (Editor)
Mechanics of Brittle Fracture. 59-01979B
- Cherepanov, V. M. See Irshinskii, A. L.
- Cherepanov, V. Ya.
Modulation technique for measuring integral emissivity. 59-04728A
- Chernobelskaya, T.; Kovnovich, S.; and Harnik, E.
Testing of adhesive-bonded joints by a very high resolution ultrasonic probe. 59-01670A
- Cherny, Vladimir V.; and Yuraviev, G. A.
Optical propagation in Ti -fibers with rectangular core. 59-00229A
- Chernyak, L. P. See Lyubomirskaya, N. N.
- Chernyak, L. P.; and Moroz, B. I. (Editors)
Technology, Structure Formation, and Properties of Structural Ceramics (Tekhnologiya, Strukturoobrazovanie i Svoistva Stroitel'noi Keramiki). 59-05149B
- Chernykh, S. M. See Safonov, V. V.
- Chernyshev, A. V. See Balashov, Yu. S.
- Cherry, Michael E.; and Trembath, Lowell T.
Disordering of alkali feldspars: I. Dry heating of a microcline perthite. 59-02964A; Order-disorder paths of alkali feldspars. 59-01879A
- Chervinskii, G. A. See Drozhzhin, A. Kh.
- Chesne, Andre See Anav, Maurice
- Chester, Arthur W.; and Stover, William A.
Cracking catalyst with improved resistance to poisoning by metals. 59-03892P
- Chester, Victor J.
Composition of a conductive ceramic glaze and method of forming. 59-02608P; Method for forming a conductive ceramic glaze. 59-03660P
- Cheng, Harry
Porous metal-alumina composite. 59-03909P
- Chi, Jeong-Sik; and Choi, Sang-Heul
Hydration of slag-gypsum system. 59-00051A
- Chi, Ung-Up See Rhee, Jhun
- Chiang, An-min See Li, Shi-shan
- Chiang, Tung-liang
Silicon carbide engineering ceramics. 59-00769A
- Chikalla, Thomas D.; and Mendel, John E. (Editors)
Ceramics in Nuclear Waste Management. (Proceedings of an International Symposium Held in Cincinnati, Ohio, April 30-May 2, 1979.) 59-00961B
- Chikaura, Yoshinori; and Kishimoto, Kazumi
Extinction of X-ray topographic images of copper precipitates in silicon single crystals. 59-04944A
- Child, Frank S.
Raw material outlook. 59-03336A
- Childress, David L.; Hayes, William V.; and Poppe, Richard L.
Catalyst for making acrylic acid from acrolein or propylene. 59-04842P
- Ch'ing, Ts
Phase separation in glasses. 59-04073A
- Chipman, David W. See Weaver, J. Scott
- Chiriac, Augustin M.; and Sprinkle, Richard T.
Application of high and low temperature direct, continuous oxygen sensors. 59-02628A
- Chisaki, Tatsuo See Ikemaga, Toshio
- Chistyakova, M. V. See Fraife'd, M. S.
- Chiu, Jen; and Fair, P. G.
Determination of thermal conductivity by differential scanning calorimetry. 59-01641A
- Cho, Tong-San; and Kim, Wha-Tek
Electrical switching mechanism in sintered $[\gamma\text{-Fe}_2\text{O}_3\text{-Sb}_2\text{O}_3]$ oxide. 59-00838A
- Cho, Y. I.; and Hartnett, J. P.
Falling ball viscometer—a new instrument for viscoelastic fluids. 59-00694A
- Chobot, M. A. See Tzedrik, M. S.
- Choca, Monica E. See Broersma, Frank R.
- Chodak, Jan B. See Borrelli, Nicholas F.
- Choi, Myoung-Sig See Kim, Byung-Moo
- Choi, Sang-Heul See Baik, Yong-Hyuck; Chi, Jeong-Sik; Han, Ki-Sung
- Choi, Sang-Heul; Park, Yong-Wan; and Ji, Chung-Sik
Utilization of waste and industrial byproducts as a raw material in the manufacture of Portland cement. 59-00075A
- Choi, Sang-Wook See Han, Ki-Sung
- Choi, Sang-il See Lee, Woodrow W.
- Choi, Suk-Hong See Ahn, Young-Pil
- Chon, Min Che; Tsura, Tatsuhiro; and Takahashi, Hiroshi
Changes in pore structure of kaolin mineral by sulfuric acid treatment. 59-01779A; Changes in surface properties of kaolin mineral in dealumination process by sulfuric acid treatment. 59-01780A
- Chose, K.
Noise control in the lime industry. 59-00057A
- Choo, Woong-Kil See Lee, Moon-Ho
- Choo, Pei Chi; and Corman, Robert
Scale effect in fatigue of composite materials. 59-02883A
- Chown, Martin; Horsley, Anthony W.; and Dalgoutte, David G.
Method of joining optical fibers with a link piece. 59-02355P
- Chrenko, Richard M. See Strong, Herbert M.
- Chrisman, Max G.
Platinum group metal layer on a refractory. 59-03742P
- Christensen, A. Norlund; and Lebeck, B.
Structure of β -vanadium nitride. 59-03085A
- Christensen, P. See Chatterji, S.
- Christoph, Gary G.; Corbato, Charles E.; and Hofmann, Douglas A.
Crystal structure of boehmite. 59-01805A
- Chromberg, S.
Possibility of electrophoretic shaping of ceramic products. 59-02771A
- Chu, G. P. K. See Bahat, D.
- Chu, Jau-chun; Yeh, Lung-geng; and Wang, Man-lin
Glaze-frit problems for fine earthenware. 59-03642A
- Chu, Pak L. See Sackeang, Charoon
- Chu, S. T. See Jolly, D. C.
- Chulko, P. I.; Drobich, O. P.; and Khamkhot'ko, A. F.
Glass-based lubricant for a needle in the hot-extrusion of hollow articles. 59-00308P
- Chun, Seung-Kwan See Lee, Chong-Keun
- Chun, Sung-Soon See Kang, Sang-Won; Park, K. H.
- Chung, Bok-Hwan See Ahn, Young-Pil
- Chung, Chang-Ju See Baik, Yong-Hyuck
- Chung, Su-Jin
Tetrahedral framework of silicate—synthesis and properties of compounds. 59-00941A
- Chung, Yip-Wah; and Weisbard, W. B.
Surface spectroscopy studies of the SrTiO_3 (100) surface and the $\text{p}(\text{tinium-SrTiO}_3)$ (100) interface. 59-05059A
- Churueva, Yu. M. See Rosinski, F. F.
- Church, Thomaz A.; and Johnson, Theodore W.
Ceramic knock-off apparatus for removing ceramic from investment casting molds. 59-03594P
- Chyung, Kenneth; and MeJes, John E., Jr.
Rapidly crystallized beta-spodumene glass-ceramic materials. 59-03446P; 59-04373P
- Chyung, Kenneth; and Wusirika, Raja R.
Oxynitride glass-ceramics. 59-03435P
- Ciarrapico, Jorge O.
Dry press 20 plates per minute automatically. 59-02580A
- Cillero, Fernin
Industrial achievements of powder enameling. 59-02154A; Statistical control of the application of color during powder enameling. 59-04153A
- Cimpl, Z. See Kosek, F.
- Ciocea, Nicolae See Teoreanu, Ion
- Claess, Theodore Frank; Schwutte, Guenter H.; and Yang, Kari-Huang
Directionally solidified solar-grade silicon using carbon crucibles. 59-04919A
- Claessens, George R.
Method of making accent lines in bent glass sheets. 59-04352P
- Claessens, George R.; and Mickelle, Raymond J.
Tong for supporting glass sheets having their edges welded together. 59-01361P
- Clague, John J. See Swan, David
- Clague, Robert E.; and Hammar, Richard H.
Lead-acid storage battery having Pb-Cd-Zn-Sn plate straps. 59-01560P
- Clark, David E. See Barrett, Joy M.; Dilmore, Morris F.; Madden, M. C.; McCracken, W. J.; Ohuchi, F.
- Clark, Donald G.; and Preston, Anthony
Apparatus for inspecting flat glass. 59-02309P
- Clark, G. W. See Holder, J. D.
- Clark, Garth; and Hughto, Margie (Editors)
Century of Ceramics in the U.S., 1878-1978. 59-01943B
- Clark, Harold A.
Process for etching SiO_2 layers to silicon in a moderate vacuum gas plasma. 59-02731P
- Clark, Norman O.
Future technology in preparation of ceramic raw materials. 59-01705A
- Clark, R.
Utility of insulating firebrick in rotary cement kilns—a status report. 59-00074A
- Clarke, Brian (Editor)
Architectural Stained Glass. 59-01939B
- Clarke, David R.
Grain-boundary segregation in a commercial ZnO-based varistor. 59-01519A; Grain-boundary segregation in a MgO -doped Al_2O_3 . 59-02985A; Microstructure of a 12H Mg-Si-Al-O-N polypoly alloy—intergranular phases and compositional variations. 59-01871A; Observation of microcracks and thin intergranular films in ceramics by transmission electron microscopy. 59-01876A; See also Lange, F. F.

- Clarke, David R.; and Lange, F. F.
Oxidation of Si_3N_4 alloys—relation to phase equilibria in the system $\text{Si}_3\text{N}_4\text{-SiO}_2\text{-MgO}$. 59-05005A
- Clarke, G. M.
Salt. Destiny in diversity. 59-02846A
- Clarke, J.
Design and test of a graphite-epoxy composite A-10 slat. 59-04803A
- Clarke, J. N. (Compiler)
Use of Grinding Aids in Cement Manufacture. 59-00977B
- Clarke, John Ross See Weiss, Armin K.
- Clarke, R. W.
Joining members together by fusion. 59-00327P
- Claudon, Jacques See Sroussi, Roland
- Clauw, V. A.
Structure and properties of machinable glass-ceramics. 59-02289A
- Claussen, Nils; and John, Juergen
Mechanical properties of sintered, in-situ-reacted mullite-zirconia composites. 59-01737A
- Claverie, Jean See Le Flem, Gilles
- Claypoole, Stewart A.; Lynn, Merrill; and Miller, Roger A.
Filament coating system. 59-04290P
- Clayton, Eric See Duerden, Peter
- Cleland, J. H.; and Fray, Derek J.
Diffusion of silicophosphate melts. 59-03267A
- Cleveland, Joseph J. See Dziedzic, Chester J.
- Clifton, James R. See Pommersheim, James M.
- Clifton, Robert A.
Asbestos. 59-01699A
- Clindard, Frank W., Jr.
Ceramics for applications in fusion systems. 59-04674A
- Clime, Harvey E. See Anthony, Thomas R.
- Clough, D. J. See Banks, D. A.
- Cocito, Giuseppe
Process and apparatus for the continuous production of elongate light conductors. 59-04367P
- Cockayne, B. See Whatmore, R. W.
- Cockayne, B.; and Lest, B.
Complexity in the solidification behavior of molten $\text{Y}_2\text{Al}_2\text{O}_3$. 59-04895A; Single crystal growth of $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$. 59-05044A
- Coduti, Phillip L.; and Earl, Donald G.
Cleanliness measurement techniques on sheet steel surfaces. 59-02133A
- Coffin, Louis F., Jr. See Armijo, Joseph S.
- Coggin, Charles H., Jr.
Apparatus and method for maintaining calibration of a thermocouple used in a bushing for the drawing of glass fiber. 59-01280P
- Cogoli, G. See Toninato, T.
- Cohen, D. D. See Duerden, Peter
- Cohen, J. B. See Morinaga, M.
- Cohen, Joseph; and Adjemian, Alain
Method of obtaining pure alumina by acid attack on aluminous minerals containing other elements. 59-02856P
- Cohen, L. G. See Presby, H. M.
- Cohen, Sidney M.
Process for treating cement plant dust catch. 59-01067P
- Cohen, Uri
Electrocrystallization of NbO and hollow NbO , needles from molten salts. 59-02972A
- Cole, Michael
Crystal growth. 59-04605P
- Colegrove, Robert W. See Cantaloupe, Francis A.
- Colella, Carmine See Mascolo, Giuseppe
- Coleman, Ernest A.
Glass reinforced PBT resins. 59-01312P
- Coleman, James H.
Monolithic ceramic capacitor with fuse link. 59-03736P
- Collepardi, Mario; Monosi, Saverio; and Moriconi, Giacomo
Tetracalcium aluminoferrite hydration in the presence of lime and gypsum. 59-01054A
- Collier, P. See Charlier, G.
- Collin, G. See Boillot, Jacques P.
- Collins, R. J. See Nixon, P. J.
- Collins, Ward T. See Leyden, Donald E.
- Collongues, R.; Boillot, Jacques P.; and Colombari, P.
Ionic superconductors of β -alumina type. 59-03685A
- Collu, Carlo See Ligorati, Ferdinando
- Colmet, R. See Le Flem, Gilles
- Colombari, P. See Boillot, Jacques P.; Collongues, R.
- Colombia, L. See Charlier, G.
- Comanescu, Ion See Dima, Paul
- Combe, Edward C. See Bertenshaw, Barry W.
- Comel, C. See Karmazsin, Etienne
- Compaan, A. See Habiger, Robert Martin
- Cone, Carroll (Editor)
Energy Management for Industrial Furnaces. 59-05134B
- Conger, Glenn J.
How Owens-Illinois utilizes electric boosting. 59-01186A
- Conjeaud, M.; and Boyer, H.
Some possibilities of Raman microprobe in cement chemistry. 59-04116A
- Conlon, W. T. See McCartney, M. L.
- Conner, B. J.
Consumer attitudes on ranges. 59-02136A
- Connelly, John D., Jr.
Navy TACAMO program uses large capacitors. 59-02672A
- Conrad, F.-W.; and Krieger, K. D.
Monitoring kiln shell temperature by means of an infrared image technique. 59-02090A
- Conrad, H. See Keshavan, M. K.
- Conrad, Ralph M.; and Blumestein, Robert M.
Cooling arrangement for rotary kiln. 59-04766P
- Continental, M. A.
Thermal conductivity of glasses. 59-04266A
- Cook, R. J. See Birch, J. R.
- Coope, Brian M.
Asbestiform minerals in Tucson. 59-03120A; Kaolin. A review of production and processing. 59-02835A
- Cooper, A. R. See Scherer, George W.
- Cooper, A. R.; and Abou-el-Hel, Mahmoud
Index variation from field-assisted ion exchange. 59-04210A
- Cooper, Martin H.
Method and apparatus for removing iodine from a nuclear reactor coolant. 59-04694P
- Cooper, Ray A. See Snow, Gary S.
- Cooper, Sharon A.; and Nicholson, Patrick S.
Influence of glass redox conditions on the corrosion of fusion-cast chrome-alumina refractories. 59-03542A
- Cooper, Thomas H.
Boiler cold start using pulverized coal in ignitor burners. 59-01685P
- Coppola, John A.; Hailey, Laurence N.; and McMurtry, Carl H.
Sintered alpha silicon carbide ceramic body having equiaxed microstructure. 59-02560P
- Corbato, Charles E. See Christoph, Gary G.
- Corbett, Keith See Ford, Lester E.
- Corbin, N. D. See McCauley, James W.
- Corelli, J. C. See Matheny, R. A.
- Cornell, M. E. See Pierret, R. F.
- Cornelsen, Bahne C.; and Reed, James S.
Homogeneous precipitation of basic aluminum salts as precursors for alumina. 59-00735A
- Cornu Thenard, S.
Investigation of induced colored centers in soda-lime glasses. 59-01199A
- Correa Braga, F. J. See Trench de Freitas, Clauer
- Corrigan, Francis R.
Direct conversion process for making cubic boron nitride from pyrolytic boron nitride. 59-03894P; Large boron nitride abrasive particles. 59-04064P
- Corrinas, A.; and Pons, A.
Solar irradiance measurements by means of optical fibers and silicon detectors. 59-00705A
- Cortes, G. W. Kerr de P.; and Maximo, Maria A. Pereira
Chemically bonded refractory. 59-04395A
- Cortes, G. W. Kerr de P.; Speltzstoser, Jaime, Jr.; and Placido, Wilson Fernando
Influence of the quantity of cement in refractory concretes. 59-03543A
- Corthell, C. See Schaffman, M.
- Cosman, David C. See Chang, Kenneth
- Costa, Bruno; and Sordo, Bruno
Device for evaluating the light-transmitting characteristics of optical fibers. 59-03374P
- Cotnam, Kenny D. See Feraday, Melville A.
- Coucoulas, Alexander; and Nis, John R.
Method for extruding articles. 59-03404P
- Coudamy, G.
Energy saving in periodic kilns for rapid firing. 59-02431A
- Coudamy, J.
Firing of roofing accessories—continuous or intermittent kiln? 59-02392A
- Courreges, Francis G.; Fahrenbruch, Alan L.; and Bube, Richard H.
Sputtered indium-tin oxide/cadmium telluride junctions and cadmium telluride surfaces. 59-04592A
- Courtault, B.; and Briand, J. P.
Thermal activation of cements. [correction] 59-03209A
- Cowher, Melvyn E.; and Sedgewick, Thomas O.
CVD growth of magnetic oxide films having growth induced anisotropy. 59-04599P
- Cowley, J. M. See Krause, H. Brigitte
- Cox, G. A.; Heavens, O. S.; and Newton, R. G.
Weathering behavior of medieval glass from York Minster. 59-01032A
- Cox, M. G. C.; Love, G.; and Scott, V. D.
Characteristic fluorescence correction for electroprobe microanalysis of thin coatings. 59-01783A
- Cox, Susan Nichols (Editor)
Collectors Guide to Frankoma Pottery. 59-01949B
- Coy-Vill, R. See Alvarez, M. A.
- Crabbe, Phillip G. See Sarmiento, Guillermo
- Craievich, Aldo F. See Acuna, Rodolfo J.; Zanotto, Edgar Dutra
- Craig, Douglas F.; and Brown, Jesse J., Jr.
Phase equilibria in the system $\text{CaF}_2\text{-AlF}_3\text{-NaF}$, and part of the system $\text{CaF}_2\text{-AlF}_3\text{-NaF-Al}_2\text{O}_3$. 59-03043A
- Crandell, Walter R.
Method for making a ceramic bond heater. 59-04627P
- Craus, Mihail-Liviu; and Rezesca, Nicolae
Connection between the redistribution of the cations and the lattice constant in $\text{MgFe}_2\text{-O}_2$ system. 59-03853A
- Craven, John S.
Thermal conductivity cell with thick film seal. 59-01602P
- Crawford, J. H., Jr. See Lee, Kuo-Hua
- Crepaux, Alain P. See Bailly-Lacresse, J. F. G.
- Crepaux, Alain P.; Moutard, Anne-Marie; and Bonzom, Albert
Carbon fibers. 59-03589P
- Cressman, Paul J. See Schein, Lawrence B.
- Creter, Phillip G.; and Peter, David E.
New cleaning method for ceramic microelectronic substrates. 59-04577A
- Crilly, Patrick J.; and Smith, R. Harvey
Petroleum-free metal forming prior to porcelain enameling. 59-02163A
- Crisman, Everett E. See Armitage, William F., Jr.
- Crisp, Stephen See Wilson, Alan D.
- Croman, Robert See Chou, Pei Chi
- Cronmeyer, D. C. See Plaskett, T. S.
- Cronin, David J. See Capps, Webster
- Cross, Leslie E. See Holmes, Michael; Nomura, S.; Sa Neto, A.; Schein, Lawrence B.; Schulze, Walter A.; Uchino, Kenji
- Cross, P. S. See Schmidt, R. V.
- Crouse, Clifford F. See Razier, John E.
- Crow, John D. See Araujo, Roger J.
- Crowder, Billy L.; and Zrinsky, Stanley
Method for providing a metal silicide layer on a substrate. 59-02720P
- Crowley, John L. See Lagos, Costa S. C.
- Cruicu, Antonio
Process for the production of large glass containers. 59-03439P
- Crucean, E.; and Rand, B.
Isoelectric point of ZrO_2 . 59-01853A
- Csanady, A. See Bardossy, Gyorgy
- Csatenyi, Jozsef
Examination of fluxes for ceramic whiteware manufacture. 59-04521A
- Coordas, A. See Bardossy, Gyorgy
- Cabiccioni, Daniel; and Lau, K. H.
Kinetics of oxidation of yttria hot-pressed silicon nitride. 59-01858A
- Cuerten, Hans-Josef
Pneumatic transport of bulk materials over large distances. 59-02770A
- Cueva, Genaro, Jr.
Oil-to-gas converters for dual fuel systems. 59-03320A
- Cummings, K. D.; and Tanner, D. B.
Far-infrared ordinary-ray optical constants of quartz. 59-01163A
- Cummins, Virginia Raymond (Editor)
Rookwood Pottery Potpourri. 59-04056B
- Curran, D. J. See Cheney, M. C.
- Cuthrell, R. E.; and Randich, E.
Embrittling effects of hydrogen on a variety of inorganic materials as indicated by acoustic emission. 59-01824A
- Cutter, Ivan B. See Bechtold, Bryant C.; Cheng, Ming-Chu; Lee, June-Gunn; Oakeson, Wendell G.; Rasmussen, Stephen L.
- Dabbs, T. P.; Marshall, D. B.; and Lawn, Brian R.
Flaw generation by indentation in glass fibers. 59-01164A
- Dahlberg, Arvid S. See Brelen, Hans E. O.
- Dahlberg, S. C.
Optical modulation of low-energy-electron transmission— ZnO . 59-03031A
- Dahlin, Clarence W.
Processing of dicalcium phosphate and sodium montmorillonite. 59-01723P
- Daimon, Keiji See Kato, Etsuro
- Daimon, Masaki See Kondo, Renichi
- Dakshinamurti, P.; Veerabhadraswari, K.; and Venkatarao, A. B.
Bed porosities in three-phase (liquid-liquid) fluidized beds. 59-01619A
- Daka, Lajos
Examination of glassmelting furnaces by mathematical modeling and by analysis of hold-time distribution functions. 59-04193A
- Dale, Rush S.
No-nickel ground coat—it works! 59-00106A; See also Hall, Bernard L., Jr.
- Dale, Rush S.; and Pierce, William E.
Production challenges involved in manufacturing the world's largest porcelain enamel sign. 59-02169A
- Dalgleish, B. J.; Fakhr, A.; and Pratt, P. L.
Temperature dependence of fracture toughness and acoustic emission of polycrystalline alumina. 59-01925A
- Dalgleish, Jack F. See Lukas, Helmut H.
- Dalgoutte, David G. See Chown, Martin
- Dambrie, Francis
Method and apparatus for reducing the calorific consumption of a cement producing plant. 59-03219P
- Daneck, Vladimir; and Pánek, Zdenek
Calculation of liquidus curves in glass-forming two-component systems of alkali borates. 59-01113A
- Daniel, Thell D. See De Rooy, Felix J.
- Danilenko, G. N.; Shvechenko, V. Ya.; and Marenkin, S. F.
Thermodynamic properties of CdS and ZnS . 59-02687A
- Danisch, Jim
Fibersil ceramics. 59-02035A
- Danjo, Hiroyuki See Takahashi, Tadaaki
- Danjo, Hiroyuki; Okuda, Shigeru; and Mori, Masashi
New installation method for blast furnace trough—"dry-type vibrating process." 59-03555A
- Danjo, Hiroyuki; Yoshino, Shigeo; and Ishizawa, Kenki
Carbon bonded graphite for an LD converter. 59-04352A
- Danjo, Hiroyuki; Zenbutsu, Tadaaki; and Okuda, Shigeru
Repairing blast furnace with injection mortars. 59-03569A

- Dannheim, Henning. See Oel, Heribert J.
- Daut, G. E. See Beyer, R. P.
- D'Antonio, Peter. See George, C. F.; Konnett, John H.
- Dautsger, A. Ya. See Fesenko, E. G.
- Danyushevskii, V. S.; and Turnavskii, A. P.
- Nature of H₂S corrosion of portland cement. 59-02091A
- Darbinyan, G. M. See Akopyan, S. A.
- Darbl, M.
- Sandstone clays—relations between absorption, shrinkage, grindability, and forming pressure. 59-02602A
- Dardi, M.; and Bonaventura, O.
- Nature of argillaceous raw materials in relation to rapid firing. 59-02592A
- Dargevich, V. G. See Bukin, L. A.
- Darling, Sharon S.
- Chicago ceramics and glass. 59-00992A
- Darroudi, T. See Homeny, J.
- Darroudi, T.; Homeny, J.; and Bradt, R. C.
- Thermal shock damage resistance parameters of refractory castables. 59-04454A
- Darvin, Charles H.
- Pollution control in the glass industry. 59-01228A
- Das, Anup K. See Emblem, Harold G.
- Das, B. N.
- Effect of transition metal ion impurities on the thermoluminescence of alumina. 59-02969A
- Das, C. R.
- Diffusion-controlled attack of glass surfaces by aqueous solutions. 59-01137A; Effect of grain-cleaning procedures on crushed glass chemical durability tests. 59-00172A; Reaction of dehydrated surface of partially leached glass with water—correction. 59-01233A
- Das, D. See Basu, S.
- Das, Keshab; and Mukherjee, Tapash
- Syria's latest cement plant utilizes shaft-type preheater. 59-02113A
- Das, Pranab
- Role of magnesium compounds on mullitization of clay-alumina mixtures. 59-02485A; See also Kulkarni, A. K.
- Das, Saroj Kanti; Biswas, J. R.; and Sircar, N. R.
- Standardization of a method for determining abrasion resistance of refractories. 59-02491A
- Dashineau, Melvin A. See Ueltz, Herbert F. G.
- Datsenko, B. M. See Moroz, B. I.
- Datskova, T. See Buchvarov, S.
- Datta, Ranajit K. See McVey, Charles I.
- Daukays, V. I.; and Kazakevicius, K. A.
- Evaluation of thermal stress resistance of refractory ceramic materials in different temperature ranges. 59-04410A
- Daut, G. E. See Brown, R. R.
- David, P.; and Garapin, F.
- Method of calculating thermal balance. 59-03823A
- Davidenko, V. M. See Borovikov, S. V.
- Davidge, R. W.; Tappin, Gillian; and McLaren, John R.
- Strength and delayed fracture behavior of beta alumina. 59-00575A
- Davidson, Marion; and Blue, Martha (Editors)
- Making It Legal—A Law Primer for the Craftmaker, Visual Artist, and Writer. 59-01976B
- Davidson, Robert L. (Editor)
- Handbook of Water-Soluble Gums and Resins. 59-01970B
- Davies, Bronwyn L.
- Testing fiber glass. 59-03810A
- Davies, Evan E.; and Kolombos, Alexander J.
- Zeolite composition. 59-02916P
- Davies, Gordon. See Thomaz, M. F.
- Davies, Gordon; and Nazare, Maria H.
- Optical study of the secondary absorption edge in type Ia diamonds. 59-03984A
- Davies, R. See Griffiths, T. J.
- Davis, Allen D., Jr. See Gulati, Suresh T.
- Davis, Allen D., Jr.; Johns, Herbert L.; and Lachman, Irwin M.
- Porous zirconia containing ceramics. 59-04494P
- Davis, B. I. See Lange, F. F.
- Davis, Carl M. See Skinner, Harry B.
- Davis, D. H. See Schreurs, Jan W. H.
- Davis, Douglas H.
- Storable glass batch composition. 59-04378P
- Davis, G. L.
- Powder metallurgy in the electronics industry. 59-04581A
- Davis, James F.
- Future trends in computer control of glass manufacturing. 59-02245A
- Davis, Lance Allan
- Fracture toughness of metallic glasses. 59-03290A
- Davis, Robert F. See Hon, M. H.; Hong, J. D.
- Davis, Russell
- Stack (for kiln). 59-01025A
- Davison, Charles B.; and Heystek, H.
- Cristobalite in fireclay calcines. 59-02420A
- Davitskhin, R. Yu. See Burmistrova, N. P.
- Davydenkov, E. I.; Demidenko, L. M.; and Deev, V. A.
- Use of dust obtained from roasting kaolin for gunning steel-pouring ladles. 59-00429A
- Davydov, I. P.; Scherbinina, R. O.; and Belokry, G. A.
- Production of mullite-corundum refractories at the Zapozhny refractory plant. 59-03561A
- Davydov, V. A. See Agafonov, V. N.
- Davydova, Z. P. See Akmyradov, R. N.
- Day, Delbert E. See Hong, Chi-Ming; Schiroky, Gerhard H.
- De, Amal K. See Heimerl, Wilfried
- De Almeida, Margarida; Brook, R. J.; and Carruthers, T. G.
- Thermal expansion of ceramics in the MgO-CaO system. 59-00944A
- De Aza Pendas, S. See Espinosa de los Monteros, J.
- De Batist, R. See De Vooght, D.
- De Bergevin, F. See Fievet, F.
- De Bolt, H. E. See Wawner, F. E.
- De Broeckere, L.; Nuyts, W.; and Vennik, J.
- Short-term annealing effects in epitaxial Sm-YIGG. 59-01906A
- De Conick, R.; Gijls, A.; and Snijders, M.
- Thermal shock tests on some proposed limiter or first wall materials for fusion reactors. 59-03772A
- De Grefte, H. A. M. See Gossink, Robert G.
- De Isai, Richard J.; and Schulte, Robert L.
- Moisture detection in composites using nuclear reaction analysis. 59-02876A
- De Jong, Esso J.; and Jancic, S. J. (Editors)
- Industrial Crystallization 78. 59-03134B
- De Jong, J.; and Hoens, M. F. A.
- Porcelain enameled solar collectors. 59-00114A
- De Jonghe, Lutgard C. See Buechele, Andrew C.
- De Keersmaecker, R. F.; and Di Maria, D. J.
- Hole trapping in the bulk of SiO₂ layers at room temperature. 59-04961A
- De La Torre, A. See Fernandez P., L.
- De La Torre Edo, J. See Navarro, J. E. Enrique
- De Lal, A. Joseph; and Gazara, Charles P.
- Growing doped single crystal ceramic materials. 59-03719P
- De Luca, John P. See Murrell, Lawrence L.
- De Mansey, Bernard; Bocquet, Gilbert; and Molinier, Jacques
- Sizing for glass fibers and other similarly-coated fibers. 59-01357P
- De Munda, Gabriel P.
- Fiber reinforced carbon and graphite articles and a method of producing said articles. 59-02890P
- De Panafieu, Arnaud; Villard, Michel; and Baylac, Christiane
- Process for the manufacture of optical fibers with a radial refractive index. 59-00364P
- De Paula, R. P. See Boulos, E. N.
- De Rooy, Felix J.; Daniel, Theil D.; and Annes, Eric C.
- Composition for accelerating the setting of calcined gypsum and the product formed thereby. 59-01060P
- De S. Jayatilaka, Ayal (Editor)
- Fracture of Engineering Brittle Materials. 59-01963B
- De Santia, John L.; and Newman, Darden
- Method for determining cleanliness of mill oil. 59-02159A
- De Silva, S. R.
- Centrifugal air classification for production of fine powders. 59-03796A
- De Smet, Donald J.; Jason, Andrew J.; and Parr, Albert C.
- Determination of total surface reflectivity. 59-00690A
- De Souza Santos, Helena; and Campos, Tereza Wagner
- Transmission electron microscopy of clay minerals in smectite clay of Boa Vista, Campina Grande, Paraíba. 59-01932A
- De Souza Santos, Perilo
- Coal gasification and the modern gas industry—a review. 59-04752A
- De Vooght, D.; Timmermans, W.; and De Batist, R.
- Influence of some parameters on the sintering behavior and properties of UC-based nuclear fuel materials. 59-02745A
- De Vore, T. C.; and Gallaher, T. N.
- Vibrational infrared spectrum of CoO. 59-01933A
- De Vries, Robert C. See Lee, Mingyoung
- De Vries, Robert C.; Bundy, Francis P.; and Wentorf, Robert H., Jr.
- Method for the work-hardening of diamonds and product thereof. 59-02020P
- Dean, T. P. See Ehler, Thomas C.
- Deane, P. G.; and Lees, T. P.
- Sources of error in the flame photometric determination of sodium and potassium in portland cements. 59-00072A
- Deannaley, G. See Skrimshire, C. P.
- Debras, G.; Pieret, M.; and Van Cough, L.
- Nondestructive microanalysis of nitrogen dissolved in glass by low-energy nuclear reactions. 59-03319A
- Debras-Guedon, J.
- Boron determination in ceramic raw materials and products by inductively coupled plasma-optical emission analytical spectrometry. 59-02783A
- Decker, John J.; and Kantner, Donald J.
- Glass-to-metal seal for electrochemical cells. 59-00599P; Method for making a glass-to-metal seal for electrochemical cells. 59-02349P
- Declercq, Jean Paul. See Piret, Paul
- Deegsonkar, R. P.; Raman, T. R. V.; and Ranade, S. N.
- Simple piezoelectric quartz transducer. 59-03698A
- Dedukh, L. M. See Gendely, S. Sh.
- Dedukh, L. M.; and Nikitenko, V. I.
- Interactions between block walls and dislocations in garnet films with a cylindrical domain structure. 59-02662A
- Deev, V. A. See Davydenkov, E. I.
- Degen, M. G.; Shchetner, Yu. F.; and Drozdova, I. A.
- Method for electron microscopic study of glasses at high temperatures. 59-04225A
- Degtyar, E. P.; Nurulliev, Z. P.; and Salmina, I. M.
- Glaze. 59-01491P
- Degtyar, E. P.; Tadzhiev, F. Kh.; and Samolovich, I. Yu.
- Heat-resistant glaze. 59-00335P
- Degtyarev, V. G. See Kharitonov, F. Ya.
- Degtyareva, E. V. See Kalinin, Yu. K.; Miroshnik, L. V.
- Degtyareva, E. V.; Kabakova, I. I.; and Drozd, V. I.
- Charge for refractories. 59-00445P
- Degtyareva, E. V.; Orlova, I. G.; and Kabakova, I. I.
- Corundum granules. 59-01426P
- Deigzer, Paul. See Schoenfinger, Edward
- Delmanna, Wilfried; and Grabner, Bernd E.
- Further developments of basic ceramic components in sliding-gate system. 59-04415A
- Delmanna, Wilfried; and Zednick, Walter
- Experimental results of ladle lining with magnesite products and bricks made of Magdol co-clinker. 59-04413A
- Del Bufalo, Silvio
- Prospects for the use of blast-furnace slags in the production of ceramic wares. 59-02399A
- Del Nero, G. L. See Azzoni, C. B.
- Del Rio, M. A. See Espinosa de los Monteros, J.
- Delgado, A. See Hodgson, E. R.
- Delmon, Bernard. See Gajardo, P.; Lemaire, Jacques
- Delobel, Jacques. See Moriez, Marcel
- Delphin, Walter H. See Horwitz, E. Philip
- Dembovskii, S. A.
- Study of chalcogenide glass formation in the light of an empirical semiquantitative theory of vitrification. 59-02291A
- Dembovskii, S. A.; and Ilizarov, L. M.
- Application of an empirical theory of glass formation to calculate the boundaries of glass-formation regions in chalcogenide systems. 59-02920A; Quantitative relation of glass-forming capability with the liquidus temperature. 59-04001A
- Dembovskii, S. A.; Luzhnyaya, N. P.; and Vinogradova, G. S.
- Physicochemical analysis of chalcogenide glass-forming systems. 59-04239A
- Demel, G.
- Operation experience with vibrating mills. 59-02768A
- Dement'eva, N. V.; Lesniko, A. K.; and Magazenkov, V. N.
- Refractory material. 59-00489P
- Demidenko, L. M. (Editor)
- Highly Refractory Composite Coatings (Vysokotempurnyye Kompozitsionnyye Pokrytiya). 59-04043B; See also Davydenkov, E. I.
- Demidov, E. S.
- Impurity states of iron group ions in gallium arsenide and silicon. 59-00861A
- Demidova, Zh. K. See Adushkin, L. E.
- Demina, L. D. See Kravchenko, E. A.
- Demina, T. V.
- Crystal chemical peculiarities and physical properties of synthetic cordierite. 59-04904A
- Demo, J. J.
- Hot ash corrosion of high temperature equipment. 59-04755A
- Dem'yachenko, I. Z.; Shchegareva, L. F.; and Serebrennikova, T. S.
- Concentration method and the complex utilization of quartz-sillimanite ores. 59-02824A
- Deng, Ze-qun. See Li, Jia-zhi
- Denisenko, O. N. See Botvinkin, O. K.
- Denisova, L. A. See Artamonov, V. A.
- Denisova, S. S. See Kiselev, V. N.
- Denker, B. I.; Maksimova, G. V.; and Onisko, V. V.
- Highly concentrated Nd laser glasses. 59-02257A
- Denman, Stephen A.
- Coupling device for glass or metal parts. 59-02697P
- Denton, D. M.
- Standardization [in the British refractories industry]. 59-01408A
- Deppe, Hans-Raimund
- Method for covering a first layer or layer sequence situated on a substrate with an additional second layer by a sputtering on process. 59-00603P
- Derbeneva, T. A. See Belov, V. V.
- Derbsch, Karl. See Domanowski, Artur
- Derevanko, T. G. See Semchenko, G. D.
- Dergunova, V. S. See Krivoshein, D. A.
- Deri, Marta. See Kotsis-Szabo, Ildiko
- Stability problems of silicate systems. 59-04015A
- Derid, O. P. See Mocharnyuk, G. F.
- Deryavko, I. I.; Lalin, A. G.; and Taubin, M. L.
- X-ray diffraction method of assessing local stress levels in coarse-grained sintered materials. 59-00712A
- Derzhavin, S. N. See Milyukov, E. M.
- Des Forges, C. D.
- Sintered materials for electrical contacts. 59-04590A
- Desai, G. T.; and Baxi, D. R.
- Preparation and properties of ferrosilicates. 59-04818A
- Desfours, J. P.; Godart, C.; and Weill, G.
- Hydrostatic-pressure effect on electrical resistivity of EuO in the temperature range 6-300 K. 59-02991A
- Deshto, Yu. I. See Akunov, V. I.
- Deshmukh, B. T. See Moharil, S. V.
- Deshmukh, P.; Mankhand, T. R.; and Prasad, P. M.
- Decomposition characteristics of cobalto-cobaltic oxide. 59-03944A
- Desplanches, Gerard; and Lehoucq, Jacques
- Method of manufacturing beta alkaline alumina parts. 59-04636P
- Desplanches, Gerard; Rigal, Michel; and Wicker, Alain
- Phase transformation in an Na₂Zr₂(SiO₃)₂ ceramic. 59-02675A

- Desy, R. E.; and Starling, M. K.
Information retrieval and laboratory data management. 59-0054A
- Desferais, G. L.; Galliard, J. P.; and Ligeon, E. L.
Formation of waveguides and modulators in LiNbO₃ by ion implantation. 59-03288A
- Desyatnik, V. N.; and Mel'nikov, Yu. T.
System MgCl₂-UCl₄-ThCl₄. 59-05080A
- Dessauer, Herbert
Apparatus and method for the thermal treatment of fine grained material. 59-04711P; Method for multistep calcination of cement clinker. 59-02118P; Method for the calcining of lime. 59-04137P
- Deutsch, Volker; Becker, Ernst-August; and Foerstermann, Ulrich
Method and apparatus for the automatic recognition and evaluation of optical crack indications on the surface of workpieces. 59-04749P
- Devanarayana, S. See Krishnan, R. S.
- Deville, Michel See Mercier, Philippe
- Dewees, Thomas J.; Faugman, John S.; and Liu, Wen
Double crucible crystal growing apparatus. 59-03712P
- Dewitte, Jean; and Aymard, Pierre
Manufacture of spherical balls. 59-04329P
- Di Nigara, Raymond
Metal-silica solution for forming films on semiconductor surfaces. 59-03727P
- Di Giuseppe, Michael A. See Kokta, Milan R.
- Di Maria, D. J. See De Keersmaecker, R. F.; Weinberg, Z. A.; Young, D. R.
- Di Rapo, E. See Anseau, M. R.
- Di Rapo, E.; and Anseau, M. R.
Reaction sintering—correlation between densification and reaction. 59-01894A; Solid state reactions in the ZrO₂-SiO₂-Al₂O₃ system. 59-01910A
- Di Rapo, E.; Anseau, M. R.; and Brook, R. J.
Particle rearrangement kinetics. 59-00892A
- Dianov, E. M. See Akopyan, S. A.
- Diaz, Edward S. See Lange, F. F.
- Dibrov, M. A. See Garsanlieva, A. M.
- Dibrov, G. D.; and Karapkhina, A. K.
Raw material mixture for the manufacture of refractory aggregates. 59-02550P
- Dickens, P. G. See Palmer, D. J.
- Dickinson, George A.
Glass manufacture. 59-03385P
- Dickson, Douglas R.
Current experiences in powder porcelain. 59-02138A; See also Stalter, Thomas L.
- Dickson, Frank W. See Seyfried, W. E., Jr.
- Dickson, J. I. See Nadeau, J. S.
- Dickson, Ted
Diatomite. Increases filtering through. 59-02827A
- Didkovskaya, O. S.; Savenkova, G. E.; and Zvonik, V. A.
Piezoelectric ceramic material. 59-00615P
- Didkovskaya, O. S.; Selikova, N. I.; and Klimov, V. V.
Modified ceramics based on PbTiO₃-Pb(Fe_{0.5}Nb_{0.5})O₃. 59-02671A; Piezoceramic materials in the system PbTiO₃-Pb(Fe_{0.5}Nb_{0.5})O₃-PbZrO₃. 59-02676A
- Didkovskaya, O. S.; Zvonik, V. A.; and Selikova, N. I.
Piezoelectric ceramic material. 59-00614P
- Diana, I. I. See Berezhnaya, N. V.
- Dietrich, Dieter See Welte, Rainer
- Dietrich, A. See Otto, Harald H.
- Digonskii, V. V. See Borovikov, S. V.; Ordan'yan, S. S.
- Dikov, Yu. P. See Brytov, I. A.
- Dillard, Paul A. See Antonides, Gene J.
- Diller, K. M. See Catlow, C. R. A.
- Dilmore, Morris F.; Clark, David E.; and Hench, Larry L.
Corrosion behavior of lithium disilicate glass in aqueous solutions of aluminum compounds. 59-00159A
- Dima, Paul; Comanescu, Ion; and Hagiolari, Mannaia
Effect of thermal treatment and fluoride and sodium oxide contents on characteristics of corundum-zirconia refractories. 59-03522A
- Dimitrov, V. See Dimitrov, Ya.
- Dimova, T. See Mitev, T.
- Diagle, Raymond; Gouard, Arthur C.; and Petroff, Pierre M.
Periodic monolayer semiconductor structures grown by molecular beam epitaxy. 59-04648P
- Dissin, Joseph I.
Inorganic and geological materials. 59-00697A
- Dioane, Gerald F.; and Tumelty, Paul F.
Molecular-field coefficients of Tm₂FeO₇. 59-04996A
- Dirstine, Roger T.; Gentry, William O.; and Blumenthal, Robert N.
Calcium-doped ceria ceramic tubes for low temperature oxygen sensors. 59-00546A
- Dissanayake, M. A. K. L.; and Chase, L. L.
Optical properties of CrO₃, MoO₃, and WO₃ in the range 0.2–6 eV. 59-02209A
- Dittrich, Werner; Josten, Walter; and Nestler, Heinz
Process for the manufacture of refractory ceramic products. 59-04498P
- Divino, M. D. See Ramaswamy, V.
- Dixon-Stables, P. J.; and Wilshire, B.
Creep of hot-pressed silicon nitride ceramics. 59-01799A; Factors affecting the deformation behavior during creep of magnesium refractory raw materials. 59-04414A
- Djasharov, N. B. See Simeonov, Y. T.
- Dmitricenko, N. S. See Popova, V. S.
- Dmitrienko, K. E. See Fedik, A. A.
- Dmitriev, Ya.; Dimitrov, V.; and Arsanodov, M.
Structure of glasses from the TeO₂-VO₂ system. 59-00263A
- Dmitryuk, A. V.; Karapetyan, G. O.; and Maksimov, L. V.
Purification of glass. 59-02376P
- Dmytriv, A. Yu. See Brilingas, A.
- Dobosh, A. A. See Doinikov, L. I.
- Dobovinsk, B. See Zivkovic, Z. D.
- Dobre, A. See Shtenberg, A. R.
- Dobrovol'skii, Z.; and Krotkus, A.
Impact ionization in p-type InSb semiconductors. 59-02659A
- Dodson, Vance H.; and Roberts, Lawrence R.
Portland cement-fly ash-aggregate concretes. 59-04141P
- Doehler, Steffen See Schuermann, Eberhard
- Doermann, Gaenter See Obendorf, Johann
- Doerr, Wolfgang O. See Manzel, Reiner
- Dogil, B.; Froisart, F.; and Horodecki, A. J.
Influence of free-electron density on the cohesive energy in chemically prepared SnO₂ films. 59-01848A
- Doherty, Thomas E.
Apparatus for applying plastic sleeves to glass bottles. 59-03363P
- Doi, Samio See Kodama, Kunihiko
- Doinikov, L. I.; Dobosh, A. A.; and Kirilenko, V. V.
Chalcogenide glass solutions. 59-00284P
- Dokko, Philip C.; and Pask, Joseph A.
High-temperature stress-strain behavior of MgO in compression. 59-00856A
- Dole, S. L.; Hunter, Orville, Jr.; and Calderwood, F. W.
Elastic properties of stabilized HfO₂ compositions. 59-01821A
- Dolezal, Henry See Hayashi, Masami
- Dollaski, A. N. See Shin, A. P.
- Domanowski, Artur; and Derbosh, Karl
Reduction of specific power consumption during grinding of cement by use of computerized process control. 59-01051A
- Dominick, Ellen K.; and Scherer, George W.
Carbon coating for a starting member used in producing an optical waveguide. 59-04283P
- Donatone, Guido
Majolica section of the Exhibition "18th Century Civilization in Naples." 59-01008A
- Dondyne, Alban; Marchasson, Maurice; and Ravez, Paul
Furnace walls which can be used at high temperatures. 59-03825P
- Donley, Harold E.
Conductive metal oxide film for solar energy control. 59-04285P; Method of making colored glass articles. 59-01337P
- Donlon, W. T.; Mitchell, T. E.; and Heuer, A. H.
Climb dissociation of network dislocations in nonstoichiometric Mg-Al spinel. 59-01789A
- Donnelly, James K. See Burd, Lamar
- Doroh, John; Moon, Sung; and Wright, Donald
Soda ash removes sulfur from fuels. 59-00728A
- Dordor, P. See Tarascon, J. M.
- Dordy, V. S.; Galagova, I. V.; and Peresh, E. Yu.
Vibration spectra of MPS. (M = In, Ga, Sb, Bi). 59-05111A
- Doremus, Robert H. See Futato, R. J.; Thomas, Mathew B.; Tomozawa, Minoru; Willis, R. P.
- Doremus, Robert H.; and Kay, J. F.
Initial crack paths in glass—influence of temperature and composition. 59-00207A
- Doremus, Robert H.; La Course, William C.; and Mackenzie, John D. (Editors)
Proceedings of the XIIth International Congress on Glass. 59-05144B
- Dorhofer, K.
Re-indexing of the X-ray powder diffraction pattern of β-LiAlO₂. 59-03062A
- Dorofeev, V. G. See Keshishyan, T. N.
- Dorofeev, N. P.; Karasikov, V. K.; and Tsekhomskii, V. A.
Preparation of a charge for the manufacture of photochromic glasses. 59-02370P
- Doroschenko, Yu. M. See Mchedlov-Petrosyan, O. P.
- Dorr, Henning See Odier, Ivan
- Dorst, M.
Production of flat ware by isostatic dry pressing. 59-02598A
- Dos Santos, Urames Pires
Fuel economy through the choice of good insulation. 59-03822A
- Dotenko, A. V.; and Zakharov, V. K.
Kinetics of photochromic processes in Ag halide glasses. 59-01203A
- Dougherty, Joseph P.
Knock sensors. 59-02664A
- Dougherty, Joseph P.; and Rosar, M. E.
Semiautomatic microstructural analysis system. 59-03807A
- Doukias, Nikolaos See Aulich, Hubert
- Douhal, M. S.
Determination of kinetic parameters by thermoanalytical techniques. 59-04717A
- Dowty, Eric
Crystal-chemical factors affecting the mobility of ions in minerals. 59-02946A
- Doyen, June E. See Sell, Nancy J.
- Doyle, Patrick J. (Editor)
Glass Making Today—An Introduction to Current Practice in Glass Manufacture. 59-01967B
- Draeger, B. G.; and Summers, G. P.
Defects in unirradiated α-Al₂O₃. 59-02956A
- Drakides, G.
Automatic casting of sanitary ware by a modular casting line. 59-02569A
- Drap, Stephen See Rosen, Meyer R.
- Dressel, Horst See Kiessling, Bernd
- Drexhage, Martin G. See Mecholsky, John J., Jr.
- Drexhage, Martin G.; and Gupta, Prabhat K.
Strengthening of glasses by partial leaching. 59-01248A; Stresses arising during the leaching of a two-phase glass. 59-01250A
- Drexhage, Martin G.; Moynihan, Cornelius T.; and Saleh, M. N.
Infrared transmitting glasses based on hafnium fluoride. 59-04213A
- Dreyer, Juergen
Formation of limiting conditions for calculation of two-dimensional temperature fields. 59-01167A
- Dreyfuss, Robert G.
Economics of end-of-furnace. 59-00167A
- Dreier, J. P. See Gourdin, W. H.
- Drobich, O. P. See Chulko, P. I.
- Drokin, A. I. See Pukhov, I. K.
- Drostholm, Frede H.; Jensen, Harry; and Willadsen, Per
Brick press and associated equipment for making bricks. 59-00397P
- Drouzy, Michel L.; Richard, Michel M.; and Huet, Francois P.
Nonfibrous castable refractory concrete having high deflection temperature and high compressive strength and process. 59-02545P
- Droz, V. I. See Degiyareva, E. V.
- Drozova, I. A. See Degen, M. G.
- Drozhdin, A. Kh.; Chervinskii, G. A.; and Simuni, K. M.
Sealing system for the feed end of a dry process kiln. 59-03207A
- Drozniak, Andrzej See Wiekowski, Jan
- Druge, Roland
Method of sintering and apparatus for carrying out the method. 59-01626P
- Drummond, Warren W.
Method and apparatus for forming fiber mat. 59-00334P
- Dryburgh, Peter M.
Synthesis of aluminum nitride. 59-01764P
- Dryburgh, Peter M.; and Halstead, Raymond R.
Epitaxial crystalline aluminum nitride. 59-03715P
- De Bois, Richard
Glass-to-glass sealing method with conductive layer. 59-04617P
- Dubey, B. L. See Rastogi, R. P.
- Dubin, M. A. See Lapsin'sh, Kh. A.
- Dubin, R. R.; and Prochazka, Svante
Evaluation of sintered SiC as an electrode and container material in sodium/sulfur cells. 59-01515A
- Dubinchuk, V. T.; and Sidorenko, G. A.
Location and form of occurrence of hexavalent uranium in natural oxides. 59-03764A
- Dubovik, T. V. See Isenko, A. I.
- Dubrovskii, R. I.; Vurzel, F. B.; and Reznik, V. Yu.
Processing of a glass mold. 59-03511P
- Duck, Gary S.; and King, Frederick D.
Low loss directional coupling for optical fibers. 59-00329P
- Duckett, E. Joseph
Cullet from municipal waste: II, Is sizing the solution? 59-02216A; Cullet from municipal waste: III, Removal and detection of refractory contaminants. 59-02217A
- Duckworth, Winston H. See Shetty, Dinesh Kumar
- Duclet, M. See Schouler, E.
- Dudrov, Yu. G.; Keimel'yan, A. A.; and Mel'nikov, A. M.
Raw material mixture for the manufacture of lightweight refractory aggregate. 59-04499P
- Dudnik, E. F.
K₂CrO₄, Rb₂CrO₄, Cs₂CrO₄ as new ferroelastics. 59-00864A
- Duónik, E. M. See Yachmenev, V. E.
- Duerren, Peter; Cohen, D. D.; and Clayton, Eric
Elemental analysis of thick obsidian samples by proton induced X-ray emission spectrometry. 59-04719A
- Duffy, Clarence J.; and Greenwood, Hugh J.
Phase equilibria in the system MgO-MgF₂-SiO₂-H₂O. 59-01883A
- Duffy, Thomas J. See Paterson, J. Alan
- Duggan, Michael F.
Attaching strain transducers to fragile materials. 59-00677A
- Duma, Gyorgy
Calcareous mortars from the Middle Ages. 59-04069A
- Dumbagh, William H., Jr. See Alpha, James W.
- Dumesnil, Maurice E.; and Schreier, Ulrich
Sealing glass composition. 59-03448P
- Dumire, Leo
Fiber optic connector apparatus with optical fibers having thermally deformable jacket material. 59-01554P
- Dunne, A. A. See Apykhin, N. N.
- Dunne, A. A.; Mikhailov, M. D.; and Borisova, Z. U.
Glasses in the system As-Te-In. 59-0180A
- Duncan, J. F. See Melling, P. J.
- Duncan, James H.
Methods of manufacture of beta-alumina. 59-01578P
- Dunlap, B. D.; Shenoy, G. K.; and Friedt, J. Y.
Crystal-field properties of Yb₂Ti₂O₇ using ¹⁷¹Yb Moessbauer spectroscopy. 59-02947A
- Dunn, Bruce S.
Field-assisted bonding of beta-alumina to metals. 59-00558A; Solid electrolyte material composite body, and method of bonding. 59-03750P

- Dunn, M. A. See Rimai, D. S.
- Dunning, Lester M.; and Faust, William D.
Status report on electrostatic enameling in Europe.
59-00118A
- Durry, Rudolf; Macko, P.; and Mackova, V.
Paramagnetic centers in neutron irradiated glassy semiconductors.
59-03690A
- Dusaunkas-Duz, S.; Pauks, P.; and Sedmalis, U.
Glaze [with ZnO added for increased opaqueness].
59-04545P
- Dutta, S. N. See Borthakur, P. C.
- Dutta, Sunil K.
Fabrication, microstructure, and strength of sintered β - Si_3N_4 solid solution. 59-02870A
- Dutta, Sunil K.; and Spriggs, Richard M.
Grain growth in fully dense ZnO. 59-02984A
- Duzevic, Davor; and Ristic, M. M.
Science of compaction today, and its significance for technological advancement. 59-04710A
- Dvoretzky, G. A.; Vishnyakov, A. V.; and Al'takh, O. L.
System Cd-Ga-Se. 59-05072A
- Dvorichenko, I. N. See Shcheglova, M. D.
- Dvorskii, A. A.; Maslov, V. P.; and Skachkov, M. M.
Etching solution for quartz glass. 59-02316P
- Dvurechenskiy, A. V.; Petrov, V. A.; and Reznik, V. Yu.
Spectral absorption coefficient of quartz glasses in the region of semitransparency at high temperatures. 59-03344A
- D'yach'eva, T. V. See Zainulin, Yu. G.
- D'yakov, N. P. See Tochilkin, V. I.
- D'yakova, V. V. See Antonova, S. L.
- Dyatlova, E. M. See Ermolenko, N. N.
- Dyban, Yu. P. See Gnesin, G. G.
- Dykhta, T. I. See Rashkovskii, A. S.
- Dymont, John C. See Springhouse, Anthony J.
- Dymov, A. T. See Spirina, N. A.
- Dynes, P. J. See Kaebler, D. H.
- Dyotti, Richard B.; and Stevenson, John L.
Method of making dielectric optical waveguides. 59-02356P
- Dzhakhbandarov, Sh. D. See Rza-Zade, P. F.
- Dzhakhba, N. G. See Verulashvili, R. D.
- Dzhakobiya, I. V. See Caprindashvili, G. G.
- Dzhavuktsyan, S. G. See Khalilev, V. D.
- Dzhondzhorov, I.; Milev, Ts.; and Khandzhiev, L.
Use of natural gas in the glass and fine-ceramics industries.
59-02814A
- Dzburinski, B. F.
Periodicity of the properties of the rare-earth elements.
59-05010A
- Dziedziec, Chester J.; Kleiner, Richard N.; and Cleveland, Joseph J.
Method for forming a sealed outer ring for ceramic regenerator. 59-03609P
- Dzyuba, E. D. See Pechkovskii, V. V.
- Earl, Donald G. See Coduti, Phillip L.
- Eason, J. W. See Wawner, F. E.
- Ebata, Yoshihiro; Tohban, Yasuo; and Uetsuki, Tsuneo
Method for fast adhesion of silver to nitride type ceramics.
59-00604P
- Ebata, Yoshihiro; Ueno, Tsutomu; and Kataoka, Nagamasa
Method of bending glass plate. 59-01336P; Process and apparatus for heat treating edge of plate glass. 59-00358P; Process for welding plate glasses together. 59-01350P
- Eberhardt, G. See Linke, D.
- Ebgt, Joachim; See Hermann, Hans D.
- Ehsawa, Ritsuo; See Morimoto, Tadashi
- Eckerle, Kenneth L. See Venable, William H., Jr.
- Eckhardt, D.; and Snijkers, M.
Ceramic materials with low atomic number as first wall materials in large fusion devices. 59-04673A
- Eda, Kazuo; Osumi, Makino; and Masanori, Inada
Voltage-dependent resistor and method of making.
59-01605P
- Eder, A. See Werner, C.
- Edson, Gary F. (Editor)
Mexican Market Pottery. 59-03137B
- Edwards, D. H. See Graham, A. L.
- Edwards, Grant C.; Vaughan, David E. W.; and Albers, Edwin W.
Method of preparing a novel platelet-type crystalline form of synthetic faujasite. 59-02900P
- Edwards, S. F.; and Warner, M.
Dislocation theory of crystal melting and of glasses.
59-01139A
- Effimov, A. M.
Glasses based on rare elements. 59-00204A; Refractive index in the wavelength range 0.365–2.50 μm and refraction of a series of borate glasses. 59-00250A; See also Mikhailov, B. A.
- Effimov, A. M.; and Khlitov, V. N.
Analytical formulas for expressing the dispersion of refractive indexes of glass through absorption spectra. 59-02202A
- Effimov, G. V.; Shevchenko, V. A.; and Nazarenko, V. V.
Dense gro refractory with high thermal stability. 59-02424A
- Effimov, V. A. See Gagarin, A. P.
- Efremov, V. A. See Lazoryak, B. I.
- Efros, M. G. See Lysanov, V. S.
- Egami, Koji; Tanaka, Kiyosaki; and Marumo, Fumiyouki
Application of the least-squares procedure to studies on glass structures. 59-02204A
- Eggler, David H.; and Kadik, A. A.
System $\text{NaAlSi}_3\text{O}_8\text{-H}_2\text{O-CO}_2$ to 20 kbars pressure: I, Compositional and thermodynamic relations of liquids and vapors coexisting with albite. 59-01923A
- Eggler, David H.; Kushiro, Ikuo; and Holloway, John R.
Free energies of decarbonation reactions at mantle pressures: I, Stability of the assemblage forsterite-enstatite-magnetite in the system $\text{MgO-SiO}_2\text{-CO}_2\text{-H}_2\text{O}$ to 60 kbars. 59-01835A
- Egorov, F. F.; and Kilyly, P. S.
Reactions of zirconium nitride with alumina and molybdenum. 59-00767A
- Egorov, F. F.; and Storozh, B. D.
Sintering behavior of materials based on alumina and titanium and zirconium nitride. 59-00772A
- Egorov, G. B. See Butt, Yu. M.
- Egorov-Tsimenko, Yu. K. See Simonov, M. A.
- Egorova, L. S. See Sarkisov, P. D.
- Eguchi, H. See Naruse, Y.
- Ehlert, Thomas C.; Dean, T. P.; and Billy, Michel
Thermal decomposition of the oxynitride of silicon.
59-01927A
- Ehrburger, Pierre; Musielak, Andre; and Lahaye, Jacques
Effect of a titania coating on the tensile strength of fused silica fiber. 59-03274A
- Ehrlich, Werner
Energy supply and utilization in a float glass plant.
59-01160A
- Ehrli, Hans-Peter See Schiewe, Horst
- Eichenberg, Norbert See Liebal, Eberhard
- Ekke, G.
Modern central coal milling plants. 59-02810A
- Elduks, J. See Gode, H.
- Ellers, Louis H. See Meicall, Arthur S.
- Elmzinger, Richard See Chakrabarty, Naresh
- Eirich, Hubert; Eirich, Walter; and Eirich, Paul
Method of measuring the moisture content in flowable materials and apparatus for carrying out the method.
59-03815P
- Eirich, Paul See Eirich, Hubert
- Eirich, Walter See Eirich, Hubert
- Eisenberger, Peter; and Brown, George Stephen
Study of disordered systems by EXAFS—limitations.
59-04739A
- Eisenring, R. See Levy, G.
- Eisenrith, Karl-Heinz See Aulich, Hubert
- Elama, D. S. See Van Langeveld, A. D.
- Elavov, E. A.; and Gasumov, N. M.
EPR spectra and paramagnetic susceptibility of [semiconductor] chalcogenide spinels $\text{FeCr}_2\text{S}_4\text{-Se}_2$.
59-02224A
- Elavov, E. A.; and Safarov, A. F.
Magnetic susceptibility of new ferrimagnetic [semiconductor] system $\text{Co}_2\text{-Cu}_2\text{-Cr}_2\text{S}_4\text{-Se}_2$. 59-02665A
- Ekstrom, Tommy See Werner, Per-Erik
- El-Bayoumy, Osama H. See Boulos, E. N.
- El-Diddmouy, Hamdy
Application of differential thermogravimetry to the hydration of expansive cement pastes. 59-04082A
- El-Diddmouy, Hamdy; and Shater, Magda A.
Effect of entrainment on the anodic polarization of steel reinforcement in hardened slag cement pastes. 59-04092A
- El-Kolali, A. A. See Abdel-Fattah, W. I.
- El-Moffy, Osman See Hassan, Farkhanda
- El-Moualy, M. K. See Abou El Ela, A. H.
- El-Rafel, E. A.; and Naga, S. M.
Influence of thermal treatment and component phases on the densification of brine magnesia and chrome-based refractory clinkers. 59-02448A; Optimal parameters for maximum recovery of high purity refractory grade magnesia from brine and dolomitic magnesite. 59-03556A
- El-Sayed Ali, M.; and Lorenzelli, R.
Kinetics of initial stage sintering of UO_2 and UO , with Nd_2O_3 addition. 59-03763A
- El-Shahat, M. F.; and Holleck, H.
Constitution of the systems V-(Fe,Co,Ni)-N. 59-00803A
- El-Shamy, T. M. See Ahmed, Ahmed A.
- El-Sharkawy, A. See Basili, R.
- Elbert, Raymond J.; and Sara, Raymond V.
Stress relieving of metal/ceramic abrasible seals. 59-03753P
- El'bert, E. T.; Tsvetkinskaya, N. E.; and Stepanov, V. N.
Raw material mixture for the manufacture of Keramzit. 59-01446P
- Elchinger, M. F.; Martin, C.; and Fauchais, P.
Measure of the diffusivity of ceramic materials either sintered or sprayed by means of a flash method with a positive or negative pulse. 59-04989A
- Eldar, Meir
Method and chart for organizing and producing colors. 59-04550P
- Elek, S. See Hlavay, Jozsef
- Elenkova, N.; and Popova, E.
Statistical appraisal of a method [currently] used in chemical laboratories for the total silicate analysis of glass. 59-00259A
- Eliseev, A. A.; Aminov, T. G.; and Shabunina, G. G.
X-ray diffraction study of solid solution $\text{Cd}_{1-x}\text{Cu}_x\text{Cr}_2\text{S}_4$ with a spinel structure. 59-03115A
- Eliseev, A. A.; and Kuz'micheva, G. M.
Application of the law of simple, constant, and multiple proportions to the crystal chemistry of rare-earth chalcogenides. 59-04881A
- Elkins, Samuel R., Jr.
Furnace construction and methods of loading and sealing a combustion chamber therein. 59-03824P
- Elleman, Thomas S. See Roberts, Rodney M.
- Ellialtogh, Sinaei S.; and Wolfram, T.
Surface electronic properties of d-band perovskites—study of the π bands. 59-03091A
- Ellis, David E.; and Wylie, Peter J.
Carbonation, hydration, and melting relations in the system $\text{MgO-H}_2\text{O-CO}_2$ at pressures up to 100 kbars. 59-01776A; Hydration and melting reactions in the system $\text{MgO-SiO}_2\text{-H}_2\text{O}$ at pressures up to 100 kbars. 59-01847A
- Ellis, Donald Edwin See Posternak, M.
- Ellis, Jeffrey R. See Wagner, Herman B.
- Ellis, R. James See Baghdadi, Aslan
- Elmer, Thomas H.
Novel dewatering process for porous glass. 59-02267A
- Elmer, Thomas H.; and Martin, Francis W.
Antireflection films on alkali-borosilicate glasses produced by chemical treatments. 59-00139A
- Elmsner, Gerhard See Pabst, Reiner F.
- Elysheva, A. A. See Yutina, A. S.
- Elwan, Sayed M.; and Al-Zawawi, Abdulaziz
Development of [the] cement industry in the Kingdom of Saudi Arabia. 59-04090A
- Elwell, D. See Morris, A. W.
- Elwell, Dennis (Editor)
Man-Made Gemstones. 59-01977B
- Emblem, Harold G.; and Walters, Ian R.
- Emblem, Harold G.; and Das, Anup K.
Binding of refractory materials. 59-01413P
- Embury, J. D. See Hoagland, R. G.
- Emel'yanova, T. A. See Babitsyna, A. A.
- Emery, A. F.; and Kobayashi, A. S.
Transient stress intensity factors for edge and corner cracks in quenched-test specimens. 59-04034A
- Emmerich, W.-D.; and Kaisersberger, E.
Modern applications of thermal analysis in raw material and quality control. 59-04727A
- Emmert, Richard L. See Postupack, Dennis S.
- Enrich, Harold W.
ASTM specifications—a legal defense? 59-00952A
- Entage, P. R.
Statistics and grain size in zinc oxide varistors. 59-01534A
- Endo, Kohe; and Saito, Masao
Construction of reheating furnace walls using plastic refractory blocks. 59-03504A
- Endo, S. See Ito, A.
- Engelhardt, H.; and Whalley, E.
Infrared spectrum of ice IV in the range 4000–400 cm^{-1} .
59-00663A
- Engstrom, Carl B. A.
Method of manufacturing building elements from so-called foamed ceramics. 59-01371P
- Enomoto, Ryo; Yoshioka, Mithiro; and Yokoyama, Takao
Process and an apparatus for producing silicon carbide consisting mainly of beta-type crystal. 59-00478P
- Entia, V. I. See Mukhin, A. A.
- Eolla, Robert W.; Foster, Gordon F.; and Mach, Joseph F.
Mixing and injection molding hydrosilicates. 59-03424P
- Epashchikova, I. K. See Korzo, V. F.
- Epik, A. P.
Coatings based on refractory compounds. 59-00405A
- Eppler, Richard A.
CoO free black spinel ceramic pigment containing NiO , Fe_2O_3 , and Cr_2O_3 . 59-04540P
- Erasmov, G. M. See Bukin, L. A.
- Erdelyi, Attila; and Pap, László
Limestone as an aggregate for high-strength concrete. 59-04100A
- Erdmann, H.-H.
Planning and evaluation of experiments by statistical methods—an introduction. 59-00955A
- Eremina, L. I.; Manevich, V. E.; and Brodskii, Yu. A.
Optimization parameters for vibration treatment of glass-ceramic bodies. 59-01225A
- Erickson, Thomas D.; and Hohman, Charles M.
Energy efficient apparatus and process for manufacture of glass. 59-02314P
- Eristavi, T. D. See Sarukhanishvili, A. V.
- Erkin, I. I.; Sakhorukov, V. I.; and Varslavskii, T. P.
Testing of coke oven chamber refractories having increased thermal conductivity. 59-04452A
- Ermakov, G. F. See Gnedina, I. A.
- Ermakova, M. T. See Shcheglova, M. D.
- Ermakova, N. V. See Brailovskii, V. B.
- Ermer, Bodo See Wurr, Juergen
- Ermolova, N. V.; Shteinberg, S. A.; and Grushetskaya, N. V.
Method for determining the glass point of composite materials. 59-04724A
- Ermolenko, E. I. See Barysheva, G. K.
- Ermolenko, N. N.; Dyatlova, E. M.; and Martynova, L. N.
Glass with increased softening point. 59-01318P
- Ermolenko, N. N.; Pushkarov, N.; and Maschenko, Z. F.
Relations between the structure and properties of glasses in the system $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-MgO-CaO-MnO}$. 59-02279A
- Ernest, Michael V. See Sanchez, Moises G.
- Erni, H.
Deformations of rotary kilns and their effect on refractory lining. I. 59-02061A; Deformations of rotary kilns and their effect on refractory lining: II. 59-02062A

- Erni, H.; Saxer, B.; and Schneider, F.
Deformations of rotary kilns and their effect on lining life. 59-02060A; Deformations of rotary kilns and their effects on the refractory lining. 59-03175A
- Erokhin, V. V. See Es'kov, A. S.
- Erer, N. G. See Massey, G. A.
- Es'kov, A. S. See Shabrova, E. A.
- Es'kov, A. S.; Erokhin, V. V.; and Es'kova, N. F.
Glass-ceramic radiation-resistant enamel. 59-01085P
- Es'kova, N. F. See Es'kov, A. S.
- Essel, Lee See Chang, Leroy L.
- Esakini, Khalea A.; Gerberich, W. W.; and Koepke, Barry G.
Stress relaxation in PZT. 59-01914A
- Esakova, L. V. See Trishchenkov, A. A.
- Eschweiler, J. See Munz, Dietrich
- Escobar, M. E.; and Baras, E. J.
Coordination of vanadium in the phases $4\text{PbO} \cdot \text{V}_2\text{O}_5$ and $8\text{PbO} \cdot \text{V}_2\text{O}_5$. 59-03854A
- Escrivano L., F.; Lambies Lavilla, Vincente; and Guillen Monzonis, Cinesio
Formation of pigments in the system $\text{NiO} \cdot \text{Nd}_2\text{O}_3 \cdot \text{Al}_2\text{O}_3$. 59-02584A
- Espinosa de los Monteros, J.
Characteristics and applications of raw materials for ceramics. 59-04515A; See also Alvarez-Estrada, D.
- Espinosa de los Monteros, J.; Alvarez-Estrada, D.; and De Azavedo, S.
Cordierite and cordierite-mullite bodies obtained from sericite clays. 59-02418A
- Espinosa de los Monteros, J.; Alvarez-Estrada, D.; and Martinez-Caceres, R.
Aluminous porcelain, with a high mechanical strength, obtained from sericite clays. 59-02566A
- Espinosa de los Monteros, J.; Del Rio, M. A.; and Martinez-Caceres, R.
Sericite clay as a raw material for the fabrication of whiteware bodies. 59-01481A
- Estene, Eric J. See Perkins, Dexter, III; Stability of bredigite and other Ca-Mg silicates. 59-04014A
- Esterowitz, L. See Bartoli, F. J.
- Estes, John H.; Kravitz, Stanley; and Suggitt, Robert M.
Crystalline aluminosilicate precursor. 59-00737P
- Evarista, Rudy
Terminology of verre églomise. 59-01026A
- Etournens, J. See Tarascon, J. M.
- Ettmayer, Peter See Sal'nikov, V.
- Evans, A. G.
Dimensional analysis of the grain-size dependence of strength. 59-01813A; See also Khuri-Yakub, B. T.; Lawn, Brian R.
- Evans, A. G.; Gulden, M. E.; and Rosenblatt, M.
Impact damage in brittle materials in the elastic-plastic response regime. 59-02992A
- Evans, A. G.; and Heuer, A. H.
Review—transformation toughening in ceramics—martensitic transformations in crack-tip stress fields. 59-03070A
- Evans, A. G.; Rice, James R.; and Hirth, J. P.
Suppression of cavity formation in ceramics—prospects for superplasticity. 59-04022A
- Evans, A. M. See Williamson, J. P. H.
- Evans, Bruce D.; and Stapelbroek, M.
Optical properties of the F^+ center in crystalline Al_2O_3 . 59-03033A
- Evans, Elaine H. See Morris, Marlene C.
- Evans, Paul
Art tiles of the New York Subway, 1904. 59-00987A; Dedham pottery mystery—the Revere pitcher. 59-00996A; Redlands art pottery. 59-00027A
- Evans, Stephen
Depth profiles of ion-induced structural changes in diamond from X-ray photoelectron spectroscopy. 59-02959A
- Evans, Trevor See Brozel, M. R.
- Evdokimov, A. A. See Trunov, V. K.
- Evdokimov, A. A.; Trunov, V. K.; and Sokolovskii, B. M.
Synthesis at high pressure of double molybdates and tungstates of the alkali and rare-earth elements. 59-05063A
- Evetia, J. E. See Cahn, R. W.
- Evseev, A. A.; Korepanov, V. E.; and Kamadeeva, N. N.
Paste for metallization of beryllium ceramics. 59-04646P
- Evseev, V. D.
Effect of liquid media on the fracture of inorganic glass. 59-00175A; See also Vorob'ev, A. A.
- Evstrop'ev, K. K. See Artyushkina, N. G.; Il'in, A. A.; Pronkin, A. A.
- Evstrop'ev, K. K.; Petrovskii, G. T.; and Pronkin, A. A.
Glass with anionic conductivity. 59-01317P
- Evisshenko, I. V. See Petrovskii, G. T.
- Ewing, Jay; Beruto, Darlo; and Searcy, Alan W.
Nature of CaO produced by calcite powder decomposition in vacuum and in CO_2 . 59-00877A
- Ewing, Rodney C. See Haaker, Richard F.
- Exarboon, Gregory J. See Nelson, B. N.
- Eyraud, L. See Bauer, F.
- Fabrizi, B.; Krajewski, Adriano; and Ravaglioli, Antonio
Influence of alkalis on cationic release from glazes. 59-01467A
- Faber, J., Jr. See Morinaga, M.
- Faeth, L.; and Hansen, S.
Structure of scolécite from Poona, India. 59-00932A
- Fahim, M. A. See Girgis, Lamey G.
- Fahrenbruch, Alan L. See Courages, Francis G.
- Fair, P. G. See Chiu, Jen
- Fakhr, A. See Dalgleish, B. J.
- Faktor, M. M. See Giess, E. A.
- Falcon-Steward, Hugh R.
Comminution of materials. 59-01717P
- Falliev, G. N.; and Ges, A. P.
Relations between the compensation temperature of multicomponent ferrite garnets and the concentration and type of rare earth metal ions. 59-02682A
- Falleiros, Ivan G. S. See Fogaca-Filho, Nestor
- Fangman, John S. See Dewees, Thomas J.
- Farniano, Cornel See Pripion, Illoira
- Fartimov, A. M. See Rashkovskii, A. S.
- Farnsworth, Marie (Editor)
Cadmium chemicals. 59-01941B
- Farr, Archie E.
Observations on no-pickle ground coats. 59-00107A
- Farzaneh, S. Mojtaba
Manufacture of raw and calcined pellets from Iranian iron ores. 59-00054A
- Fasika, Edward J. See Lee, Richard Joel
- Fauchais, P. See Eichinger, M. F.
- Faulstich, Margat; Geller, Volkmar; and Glemmeroth, Georg
High refractive index glasses of limited specific gravity for distance and near vision spectacle lenses. 59-04318P; Lightweight, high refractive index glasses for spectacle lenses. 59-04324P
- Faust, William D.
Electrostatic enamel application theory and practice. 59-01068A; Worldwide status report on powder installations. 59-02179A; See also Dunning, Lester M.
- Fauster, Carl U. (Editor)
Libbey Glass Since 1818—Pictorial History and Collector's Guide. 59-01975B
- Fay, Gordon C.
Efficient production of authentic antique colonial face brick. 59-01365A; Operating performance of a recirculating shuttle kiln using fiber refractory lining. 59-03473A
- Fazybekov, A. I. See Ismatov, A. A.
- Fagin, Roy C.
Ceramic shell mold. 59-03595P
- Febbo, Anthony R.
Method and apparatus for protecting long-suspended glass sheets from buffeting. 59-03402P
- Fedelinski, Karol See Baranski, Jozef
- Fedlik, A. A.; Dmitrienko, K. E.; and Mochalov, A. G.
ASCTP (automatic system of control of technological processes) has improved preparation of raw material mixtures. 59-03165A
- Fed'ko, Yu. P. See Kozlovskii, L. V.
- Fedorov, N. F.; Ipatov, V. V.; and Kyatkovskii, O. V.
Phase equilibria in the systems $\text{MgMoO}_4 \cdot \text{Ln}_2(\text{MoO}_4)_3$ ($\text{Ln} = \text{Sm}, \text{Yb}$). 59-05019A
- Fedorov, N. F.; Mel'nikova, O. V.; and Saltikova, V. A.
New perovskite-like compound $(12\text{H})\text{La}_2\text{Ti}_2\text{O}_{12}$. 59-04997A
- Fedorov, P. I.
Reaction of gallium chloride with the chlorides of tin and lead. 59-05031A
- Fedorov, P. I.; Malova, N. S.; and Sedova, G. K.
Reaction of indium mono- and dichlorides with the chlorides of calcium and magnesium. 59-05032A
- Fedorov, P. P.; and Sobolev, B. P.
Conditions for formation of maxima in the melting curves of solid solutions in salt systems. 59-04900A
- Fedorova, E. D. See Lavrov, I. V.
- Fedorova, G. N. See Bezrodnyi, V. G.
- Fedorova, V. A. See Lazarev, Yu. S.
- Fedorova, V. A.; Loseva, E. I.; and Bejova, N. A.
Glass. 59-00315P
- Fedorovich, O. V.; Kask, N. E.; and Kornienko, L. S.
Structural transition in glasses during laser heating. 59-04262A
- Fedorushkov, B. A. See Burkov, V. I.
- Fedoryakin, B. F. See Vorobeichikov, L. T.
- Fedoseev, D. V.; Varshavskaya, I. G.; and Lavrent'ev, A. V.
High temperature thermal conductivity of uranium chromite and niobate. 59-03762A
- Fedotov, A. F. See Gerasimov, V. V.
- Fedotova, V. I. See Izidinov, S. O.
- Fee, Darrell C.; Kim, Kwang Y.; and Johnson, Carl Edgar
Phase equilibria in the Cs-Cr-O system. 59-03991A
- Feld, Alexander L., Jr.
Nuclear fuel composition. 59-03779P
- Felt, M. D.
Minimal dispersion refractive index profiles. 59-00222A
- Felt, M. D.; and Fleck, J. A., Jr.
Calculation of dispersion in graded-index multimode fibers by a propagating-beam method. 59-00145A
- Feldman, Charles F. See Batchelor, Robert L.
- Fel'dman, I. B.
Ferroelectric ceramic based on Pb zirconate titanate. 59-01551P
- Feldmann, Rainer; Mueller, Karl-Adolf; and Panoch, Hans J.
Pulverulent copolyamides for the coating of glass bottles. 59-01352P
- Fellows, Horace G. See Robinson, William G.
- Feltz, Adalbert; and Pfaff, G.
Glass formation and properties of chalcogenide systems: XIII, Compounds $\text{Na}_2\text{Ge}_2\text{S}_4 \cdot 4\text{CH}_3\text{OH}$ and $\text{Na}_2\text{Ge}_2\text{Se}_4 \cdot 4\text{CH}_3\text{OH}$. 59-00200A
- Feltz, Adalbert; and Seuf, Ludwig
Glass formation and properties of chalcogenide systems: XVI, Lead selenogermanate glasses and their properties. 59-00201A
- Feng, Shih-Shing; and Rockett, T. J.
System $\text{CaO} \cdot \text{P}_2\text{O}_5 \cdot \text{H}_2\text{O}$ at 200°C . 59-00939A
- Feng, Tom; and Ghosh, Amal K.
Method of fabricating conducting oxide-silicon solar cells utilizing electron beam sublimation and deposition of the oxide. 59-02721P
- Feng, Tom; Ghosh, Amal K.; and Fishman, Charles
Structure, photovoltaic properties, and angle-of-incidence correlations of electron-beam-deposited $\text{SnO}_2/\text{n-Si}$ solar cells. 59-04018A
- Fenner, Otto H. See Niesse, John E.
- Feraday, Melville A.
Conceptual design of a remotely operated plant for fabricating gamma-active pellet fuels. 59-00643A
- Feraday, Melville A.; Cotman, Kenny D.; and Preto, Fernando
Alternative method of making recycle fuel—impregnation of low density pellets. 59-00639A
- Ferber, M. K.; and Brown, Sherman D.
Subcritical crack growth in dense alumina exposed to physiological media. 59-04019A
- Ferguson, Robert B.
Whence orthoclase and microcline? A crystallographer's interpretation of potassium feldspar phase relations. 59-03111A
- Fernandez P., L. See Gutierrez M., S.
- Fernandez P., L.; De La Torre, A.; and Gutierrez M., S.
Decrease in the cost of energy in an industrial tunnel kiln of 150 tonnes/24 h capacity. 59-02801A
- Fernandez P., L.; and Gutierrez M., S.
Quality of ceramic bisques as a function of raw materials and their preparation. 59-04531A
- Fernow, Karl H. See Baumgartner, Friedrich
- Ferrante, M. J. See Beyer, R. P.
- Ferrari, A. See Bertolotti, M.
- Ferreira, Heber Carlos See Campos Assuncao, Ligia M.; Tan, Joao Keniti
- Ferreira, Walter See Ikeda, Nena Tanaka
- Ferriera, Luis G. See Brescansin, Luiz M.
- Fesenko, E. G.; Razumovskaya, O. N.; and Dantsiger, A. Ya.
Piezoelectric ceramic material. 59-00618P; 59-00616P; 59-02729P; 59-01584P
- Fetiven, Y. See Cavalier, J. P.
- Fetizko, Igor
Glass fiberization spinner alloy and use thereof. 59-04303P; See also Battigelli, Jean A.
- Fialkov, S. S. (Editor)
Carbon-Graphite Materials (Uglegraphitovye Materialy). 59-01942B
- Field, J. E. See Hagan, J. T.
- Fievet, F.; Gerni, P.; and De Bergeville, F.
Lattice parameter, microstrains, and nonstoichiometry in NiO . Comparison between mosaic microcrystals and quasi-perfect single microcrystals. 59-03003A
- Figurovskii, I. A. See Lazarev, Yu. S.
- Filatov, L. G.; Nevedomskii, V. A.; and Panyushkin, P. P.
Stone casting. 59-02563P
- Filimonov, N. I. See Kliment'eva, V. S.
- Filipov, F.; Filipova, Zh.; and Nedev, V.
Cold- and hot-pressed forms, obtained from polyvinylchloride, for molding ceramic articles. 59-02761A
- Filipova, Zh. See Filipov, F.
- Filipovich, V. N. See Kalinina, A. M.
- Filippov, N. A. See Palukhin, V. N.
- Filipova, G. I. See Popov, V. V.
- Fillo, J. A. See Horn, F. L.
- Finger, Larry W. See Hazen, Robert M.
- Finger, Larry W.; Hazen, Robert M.; and Yagi, Takehiko
Crystal structures and electron densities of nickel and iron silicate spinels at elevated temperature or pressure. 59-01807A
- Fink, Bert C.
Bizen-yaki (pottery of Imbe, Japan). 59-02024A
- Finkel'shtein, L. D.; Bazuev, G. V.; and Samsonova, N. D.
Valence state of europium ions in double oxide compounds with some d-elements. 59-05110A
- Finn, Lawrence R.; McCartan, Daniel A.; and Schmandt, Gary M.
Method of packaging compressible fibrous batts. 59-00347P
- Finstelwalder, Lorenz; Zeh, Horst; and Scharschmidt, Ulrich
Sample taking device for toxic and/or radioactive substances. 59-00721P
- Firsov, V. C. See Trufanov, A. G.
- Firsov, V. M. See Litvinov, P. I.
- Fischbach, Fritz A. See Sell, Nancy J.
- Fischer, Harold L. See Hoyt, Donald A.
- Fischer, Klaus; and Keul, Robert
Neutral bronze glazings. 59-03426P
- Fischer, Knut
How Heye developed its cold end inspection system. 59-01185A; Inspection machine for glass containers with various shapes. 59-01195A
- Fischer, P.
Improved method for evaluating the effect of deflocculants. 59-03645A
- Fisher, Albert W. See Schnable, George L.
- Fisher, Douglas M. See Buzzard, Robert J.

- Fisher, J. R. See Robie, Richard A.
- Fisher, Robert E.
Permeability/dehydration behavior of superduty glass castables. 59-03558A
- Fisher, Ronald; and Smith, Norman
Method for the production of carbon/carbon composite material. 59-04860P
- Fishman, Charles See Feng, Tom
- Fitzer, E.; Koechling, K.-H.; and Schwarz, G.
Thermal bulk and lattice expansion behavior of polygranular graphites. 59-05097A
- Fitzer, E.; and Schubert, P.
Fiber-reinforced SiO_2 glass for application at high temperatures. 59-03286A
- Fitzpatrick, Thomas H.; Williamson, James E., Jr.; and Anderson, Walter H.
Refractory mix composition and method of preparation. 59-0453P
- Flamm, D. L.; Mogab, Cyril J.; and Sklaver, E. R.
Reaction of fluorine atoms with SiO_2 . 59-01892A
- Flank, W. H.
Behavior of kaolinite pellets at elevated temperatures. 59-01773A
- Flatley, Doris W.
Process of making a planar MOS silicon-on-insulating substrate device. 59-02736P
- Fleck, J. A., Jr. See Feit, M. D.
- Fleener, Frank D. See Watson, Robert N.
- Fleischmann, Robert See Boehm, Harald
- Fleming, J. W., Jr.
Dispersion in step-index silicone-clad fibers. 59-01140A
- Fleming, J. W., Jr.; and Shiever, J. W.
Thermal history dependence of refractive index dispersion of fused silica. 59-00268A
- Fleming, William J.
Zirconia oxygen sensors—origins of nonideal behavior. 59-02690A
- Fletcher, K. S., III See Cheney, M. C.
- Florea, Timothy G.; and Price, Charles R.
Process for producing pelletized kaolin clay. 59-00749P
- Fluckiger, Jean L.; and Wasserman, Rene
Production of carbide laden consumables in a graphite mold. 59-00484P
- Foedrowitz, Juergen See Semjonow, Valentin
- Foerstermann, Ulrich See Deutsch, Volker
- Fogaca-Filho, Nestor; and Falleiros, Ivan G. S.
Sintering of UO_2 . 59-01609A
- Foley, Kevin M.; and Hill, Homer G.
Organosilane coupling agents overcoated on aluminum silicate coating on glass fibers. 59-03434P
- Fomichev, V. V. See Kochergina, L. L.
- Fomina, G. A. See Skidan, B. S.
- Fomkin, N. I.; Kosterev, G. T.; and Karas, G. A.
Synthetic corundum. 59-01460P
- Fondriest, F. Frederick
Process for converting coal ash slag into portland cement. 59-0120P
- Fontaine, G. See Blanchin, M. G.
- Fontana, Eugene H.; and Plummer, William A.
Viscosity-temperature relation for glass—correction. 59-00275A
- Fontanella, John See Wintersgill, Mary
- Fontanella, John; Jones, David L.; and Andeen, Carl G.
Dipolar complexes in rare-earth-doped strontium fluoride. 59-02962A
- Ford, Lester E.; and Corbett, Keith
Elimination of nickel flash with no-pickle ground coat; work with cold cleaners. 59-00096A
- Forsman, Julia Whipple
Thrown basin and fixtures. 59-02049A
- Forget, Lawrence E.; Gdula, Robert A.; and Hollis, Joseph C.
Selective reactive ion etching of polysilicon against SiO_2 utilizing $\text{SF}_6\text{-Cl}_2$ -inert gas etchant. 59-04661P
- Foris, C. M.; Zumsteg, F. C.; and Shannon, R. D.
Crystal data for $\text{Na}_2\text{Mg}_2\text{Si}_2\text{O}_8$. 59-02938A
- Forschirm, Alex S. See Hannon, Martin J.
- Fort, Geza See Seitz, Lamont J.
- Fortner, John M.; and Kirkman, Richard T.
Method and apparatus for forming glass containers. 59-03397P
- Forzatti, P. See Tieghi, G.
- Foster, B. D.
Thinner recrystallized silicon carbide bats and beams increase kiln efficiency. 59-02495A
- Foster, Gordon F. See Eolin, Robert W.
- Foster, L. M.; Chandrasekhar, G. V.; and Scardefield, J. E.
Phase diagram of the system $\text{Na}_2\text{O-Ga}_2\text{O}_3\text{-Ga}_2\text{O}_3$ and its relation to the system $\text{Na}_2\text{O-Al}_2\text{O}_3\text{-Al}_2\text{O}_3$. 59-05015A
- Foster, Russell J. See Kostick, Dennis S.
- Fot, N. A. See Gogotsi, G. A.
- Fotiev, A. A. See Glazyrin, M. P.; Slobodin, B. V.
- Fotiev, A. A.; and Strelkov, V. V.
Interaction between Fe_2O_3 and CaCO_3 in inert and air atmospheres. 59-04971A
- Fotiev, A. A.; and Surat, L. (M = Rb, Cs). 59-05090A
- Foutletier, J. See Schouler, E.
- Fourcaudot, G.; Gourmala, M.; and Mercier, J.
Vapor phase transport and crystal growth of molybdenum trioxide and molybdenum ditelluride. 59-03109A
- Fowler, W. Beall See Calabrese, Eduardo; Schneider, Philip M.
- Frans, Ronald G.; and Tallon, Roger W.
Metal nitride oxide semiconductor (MNOS) dosimeter. 59-04748P
- Franklin, B. P.; and Grober, L. I.
Planning projects for production of silicate brick. 59-02469A
- Frahme, Carl E.; and Wygant, Gary E.
Furnace with homogeneous refractory tubular liner. 59-04769P
- Frankel'd, M. S.; Krasotkina, N. I.; and Chistyakova, M. V.
Use of SiC refractories in gas-carburizing furnaces. 59-02496A
- France, P. W.; Paradine, M. J.; and Reeve, M. H.
Liquid nitrogen strengths of coated optical glass fibers. 59-04219A
- Francombe, Maurice H. See Noreika, Alexander J.
- Frank, F. C. See Giess, E. A.
- Frank, Robert G.
Apparatus for handling glass sheets during shaping and cooling. 59-03366P; Method and apparatus for handling glass sheets during shaping and cooling. 59-03400P
- Frank, Robert G.; Cananaco, Rudy; and Posney, Richard V.
Slotted glass sheet shaping mold. 59-03449P
- Franken, P. E. C.; and Stacy, William T.
Examination of grain boundaries of Mn-Zn ferrites by AES and TEM. 59-02645A
- Franklin, A. D. See Simmons, Joseph H.
- Franz, Helmut
Glass welding using aqueous colloidal graphite with improved wetting properties. 59-04308P
- Franzoni, P. See Antonelli, G.
- Fraser, H. L. See Sharma, N. K.
- Fraser, Ian
Submicron sizing without an electron microscope. 59-03808A
- Fraser, S. M. See Kinloch, K. A. R.
- Fray, Derek J. See Cleland, J. H.
- Fray, Derek J.; and Gee, Robert
Method of making metal beta-alumina and refining metal using it. 59-00743P
- Frazier, John E.; and Crouse, Clifford F.
Doughhouse and feeder enclosure for glass furnace. 59-03375P
- Frechette, Van Derck; Pye, Lawrence D.; and Ruse, D. E. (Editors)
Quality Assurance in the Ceramic Industries. 59-01996B
- Frederikse, Hans P. R. See Schneider, Samuel J.
- Fredriksson, John I.
Protective silicon nitride or silicon oxynitride coating for porous refractories. 59-03621P
- Freeborn, W. Phelps See Komarneni, Sridhar
- Freeman, A. Jay See Posternak, M.
- Freer, R.
Bibliography—self-diffusion and impurity of diffusion in oxides. 59-04884A
- Freidenberg, A. S.; Perepelitsyn, V. A.; and Reikhardt, L. V.
Physicochemical processes in the refractory linings of machinery used in the calcination of pellets. 59-02468A
- Freidenfelds, E. See Grigeliene, I.; Milberg, Z. P.
- Freiman, Stephen W. See Hench, Larry L.; Mecholsky, John J., Jr.; Rice, Roy W.
- French, Robert J. See Andrews, Harry N.
- French, William G. See Presby, H. M.
- Freund, F. See Krokotsinski, H. J.
- Freund, F.; and Kathrein, H.
Electrical conductivity of carbonaceous magnesium oxide. 59-02642A
- Frick, Douglas G. See Subbanna, Somanahalli N.
- Fridkin, R. Z.
Viscous deformations during the heating and cooling of glass. 59-00276A
- Fridkin, R. Z.; and Mazurin, O. V.
Algorithm for calculating, with respect to heat transfer, temperature-field emissions in a plate glass during heating and cooling. 59-02200A
- Friedberg, Arthur L. See McLaren, Malcolm G.
- Friedenberg, A. See Shapira, Y.
- Friedli, Hans R. See Strojny, Edwin J.
- Friedrichs, Hans Adolf See Merakib, Mohammed
- Friedt, J. M. See Dunlap, B. E.
- Frischat, G. H.
Self-diffusion in glasses. 59-01238A
- Frischat, G. H.; and Beier, Wolfram
Surface tension of $\text{Na}_2\text{O-Rb}_2\text{O-SiO}_2$ melts. 59-01256A
- Frischat, G. H.; and Braedi, Michael
Chemical attack of glasses in the chalcogenide system Se-Ge-As. 59-01117A
- Fritz, I. J.
Stress effects in two modified lead zirconate titanate ferroelectric ceramics. 59-00576A
- Fritz, W.; Huettner, W.; and Maier, K.
Thermophysical properties of carbon-fiber-carbon-matrix composites at high temperatures. 59-04835A
- Fritz, Walter M. See Antonides, Gene J.
- Frock, Harold N.; and Walton, Richard L.
Particle size instrumentation for the ceramic industry. 59-02791A
- Froelicher, M. See Blondeau, G.
- Froissart, F. See Dogli, B.
- Frolovskii, N. M.; Liberman, A. L.; and Luker, M. G.
Protection of the metal of sliding-face units in molds with refractory slabs during the continuous casting of steel. 59-02473A
- Froment, M. See Blondeau, G.
- Frondistou-Yannas, S. A.
Challenges faced by cement manufacturers in the USA. 59-00039A
- Fronaske, Robert D.
Apparatus for mixing handcraft materials. 59-01034P
- Frost, Albert C. See Weber, Willis W.
- Fryburg, George C.; Kohl, Fred J.; and Miller, Robert A.
Flat-flame burner. 59-00695A
- Fueki, Kazuo See Kishi, Akira
- Fujimaru, Takenori; Tashiro, Takami; and Sakamoto, Yoshihiro
Evaluation of a spinel castable by the rotary drum corrosion test. 59-03527A
- Fujimoto, Sanji See Yasuda, Naohiko
- Fujimoto, Shoichiro; Kanbayashi, Munee; and Yamato, Tsugio
Dense high-strength castable refractories. 59-04404A
- Fujimoto, Shoichiro; and Kawase, Yoshiaki
Hot gunning by binder solution. 59-03540A
- Fujimura, Kenji
Method of manufacturing resistor paste. 59-02725P
- Fujita, Hisanori See Hasegawa, Shinichi
- Fujita, Keiichi See Akai, Shinichi
- Fujita, Toshihiko See Nakazawa, Koji
- Fujita, Toshio; and Teratani, Hirotsuna
Low temperature calcined porcelain and process for preparation thereof. 59-00537P
- Fujitsu, Satoru See Nagai, Masayuki
- Fujiwara, Kunio See Shiraishi, Satoshi
- Fujiwara, Teichi See Iemura, Iwao
- Fujiwara, Yoshio; Ueda, Fumihiko; and Itaba, Takeshi
Mechanical properties of cemented carbides prepared by hot isostatic pressing. 59-03150A
- Fukai, Kiyoshi See Matsumoto, Seiji
- Fukamachi, Tomoe See Kawamura, Takaaki
- Fukuda, Kousaku; Ikawa, Katsuchi; and Iwamoto, Kazumi
Fission product diffusion in ZrC-coated fuel particles. 59-04681A
- Fukuda, Tsuguo; Matsumura, Sadao; and Hirano, H.
Growth of LiTaO_3 single crystal for SAW device applications. 59-02653A
- Fukuda, Yoshiharu; and Ueda, Yoshihiko
Pulverized coal combustion successfully used in RSP [reinforced suspension preheater] system. 59-00065A
- Fukui, Kiyoshi; and Kamada, T.
Compatibility test for high alumina ramming mix. 59-04396A
- Fukuma, Masaharu See Noda, Juichi
- Fukuma, Masaharu; and Noda, Juichi
Optical properties of titanium-diffused LiNbO_3 strip waveguides and their coupling-to-a-fiber characteristics. 59-03321A
- Fukunaga, Osamu; and Yamaoka, Shinobu
Phase transformations in ABO₃-type compounds under high pressure. 59-01885A
- Fukushima, Masamitsu; and Shintani, Ryuchi
Stress-birefringence effect in NaCl-type single crystals. 59-05052A
- Fukuwatari, Takashi See Kozuka, Mikio
- Fukuyama, Manabu See Odanaka, Shinichiro
- Fuller, E. R., Jr.; and Thomson, Robb
Theory of chemically assisted fracture: II, Atomic models of crack growth. 59-05095A
- Fuller, O. Maynard See Kelly, James F.
- Fulmer, Ray M. See Symbraks, Alex P.
- Fulrath, Richard M. See Biswas, Dipak R.
- Funabiki, Kyohai; Matsushima, Noriaki; and Inouye, Naomitsu
Process for producing resin-coated foundry sand. 59-03619P
- Fundal, Erling
Burnability of cement raw mixes. 59-02053A
- Funk, James E.; and Knickerbocker, Ira O.
High-strength alumina ceramic product and method of forming. 59-02530P
- Funke, Peter
Sintering nuclear fuel pellets. 59-00657P
- Furioso, Domingo Luis
Funeral urns [prehistoric]: I. 59-04072A; Pre-Colombian ceramics and their techniques: III. 59-03162A; Pre-Colombian ceramics and their techniques: IV. 59-03163A; Pre-Colombian ceramics [and their techniques]: V. 59-04077A
- Furth, W. F. See Mularie, W. M.
- Furuchi, Ryusaburo; Ishii, Tadao; and Nakane, T.
Thermoanalytical study on oxidation of uranium dioxides derived from nitrate, uranylacetate, and ammonium diuranate. 59-01612A
- Furukawa, Kunio See Nameishi, Naoyuki
- Furumi, Koichi See Hirahara, Hiroaki
- Furumi, Koichi; Semba, Kimio; and Ono, Noriaki
Wear mechanism of basic brick at high temperature in vacuum. 59-03583A
- Furumi, Koichi; Shikano, Hiroshi; and Iwata, Toshihiko
Effect of SiC content on wear rate in loose nozzle or sliding gate system. 59-04406A
- Furuya, Kazuhito; and Seematsu, Yasuharu
Random-bend loss in single-mode and parabolic-index multimode optical fiber cables. 59-04247A
- Futamura, Shoji See Higuchi, Noboru

- Fuato, R. J.; and Doremus, Robert H.
Nucleation in photosensitized gold ruby glass. 59-01222A
- Fuwa, Keiichi. See Matsumoto, Kazuko
- Gabano, Jean-Paul; and Broussely, Michel
High specific energy battery. 59-00600P
- Gabryazova, Z. G.; and Vorobchikova, V. A.
Paste for metallizing glass-ceramics. 59-01346P
- Gabuntya, N. V. See Verulashvili, R. D.
- Gadacz, A. Y. See Nudelman, B. I.
- Gadalla, A. M. See Gami, A. E.; Salama, R. W.
- Gado, Pal. See Bardossy, Gyorgy
- Gagarin, A. P.; Glebov, L. B.; and Efimov, O. M.
Formation of color centers in Na-K silicate glasses during nonlinear absorption of strong uv radiation. 59-01166A
- Gagin, Lawrence V.
Glass composition for fiberization. 59-02326P; Iron oxide and the transmission of glass. 59-02261A
- Gagne, Robert
Method and apparatus for molten metal flow diffusion in a float glass tank. 59-02347P; Method and apparatus utilizing transversely inclined barriers in float glass formation. 59-01330P; See also Trevorrow, Thomas R.
- Gagnepain, J. J. See Theobald, G.
- Gaidis, James M. See Rosenberg, Arnold M.
- Gailfi, Severin; and Klein, Hans-Peter
Ceramic electrical material with high nonlinear resistance. 59-01541P
- Gaige, Robert A.
Installing a digital control system for a container furnace. 59-03297A
- Gaillard, J. P. See Destefanis, G. L.
- Gajardo, P.; Grange, P.; and Delmon, Bernard
Physicochemical characterization of the interaction between cobalt molybdenum oxide and silicon dioxide: I, Influence of the cobalt-molybdenum ratio. 59-00905A
- Gajardo, P.; Pirotte, D.; and Grange, P.
Physicochemical characterization of the interaction between cobalt molybdenum oxide and silicon dioxide: II, Influence of the amount of oxide phase. 59-00906A
- Gai, M. See Mingelgrin, U.
- Galgovets, I. V. See D'ordy, V. S.
- Galktionova, E. M. See Ananich, N. I.
- Gallant, E. I.
Optical glass. 59-01344P; 59-02366P; Refractive index and density of glasses in the system $\text{SiO}_2\text{-GeO}_2$. 59-04249A; See also Vorontsov, A. M.
- Galan, V. E.
Stress optical coefficient of fluorophosphate glasses. 59-04260A
- Galan, V. E.; and Urusovskaya, L. N.
Optical glass. 59-00355P
- Gallaso, Francis S.; and Veltri, Richard D.
Silicon nitride coated carbon fibers and composites. 59-04872P; Sintering of $\text{Si}_3\text{N}_4\text{-Si}_3\text{N}_4\text{-SiO}_2$ under high N₂ pressure. 59-00773A
- Galeener, Frank L. See Mikkelsen, J. C., Jr.
- Galeener, Frank L.; Lucovsky, G.; and Gells, R. H.
Raman and infrared spectra of vitreous As_2O_3 . 59-03058A
- Galindez-(Aldeco), Luis
Automatic system and process of shaping and tempering glass pieces. 59-04279P
- Galkin, B. P. See Rozanova, V. S.
- Gallagher, Eugene. See Lynch, Alban J.
- Gallagher, Patrick K. See Blann, Patricia
- Gallner, T. N. See De Vore, T. C.
- Gallinotti, Elio. See Basile, Giampiero
- Gal'perina, M. K.; Tarantol, N. F.; and Martirosyan, G. G.
Synthetic wollastonite and its use in the production of ceramic tiles. 59-00521A
- Gal'perina, T. Ya. See Kiselev, A. V.
- Gal'pern, D. Yu.
Optical constants of glasses as parameters for optical systems. 59-00228A
- Gambaretto, Giau P. See Scarinci, G.
- Gami, A. E.; and Gadalla, A. M.
Mechanism of firing corrected nepheline ore and the system $\text{Ca}_2\text{SiO}_5\text{-NaAlO}_2$. 59-04781A
- Gan, Fu-xi
Structure and properties of inorganic glassy materials. 59-03347A
- Gania, V. A. See Starostin, N. V.
- Gan'kevich, A. B.; Zhidenko, G. L.; and Ovchar, Z. A.
Coating on glass. 59-00296P
- Gao, A. N. See Mirak'yan, M. M.
- Gao, A. N.; Subocher, I. G.; and Pitak, N. V.
Charge for manufacturing refractory fibers. 59-02512P
- Gaponov, Yu. G.; Baranov, E. F.; and Okhtin, V. G.
Quality control measurements in the Magnet [refractory] Plant. 59-02474A
- Gapotschenko, A. G. See Vol'skii, E. P.
- Gapindashvili, G. G. See Ratiiani, M. N.
- Gapindashvili, G. G.; Botshkridze, G. B.; and Tskitshvili, M. P.
Opaque glaze. 59-01504P
- Gapindashvili, G. G.; and Dzhabkoba, I. V.
Crystalline glaze. 59-02610P
- Gapindashvili, G. G.; Kharashvili, E. Sh.; and Bystrykov, A. S.
Ceramic pigment containing Nd₂O₃. 59-01486P
- Gapindashvili, G. G.; Kovalidze, Z. D.; and Kutateladze, K. S.
Glaze. 59-01497P
- Garapin, F. See David, P.
- Garay, Lajos
Quality control of strength characteristics. 59-04734A
- Garbarino, Paul L.; Revitz, Martin; and Shepard, Joseph F.
Making semiconductor structure with improved phosphosilicate glass isolation. 59-03726P
- Garbus, V. V. See Sych, A. M.
- Gard, J. A.; Mohan, K.; and Taylor, H. F. W.
Analytical electron microscopy of cement pastes: I, Tricalcium silicate pastes. 59-02051A
- Gardel, H. O.; and Jeschar, R.
Simplified mathematical models for calculating heat transfer in internally heated adiabatic rotating tubes (convection models): I. 59-02112A; Simplified mathematical models for calculating heat transfer in internally heated adiabatic rotating tubes (convection models): II. 59-03208A
- Gardikes, John J.; and Toeniskoetter, Richard H.
Aluminum phosphate binder composition cured with ammonia and amines. 59-04463P
- Gardiner, Margaret
Salt glaze and slips. 59-01023A
- Gardioli, Fred E.
Biased nondestructive measurements of material properties with microwaves. 59-01632A
- Gardner, James A.
Around-the-clock production control via computer. 59-01106A
- Garen, H. See Veysiere, P.
- Garg, S. P. See Rauh, E. G.
- Garibotti, Joseph F.
Trends in aerospace materials. 59-03884A
- Garibov, G. S. See Kelina, R. P.
- Garifullina, R. L.; Kurkin, I. N.; and Stepanov, V. G.
Relaxation characteristics of paramagnetic centers of irradiated aluminosilicate and quartz glasses. 59-01235A
- Garland, C. W.; Leung, R. C.; and Zahradnik, C.
Order-disorder phase transitions in NH_4BrCl_2 crystals. 59-00887A
- Garland, C. W.; Lushington, K. J.; and Leung, R. C.
Hydrogen bonding and order-disorder phenomena in ammonium halide crystals. 59-00859A
- Garr, Hans; and Hoffman, Ulrich
Method and apparatus for melting glass in burner-heated tanks. 59-02346P
- Garrard, B. J.; Yanagisawa, K.; and Wanklyn, Barbara M.
Viscosity measurements in the system $\text{Dy}_2\text{O}_3\text{-K}_2\text{O-MoO}_3$. 59-00950A
- Garrick, John R.
Chemical method for embossing a ceramic acoustical product. 59-02518P
- Gartner, E. M.
Building materials from hot-pressed fluidized bed ashes. 59-00381A
- Gartner, Helmut M. See Chang, Kenneth
- Gartner, Jeffrey W.; and Carder, Kendall L.
Method to determine specific gravity of suspended particles using an electronic particle counter. 59-02788A
- Garton, G. See Maqsood, A.
- Garvie, Ronald C. See Pascoe, R. T.
- Gasanaliev, A. M. See Trunin, A. S.
- Gasanaliev, A. M.; Trunin, A. S.; and Dibirov, M. A.
System $\text{K}_2\text{MoO}_4\text{-CaMoO}_4\text{-BaMoO}_4$. 59-05077A
- Gasionas, K. V. See Lasis, A. Yu.
- Gaskell, P. H.; Smith, David J.; and Catto, C. J. D.
Direct observation of the structure of a metallic alloy glass. 59-03268A
- Gasporetto, Astone
Matrices and aspects of Venetian glassmaking in medieval Venice. 59-01011A
- Gasimov, N. M. See Eivazov, E. A.
- Gathemann, B. See Kieser, J.
- Gauchler, L. J. See Boskovic, S.; Schneider, G.; Weiss, Johannes; Zangvil, A.
- Gauchler, L. J.; Hohake, H.; and Tien, Tseng-Ying
System $\text{Si}_3\text{N}_4\text{-SiO}_2\text{-Y}_2\text{O}_3$. 59-01924A
- Gavrilsh, A. A. See Shakh, G. E.
- Gavrilsh, D. I.; Sokolov, A. N.; and Gendele, Yu. E.
Production of fused quartz in a semicontinuous electric furnace. 59-02472A
- Gavrilsh, D. I.; Voevodin, B. N.; and Strelov, K. K.
Magnesium oxide for the production of refractories. 59-02534P
- Gavrilsh, M. M. See Saleh, M. N.
- Gay, Paul
Closed loops are the safe answer for lead oxide. 59-01936A; Computer techniques speed process plant engineering. 59-00661A
- Gazizov, G. A. See Akhmetov, S. F.
- Gazza, George E. See Knoch, Heinrich
- Gazzara, Charles P. See De Lai, A. Joseph
- Gdula, Robert A. See Forget, Lawrence E.
- Geary, John
Luminous wall furnaces in Australia. 59-02158A
- Gebala, Stanislaw
Luminescence of the Fe^{3+} ion in optical glasses. 59-02264A
- Geckler, Siegfried
Gradient fiber. 59-00321P; Gradient optical fiber. 59-02337P
- Gedcke, D. A.; Wheeler, B. D.; and Jacobus, N.
Managing materials and processes for quality assurance. 59-01046A
- Gee, Robert. See Fray, Derek J.
- Gehrmann, Klaus. See Ohorodnik, Alexander
- Geller, Volkmar. See MacLustich, Marga
- Gells, R. H. See Galeener, Frank L.
- Gel'bart, E. P. See Zolotarev, A. I.
- Gel'fand, Ya. E.; and Rogozina, O. I.
Mathematical model of dry grinding in an open-circuit ball mill. 59-03190A
- Geldorf, Guenther. See Bade, Werner
- Geldorf, Guenther; and Wirth, Friedhelm
Refractory composition. 59-02552P
- Gencheva, G. See Kazandzhieva, V.
- Gendele, S. Sh.; Dedukh, L. M.; and Kabanov, Yu. P.
High-temperature mobility of dislocations in single crystals of yttria ferrogarnet. 59-03967A
- Gendele, Yu. E. See Gavrilsh, D. I.
- Genet, M. J. See Leonard, A. J.
- Genis, Gerhard
Lightweight aggregate. 59-04132P
- Genson, Samuel R. See Loeffler, Romain E.
- Gentry, William O. See Dirstine, Roger T.
- Geokhyan, O. K. See Ambartsumyan, A. G.
- George, C. F.; and D'Antonio, Peter
Electron diffraction study of amorphous silicon oxide films. 59-03283A
- George, C. M.
Hydration kinetics of refractory aluminous cements and their influence on concrete properties. 59-02444A
- George, Raymond D.; and Stevenson, John
Alkali metal silicate binder compositions. 59-03211P
- Gerrard, A. L.
The ceramic world—today and tomorrow. 59-04536A
- Gerrard, W. A. See MacKenzie, K. J. D.
- Gerasimenko, B. D.
Improving utilization and purification of recycled water. 59-03188A
- Gerasimenko, V. S. See Surzan, M. I.; Khimnits, O. V.; Khimnits, V. V.; Migolnits, I. M.
- Gerasimov, V. V.; and Shepititski, S. F.
Corundum-based refractory material. 59-01427P
- Gerasimov, V. V.; Shepititski, S. P.; and Fedotov, A. F.
Charge for the manufacture of nonfired facing tiles. 59-02404P
- Gerasimova, I. See Neov, S.
- Gerasimovich, N. F.; Sinevich, A. K.; and Trubach, N. A.
Automated production of high-grade glasswares. 59-00140A
- Gerasymuk, A. K. See Starostin, N. V.
- Gerberich, W. W. See Esakli, Khlefa A.; Lucas, J. P.
- German, R. M.
Sintering parameter for submicron powders. 59-04012A; Sources of activation energy errors in sintering experiments. 59-04737A
- Germer, Rudolf K. F. See Broser, Immanuel J.
- Germi, P. See Fievet, F.
- Geroimenkova, L. G. See Abrosimova, G. D.
- Gerstner, Bernd; Schlegel, R.; and Schwerdtfeger, Ingo
Calcining by means of secondary firing in the ZAB preheater. 59-02054A
- Gerthsen, P.; Haerdit, K. H.; and Schmidt, N. A.
Correlation of mechanical and electrical losses in ferroelectric ceramics. 59-04557A
- Gerz, Ulrich
Pottery ceramics by Karin Scholz-Schaefer. 59-02046A
- Ges, A. P. See Fallceev, G. N.
- Gessinger, G. H. See Gilman, P. S.
- Get'man, E. I. See Loboda, S. N.
- Geuenich, Matthias
Filter plate assembly for a filter press. 59-04691P
- Geyling, F. T. See Walker, K. L.
- Ghare, D. B. See Jani, V. A.
- Ghizoni, C. C. See Siqueira, M. A. A.
- Ghose, A.; and Barnes, P.
Electron microprobe analysis of portland cement clinkers. 59-02070A
- Ghose, Subrata. See Winter, John K.
- Ghosh, Anil K. See Feng, Tom
- Ghosh, C.; and Varma, B. P.
Optical properties of amorphous and crystalline Sb_2S_3 thin films. 59-04579A; Optical properties of amorphous and crystalline antimony trisulfide thin films. 59-03689A
- Ghosh, T. B. See Misra, N. K.
- Giachello, Angelo; Martinego, Pier Carlo; and Tommasini, Giuseppe
Sintering of silicon nitride in a powder bed. 59-01908A
- Gilbert, Pierre. See Leroux, Mathieu
- Gibson, Everett K., Jr. See Andrawes, Filky F.
- Gibson, James O.; and Gibson, Mark G.
Production of carbon fiber-tantalum carbide composites. 59-03917P
- Gibson, Keith R. See Bell, David G.
- Gibson, Mark G. See Gibson, James O.
- Gless, E. A.; Faktor, M. M.; and Frank, F. C.
Liquidus temperature and growth-dissolution kinetics of garnet liquid phase epitaxy. 59-04984A
- Gless, E. A.; Koblisha, R. J.; and Cardone, F.
Epitaxial small magnetic bubble La-Sm-Lu iron garnet films grown on NdGaG substrates oriented (100) and (111). 59-01514A

- Giljs, A. See I. Coninck, R.
- Gilchrist, J. D.
Developments in the use of refractory materials. 59-04405A
- Giles, Charles L.
Transparent metallic coating and a glass overcoating on a plastic substrate produce a chromatic effect. 59-00375P
- Giles, I. S.; and Petsch, M.
Rapid determination of fluorine in cements. 59-04110A
- Gillery, F. Howard
Low resistance indium oxide coatings. 59-04620P
- Gillespie, John W., Jr. See Pipes, R. Bryon
- Gillott, Jack E.; Jordan, Ian J.; and Loov, Robert E.
Sulfur concretes and mortars. 59-03232P
- Gilman, P. S.; and Gessinger, G. H.
Method for the experimental determination of the effective stress in hot-pressing. 59-04725A
- Gilyarov, V. L. See Bakulin, E. A.
- Gimadova, T. I. See Bochar, I. A.
- Ginzburg, B. I. (Editor)
Economics of the Applications of Synthetic Diamonds (Ekonomika Primeneniya Sinteticheskikh Almazov). 59-01956B
- Giolito, I. See Ionashiro, M.
- Giovani, M. N.; and Sines, George
Biaxial and uniaxial data for statistical comparisons of a ceramic's strength. 59-00794A
- Girgis, Lamey G.; and Fahim, M. A.
Role of TiO₂ in the manufacture of forsterite-type refractories. 59-01404A
- Girgis, Mikhail M.
Glass fiber coating composition for glass fiber filament bundles to produce reinforcing members for elastomeric articles. 59-00301P
- Gitter, M. See Linke, D.
- Gizhinski, A. R. See Lazoryak, B. I.
- Gladney, Ernest S.; and Perrin, Daniel R.
Quantitative analysis of silicates by instrumental epithermal neutron activation using (*n,p*) reactions. 59-01660A
- Gladney, Ernest S.; Perrin, Daniel R.; and Owens, James W.
Elemental concentrations in the U.S. Geological Survey's geochemical exploration reference samples—a review. 59-00693A
- Gladrow, Elroy M.
Hydrocarbon treating catalyst. 59-02894P
- Gladrow, Elroy M.; and Wheelock, Kenneth S.
Hydrocarbon cracking catalyst. 59-02893P
- Gladyshevskii, E. I. See Bodak, O. I.
- Glaeser, Hans H.
Process for producing rutile TiO₂. 59-04795P
- Glaser, Walter. See Boggum, Paul P.
- Glasgow, Larry A.; and Luecke, Richard H.
Mechanisms of deaggregation for clay-polymer flocs in turbulent systems. 59-04524A
- Glasgow, Thomas K. See Herbell, Thomas P.
- Glass, A. M. See Nassau, Kurt; Schmidt, R. V.
- Glass, A. M.; Kaminow, Ivan P.; and Ballman, Albert A.
Absorption loss and photorefractive index changes in Ti:LiNbO₃ crystals and waveguides. 59-01099A
- Glass, Howard L.; Stearns, Frederick S.; and Heinz, David M.
Epitaxial growth of M-type hexagonal ferrite films on spinel substrates and composite. 59-03716P
- Glass, Roger W.; and Kuntze, Richard A.
Heat treatment of chrysotile asbestos fibers. 59-03601P; Production of improved chrysotile asbestos fibers. 59-02121P
- Glaser, F. P. See Pliego-Cuervo, Y. B.
- Glaser, A. M. See Mabud, S. A.
- Glaszner, Allen F.; and McIntyre, Donald B.
Computer-aided X-ray diffraction identification of minerals in mixtures. 59-01636A
- Glazov, V. M.; and Grachuk, N. M.
Electrical transfer in melts of Ag chalcogenide glasses. 59-02234A
- Glazyrin, M. P.; Fotiev, A. A.; and Krasil'nikov, V. N.
Subsolidus region of the system V₂O₅-SiO₂-K₂O. 59-05058A
- Glebov, L. B. See Gagarin, A. P.
- Gleiter, H. See Mallis, T.
- Glemeroth, Georg
Optical fiber waveguides for signal transmission comprising multiple component glass with an adjusted expansion coefficient between the core and mantle. 59-03429P; See also Faustlich, Marga; Marquardt, C. L.
- Glemeroth, Georg; and Meckel, Lothar
Optical fibers having high infrared transmittancy. 59-03430P; Process for the production of optical fibers for transmission of communication. 59-03440P
- Glodennu, F.; Spinzi, Antoneta; and Nicolaeescu, I. V.
Sintering oxide powders based on Fe₂O₃. 59-03877A
- Glozman, M. B.
Frits for the production of ceramic facing tiles. 59-00504A
- Gluck, Ronald M.
Method for use in the manufacture of semiconductor devices. 59-00605P
- Glukhovskii, L. I. See Zalaid, G. I.
- Glushenitskaya, M. D. See Zagural'skii, M. T.
- Glushkov, E. A.; Yatsenko, O. B.; and Zlomanev, V. P.
Effect of In, Ga, and Al on the electrical properties of Pb_{1-x}Sn_xTe solid solutions. 59-02638A
- Glushkov, E. D. See Pazin, A. V.
- Glushkova, D. B. See Aksel'rod, E. I.
- Gnedina, I. A.; and Ermakov, G. F.
Prediction of productivity and fuel consumption during wet-process kiln reconstruction. 59-03197A
- Gnesin, G. G.
Nonmetallic refractories and their practical application in technology. 59-00415A; See also Trefilov, V. I.
- Gnesin, G. G.; Gridneva, I. V.; and Dyban, Yu. P.
Effect of temperature on the character of fracture of self-bonded silicon carbide. 59-00835A
- Gnesin, G. G.; Ouspova, I. I.; and Yaroshenko, V. P.
Optimization of the properties of a tool material based on silicon nitride. 59-00765A
- Gnidash, N. I. See Bazakutsa, V. A.
- Godart, C. See Desfours, J. P.
- Gode, H.; Klavins, L.; and Edeks, J.
Nonfritted glaze. 59-01501P
- Goder, W.
Between manufacturing and automation—the VEB Staatliche Porzellan Manufaktur at Meissen [Germany]. 59-04068A
- Goebel, K.
Potential applications of brick as a building material on the basis of new regulations for sound insulation and fire protection. 59-00390A
- Goell, James E.; and Makled, Mokhtar S.
Continuous (optical glass) fiber fabrication process. 59-03369P
- Goepfering, Alois; Grieshammer, Rudolf; and Hamster, Helmut
Process for the deposition of polycrystalline silicon from the gas phase on heated carriers. 59-00624P
- Goessler, Gerhard
Electrical radiation heater for a glass-ceramic plate. 59-00293P
- Goetz, Carl; and Ingie, William M.
Quartz ball valve. 59-00663A
- Goetz, Hubert; Helland, Gerd; and Schaeffer, Helmut A.
Chemical change of glass surfaces by ionic transport in an electric field. 59-01118A
- Goglavili, O. Sh.; Kononykhin, V. S.; and Lalykha, S. P.
Effect of heat treatment on defect formation in germanium telluride. 59-04925A
- Gogotsi, G. A.; Fot, N. A.; and Malyi, A. G.
Use of the computer for investigating the strength of refractory materials. 59-04458A
- Goldberg, Ron
Early diagenetic, nonhydrothermal Na-alunite in Jurassic flint clays, Makhtesh Ramon, Israel. 59-01703A
- Gol'denberg, G. L.; Nannov, V. I.; and Voronkova, Z. P.
Effect of a gaseous atmosphere on the electrode potential of Pt in alkali silicate (borate) glasses. 59-03273A
- Gol'dman, F. A.; and Mishin, V. P.
Ceramic tile floor coverings. 59-00527P
- Goldmann, Wolf. See Bauer, Klaus
- Goldner, Steven
Portfolio: The Moravian Pottery and Tile Works. 59-00026A
- Goldschmidt, A.; and Kittl, Pablo A.
Morphology of the evaporation product from the liquid phase of a Portland cement paste. 59-04102A
- Goldstein, Howard E.; Smith, Marcell; and Leher, Daniel B.
Fibrous refractory composite insulation. 59-00408A
- Goldstein, Norman P.; and Sun, Kuan H.
Calculation of refractive index of a fluoride glass from its composition. 59-00146A
- Goldstein, Raymond; and Goss, Willis C.
Splicing single-mode optical fibers. 59-02285A
- Goldstein, Sidney M.
Unique royal head. 59-01028A
- Goldstein, Yehuda. See Grinshpan, Y.; Nitzan, M.
- Goldstein, Yehuda; Grinshpan, Y.; and Many, A.
Negative magnetoresistance in quantized accumulation layers on ZnO surfaces. 59-03024A
- Golestani-Fard, F. See MacKenzie, K. J. D.
- Goffieri, Ennio
Unknown adventure into the Italian neoclassical collections. The complete works of Filippo Comerio. 59-01029A
- Gollmick, R. See Herrmann, Dieter
- Goloburdov, V. P. See Kuznetsov, A. I.
- Golovko, E. I. See Volitovich, R. F.
- Gol'tsov, Yu. I.; Panich, A. E.; and Belova, L. A.
Ferroelectric ceramic materials based on alkaline earth metal zirconates and titanates. 59-02700P
- Golubev, A. I.; and Karelova, S. V.
Composition of an underglaze paint for ceramic wares. 59-02609P
- Golubkov, V. V. See Alekseeva, I. P.; Vasilevskaya, T. N.
- Golubkov, V. V.; Titov, A. P.; and Vasilevskaya, T. N.
Structure of alkali borate glasses based on low-angle X-ray scattering data. 59-01252A
- Gomes, J. M.; Martinez, G. M.; and Wong, M. M.
Recovering byproduct heavy minerals from sand and gravel, placer gold, and industrial mineral operations. 59-01710A
- Gonchukova, N. O.
Calculation of stresses, developed during heat treatment, in glass. 59-02210A; Calculation of the relaxation component of specific heat of 0.6PbO-0.4SiO₂ glass based on model equations of structural relaxation. 59-02211A
- Gonzalez, A. C. See Mecholsky, John J., Jr.
- Gonzalez, Francisco J.; and Halloran, John W.
Reaction of orthophosphoric acid with several forms of aluminum oxide. 59-03565A; Ternary system MgO-Al₂O₃-P₂O₅. 59-05092A
- Goodbrake, Chris J.; Young, J. Francis; and Berger, Richard L.
Reaction of hydraulic calcium silicates with carbon dioxide and water. 59-00066A; Reply [to "Kinetics of the reaction of β-C₂S and C₂S with CO₂ and water vapor."]. 59-01052A
- Gooding, William T., Jr. See Temple, Ralph E.
- Goodwin, J. W.; and Whitelock, K. E.
Importance of color and color stability. 59-02153A
- Gorbachev, V. A. See Alekseev, L. F.
- Gorbachev, V. V.; Bartenev, G. M.; and Tsyanov, A. D.
Positron annihilation and X-ray spectroscopic methods for studying the nature of the effect of 2 alkalis in oxide glasses. 59-01229A
- Gorbatsov, I. N. See Tkachenko, Yu. G.
- Gordashevskii, P. F. See Granovskii, M. E.
- Gordeev, S. Ya.
Ceramic material. 59-00437P; See also Bezepkin, V. A.
- Gordon, Peter C. See Seyfried, W. E., Jr.
- Gordon, Roy G.
Deposition method for coating glass. 59-04606P; Noniridescent glass structures. 59-03427P
- Gordon, V. G. See Barykin, B. M.
- Gordon, V. G.; Romanov, A. I.; and Spiridonov, E. G.
Research of electrode materials (based on) chromites of rare-earth elements for MHD generators. 59-04584A
- Gores, Stan
Gillinder's "fancy goods"—prices then and now. 59-02036A
- Goriletskii, V. I.; Myulendorf, O. S.; and Radkevich, A. V.
Apparatus for growing single crystals from melt with additional feeding of comminuted charge. 59-04596P
- Gor'kovenko, O. V. See Khariionov, F. Ya.
- Gorman, Ralph. See Intrater, Joseph
- Gorobel, N. N. See Vladimirov, V. I.
- Gorodetskaya, O. G. See Bobkova, N. M.
- Gorodetsky, G.; and Shtrikman, S.
Measurements of acoustic velocity and attenuation shifts at the spin-reorientation phase transition of TmFeO₃. 59-04990A
- Gorodnev, A. L. See Brekhovskikh, S. M.
- Gorokhovskii, V. A. (Editor)
Chemical Technology of Glass and Glass-Ceramics. Properties of Glass in Liquid and Solid States (Khimicheskaya Tekhnologiya Stekla Litavlo. Svoistva Stekol Zhidkii Tverdom Sost.). 59-04042B
- Goruk, W. S.; and Stegeman, G. I.
Surface-wave reflection phenomena at interfaces on y-z LiNbO₃. 59-01920A
- Gorum, Alvin E. See Burke, John J.
- Goryacheva, Z. E.; Mel'nikova, I. G.; and Pavlovskii, V. K.
Refractory material for lining thermal units. 59-04507P
- Goryacheva, Z. E.; Mikulenko, G. V.; and Popel'vina, O. G.
Refractory material. 59-01451P
- Goryacheva, Z. E.; Saranova, T. M.; and Savorov, S. A.
Charge for the manufacture of refractory articles. 59-04471P
- Goryaev, V. M.; Shchegrov, L. N.; and Panchuk, V. V.
Paste for metallizing ceramics. 59-01582P
- Goryainov, K. E.; and Frozhego, V. T.
Calculation of thermal parameters during firing of large lightweight ceramic bodies. 59-02800A
- Goryushkin, V. F. See Astakhova, I. S.
- Goss, Willis C. See Goldstein, Raymond
- Gossard, Arthur C. See Dingle, Raymond
- Gossink, Robert G.; De Grefte, H. A. M.; and Werner, H. W.
Analysis of sodium depth profiles in glasses using secondary ion mass spectrometry (SIMS). 59-03251A
- Gossink, Robert G.; Van Doven, H.; and Verboeven, J. A. T.
Decrease of the alkali signal during Auger analysis of glasses. 59-04171A
- Gostyukhina, I. N. See Kononenko, G. V.
- Goswami, G.; Panda, J. D.; and Sahoo, N.
Performance of high alumina refractories in the burning zone linings of two kilns. 59-02098A
- Gottlieb, V. I. See Augustov, P. A.
- Goto, Junjiro. See Inoue, Kozo
- Goto, Takashi. See Hirai, Toshio
- Goto, Yoshihiro; and Sawaguchi, Etsuro
Electric conductivity of ferroelectric Pb₂GeO₆. 59-02640A
- Gottardi, Vittorio. See Scarinci, G.; Toninato, T.
- Gottardi, Vittorio; Nicoletti, F.; and Mazzoldi, P.
Surface polishing of glass studied by nuclear techniques. 59-02292A
- Gottlieb, Milton. See Isaacs, Thelma J.
- Gottschall, R. J.; Williams, Wendell S.; and Ward, I. D.
Microstructural study of hot-deformed cemented carbides. 59-04814A
- Gotak, Ali Alarik; Babany, M. B.; and Kulev, A. A.
Phase equilibria in the systems TiSe-SnSe and TiSe-PbSe. 59-03044A; System Ti-Pb-S. 59-05085A
- Gonda, George R.
Raw mix—the key for a successful and profitable cement plant operation. 59-02107A
- Goodreau, Deborah; and Weaver, Harold D., Jr.
Conversation with Daniel Rhodes. 59-00995A
- Gough, L. P. See Severson, R. C.
- Gourdin, W. H.; and Kingery, W. D.
Defect structure of MgO containing trivalent cation solutes—shell model calculations. 59-00818A
- Gourdin, W. H.; Kingery, W. D.; and Driear, J.
Defect structure of MgO containing trivalent cation solutes—the oxidation-reduction behavior of iron. 59-00819A
- Gourmala, M. See Fourcaudot, G.

- Gourrat, P. See Guha, Jyoti P.
- Govila, R. K.
Indentation-fracture and double-torsion methods for measuring fracture mechanics parameters in hot-pressed Si_3N_4 . 59-02993A
- Govindarajan, J. See Haridasan, T. M.
- Goyette, William J. See Kivovsky, Joseph R.
- Grabach, Anne Margrethe; and Jensen, Ole Jorgen
Trace analyses of heavy metals. 59-04743A
- Grabchak, N. M. See Glazov, V. M.
- Grabchak, B. L. See Kuzenkova, M. A.
- Grabmaier, Josef See Aulich, Hubert
- Grabner, Bernd E. See Dellmann, Wilfried
- Grabner, Bernd E.; and Heierich, Mario G.
Sliding shutters of basic refractory material. 59-02561P
- Gracheva, L. V.; Leiman, V. I.; and Tschokmal, V. A.
Kinetics of the thermal bleaching of silver halide photochromic glasses. 59-01204A
- Gracheva, N. V. See Kuznetsov, N. T.; Slovyanskikh, V. K.
- Grat, Ronald E.
Methods of making a sunlight-admitting heat-impeding panel. 59-04359P
- Graham, A. L.; Franks, R. M.; and Edwards, D. H.
Measuring friability of molding sands with present sand testing equipment. 59-01395A
- Graham, R. A. See Walker, David C.
- Graham, R. A. See Stanton, P. L.
- Graham, Roy R.
Size composition and method of producing same to render glass fiber having improved dispersibility in aqueous solutions. 59-02378P
- Gracharov, I. N.; Todjarova, F. D.; and Bakalova, Y. P.
Method of obtaining granulated and defluorinated phosphogypsum. 59-00744P
- Grage, P. See Gajardo, P.
- Granitzki, Karl-Ernest; Kamei, Shiro; and Takeda, Kenzo
Refractories for the modern blast furnace. 59-04404A
- Granovskii, M. E.; Gordanovskii, P. F.; and Bondarenko, M. V.
Granulating phosphogypsum. 59-02115P
- Grangvist, C. G.; and Hunderi, O.
Optical properties of Ag-SiO_2 cermet films—a comparison of effective-medium theories. 59-03032A
- Granstaff, Shelle M., Jr. See Johnson, David W., Jr.
- Gras, Rainer See Obendorf, Johann
- Gras, Rainer; and Schaubach, Horst
Method for coating of glass surfaces. 59-04338P
- Grasselli, Jeanette G.
Operation super-sleuth—a mirror on societal and scientific progress. 59-03124A
- Grasselli, Robert K. See Brazdil, James F.
- Grano, Michael See Nassau, Kurt
- Grant, Joachim See Wiegmann, Joachim
- Gravisse, Philippe E.
Photoluminescent materials and method of manufacturing them. 59-04649P
- Gray, Thomas J.
Strontium glazes and pigments. 59-00520A
- Greaves, E. I.
Stress-strain properties of high alumina and basic refractories and their use in arc furnace roofs. 59-01409A
- Grebenchikov, R. G.; Zhurba, V. N.; and Kostyeva, T. G.
Diagram of the system $\text{Mg-GeO}_2\text{-Fe}_2\text{GeO}_4$. 59-04915A
- Green, David J.
Stress intensity factor estimates for annular cracks at spherical voids. 59-03082A
- Greenberg, Charles B. See Breininger, J. Shannon
- Greenberg, Jerome S.
Fired ceramic bottle having threaded neck and method of making. 59-00530P
- Greene, B. N.
Materials performance at the Synthene coal gasification plant. 59-01394A
- Greene, J. E. See Wu, L. C.
- Greene, R. H.
Etch rate and porcelain adhesion on decarburized steel with different copper levels. 59-03235A
- Greene, Richard K. See Hannon, Martin J.
- Greenhalgh, Geoffrey
Method of toughening glass sheets. 59-02358P; 59-02359P; Toughened glass sheets. 59-03455P
- Greenwell, James C.
Market opportunities—current and future—for general enameling. 59-00102A
- Greenwood, Hugh J. See Duffy, Clarence J.
- Greuw, G. See Hillen, M. W.
- Gregorka, Lisa; and Moore, Duncan T.
Chromatic variation of index of refraction gradients: I. 59-04166A
- Gregory, Brooke; Arthur, J.; and Seidel, G.
Measurements of the Fermi surface of Nb-doped SrTiO_3 . 59-03013A
- Greiner, Harry S. See Bennetch, Leonard M.
- Grenoble, Dane C. See Murrell, Lawrence L.
- Greskovich, Charles D.
Hot-pressed $\beta\text{-Si}_3\text{N}_4$ containing small amounts of Be and O in solid solution. 59-04963A; Shell investment mold embodying a metastable mullite phase in its physical structure. 59-03627P; See also Palm, John A.
- Greskovich, Charles D.; and Palm, John A.
Fracture toughness of $\beta\text{-Si}_3\text{N}_4\text{-}\beta\text{-SiC}$ composites. 59-04952A
- Gretskii, A. A.
Increased productivity [in the Panteleimonovsk refractory plant]. 59-02445A
- Grevtsov, S. N.; Borinov, S. M.; and Krasulin, Yu. L.
Characteristics of the failure of quartz glasses at 20–1250°C. 59-04165A
- Grewen, Ortwin; and Wohleben, Karl
Continuous control of process moisture in coarse granular mineral mixtures using the example of batches for refractory products. 59-00406A
- Grey, David S.; and Wey, Robert A.
Drawing optical waveguides by heating with laser radiation. 59-04288P
- Greytak, Thomas J. See Murray, Cherry Ann
- Gribko, V. F.; Timashev, V. V.; and Kholodnyi, A. G.
Liquation structure of slag glasses and their hydration activity. 59-03302A
- Grideva, I. V. See Gnesin, G. G.
- Grieshammer, Rudolf See Goeppinger, Alois
- Griffiths, A. J.; and Kemmler-Sack, S.
Perovskite phases in the systems $\text{Al}_2\text{O}_3\text{-UO}_2$: I, Tetragonal perovskite $\text{Ba}_2\text{Ba}_{1-x}\text{U}_{1-x}\text{O}_{10}$. 59-03988A
- Griffiths, R. K. See Bacon, George Edward
- Griffiths, T. J.; Davies, R.; and Bassett, M. B.
Analytical study of effects of pore geometry on tensile strength of porous materials. 59-03851A
- Grigas, J. See Brilinas, A.
- Grigeliene, I.; Jansson, G.; and Freidenfelds, E.
Piezoelectric ceramic material. 59-01586P
- Grigor'eva, E. G. See Tunik, T. A.
- Grigor'eva, L. G.; Klyava, Ya. G.; and Kleperis, J.
Effect of ionizing radiations on the W-phosphate glasses. 59-00174A
- Grigoryan, S. S.; Gukov, G. P.; and Maksudov, D. I.
Manufacture of ceramic articles from a liquid suspension by casting into gypsum molds. 59-04548P
- Grimm, Nelson See Laska, Harry M.
- Grimouille, G. See Joukoff, B.
- Grimoldt, M. H.; Anastassakis, E.; and Cardona, Manuel
Effect of uniaxial stress on the zone-center optical phonon of diamond. 59-02970A; Piezobirefringence in diamond. 59-03050A
- Grinshpan, Y. See Goldstein, Yehuda; Nitzan, M.
- Grinshpan, Y.; Nitzan, M.; and Goldstein, Yehuda
Hall mobility of electrons in quantized accumulation layers of ZnO surfaces. 59-02988A
- Gris, Peter See Heimke, Guenther
- Grober, L. I. See Fradkin, B. P.
- Grodziewicz, William H. See O'Bryan, H. M., Jr.
- Grodziewicz, William H.; Van Uiter, L. G.; and Wemple, Stuart H.
Zinc chloride optical fibers for transmission in the infrared. 59-03458P
- Grodzenskii, I. M. See Vasilevska, A. S.
- Grodzinski, Ya. Yu. See Zdorov, A. I.
- Groenener, C.-M. E.
Basic refractories in the glass industry. 59-03254A
- Gromov, Yu. P.; and Kapustin, N. I.
Automation in mines [for refractory raw materials]. 59-02823A
- Grosheva, V. M. See Karpinos, D. M.
- Gross, Bernhard
Polarization phenomena in dielectrics—a comment. 59-01527A
- Grossman, David G.
Machining a machinable glass-ceramic. 59-01207A
- Grossman, L. N.
Interactions in the system $\text{Cs}_2\text{O-SiO}_2\text{-Al}_2\text{O}_3$. 59-04683A
- Grossman, Leonard N.; and Kazzoff, Alexis I.
Vented nuclear fuel element. 59-00659P
- Groth, Rolf
Heat-reflecting glass pane. 59-03388P
- Groul, P. J.; Tosi, M. P.; and March, N. H.
Two-level model of dielectric loss in glasses. 59-04268A
- Grover, R.
Does diamond melt? 59-00826A
- Gruen, Reinar
Growth of $\beta\text{-Si}_3\text{N}_4$ single crystals. 59-02987A
- Grueninger, Franz
Glass container testing with the Emhart preselector. 59-01172A
- Grundfest, Sandra (Editor)
Peterson's Annual Guide to Careers and Employment for Engineers, Computer Scientists, and Physical Scientists. 59-01986B
- Grunin, V. S. See Baki-Borodov, E. L.; Shchegolev, B. F.
- Grunke, Richard
Method for the manufacture of a molded member from a ceramic material. 59-03411P; Process for surface treating parts made of ceramic material. 59-00135P
- Grushetskaya, N. V. See Ermilova, N. V.
- Grushetskii, B. G.
New designs in the production of acid-resistant ceramic bodies. 59-00511A
- Gruber, Robert M. See Kirchner, Henry P.
- Gudev, N.
New types of polymer dispersions [for use in cement production]. 59-02092A
- Gudillan, A. I. See Orlova, I. G.
- Gudmundsson, Halldor; Chatterji, S.; and Jensen, A. Damgaard
Measurement of paste content in hardened concrete using automatic image analyzing technique. 59-02086A
- Gudovich, O. D. See Primenko, V. I.
- Guentherodt, Hans-J. See Kuenzi, H. U.
- Gues, Joe F.
Piezoelectric ceramic resonant transducer with stable frequency. 59-03741P
- Guez, A. See Chartier, G.
- Guggenheim, Howard J. See O'Bryan, H. M., Jr.
- Guha, Jyoti P.
Crystal structure of silicon cerium oxynitride, $\text{Ce}_2\text{SiO}_5\text{O}_x\text{N}_y$. 59-01806A; Liquid immiscibility in the system $\text{BaTiO}_3\text{-CeO}_2$. 59-00865A
- Guha, Jyoti P.; Goursat, P.; and Billy, Michel
Hot-pressing and oxidation behavior of silicon nitride with ceria additive. 59-01845A
- Gulle, Donald L. See Bihuniak, Peter P.
- Gullien Monzonis, Claudio See Escribano L., P.; Lambies Lavilla, Vincente
- Gultel, J. C. See Blum, D.
- Guivarc'h, A.; Richard, J.; and Le Contellec, M.
Hydrogen content of amorphous silicon carbide prepared by reactive sputtering—effects on films properties. 59-04570A
- Gukov, G. P. See Grigoryan, S. S.
- Gulati, Suresh T. See Helfinstine, John D.
- Gulati, Suresh T.; Helfinstine, John D.; and Davis, Allen D., Jr.
Determination of some useful properties of partially stabilized zirconia and the application to extrusion dies. 59-01731A
- Gulati, Suresh T.; Helfinstine, John D.; and Justice, Ben
Measurement of stress corrosion constant n for optical fibers. 59-00217A
- Gulden, M. E.
Effect of number of impacts on erosion of polycrystalline MgF_2 in the elastic-plastic response regime. 59-01818A; See also Evans, A. G.
- Guller, B. D. See Yavagel, E. V.
- Gulotta, Joseph A. See Trevorror, Thomas R.
- Gulyan, Y. A.; Smirnov, V. F.; and Kazakov, V. D.
Production of Glasswares (Proizvodstvo Steklyannoi Tary). 59-01994B
- Gunshor, R. L. See Pierret, R. F.
- Guo, Zhu-kun; and Li, Xiang-tang
Thermodynamic calculation of chemical reactions between sodium and oxide components (including oxide impurities) in β -alumina ceramics. 59-04030A
- Gupta, A. See Kirfel, A.
- Gupta, B. K. See Agnihotri, O. P.
- Gupta, Prabhat K. See Drexhage, Martin G.; Macedo, Pedro B.
- Gupta, Tapan K.
Sintering of tetragonal zirconia and its characteristics. 59-04011A; Strengthening by surface damage in metastable tetragonal zirconia. 59-01913A; See also Ho, Shih M.; Hower, P. L.; Selim, F. A.
- Gurevich, L. E. See Puzryer, E. I.
- Gurin, V. N.
Methods of synthesis of refractories and prospects for their use in developing new materials. 59-00413A; See also Sinel'nikova, V. S.
- Gurovich, E. A.; Il'in, A. A.; and Pronkin, A. A.
Velocity of ultrasound in glass-forming alkaline-earth metaphosphates. 59-01271A
- Gurtin, M. E.; and Yatomi, C.
Model for two phase diffusion in composite materials. 59-02875A
- Gurtler, Richard W.
Spontaneous growth of large crystal semiconductor material by controlled melt perturbation. 59-03752P; See also Baghdad, Aslan
- Gurzan, M. I. See Buturlakin, A. P.
- Gurzan, M. I.; Buturlakin, A. P.; and Gerasimenko, V. S.
Optical properties of SnP_3S_8 crystals. 59-00885A
- Guseinov, G. G. See Rustamov, P. G.
- Gusev, A. I.
Energy characteristics of the structural vacancies in nitrides of titanium and zirconium. 59-04938A
- Gusev, M. I. See Potapov, V. K.
- Gusev, Yu. A. See Ved, V. E.
- Gushchin, V. Ya.; Shapiro, E. Ya.; and Borisov, V. G.
Effect of decarbonation of dolomite and magnesite on the sintering of powders. 59-04408A
- Gustafson, Frederick J.; and Wright, John C.
Trace analysis of lanthanides by laser excitation of precipitates. 59-01675A
- Gutche, M. H. (Editor)
Cement and Mortar Technology and Additives—Developments Since 1977. 59-05128B; Inorganic Pigments—Manufacturing Processes. 59-05138B
- Guttfleisch, Peter O. See Meyer, Adolf
- Gutierrez M., S. See Fernandez P., L.
- Gutierrez M., S.; and Fernandez P., L.
Energy consumption in tunnel- and 2-channel kilns. 59-02802A
- Gutkina, N. G.; and Shmatok, L. K.
Decreased crystallization capacity of glasses. 59-01130A
- Gutwiler, Klemons
Process for the manufacture of a catalyst. 59-04869P
- Guzman, I. Ya. See Ysotskii, B. I.
- Gveslani, G. G. See Nadiradze, A. A.
- Gvozdi, V. S. See Nemets, I. I.
- Gyorgy, Ernst M.; Le Craw, Roy C.; and Wolfe, Raymond
Garnet magnetoresistive sensor for magnetic fields. 59-03718P; Process for suppressing hard bubbles in magnetic bubble devices. 59-01594P

- Haaker, Richard F.; and Ewing, Rodney C.**
Differential thermal analysis of some irradiated materials—discussion. 59-01812A
- Haas, H. B.; and Irving, H.**
Transmission electron microscopy at grain boundaries of PTC-type BaTiO₃ ceramics. 59-02689A
- Haas, Paul A.**
Heating of uranium oxides in a microwave oven. 59-00644A
- Haase, Jerome B.; Thompson, James M.; and Tobin, Adrian M.**
Method of making a thin film thermal print head. 59-01574P
- Haasen, P.** See Ansell, G. E.
- Haberko, Krzysztof** See Sampach, Roman
- Habib, Edward T., Jr.**
In-situ leaching of uranium. 59-03839P
- Habiger, Robert Martin; and Compaan, A.**
Width of resonance Raman enhancement profiles in CuO—the phonon-lifetime contribution. 59-03112A
- Hacker, Helmut** See Aulich, Hubert
- Hackler, Cullen L.**
Formulation and control of textured tear glazes. 59-02585A
- Hackler, Cullen L.; and Carpenter, Robert E.**
Which is the yellow for you? 59-03655A
- Hadap, R. G.** See Sampath, S.
- Hadfield, D.**
History of the development of sintered permanent magnets. 59-04568A
- Haehnert, Manfred** See Ullner, Christian
- Haenni, R. P.** See Keller, W. D.
- Haerdul, K. H.** See Gerthsen, P.
- Hagan, J. T.**
Micromechanics of crack nucleation during indentations. 59-01212A; See also Chaudhri, M. M.
- Hagan, J. T.; Swain, Michael V.; and Field, J. E.**
Fracture strength studies on annealed and tempered glasses under dynamic conditions. 59-00196A
- Hagedorn, Erwin C.** See Babcock, Clarence L.
- Hageman, Lynn Robert; Nichols, John A.; and Viswanadham, Puligandla**
Comparative interference study for atomic absorption lead determinations using a constant temperature vs a pulsed-type atomizer. 59-00687A
- Hagemark, Kjell I.** See Weiher, Richard L.
- Hagen, Siegfried H.** See Knippenberg, Wilhelmus F.
- Hagenburger, Klaus** See Aschoff, Hermann
- Hagenmuller, Paul** See Levasseur, Alain
- Hager, Adolph G.; and Kryzkowski, Philip F.**
Method and apparatus for frit-sealing high temperature CRT facelate to conventional CRT envelope. 59-03399P
- Hagihara, Takeshi; and Hiraguchi, Keisuke**
Results of R-H degassing vessel lining service trial of magnesite-chrome rebonded bricks made in Europe. 59-04448A
- Hagiopol, Manuela** See Dima, Paul
- Hagstrom, S. B. M.** See Bianconi, Antonio
- Halley, Laurence N.** See Coppola, John A.
- Haishi, Hideo** See Kyoden, Hiroshi
- Halberstadt, Hans** See Hill, Robert
- Hall, Bernard L., Jr.; Richards, George; and Dale, Rush S.**
Industry experiences with furnace modifications—a panel presentation. 59-02155A
- Hall, H. Tracy** See Pope, Bill J.
- Hall, John**
Highs and lows of temperature monitoring. 59-01648A; Monitoring pressure with newer technologies. 59-01653A
- Hall, Leo**
Availability of frit raw materials. 59-02129A
- Hall, Thomas C.; and Peters, John W.**
Process for the preparation of low temperature silicon nitride films by photochemical vapor deposition. 59-02734P
- Hall, Walter L.; and Humphrey, James S., Jr.**
Method of applying glass layers to polycarbonate. 59-03732P
- Hall, William C.; and Peterson, John M.**
Miniaggregate iron ore in cement matrix. 59-03224P
- Hallberg, Frederick C.** See Benedicto, John S. J.
- Halliburton, L. E.** See Markes, M. E.
- Halliburton, L. E.; Kappers, L. A.; and Armington, A. F.**
Radiation effects in synthetic berillite (AlPO₄). 59-05030A
- Halloran, John W.** See Gonzalez, Francisco J.; Monahan, Robert D.
- Halloran, John W.; and Bowen, H. Kent**
Iron diffusion in iron-aluminate spinels. 59-01852A
- Halpin, Bernard M., Jr.** See McCauley, James W.
- Halstead, Raymond R.** See Dryburgh, Peter M.
- Hamamoto, Fujio; Hashimoto, Tadashi; and Minato, Minoru**
Method of repairing ladle. 59-04426A
- Hamamoto, Shoichi; and Hiwataishi, Masaaki**
Extrusion die for ceramic honeycomb structures. 59-02776P
- Hamano, Kenya**
Corrosion and erosion mechanisms of basic refractories. 59-04398A
- Hamano, Kenya; Asano, Keisuke; and Akiyama, Yutaka**
Effects of water vapor pressure on sintering of magnesite. 59-04930A
- Hamano, Kenya; Nakagawa, Zenbee; and Hasegawa, Minoru**
Microstructural study of hot gunning material used for an LD converter. 59-03553A
- Hamilton, D. S.** See Heiman, D.
- Hamling, Bernard H.**
Flexible microcrystalline zirconium carbide fabric. 59-00449P
- Hammar, Richard H.** See Clague, Robert E.
- Hammond, I.** See Legge, G. J. F.
- Hammer, Glen P.**
Method of preparing an alumina catalyst support and catalyst comprising the support. 59-04863P
- Hampy, R. E.** See Stein, H. J.
- Hamster, Helmut** See Goepferling, Alois
- Han, Ki-Sung**
Alumina cement from alumina: I. Synthesis of monocalcium aluminate. 59-00035A; See also Rhee, Jhun
- Han, Ki-Sung; and Choi, Sang-Hyei**
Influences of cooling atmosphere on whiteness of white Portland cement. 59-00053A
- Han, Ki-Sung; Choi, Sang-Wook; and Song, Tae-Ung**
Alumina cement made from alumina: II. Physical properties. 59-03168A
- Han, Mun-Hil** See Park, Keum-Churl
- Hanek, Joseph J.**
Cermet layer for amorphous silicon solar cells. 59-01543P
- Hanoka, Tamotsu; and Tsai, Toshiro**
Gunning materials for tuffish. 59-04417A
- Hancock, Kenneth R.** See Bennetch, Leonard M.
- Hand, Ronnie D.** See Schmandt, Gary M.
- Handley, W. D.; and Heath, A.**
Gunite stack linings. 59-01386A
- Hauf, E. B.**
Energy conservation in ventilation. 59-00953A
- Hanic, F.** See Majling, J.
- Hanic, F.; Chemekova, T. Yu.; and Majling, J.**
X-ray powder diffraction data for strontium aluminate, SrAl₂O₇. 59-03118A
- Hanley, John W.**
Energy, ingenuity, and those instant experts. 59-04753A
- Hanna, S. B.**
Production of zirconia from Egyptian zircon. 59-04782A; See also Mansour, Naila A. L.
- Hanna, S. B.; Ibrahim, E. M. H.; and Abou Sekkina, M. M.**
Further studies on sintered refractories. 59-02435A
- Hanna, S. B.; and Serry, Mohamed A.**
Critical phase decomposition of dolomite-zircon refractories. 59-04400A
- Hannon, Martin J.; and Forschirm, Alex S.**
Method of powder coating a glass container. 59-04354P
- Hannon, Martin J.; Forschirm, Alex S.; and Greene, Richard K.**
Coated bottle and method of coating. 59-01289P
- Hansel, Ed.**
Brick industry in western Europe. 59-03465A; Brick industry in western Europe. [continued] 59-03466A
- Hansen, Diana W.**
Ceramic utensils for microwaving. 59-02573A
- Hansen, J. J. Ramskov** See Jacobsen, Gunnar
- Hansen, Lloyd; Caldwell, William H. M.; and Shipley, Gordon**
Plant experiences with low-cobalt and cobalt-free ground coats. 59-02164A
- Hansen, S.** See Faeth, L.
- Hanson, Gordon L.** See Heyn, Fred M.
- Hanus, Václav** See Baburek, Jiri
- Hara, Akio; and Yazu, Shuji**
Diamond/sintered carbide cutting tool. 59-01754P
- Hara, N.; and Migley, H. G.**
Determination of crystallinity of tobermorite in autoclaved products. 59-04089A
- Hara, Naomichi; and Inoue, Norihito**
Thermal behavior of 11-Å tobermorite and its lattice parameters. 59-03210A
- Hara, Naomichi; Inoue, Norihito; and Matsuda, Osamu**
X-ray line-profile analysis of 11-Å tobermorite crystallization process. 59-03886A
- Hara, Sadao; Iwami, Yoshiyuki; and Takenouchi, T.**
VOD ladle refractories. 59-03582A
- Harada, Hirofumi** See Sumino, Koji
- Harada, Nozomu** See Okano, Haruo
- Haraka, Hiroshi** See Shiraki, Yoshiro
- Harben, Peter**
Nepheline syenite. Industry and the markets. 59-02837A
- Harder, M.; and Mueller-Buschbaum, Hk.**
Crystal structure of BaFe₂Al₂O₇. 59-00808A
- Hardy, Donald F.** See Heller, Arthur D.
- Hare, T. M.** See Sheffield, G. S.
- Hares, George B.** See Borrelli, Nicholas F.
- Hares, George B.; and Morse, David L.**
High index ophthalmic glasses. 59-04317P
- Hares, George B.; Morse, David L.; and Seward, Thomas P., III**
Photochromic glass. 59-03436P
- Hargave, R. V.; and Rao, M. R. K.**
Constitution and microstructure of indigenous basic bricks used in Indian steel plants. 59-02416A
- Hargreaves, J.**
Evolution of ladle lining refractories. 59-01385A
- Hart, Siegfried** See Triebel, Wolfgang
- Haridasan, T. M.; Govindarajan, J.; and Nerenberg, M. A. H.**
Entropy of formation of a Frenkel defect in CaF₂—a Green-function calculation. 59-04941A; Phonon resonances associated with a vacancy in CaF₂. 59-05023A
- Hartla, Akira** See Morimoto, Tadashi
- Harker, A. H.** See Vail, John M.
- Harnau, George G.**
Nondestructive tests used to insure the integrity of semiconductor devices, with emphasis on acoustic emission techniques. 59-00568A
- Harns, J.; and Macaula, E.**
Tissue reaction to ceramic implant material. 59-03882A
- Haras, W.**
New developments in the conventional firing process—advances in rapid firing. 59-00388A
- Harash, E.** See Chernobelskaya, T.
- Harna, Daniel**
Spontaneous breaking of glass on cooling. 59-01246A
- Harrington, LaMar** (Editor)
Ceramics in the Pacific Northwest—A History. 59-03131B
- Harrington, S. N.; Brewer, J. A.; and Pederson, D. O.**
Temperature dependence of the elastic constants of a machinable glass-ceramic. 59-04264A
- Harris, Jimmy W.** See Lineberry, Cletus E.
- Harris, M. R.; and Sherrard, M. J.**
Alumina fibers for fast firing tunnel kiln sledges. 59-02799A
- Harrison, Andrew P.** See Iven, John
- Hartnett, J. P.** See Cho, Y. I.
- Hartzell, R. A.** See Holder, J. D.
- Harvey, Allan M.**
Tremolite in talc—a clarification. 59-02847A
- Harvey, Francis J., II; and Bratton, Raymond J.**
Plasma arc production of silicon nitride. 59-04652P
- Harvey, Joann Waldman** See Walker, K. L.
- Harvey, Joann Waldman; and Johnson, David W., Jr.**
Binder systems in ferrites. 59-02629A
- Hase, Takashi; Kagami, Akiyama; and Mimura, Yoshiyuki**
Low-velocity electron excited fluorescent display device. 59-04325P; 59-04326P
- Hase, Teizo** See Suzuki, Hiroshige
- Hasegawa, Minoru** See Hamano, Kenya
- Hasegawa, Mitsuru** See Ohishi, Naoki
- Hasegawa, Shinichi; and Fujita, Hisanori**
Process for manufacturing a vapor phase epitaxial wafer of compound semiconductor without causing breaking of wafer by utilizing a precoating of carbonaceous powder. 59-01590P
- Hasegawa, Yasutoshi** See Inomata, Yoshizo
- Hasegawa, Yasutoshi; Iimura, M.; and Yajima, Seishi**
Synthesis of continuous silicon carbide fiber: II. Conversion of polycarbosilane fiber into silicon carbide fibers. 59-04830A
- Hashimoto, Koichi** See Kobayashi, Masahiro; Shimizu, Tadao
- Hashimoto, Mitsuo; Takya, Yoshiyuki; and Inoue, Masaru**
Gypsum knippenberg. 59-01061P
- Hashimoto, Tadashi** See Hamamoto, Fujio
- Hastop, Dennis**
Particle count points the way to process control. 59-01657A
- Hassan, Farkhonda; El Mofly, Osman; and Kandil, Hamdy**
Microhardness of some lead borate glasses. 59-00220A
- Hassell, John B., Jr.** See Brandie, Charles D., Jr.
- Hasselmann, D. P. H.** See Powell, Bob R., Jr.; Satyamurthy, K.; Singh, Jitendra P.
- Hasselmann, D. P. H.; and Singh, Jitendra P.**
Analysis of thermal stress resistance of microcracked brittle ceramics. 59-00752A
- Hasselmann, D. P. H.; Thomas, J. R., Jr.; and Kamat, M. P.**
Thermal stress analysis of partially absorbing brittle ceramics subjected to symmetric radiation heating. 59-01929A
- Hasselmann, D. P. H.; Zdaniewicz, Wieslaw A.; and Swearingen, J. C.**
Effect of alumina dispersions on the thermal conductivity diffusivity and thermal stress resistance of a borosilicate glass. 59-02228A
- Hasselmann, D. P. H.; and Ziegler, Guenter**
Effect of crack growth on the scatter of strength of brittle materials. 59-03954A
- Hassler, Andreas**
Tunnel oven for baking ceramic products. 59-03829P
- Haste, T. J.; and Sowerby, M. G.**
Temperature dependence of the neutron transmission of uranium dioxide. 59-01611A
- Hastie, John W.** (Editor)
Characterization of High Temperature Vapors and Gases, Vols. 1 and 2. 59-00962B
- Hatch, Arthur E.; and Yates, Douglas A.**
Apparatus for controlled growth of silicon and germanium crystal ribbons. 59-02691P
- Hatfield, David G.**
Apparatus for decorating surfaces of ceramic ware. 59-04537P; Method and apparatus for decorating surfaces of ceramic ware. 59-01500P
- Hatta, Tokunaki** See Hoshino, Yoshiaki
- Hattman, Elizabeth A.; McKinstry, William E.; and Schultz, Hyman**
Solid and gaseous fuels. 59-00706A
- Hattori, Kenichi; Iwai, Shinji; and Okuyama, Toshio**
Method for increasing flexural strength of cement compositions. 59-03220P
- Hattori, Yoshinori; and Miyachi, Tamotsu**
Process for producing compact silicon nitride ceramics. 59-04658P
- Hauck, Federico; and Poetschke, Joergen**
Reaction of magnesite-chrome refractory brick in deoxidized iron melts. 59-04437A
- Hauge, P. S.**
Polycrystalline silicon film thickness measurement from analysis of visible reflectance spectra. 59-00703A
- Haupt, Lutz**
Infrared spectroscopic investigations of the hardening behavior of lignite filter ash. 59-01044A
- Haus, Jan F.**
Apparatus for spraying refractory lining. 59-01411P

- Hammer, Elwood B.** See Boos, Charles J.
- Hammer, Hans** See Kruse, Bernd-Dieter
- Hammon, J. M.** See Tanguy, P.
- Hauth, Willard E., III; Blake, R. D.; and Rutz, H. L.**
Fabrication of the 320-cm-OD all-ceramic ZT-40 torus. 59-04681A
- Havas, Janos; and Paul, Gabor**
Method of depositing thin films of small dimensions utilizing silicon nitride lift-off mask. 59-04631P
- Hawthorn, Thomas H.** See Semler, Charles E.
- Hawrylo, Frank Z.**
Method of epitaxially depositing cadmium sulfide. 59-04632P
- Hayakawa, Shigeru** See Nitta, Tsuneharu; Ouchi, Hiromu
- Hayakawa, T.** See Ikeda, Masachi
- Hayane, Masahiro** See Asano, Sadame
- Hayashi, Hideo** See Matsushita, Takeshi
- Hayashi, Hisato; Aita, Saburo; and Suzuki, Mikio**
Semi-quantitative chemical analysis of asbestos fibers and clay minerals with an analytical electron microscope. 59-01662A
- Hayashi, Jousaburo** See Yajima, Seishi
- Hayashi, Koji** See Suzuki, Hisashi
- Hayashi, Masashi; and Dolezal, Henry**
Cost of producing U_3O_8 from ammonium bicarbonate in-situ leach solution by the multiple-compartment ion-exchange system. 59-00732A
- Hayashi, Tadashi** See Yamaguchi, Osamu
- Hayashi, Takeshi; and Shibuno, Masao**
Blast furnace lining wear behavior. 59-03498A
- Hayashi, Yasuhide** See Matsumura, Isao
- Hayati, Hossein; Towers, Russell S.; and Carpenter, Peter G.**
Preparation of high temperature shell molds. 59-04495P
- Hayes, P. C.**
Effect of atmosphere on the sintering of Fe_2O_3 and Fe_3O_4 powders at low temperatures. 59-03951A
- Hayes, William V.** See Childress, David L.
- Haynes, Harold L.; and Morrison, Albert R.**
Glass fiber coated with a hydroxy-ethylated starch, a tertiary amine etherified starch, and a methyl methacrylate latex polymer or copolymer. 59-01301P
- Hazen, Robert M.** See Finger, Larry W.
- Hazen, Robert M.; and Finger, Larry W.**
Crystal structure and compressibility of zircon at high pressure. 59-01802A
- Heasley, James H.** See Roberts, Gordon J.
- Heath, A.** See Handley, W. D.
- Heavens, O. S.** See Cox, G. A.
- Heckelsberg, Louis F.**
Alkaline earth oxides promoted with manganese oxide and/or rhenium oxide as catalysts for cracking and dehydrocyclizing of alkanes. 59-00524P
- Heffler, Jochen** See Boehm, Harald
- Hegedus, Louis**
Method for application of porous wash coats to low porosity refractory catalytic monoliths and the resulting support. 59-03899P
- Hegyri-Pako, Julia; and Vitalis, Gyorgy**
Raw material registers for the building industries. 59-03478A
- Hegyri-Pako, Julia; Vitalis, Gyorgy; and Wojnarovits-Hrapnik, Ilona**
SEM examination of Transdanubian (Hungarian) Triassic dolomites. 59-05040A
- Heidel, Monika; and Letzsch, Ruediger**
Suitability test of a modified Dallenderfer-Langhammer apparatus. 59-01667A
- Heiman, D.; Hamilton, D. S.; and Hellwarth, Robert W.**
Brillouin scattering measurements on optical glasses. 59-02208A
- Heiman, D.; Hellwarth, Robert W.; and Hamilton, D. S.**
Raman scattering and nonlinear refractive index measurements of optical glasses. 59-00247A
- Heimerl, Wilfried; Schiewer, Edwin; and De, Amal K.**
Method of preparing [glass] bodies containing radioactive substances. 59-04697P
- Heimke, Guenther**
Articulatory endoprostheses of nonmetallic materials. 59-02866P
- Heimke, Guenther; Gris, Peter; and Jentschura, G.**
Direct anchorage of Al_2O_3 -ceramic hip components—three years of clinical experience and results of further animal studies. 59-03856A
- Heinicke, G.** See Schlatter, H.
- Heinoen, James**
Pierced pottery. 59-04074A
- Heinrich, Juergen; and Streh, G.**
Quantitative microstructural analysis of reaction-bonded silicon nitride. 59-00422A
- Heinricher, Mario G.** See Grabner, Bernd E.
- Heinz, David M.** See Glass, Howard L.
- Heis, Fritz**
Situation in the enameling industry. 59-02173A
- Helfinstine, John D.**
Adding static and dynamic fatigue effects directly to the Weibull distribution. 59-01103A; See also Gulati, Suresh T.
- Helfinstine, John D.; and Gulati, Suresh T.**
Dynamic fatigue of three partially stabilized zirconias. 59-02426A
- Helke, Guenter; and Roeder, Gerhard**
Production and technological application of ferroelectric ceramics based on lead titanate zirconate. 59-01528A
- Helland, Gerd** See Goetz, Hubert; Oel, Heribert J.
- Heller, Arthur D.**
Glass batch wetting and mixing apparatus. 59-01299P
- Heller, Arthur D.; and Hardy, Donald F.**
Ware finish wiper. 59-04385P
- Heller-Kallni, L.**
Reactions of salts with kaolinite at elevated temperatures: I. 59-01896A
- Hellwarth, Robert W.**
Conjecture on the effect of small anharmonicity on vibrational modes of glass. 59-03264A; See also Heiman, D.
- Helman, Donald D.; Holt, Jack W.; and Smiser, Laurence W.**
Repairing cracked glass. 59-00252A
- Helms, C. R.; Johnson, N. M.; and Schwarz, S. A.**
Studies of the effect of oxidation time and temperature on the Si- SiO_2 interface using Auger sputter profiling. 59-01917A
- Helms, William R.; and Stetter, Joseph R.**
Monitoring harmful gases. 59-00699A
- Heis, Hosaid Tuthill**
Alkali exchange between hornblende and melt—a temperature-sensitive reaction. 59-01769A
- Hemingway, Bruce S.** See Krupka, Kenneth M.; Robie, Richard A.
- Hench, Larry L.** See Barrett, Joy M.; Dilmore, Morris F.; McCracken, W. J.; Ohuchi, F.
- Hench, Larry L.; and Buscemi, Paul J.**
Method of bonding a bioglass to metal. 59-00338P
- Hench, Larry L.; Ohuchi, F.; and Freiman, Stephen W.**
Infrared reflection analysis of Si_3N_4 oxidation. 59-04811A
- Hench, Larry L.; and Walker, Michael M.**
Bonding of bone to materials presenting a high specific area, porous, silica-rich surface. 59-01485P
- Hench, T. L.** See Burton, L. C.
- Henderson, B.**
Optical detection of magnetic resonance and the N3 center in diamond. 59-03030A
- Hendricks, Charles D.**
Method and apparatus for producing small hollow spheres. 59-00673P
- Hendry, A.** See Johnson, P. M.
- Hennecke, Hermann** See Lautenschlaeger, F. W.
- Hennecke, Hermann; Merrens, Paul; and Krecher, Josef**
Blower b-ater mill. 59-00656P
- Hennesen, K.** See Keller, H.
- Hennicke, Hans Walter** See Abbassian, Mohammad; Neumann, Guenther
- Hennicke, Hans Walter; and Klenow, Ekkehard**
Organic plasticizers for fine-ceramic bodies: I. Models of plasticity and measurement of behavior during a cyclic shear test. 59-00512A; Organic plasticizers for fine-ceramic bodies: II. Effects of organic additives. 59-00513A
- Herbell, Thomas P.; Glasgow, Thomas K.; and Yeh, Hui C.**
Effect of dry attrition milling on the reaction sintering of silicon nitride. 59-00758A
- Herchenbach, Horst**
Method and apparatus for the lowering of the alkali content of cement calcined to completion. 59-00084P
- Herchenbach, Horst; Ramesohl, Hubert; and Kuhs, Rudolf**
Method and apparatus for the thermal treatment of alkali-containing pulverized raw material to be used in the manufacture of cement. 59-04134P
- Hercules, David M.** See Joyner, David J.
- Herman, Herbert** See Jantzen, Carol M. F.
- Hermann, Hans D.; and Ebligt, Joachim**
Plasticizer containing polyvinylbutyl sheets having a reduced adhesion to glass. 59-00356P
- Hermansson, L.; and Carlsson, R.**
Empirical method of measuring the drying sensitivity of ceramic bodies. 59-01642A
- Hermosino, Antonio** See Morell, Antoinette
- Hernandez M., V.** See Bosch Reig, F.
- Hernando, A.** See Barandian, J. M.
- Herrmann, Dieter**
Chalcogenide glasses with organic components: I. Glasses of the selenium-arsenic-bromine-azobenzene system. 59-00147A
- Herrmann, Dieter; Lemnitz, M.; and Monheim, W.**
Chalcogenide glasses with organic components: II. Glasses of the selenium-arsenic-iodine-biphenylene system. 59-00148A
- Herrmann, Dieter; Monheim, W.; and Gollmick, R.**
Chalcogenide glasses with organic components: V. 59-00150A
- Herrmann, Dieter; and Scheel, H.**
Chalcogenide glasses with organic components: III. Poly-4,4'-diarsabiphenylene and glasses of the composition $Se_{100-x}As_xB$ (B = biphenylene). 59-00149A
- Herrmann, R. K.**
Experience with the Sedigraph 5000. 59-03799A
- Herron, Robert H.** See Skrovanek, Stephen D.
- Herron, Robert H.; and Baab, Kenneth A.**
Silicon carbide for blast furnaces. 59-04450A
- Hesky, Hans; and Wunderer, Armin**
Process to retain tritium. 59-04701P
- Hess, Fritz** See Wagner, Helmut
- Heuer, A. H.**
Reply to [Comment on "The role of MgO in the sintering of alumina."]. 59-01900A; See also Cannon, R. M.; Donlon, W. T.; Evans, A. G.; McCartney, M. L.; Ogbuji, L. U.
- Heuer, A. H.; Ogbuji, L. U.; and Mitchell, T. E.**
Microstructure of oxide scales on oxidized Si and SiC single crystals. 59-03017A
- Heuer, A. H.; Tighe, Nancy J.; and Cannon, R. M.**
Plastic deformation of fine-grained alumina (Al_2O_3): II. Basal slip and nonaccommodated grain-boundary sliding. 59-01888A
- Heyn, Fred M.; Yin, Ching-Feng; and Hanson, Gordon L.**
Heat recovery systems. 59-03826P
- Heyne, Clarence A.**
Apparatus for forming and applying plastic sleeves to glass bottles. 59-04276P
- Heystek, T.** See Davison, Charles B.; Marchewka, T. L.; McLeod, J. T.
- Hibbs, T.** See Makino, H.
- Hilbscher, Carl W.** See Steitz, William R.
- Hickman, D. A.** See Caterick, T.
- Hicks, James C.; and Tansney, Sean**
High purity refractory magnesia from the Irish Sea. 59-00353A
- Hiebel, Kurt; Tuschert, E.; and Bittner, Helmut**
Hydrides in the region of the γ -phase Ti_2FeO_3 . 59-00858A
- Higgs, Edward W.** See Borgmeier, Donald E.
- Higuchi, Noboru; and Futamura, Shoji**
Apparatus for extruding a honeycomb structural body. 59-00654P
- Hikita, Tadashi** See Yamaguchi, Osamu
- Hilbig, Gerhard** See Hofmann, Otto R.
- Hildenbrand, Hartmut** See Rautenberg, Peter
- Hill, Brian**
Process for producing ceramic powders and products resulting therefrom. 59-04793P; Production of ceramic powders for ferrite, spinel, titanate, and garnet production. 59-02859P
- Hill, Homer G.** See Foley, Kevin M.
- Hill, Jill** See Hill, Robert
- Hill, Owen F.** See Brice, John C.
- Hill, Robert; Hill, Jill; and Halberstadt, Hans**
Stained Glass—Music for the Eye. 59-03146B
- Hillen, M. W.; Greeuw, G.; and Verweij, J. F.**
Mobility of potassium ions in SiO_2 . 59-00874A
- Hillig, William B.** See Mehan, R. L.
- Hilligoss, David V.**
Decorating lehr energy efficiency. 59-01129A
- Hillyer, J. W.** See Pym, M. A. F.
- Hilsdorf, H. K.** See Naegele, E.
- Himsolt, G.** See Munz, Dietrich
- Hingsbergen, Joseph P.**
Principles and parameters of oxy-acid metal preparation. 59-02168A
- Hino, Mitsuo; Yamasaki, Tamotsu; and Kawamura, Takahiro**
Crushing refractory raw materials having high abrasiveness. 59-04403A
- Hino, Taro; and Yamashita, Ken**
Neutralization of mobile ions in the SiO_2 film of MOS structures. 59-00567A
- Hinsch, Jan**
Industrial microscopy. 59-01649A
- Hintenger, Heinrich** See Knab, Hans-Josef
- Hinton, Jonathan W.**
Production of ceramic articles. 59-02622P
- Hinz, Wilhelm** See Kolitsch, Andreas; Rauschenbach, Bernd
- Hinze, Jay W.**
Manufacturing glass with improved silicon carbide bushing operation. 59-03394P
- Hiraguchi, Katsuke** See Hagihara, Takeshi
- Hirahara, Hiroaki; Furumi, Koichi; and Kamimura, Yoichi**
Use of unburned magnesia-carbon brick in ladle slag line. 59-02498A
- Hirai, Masataka; and Matsuno, Koichiro**
Method and apparatus for cutting optical fibers. 59-04331P
- Hirai, Toshio; and Niihara, Koichi**
Hot hardness of SiC single crystal. 59-00857A
- Hirai, Toshio; Niihara, Koichi; and Goto, Takashi**
Oxidation of CVD Si_3N_4 at 1550 to 1650°C. 59-03986A
- Hiraiwa, Osamu; Nagashima, Matajiro; and Hoshino, Koel**
Gunning mixes for LD converter. 59-03533A
- Hirano, H.** See Fukuda, Tsuguo
- Hirano, Hideaki**
Prevention of scaffold formation on the side walls of a sintering furnace. 59-03559A
- Hirano, Hideaki; and Itoh, Hideo**
Application of castable for inductor refractory. 59-02409A
- Hirano, Shinichi** See Naka, Shigeharu; Somya, Shigeyuki
- Hirao, Kazuyuki; Soga, Naohiro; and Kunugi, Masanaga**
Low-temperature heat capacity and structure of alkali silicate glasses. 59-00212A
- Hirashima, Hiroshi** See Yoshida, Tetsuro
- Hirata, Hiroshi** See Hoshikawa, Keigo
- Hirakawa, Kichinosuke** See Oku, Masaki
- Hirose, Takemi** See Nameishi, Naoyuki
- Hirota, Eiichi; Hirota, Ken; and Satomi, Mitsuo**
Hot-pressed spinel ferrites with a cubic structure. 59-03870A
- Hirota, Ken** See Hirota, Eiichi
- Hirota, Shinichiro**
Glass for Faraday rotation elements. 59-01303P
- Hirsch, H.**
New crystal data for silver sulfide sulfate, $Ag_2S_2SO_4$. 59-03026A
- Hirsch, James A.** See Boos, Charles J.
- Hirth, J. P.** See Evans, A. G.
- Hiwatashi, Masaki** See Hamamoto, Shioichi
- Hladina, R.** See Kosek, F.
- Hlavay, Josef; Jonas, K.; and Elek, S.**
Characterization of the particle size and the crystallinity of certain minerals by infrared photometry and other instrumental methods: II. Investigations on quartz and feldspar. 59-01785A
- Hlozek, Milan**
Determination of open pore-size distribution by L. Zagar's method. 59-03176A

- Ho, Irving T.; and Riseman, Jacob**
Method for forming a narrow dimensioned mask opening on a silicon body utilizing reactive ion etching. 59-04625P; Method for forming diffusions having narrow dimensions utilizing reactive ion etching. 59-04626P
- Ho, Shih M.; and Gupta, Tapan K.**
Method for forming zinc oxide-containing ceramics by hot-pressing and annealing. 59-02716P
- Hogland, R. G.; and Embury, J. D.**
Treatment of inelastic deformation around a crack tip due to microcracking. 59-04035A
- Hochella, Michael F., Jr.; Brown, Gordon E., Jr.; and Ross, Fred K.**
High-temperature crystal chemistry of hydrous Mg- and Fe-cordierites. 59-01842A
- Hockey, Bernard J.** See Lawn, Brian R.; Wiederhorn, Sheldon M.
- Hockey, Bernard J.; and Rice, Roy W. (Editors)**
Science of Ceramic Machining and Surface Finishing II. (NBS Spec. Publ. (U.S.) No. 562.) 59-00972B
- Hoda, Syed N.**
Strengthened polychromatic glasses. 59-04379P
- Hodgson, E. R.; Delgado, A.; and Alvarez Rivas, J. L.**
F-center stabilization process in the first coloring stage of alkali halide crystals. 59-02979A
- Hoes, M. F. A.** See De Jong, J.
- Hoerker, W.; and Mueller-Buschbaum, Hk.**
Crystal structure of BaAl_2O_6 . 59-00807A
- Hofer, F. M.**
Development of a new hydraulic press. 59-01378A
- Hoffman, Alan R.**
Combustion man's guide: II, Electric pressure controller. 59-03262A
- Hoffman, J. G.**
Refractory oxides for fusion reactor first walls—the effects of the reducing environment. 59-03568A
- Hoffman, James I.** See Saylor, Charles Proffer
- Hoffman, Ulrich** See Garr, Hans
- Hoffmann, Hans**
Application of electroimmersion enamel deposition in several areas. 59-02127A; Contradiction between market trends and technology? 59-02137A; EP process—electro-dip enameling. 59-03234A
- Hoffmann, Hans; and Stalter, Thomas L.**
Electrodeposition—status and outlook. 59-02141A
- Hofmann, Douglas A.** See Christoph, Gary G.
- Hofmann, Otto R.; and Hilbig, Gerhard**
Thermal and radiation conductivity of molten glass. 59-01261A
- Hoffmann, Peter; and Pollits, C.**
Kinetics of the uranium dioxide-Zircaloy reactions at high temperatures. 59-04685A
- Hofmann, William E.; and Long, Alton W.**
Method for coating glassware. 59-04373P
- Hohmann, Charles M.** See Erickson, Thomas D.
- Hohnke, H.** See Gauckler, L. J.
- Hoke, J. H.** See Winger, L. A.
- Holcombe, Cressie E., Jr.**
Tentative SrF_2 - LaF_3 phase diagram. 59-01926A
- Holcombe, Cressie E., Jr.; Weber, Gary W.; and Kovach, Louis**
Materials behavior in hydrogen-fluorine environments. 59-00412A
- Holder, J. D.; Hartzell, R. A.; and Clark, G. W.**
Eutectics of LaCrO_3 and YCrO_3 with W, Mo, and Cr. 59-02977A
- Holcheuse, Stephen L.**
Process for removing fluorine compounds and sulfur dioxide from exhaust gases. 59-01694P
- Holleck, H.** See El-Shahat, M. F.
- Hollenberg, Glenn W.**
Thermally induced stresses and fractures in boron carbide pellets. 59-02752A
- Hollenberg, Glenn W.; Mastel, B.; and Basmajian, J. A.**
Effect of irradiation temperature on the growth of helium bubbles in boron carbide. 59-03761A
- Hollis, Joseph C.** See Forget, Lawrence E.
- Holloway, H.; and Walpole, James N.**
MBE (molecular beam epitaxy) techniques for IV-VI optoelectronic devices. 59-03303A
- Holloway, John R.** See Eggler, David H.
- Holloway, Paul H.**
Gold/chromium metallizations for electronic devices—manufacturing technology and behavior. 59-00559A
- Holmes, Michael; Newnham, Robert E.; and Cross, Leslie E.**
Grain-oriented ferroelectric ceramics. 59-00561A
- Holt, Jack W.** See Helman, Donald D.
- Holt, William H.** See Singh, Jag J.
- Holten, C. L. M.** See Smit, Willem
- Holtz, John W.**
Process for removal of alumina from aqueous alkali metal chromate solutions. 59-01722P
- Holub, K. J.** See Klemm, Waldemar A.
- Homeny, J.** See Darroudi, T.
- Homeny, J.; Darroudi, T.; and Bradt, R. C.**
J-integral measurements of the fracture of 50% alumina refractories. 59-02451A
- Hon, M. H.; and Davis, Robert F.**
Self-diffusion of ^{14}C in polycrystalline β -SiC. 59-00916A
- Honda, Toru** See Tanemura, Fumikazu
- Honeybourne, C. L.**
Interpretation of the room temperature ^{29}F -Moessbauer spectrum of gray high alumina cement. 59-04098A
- Hong, Chi-Ming; and Day, Delbert E.**
Thermally stimulated polarization and depolarization current (TSPC/TSDC) techniques for studying ion motion in glass. 59-00270A; Thermally stimulated polarization current technique for measuring the electrical conductivity of vitreous solids. 59-00708A
- Hong, J. D.; and Davis, Robert F.**
Self-diffusion of carbon-14 in high-purity and N-doped α -SiC single crystals. 59-05041A
- Hong, Soon-Hyung; Pyun, Se-Hi; and Kwon, Oh-Jong**
Effect of sintering conditions on microstructure and magnetic properties of Mn-Zn ferrite. 59-03677A
- Hongo, Yasso** See Nishida, Masahiro
- Honstvet, I. A.; Smallman, R. E.; and Marquis, P. M.**
Determination of the atomic displacement energy in cubic silicon carbide. 59-04914A
- Hood, Maxwell G.**
Reclamation of cement slurry. 59-03231P
- Hoover, H. L.** See Bartholomew, Roger F.
- Hope, B. B.** See Berry, E.
- Hopkins, G. R.**
Design with ceramics for fusion reactors. 59-04676A
- Hoppe, R.** See Koenig, H.
- Hoppe, Rudy** See Bryant, Nelson
- Hopstock, David M.**
Wet high-intensity magnetic beneficiation of oxidized taconites. 59-01716A
- Horak, Oldrich** See Temlik, Otakar
- Horik, Masakatsu** See Terai, Ryohei
- Horii, Tetsuo** See Yoneyama, Tetsuhito
- Horike, Yasuhiro** See Niwa, Kazuo
- Horioaka, Masakiyo; Sawada, Akikazu; and Abe, Ryuji**
Dielectric dispersion of K_2SeO_4 and Rb_2ZnCl_4 around incommensurate-commensurate transition points. 59-04916A
- Horuchi, S.; and Mitomo, Mamoru**
Crystal structure of $\text{Si}_3\text{N}_4\text{Y}_2\text{O}_3$ examined by a 1 MV high-resolution electron microscope. 59-01804A
- Horn, F. L.; Fillo, J. A.; and Powell, J. R.**
Performance of ceramic materials in high temperature steam and hydrogen. 59-03766A
- Horn, Hannes S.**
Method and apparatus for production of plate glass. 59-03401P
- Horn, W.** See Sugama, Toshifumi
- Horn, W. F.; and Hummel, Floyd A.**
Axial thermal expansion of cristobalite AlPO_4 and related cristobalite solid solution phases. 59-02922A; System BPO_3 - SiO_2 . 59-01922A
- Hornbogen, Erhard (Editor)**
Materials: Structure and Properties of Ceramics, Metals, Polymers, and Composite Materials. 2d ed. 59-00967B
- Hornemann, Ulrich** See Schneider, Hartmut
- Horodecki, A. J.** See Dogil, B.
- Horowitz, Janos; Kalmár, Z.; and Tamas, Ferenc**
Effect of plasticizing admixtures on the rheological properties and the hardening of concrete. 59-03183A
- Horsley, Anthony W.** See Chown, Martin
- Horle, Carl Heinz** See Wiegmann, Joachim
- Horton, M. Duane** See Pope, Bill J.
- Horwitz, E. Philip; and Delphin, Walter H.**
Method for recovering palladium and technetium values from nuclear fuel reprocessing waste solutions. 59-00650P
- Hoiska, Takuo** See Kamei, Shiro
- Hoiska, Takuo; Shirasahi, Kunihiko; and Nakano, Ziro**
Refractory composition for flow casting. 59-01448P
- Hosemann, Rolf; and Balta-Calleja, Francisco**
Microparacrystals—the world between crystalline and amorphous substances. 59-04993A
- Hoshikawa, Keigo; Kohda, Hiroki; and Hirata, Hiroshi**
Low oxygen content Czochralski silicon crystal growth. 59-04985A
- Hoshino, Koel** See Hiraiwa, Osamu
- Hoshino, Yoshiaki; Hata, Tokunaki; and Sakai, Masahiro**
Silica bricks and method for manufacturing silica bricks. 59-02558P
- Hosking, J. S.**
Ceramic bodies and their chemically sorbed water. 59-01462A
- Hoskins, Jerry W.** See Brown, John T.
- Hosoi, Eiji** See Kawamura, Junichi
- Hosoya, M.** See Arita, Minoru
- Hottovy, John D.; and Sylvester, Nicholas D.**
Drag coefficients for irregularly shaped particles. 59-00692A
- Houghton, LeRoy H.** See Podiak, Richard S.
- Houston, Douglas E.**
Thermal migration of fine lined cross-hatched patterns. 59-00633P
- Howard, Anthony James** See Birchall, James Derek
- Hower, P. L.** See Seim, F. A.
- Hower, P. L.; and Gupta, Tapan K.**
Barrier model for ZnO varistors. 59-04555A
- Howlett, S. P.** See Campos-Loriz, D.
- Howing, Wei-Yean; and Thorn, R. J.**
Investigation of the electronic structure of $\text{La}_{1-x}(\text{M}^{\text{II}})_x\text{CrO}_3$ [$\text{M} = \text{Mg}, \text{Sr}, \text{Ca}, \text{Ba}$] by X-ray photoelectron spectroscopy. 59-04976A
- Hoyt, Donald A.; and Fischer, Harold L.**
Bottle testing apparatus. 59-02312P
- Hrabe, Z.; and Jeseňák, V.**
Influence of furnace atmosphere on the reaction rate between CaSiO_3 and CaO . 59-04097A
- Hreglich, S.; Profilo, B.; and Verita, M.**
Electron microscopic study of the corrosion and coloration of the potassium glasses of the window of the church of Saints Giovanni and Paul in Venice. 59-02236A
- Hrovat, Milan; Huschka, Hans; and Spener, Gerhard**
Process for the production of coated fuel particles for high temperature reactors. 59-04699P
- Hryciak, Kenneth S.; Leonhardt, John H.; and Prentice, William J., Jr.**
Method and apparatus for electrically melting glass. 59-00332P
- Hseu, T. M.** See Laitinen, H. A.
- Hsieh, Henry S.-Y.**
Glass workability study and correlation of melting history, microstructure, apparent liquidus temperature, and mechanical strength. 59-01179A; Physical and thermodynamic aspects of the glassy state and intrinsic nonlinear behavior of creep and stress relaxation. 59-04237A
- Hsieh, Chung Kuo; and Su, K. C.**
Thermal radiative properties of glass from 0.32 to 206 μm . 59-03352A
- Hsu, F.** See Solomon, A. A.
- Hu, Her-fang; Mao, Shen; and Lin, Feng-ying**
Nd-doped lithium silicate laser glass. 59-03318A
- Huang, Zhen-kun; Lin, Ze-xiang; and Van, Dong-sheng**
Phase equilibrium relations and the crystal chemistry of the R_2O_3 - TiO_2 systems ($\text{R} = \text{La}, \text{Nd}, \text{Gd}, \text{Ho}, \text{Yb}$): I, Phase equilibrium relations. 59-03993A; Phase equilibrium relations and the crystal chemistry of the R_2O_3 - TiO_2 systems ($\text{R} = \text{La}, \text{Nd}, \text{Gd}, \text{Ho}, \text{Yb}$): II, Crystal chemistry. 59-03994A
- Huber, Werner** See Broemer, Heinz
- Hudd, Richard A.** See Keiser, John; Kesler, John
- Huet, Francois P.** See Drouzy, Michel L.
- Huesther, Werner; and Reppich, B.**
Order hardening of MgO by large precipitated volume fractions of spinel particles. 59-00886A
- Huettnier, W.** See Fritz, W.
- Huff, W. D.** See Martin, R.
- Huggins, Robert A.; Bube, Richard H.; and Vermilyen, David A. (Editors)**
Annual Review of Materials Science: Vol. 9. 59-00958B; Annual Review of Materials Science: Vol. 10. 1980. 59-05126B
- Hughan, R. R.** See Pascoe, R. T.
- Hughes, Ernest W.; Stalter, Thomas L.; and Moss, Richard I.**
Current government programs affecting the porcelain enameling industry. 59-00094A
- Hughes, George B.**
Observations on the porcelain enamel industry in Australia and New Zealand. 59-00108A
- Hughes, Ronald H.; and Morena, Robert**
Pitch bonded refractory. 59-02548P
- Hughto, Marge** See Clark, Garth
- Huiatt, Jerry L.** See Thompson, Philip
- Hujisawa, Takao** See Kobayashi, Masahiro
- Hummel, Floyd A.** See Horn, W. F.; Langensiepen, Jelenia Brun
- Hummel, Merritt J.; Lapoi, Vincent; and Cerutti, Richard L.**
Method of stain-decorating glass-ceramics. 59-03423P
- Hummer, Gerd**
Refractory technology with WIREX steel fibers. 59-02482A
- Humphrey, James S., Jr.** See Hall, Walter L.
- Hunderli, O.** See Granqvist, C. G.
- Hunt, R. A.; and McCartney, L. N.**
New approach to Weibull's statistical theory of brittle fracture. 59-00879A
- Hunter, Donald N.; and Wyatt, Lesley J.**
Casting and molding compositions. 59-03590P
- Hunter, Orville, Jr.** See Dole, S. L.; Scheidecker, R. W.
- Huntt, Robert L.**
Method of joining manganese zinc ferrite pole pieces. 59-01572P
- Huppman, W. J.** See Kozma, L.; Pejovnik, S.
- Hurle, D. T. J.** See Bardsley, W.
- Hurley, Donald C., Jr.**
Glaze-forming composition. 59-03656P
- Hurley, George F.; and Bunch, James M.**
Swelling and thermal diffusivity changes in neutron-irradiated ceramics. 59-01610A
- Hurst, George T.** See Absolon, Victor J.
- Huschka, Hans** See Hrovat, Milan
- Huseby, Irvin C.; Klug, Frederic J.; and McConnell, Malcolm D.**
Chemical incompatibility of nitrides for directionally solidifying Ni-base eutectic alloys. 59-01786A
- Hussain, Fazal** See Safdar, M.
- Hwang, In-Churl** See Lee, Moon-Ho
- Hyman, Sylvia**
England's Eileen Lewenstein [ceramist]. 59-02034A
- Hyne, Thomas V.** See McCauley, James W.
- Iannone, E.** See Mascolo, Giuseppe
- Iberr, James A.** See Scaringe, Raymond P.
- Ibrahim, E. M. H.** See Hanna, S. B.
- Ichikawa, Kenji** See Kyoden, Hiroshi
- Ichiko, Tadatoshi**
Effects of alumina addition on mechanical and thermal properties of bone china bodies. 59-03639A
- Ichimura, Takeo** See Ishibashi, Kazufumi
- Ichmura, Iwao; Fujiwara, Teichi; and Okamoto, Takeshi**
Refractories for refuse incinerator. 59-03566A
- Iemura, Iwao; Toda, Masumi; and Nishihara, Ken**
Investigation of breakage and improved toughness in refractory brick. 59-03544A

- Iga, Atsushi**
Drift phenomena of capacitance and current in nonohmic ZnO ceramics. 59-04558A
- Iga, Kenichi** See Kokubun, Yasuo; Yamamoto, Noboru
Igarashi, Hiideji See Nagata, Kunihiko; Nakamura, Yoshikazu
Iganee, S. A. See Vitina, I.
Igithanyan, Yu. G. See Fronkin, A. A.
Ignat'ev, E. P.; and Krivosheva, A. K.
Paste for metallizing ceramics. 59-01581P
Ignat'ev, E. G. See Stepanov, S. A.
Ignat'ev, I. S. See Lazarev, A. N.
Ihig, H. See Haanstra, H. B.
Il, Nobuo See Kitamura, Kenji; Shindo, Isamu
Il, Nobuo; and Shindo, Isamu
Single crystal growth of akermanite ($\text{Ca}_2\text{MgSi}_2\text{O}_7$) and gehlenite ($\text{Ca}_2\text{Al}_2\text{Si}_2\text{O}_7$) by the floating zone method. 59-05045A
- Iimura, M.** See Hasegawa, Yasutoshi
Iimura, Tsutomu See Shinohara, Tadashi
Iimura, Tsutomu; Murakami, Shiro; and Shinohara, Tadashi
Hot-isostatically-pressed high-density ferrites. II. 59-03869A
Iijiri, Atsuhisa See Matsumura, Isao
Iwai, Kazuhito See Moriya, Yoshiro
Ikawa, Hiroyuki See Shin, Shigemitsu
Ikawa, Katsunichi See Fukuda, Kouzoku; Ogawa, T.
Ikeda, Katsuo See Kuroda, Tatsuo
Ikeda, Masaochi; Hayakawa, T.; and Yamaguchi, S.
Fabrication of 6H-SiC light-emitting diodes by a rotation dipping technique—electroluminescence mechanisms. 59-04562A
Ikeda, Masakazu See Ochiai, Tsunemi
Ikeda, Nana Tanaka; and Ferreira, Walter
Stresses in wall tiles. 59-04535A
Ikeda, T. See Ohta, N.
Ikeda, Takuro See Kudo, Seishi
Ikeda, Yoneichi See Sasaki, Yutaka
Ikegami, Akira; Tsunaki, Hiromi; and Yamada, Jun
Thermistor composition and thick film thermistor. 59-00634P
Ikenaga, Toshio; and Chisaki, Tatsuo
Top-shaped line kiln. 59-04150P
Iler, Ralph K. (Editor)
Chemistry of Silica—Solubility, Polymerization, Colloid and Surface Properties, and Biochemistry. 59-05129B
Ivovich, A. P. (Editor)
Machines and Equipment for Plants Manufacturing Ceramics and Refractories (Mashiny i Oborudovanie dlya Zavodov po Proizvodstvu Keramiki i Ogneuporov). 2d ed. 59-04048B
Ilin, A. A. See Gurovich, E. A.
Ilin, A. A.; Anstrop'ev, K. K.; and Fronkin, A. A.
Glass with anion conductivity with respect to bromine. 59-01314P
Iizarov, L. M. See Dembovskii, S. A.
Ilk, Emil
Working method for the automatic bursting-off and grinding the edges of glasses, and automatic machine for carrying out such method. 59-03457P
Ilyasov, I. I. See Volkchanskaya, V. V.
Ilyasov, I. I.; Iskandarov, K. I.; and Barsegov, D. G.
Volume properties of salt systems consisting of the halogenides of mono- and divalent metals. 59-05115A
Ilyushchenko, L. S. See Kostomarov, V. S.
Im, Ho-Bin
Effects of flux on the microstructure and memory core characteristics of lithium ferrites. 59-03679A; Temperature stable, low ringing noise memory cores. 59-00577A
Imakuma, K. See Tomasi, Roberto
Imber, Vaughn R.
Method of impressing an accent line in bent glass sheets with a heated tube. 59-04351P
Imada, Masanori
Formation mechanism of nonohmic zinc oxide ceramics. 59-03962A
Imamura, Takahiro See Suzuki, Minoru
Indicato, Bernard A.; Books, William C.; and Snyder, Joseph E.
Refractory gunning composition. 59-01449P
Indrea, E. See Ardelean, Ioan
Ingersoll, Clyde E.; and Agarwal, Dwarika P.
Ceramic substrate alloy. 59-04539P
Ingle, William M. See Goetz, Carl
Ingram, Malcolm D.
Conduction and dielectric loss mechanisms in β -alumina and glass—a discussion based on the paired interstitial model. 59-02214A
Iniguez, Adrian Mario; and Zalba, Patricia E.
Quantitative XRD analysis of quartz in clays from Buenos Aires province. 59-03804A
Iniguez, J. See Rivas, J.
Inomata, Yoshiko See Inoue, Zenzaburo
Inomata, Yoshiko; Ono, Akira; and Hasegawa, Yasutoshi
Composition of multilite-like compound appearing in a Si-Al-O-N system. 59-04800A
Inoue, Koze; Goto, Junjiro; and Kawabata, Yoshio
Optical transmission line glass and its method of manufacture. 59-03432P
Inoue, Makoto
Method for manufacturing an oxide of semiconductor. 59-02718P
Inoue, Masaru See Hashimoto, Mitsuo
Inoue, Morio; Itoh, Kanio; and Asahi, Kunihiko
Method for growing semiconductor crystal. 59-03729P
Inoue, Norihito See Hara, Naomichi
Inoue, Yukihiko
Installation of a semiconductor chip on a glass substrate. 59-03721P
Inoue, Zenzaburo; Inomata, Yoshiko; and Tanaka, Hidehiko
New phase of aluminum silicon carbide, Al_2SiC_3 . 59-01874A; X-ray crystallographic data on aluminum silicon carbide, $\alpha\text{-Al}_2\text{SiC}_3$, and Al_2SiC_3 . 59-05116A
Inooye, Naomitsu See Funabiki, Kyohei
Inrater, Joseph; and Gorman, Ralph
Apparatus for vapor deposition of materials. 59-03707P
Invernizzi, Renzo See Ligorati, Ferdinando
Ioffe, R. S. See Bogdanova, G. S.
Ioffe, T. Ya. See Karyuk, A. A.
Ioffe, V. Ya.; Ushakov, D. F.; and Kovner, M. I.
Enamel [with increased alkali resistance, luster, and spreadability]. 59-02188P
Ionashiro, M.; and Giolito, I.
Nomenclature, standards, and presentation of results of thermal analysis. 59-04731A
Iordanov, V. Ya. See Zagural'nik, M. T.
Ipatov, V. V. See Fedorov, N. F.
Ipri, Alfred C.; and Scott, Joseph H., Jr.
Method for making silicon on sapphire transistor utilizing predeposition of leads. 59-01569P
Irene, E. A. See Young, D. R.
Irakhsodzhayeva, A. P.; Tairova, M. Kh.; and Azimov, I.
Frit for a glaze. 59-01489P
Irshinski, A. L.; Orzhogin, V. I.; and Cherepanov, V. M.
Critical behavior of Fe borate and Fe-Y garnet. 59-02934A
Irves, John See Sterling, Henry F.
Irves, John; and Harrison, Andrew P.
Method of manufacturing optical fiber preforms. 59-00345P
Isacs, Thelma J.; and Gottlieb, Milton
Thin film As_2S_3 optical waveguide. 59-02382P
Isbaev, S. M.; Kasenov, B. K.; and Kozorin, L. G.
System $\text{As}_2\text{O}_3\text{-Cs}_2\text{O(Cs}_2\text{CO}_3)$. 59-05068A
Isaev, N. N. See Bresler, S. N.
Isakov, G. I. See Aliev, M. I.
Isakova, L. A. See Butylina, E. S.
Iseki, Takayoshi; Arakawa, K.; and Suzuki, Hiroshige
Joining of dense silicon carbide by hot-pressing. 59-04981A
Ishenhour, Charles T.
Influence of die design on the quality of extrudate. 59-00384A; Sawdust addition to a shale body. 59-00393A
Ishchuk, V. M.; Morozov, E. M.; and Klimov, V. V.
New phase transition in lead zirconate titanate. 59-00881A
Ishibashi, Kazufumi; and Ichimura, Takeo
Optical glass. 59-03431P; 59-01343P
Ishibashi, Taneko See Nameishi, Naoyuki
Ishida, Fumihiko See Ohta, N.; Ota, Norio
Ishida, Koji See Suganuma, Tsunoe
Ishihara, Yutaka See Uwanino, Yoshinori
Ishii, Eiichi; Nakane, Masanori; and Ishikawa, Hiroshi
Method for manufacture of indium oxide(III) film. 59-04629P
Ishii, Hideo See Takenaka, Susumu
Ishii, Tadao See Furuichi, Ryusaburo
Ishii, Takeshi See Nakamura, Kiyoshi
Ishii, Tamotsu See Yamaguchi, Tetsuro
Ishikawa, H.; Shinkai, Norihiko; and Sakata, H.
Strength of glass with vacuum deposited metal films: Cr, Al, Au, and Ag. 59-02287A
Ishikawa, Hiroshi See Ishii, Eiichi
Ishikawa, Masaru; Watanabe, Takeshi; and Takita, Masaaki
Method for drawing forming glass fibers. 59-03403P
Ishikawa, Shinzo See Shono, Hiroaki
Ishikura, Y. See Shinzaki, Kazuo
Ishizaka, Masatoshi See Wakabayashi, Kazutoshi
Ishizawa, Kenji See Danjo, Hiroyuki; Kimura, Morihiro
Ishizuka, Masatoshi See Soma, Shigeyuki
Iskandarov, K. I. See Ilyasov, I. I.; Litvinov, Yu. G.
Ismailov, R. M. See Ismailzade, I. H.
Ismailzade, I. H.; Aliev, I. M.; and Ismailov, R. M.
Ferroelectricity in Bi_2MoO_6 . 59-04563A
Ismatov, A. A.; Azimov, Sh. Yu.; and Yunusov, M. Yu.
Glass [with decreased melting temperature]. 59-02325P; Glass exhibiting electronic conductivity. 59-01300P
Ismatov, A. A.; and Fazybekov, A. I.
Electrovacuum glass. 59-00295P
Isomura, Masanori See Maeda, Yoshiyuki
Itaba, Takeshi See Fujiwara, Yoshio
Ito, A.; Endo, S.; and Browne, Roy W.
Fusion-cast zirconia refractories for use with problem glasses. 59-03532A
Ito, Eiichi; and Matsui, Yoshito
High-pressure transformations in silicates, germanates, and titanates with ABO_3 stoichiometry. 59-01840A
Ito, Seturo; Kokubo, Tadashi; and Tashiro, Megumi
Formation of stable $\gamma\text{-6Bi}_2\text{O}_3\text{-SiO}_2$ crystal from its supercooled melt and metastable crystal induced by their surface contamination. 59-02873A
Ito, Shigeru See Yoneda, Noboru
Ito, Suketoshi; Banno, Shiro; and Suzuki, Kazutaka
Solid solubilities in alkaline-earth metal aluminates. 59-04826A
Ito, Yoshio See Noda, Juichi
Ito, Yukio; Takeuchi, Hiroshi; and Jyomura, Shigeru
Temperature-compensated PBTIO, ceramics for surface acoustic wave applications. 59-01536A
Itoh, Hideo See Hirano, Hideaki
Itoh, Katsuhiko See Sugawara, Katsuro
Itoh, Kanio See Inoue, Morio
Itsenko, A. I.; Dubovik, T. V.; and Slepsov, V. M.
Charge for manufacturing electrical-insulating refractory material. 59-00442P; Charge for manufacturing refractory material. 59-01422P
Itsenko, A. I.; Slepsov, V. M.; and Dubovik, T. V.
Charge for the manufacture of a heat-insulating material. 59-04468P; Charge for the preparation of heat-insulating material based on SiC. 59-01423P
Itskovich, E. S. See Vol'skii, E. P.
Itskov, Theodore
Turbine rotor assembly of ceramic blades to metallic disk. 59-04875P
Ivanov, A. B.; Krasulin, Yu. L.; and Ivanov, D. A.
 ZrO_2 -stabilized composition for manufacturing porous ceramic material. 59-02565P
Ivanov, A. V. See Milyukov, E. M.
Ivanov, D. A. See Ivanov, A. B.
Ivanov, S. A.; Ranaev, N. V.; and Shchedrin, B. M.
Crystal structure of antiferroelectric compound PbGeO_3 . 59-02943A
Ivanov, S. N. See Akhmetov, S. F.
Ivanov, V. A. See Bednosheva, Y. Ya.; Murav'eva, K. K.
Ivanova, E. V. See Strelou, K. K.
Ivanova, E. A.
Copper ruby glass. 59-00288P
Ivanova, M. P. See Kusova, L. V.
Ivanova, R. P. See Kiselev, A. V.
Ivanova, T. A. See Abdrakhmanov, R. S.
Ivanova, Ts.; Khadzheva, M.; and Tomova, El.
Effect of industrial parameters on the manufacture of vacuum-tight metal-ceramic solders. 59-03676A
Ivanova, V. M. See Novikova, M. N.
Ivascan, Natalia See Rosca, Ioan
Ivashchenko, P. A.; Kashkaev, I. S.; and Khrenov, N. A.
Charge for facing ceramics. 59-02403P
Ivashchenko, P. A.; Kroichuk, L. A.; and Khrenov, N. A.
Synthetic wollastonite. 59-01724P
Ivashchenko, P. A.; Varlamov, V. P.; and Khrenov, N. A.
Charge for the synthesis of wollastonite. 59-02517P
Ivleva, L. I. See Vaivads, P.
Ivniakaya, R. B. See Safonov, V. V.
Ivon, A. I. See Avdeenko, B. K.
Iwado, H. See Yoshino, Shigeo
Iwai, Shinichi See Akao, Masaru; Okada, Kiyoshi
Iwai, Shinichi; Watanabe, Takashi; and Minato, Ichiro
Decomposition of multilite by silica volatilization. 59-01809A
Iwai, Shinji See Hattori, Kenichi
Iwami, Isamu See Yoshino, Akira
Iwami, Yoshiyuki See Hara, Sadao
Iwamoto, Kazumi See Fukuda, Kouzoku; Ogawa, T.
Iwamoto, Nobuyuki; and Makino, Yukio
Determination of ionic distributions of three sorts of oxygens in a few binary silicate glasses from molar refractivity. 59-04174A
Iwasa, Uichi; Kokumai, Hiroyuki; and Tani, Mitoshi
Multitaperation of ultrahigh temperature tunnel kiln. 59-03554A
Iwata, Toshihiko See Furumi, Koichi
Izawa, Tatsuo See Mori, Hidefumi
Izhorin, M. N. See Serebrennikov, S. S.
Izhvanova, E. M. See Manevich, V. E.
Izidinov, S. O.; Blokhina, A. P.; and Fedotova, V. I.
Chemical purification of polished silicon plates. 59-03667A
Izquierdo, Georgina; and West, Anthony R.
Compatibility relations in the system $\text{Li}_2\text{O-MgO-Al}_2\text{O}_3$. 59-01794A; Subsolidus equilibria in the system $\text{Li}_2\text{O-Al}_2\text{O}_3\text{-Cr}_2\text{O}_3$. 59-01918A
Jackovitz, John F.; and Pantier, Earl A.
Catalyses of uranium oxidation. 59-03838P
Jackson, B. G. See Andrews, J. M.
Jackson, R. Tom See Stowell, Donald E.
Jacob, Hermann
Method for purifying particulate mold material. 59-04485P
Jacob, Siegfried; and Thiele, Hartwig
New heating system for conventional glass-tire tunnel kilns: I. Fundamental conception. 59-01681A
Jacobsen, Gunnar; and Hansen, J. J. Ramskov
Propagation constants and group delays of guided modes in graded-index fibers—a comparison of three theories. 59-00242A
Jacobus, N. See Gedcke, D. A.
Jahn, Juergen See Clausen, Nils
Jahn, Walter
Glass for the production of optical elements with refractive index gradients. 59-02330P
Jahn, Walter; and Schumann, Werner
Glass for radio-photoluminescence dosimetry. 59-04305P
Jain, A. K. See Agnihotri, O. P.
Jakus, Karl See Ritter, John E., Jr.
Jakus, Karl; Service, T.; and Ritter, John E., Jr.
High-temperature fatigue behavior of polycrystalline alumina. 59-01843A
Jalbert, Henry A.
Ceramic base and cap useful in firing ceramic shell molds. 59-02504P
Jameson, J. C. See Rimai, D. S.
Jancarek, Josef
Present status in production and application of agloporite. 59-02104A
Jancic, S. J. See De Jong, Esso J.
Janes, Sigmund; Braun, Manfred; and Majdic, Aleksander
Alteration of refractory concrete properties by fiber reinforcement. 59-03491A

- Jang, S. J.** See Nomura, S.; Schulze, Walter A.
- Jani, V. A.; and Ghare, D. B.**
Effect of Fe, Cu, and S ion impurities on the electrical conductivity of antimony-doped tin oxide thin films. 59-02637A
- Jankowski, Paul E.; and Ribbed, Subhash H.**
Synthesis and characterization of an Si-Na-B-O-N glass. 59-02293A
- Janochko, Philip B.** See Lee, Richard Joel
- Jansen, Martin**
Crystal structure of As_2O_3 , a new type of framework structure. 59-00806A; See also Koenig, H.
- Jansone, G.** See Grigeliene, I.
- Jantzen, Carol M. F.; Schelten, J.; and Herman, Herbert**
Phase decomposition in Al_2O_3 - SiO_2 glasses. 59-03041A
- Japenga, R. J.**
Bringing the glass container industry under control. 59-03256A
- Jaroslunas, K.** See Vaitkus, J.
- Jarcho, Michael**
Process for producing polycrystalline ceramic oxides. 59-04794P; See also Thomas, Mathew B.
- Jarcho, Michael; and Salisbury, Ronald L.**
Whitlockite ceramic. 59-03665P
- Jason, Andrew J.** See De Smet, Donald J.
- Jaunarajs, Karlis L.**
Alkali resistant glass [fiber] article and method of preparation. 59-03357P
- Jawed, Inam** See Klemm, Waldemar A.; Menetrier, D.
- Jawed, Inam; Klemm, Waldemar A.; and Skalny, Jan**
Hydration of cement-lignosulfonate-alkali carbonate system. 59-00500A
- Jeffers, P. E.**
Assembly line system builds custom brick panels. 59-00379A; Audit confirms clay pipe is an energy bargain. 59-04386A; Automation aids flue liner production. 59-00380A; Biomass fuel—a new source of energy for ceramics. 59-03463A; Clay roof tile today—the resurgence of a needed industry. 59-01362A; Coal firing cuts costs, increases production. 59-03467A; Coal kiln at Kingsport—latest in General Shale's continuing progress with solid fuel. 59-04387A; Continuing a tradition of quality clay roof tile. 59-01363A; Country's largest tunnel kiln converted to sawdust firing. 59-03468A; Dry press equipment designed for market needs. 59-01364A; Hocking Technical College trains technicians for the ceramic industries. 59-01937A; How refractories manufacturers view the dry press operation. 59-01389A; How refractories shape up for the '80's. 59-04421A; Ionizing wet scrubber keeps Globe Refractories in compliance. 59-03545A; King size plant for king size production. 59-01367A; New Watsontown [Pa.] Brick plant—compact, efficient, flexible. 59-00387A; Pine Hall chooses sawdust. 59-03474A; Prefabricated tunnel kiln provides uniform firing system at split tile plant. 59-03476A; Refractory power! The dry press operation. 59-01401A; Super minerals for unique refractory products. 59-00427A; Tree harvesting—the first step in fuel independence. 59-03482A; View of the brick industry: Europe and USA. 59-00395A
- Jefferson, David A.; and Thomas, John Meuring**
High resolution electron microscopic and X-ray studies of nonrandom disorder in an unusual layered silicate (chloritoid). 59-02989A
- Jeffery, J. W.** See Sarkar, S. L.; Vincent, M. G.
- Jeger, Miroslav**
New line for production of asbestos-cement roofing sheets and slabs in the Berounske Eternitve Zavody Works. 59-02393A
- Jelli, A.** See Charlier, H.
- Jenkins, David** See Bajwa, Iqbal
- Jenkins, Renaldo V.**
Thermoprocure for hot, oxidizing environments. 59-00709A
- Jennings, H. M.; and Pratt, P. L.**
Use of a high voltage electron microscope and gas reaction cell for the microstructural investigation of wet portland cement. 59-01056A
- Jensen, A. Damgaard** See Gudmundsson, Halldor
- Jensen, Harry** See Drostholm, Frede H.
- Jensen, Johannes**
Solid state ionic conductors for electrochemical energy storage and energy conversion systems—a new Danish research program. 59-04591A
- Jensen, Leif M.** See Mogensen, Gurli
- Jensen, Ole Jorgen** See Graaback, Anne Margrethe
- Jentschura, G.** See Heimke, Guenther
- Jeon, Seung-Beom; and Pyun, Su-Il**
Preparation and characterization of stabilized ZrO_2 by wet chemical methods. 59-04000A
- Jepps, N. W.; and Page, T. F.**
Observations [9R-HREM] of a new silicon carbide polypolytype. 59-01877A
- Jepps, N. W.; Smith, David J.; and Page, T. F.**
Direct identification of stacking sequences in silicon carbide polypolytypes by high-resolution electron microscopy. 59-02963A
- Jepson, Stanley R.** See Chan, Edwin T.
- Jespar, Walter B.** See Bidwell, J. I.
- Jeschar, R.** See Gardeik, H. O.
- Jesnak, V.** See Hrabec, Z.
- Jha, Jai Shrankar**
Infrared spectroscopic studies of some clays of Nepal. 59-02995A
- Ji, Chung-Sik** See Choi, Sang-Heul
- Jiang, C. S.** See Ko, Y. C.
- Jiang, Ling-zhang** See Chen, Xian-qiu
- Jobstabilizer, G.**
Glass sands—their origin, nature, and characterization of deposits, and analytical methods. 59-02251A
- Jocleur, Robert** See Le Davay, Louis
- Joger, Albrecht**
Production of synthetic ceramic materials using wet chemical processes. 59-01745A
- Johannsson, L.** See Stoehr, J.
- Johansen, Vagn** See Petersen, I. F.
- Johansson, Lars-Gunnar** See Lakatos, Tibor
- Johansson, Lars-Gunnar; and Ljungstrom, Evert**
Structure of a monoclinic phase of iron(II) sulfite trihydrate. 59-03086A
- John, Clarence D., Jr.**
Fluid pressure method for recovering fuel pellets from nuclear fuel elements. 59-01615P; Method of assuring nuclear fuel rod pressurization during manufacture. 59-02755P
- Johns, Herbert L.** See Davis, Allen D., Jr.
- Johnson, Barry C.; and Pelliccia, Vincent J.**
Low cost assembly processes for nonlinear resistors and ceramic capacitors. 59-03722P; Low temperature and low cost assembly process for nonlinear resistors. 59-03723P
- Johnson, Carl Edgar** See Fee, Darrell C.
- Johnson, D. Lynn; and Rizzo, Ronald A.**
Plasma sintering of β' -alumina. 59-01742A
- Johnson, David R.**
Preparation of U_3O_8 . 59-04698P
- Johnson, David W., Jr.** See Blann, Patricia; Harvey, Joann Waldman
- Johnson, David W., Jr.; Granstaff, Shelle M., Jr.; and Rhodes, Warren W.**
Preparation of β' - Al_2O_3 pressing powders by spray drying. 59-00570A
- Johnson, Edward E.**
Status of the mineral industries. 59-01712A
- Johnson, G. G., Jr.** See Visser, J. W.
- Johnson, Irving** See Shearer, John A.
- Johnson, J. Stewart**
Louis Comfort Tiffany and his glass. 59-01007A
- Johnson, Joseph E.; Ostap, John A.; and Moore, David L.**
Glass sealed diode. 59-00598P
- Johnson, N. M.** See Helms, C. R.
- Johnson, P. M.; and Hendry, A.**
Microstructure of hot-pressed sialon polytypes. 59-00873A
- Johnson, Theodore W.** See Church, Thomas A.
- Johnston, Wilbur D., Jr.**
Ohmic contact of n -GaAs to electrical conductive substrates by controlled growth of n -GaAs polycrystalline layers. 59-04643P
- Jolly, D. C.; and Chu, S. T.**
Surface electrical breakdown of tin oxide coated glass. 59-01255A
- Jonas, K.** See Hlavay, Jozsef
- Jones, David L.** See Fontanella, John
- Jones, Henry M.** See Kerr, John M.
- Jones, Ken** See Bansal, Ben
- Jones, Robert E.**
Brick handling and forming voids in layers of bricks. 59-02402P
- Jones, Robin L.; and Rowcliffe, David J.**
Tensile-strength distributions for silicon nitride and silicon carbide ceramics. 59-00778A; Use of notched bend beams to measure the toughness of ceramics. 59-00710A
- Jong, Bing W.**
Formation of silicon carbide from silica residues and carbon. 59-00734A; Process for producing a metastable precursor powder and for producing sialon from this powder. 59-02908P
- Jooss, I.** See Kemmler-Sack, S.
- Jordaen, Jan J.** See Gilloitt, Jack E.
- Joseph, Werner**
Cermet in the enameling industry—new coating methods. 59-02131A; Interior enameling of hot water heaters. 59-03238A; Solar collectors. 59-02174A
- Joshi, Shridhar B.**
Method of making a cellular body from a high silica borosilicate composition. 59-03418P
- Joshi, V. C.** See Prasad, K.; Tripathi, U. C.
- Joshi, Y. P.; and Singh, Durga P.**
Thermal conductivity of yttrium iron garnet at low temperatures. 59-04029A
- Jost, Karlheinz** See Ziemer, Burkhard
- Josten, Walter** See Dietrich, Werner
- Joudrey, James W.**
Use of hectorite clays as rheological additives. 59-01483A
- Joukoff, B.; Grimoille, G.; and Leroux, G.**
Crystal growth and crystallographic data of some $Ln_2(MoO_4)_3$ -type mixed rare-earth molybdates. 59-04905A
- Joyner, David J.; and Hercules, David M.**
Chemical bonding and electronic structure of B_2O_3 , H_2BO_3 , and BN—an ESCA, Auger, SIMS, and SXS study. 59-04891A
- Judeinstein, Andre J.**
Fiber optic connector. 59-01555P
- Juhaz, E.** See Balint, Pal
- Juhaz, Mrs. Zoltan** See Balint, Pal
- Juhaz, Zoltan; and Varju, Gyula**
Process for preparing hydraulic binding materials of high bonding capacity from glassy pyrogenic rocks. 59-03228P
- Juneja, J. M.** See Menon, P. R.
- Jung, Hermann**
Ceramics in the fishing net. 59-02027A; Rhein stoneware—"finds." 59-04078A
- Jung, Lothar**
Method for the manufacture of hollow fused quartz or fused silica ingots. 59-04345P
- Justice, Ben** See Gulati, Suresh T.
- Justice, Ben; Runyan, Martin A.; and La Fever, Russell L.**
Aging effects in optical fibers. 59-00137A
- Justus, Volker** See Reynen, Piet
- Jutsen, J.** See Bowrey, R. G.
- Juvinal, J. W.**
Method and apparatus of cavity identification of mold of iron. 59-02348P
- Jyomura, Shigeru** See Ito, Yukio
- Kabakova, I. I.** See Degtyareva, E. V.
- Kabanov, V. S.** See Suvorov, S. A.
- Kabanov, Yu. P.** See Gendele, S. Sh.
- Kachanova, G. A.** See Abrosimova, G. D.
- Kaciulis, S.; Parsellunas, J.; and Ponkus, A. S.**
Effect of the redistribution of electrons on the electrical conductivity of graded-gap crystals [of Al-Ga-As]. 59-02232A
- Kade, Vladimir** See Baburek, Jiri
- Kadik, A. A.** See Egler, David H.
- Kadomtseva, A. M.** See Belov, K. P.
- Kaelble, D. H.; and Dynes, F. J.**
Preventative nondestructive evaluation (PNDE) of graphite-epoxy composites. 59-04821A
- Kagami, Akiyazu** See Hase, Takashi
- Kagan, D. N.** See Barkhatov, L. S.; Shpil'rain, E. E.
- Kaganowicz, Grzegorz**
Method of depositing a silicon oxide layer. 59-01570P
- Kahn, A.** See Querton, M.
- Kahn, B. Kh.; and Bykov, I. I. (Editors)**
Scientific and Technical Progress Made in the Production of Stone-Cast Wares (Nauchno-Tekhnicheski Progress v Kamneitseinom Proizvodstve). 59-00537B
- Kainarskii, I. S.** See Shubin, V. I.
- Kaisersberger, E.** See Emmerich, W.-D.
- Kaishewa, L. I.; Kozhushko, G. M.; and Nikonenko, V. A.**
Etching solution for quartz glass. 59-02315P
- Kaji, Akiyazu** See Yamaguchi, Osamu
- Kajima, Hisashi** See Asada, Chiaki
- Kajitani, Ban**
Nerage and nerikomi techniques. 59-01012A
- Kakhan, B. G.** See Shaplygin, I. S.
- Kalbitzer, Siegfried; Mueller, Gerhard; and Speer, Walter E.**
Method of doping a body of amorphous semiconductor material by ion implantation. 59-01571P
- Kaldis, Emanuel (Editor)**
Current Topics in Materials Science: Vol. 3. 59-01953B; Current Topics in Materials Science: Vol. 4. 59-05131B
- Kale, H. V.**
Binders used in ceramic industry. 59-02570A
- Kaleganov, B. A.**
X-ray method of determining the specific surface of a small amount of powder. 59-00713A
- Kalinin, Yu. K.; and Degtyareva, E. V.**
Monitoring the phase composition and structure of Fe-containing stone-casting and glass-ceramic materials. 59-01341P
- Kalinina, A. M.; Tugucheva, I. Ya.; and Filipovich, V. N.**
Relation of liquation and crystallization processes in the glass phase of a zirconium glaze. 59-01479A
- Kalinnikov, V. T.** See Agamirova, L. M.; Babitsyna, A. A.; Shabunina, G. G.
- Kalinovskii, V. E.; Levina, V. S.; and Labutina, L. V.**
Glass with a high chemical resistance. 59-01313P
- Kalinovskii, V. V.** See Koshlyak, L. L.
- Kalinskii, Jerzy**
Some problems in measurement of moisture with microwaves in industry. 59-00707A
- Kallenborn, John**
Method of cutting of glass strand and product produced thereby. 59-00340P
- Kalmar, Z.** See Horovitz, Janos
- Kalmykova, L. P.** See Bushueva, I. M.
- Kamada, T.** See Fukui, Kiyoshi
- Kamadeva, N. N.** See Evseev, P. A.
- Kamat, M. P.** See Hasselman, D. P. H.; Satyamurthy, K.
- Kamath, G. Sanjiv; and Anderson, Carl L.**
GaAs-GaAlAs solar cells. 59-00597P
- Kamei, Shiro** See Granitzki, Karl-Ernst
- Kamei, Shiro; Hosaka, Takao; and Takahashi, Kazuhiko**
Aging of ramming materials. 59-02406A
- Kamel, Tunesaki** See Matsunaga, Takehiko
- Kaminaga, Yoichi** See Hirahara, Hiroaki
- Kaminov, Ivan P.** See Glass, A. M.
- Kaminskaya, N. D.** See Borgan, V. A.
- Kaminskaya, N. L.; Nevskaya, L. V.; and Lazareva, P. P.**
Red glass. 59-00368P
- Kaminskaya, V. S.** See Khodskii, L. G.
- Kamiyama, Kouzi**
Fluoride and phosphate containing optical glass. 59-04293P
- Kamysnikov, V. V.** See Zaidat, G. I.
- Kan, Fu-hsi [Gao, Fu-xi]; Lin, Feng-yang; and Kao, Wen-yin**
Measurement and calculation of elastic properties of inorganic glasses. 59-03306A
- Kanaev, V. K.**
Increasing production of structural ceramic wares. 59-03470A

- Kanamaru, Fumikazu**
Properties of inorganic-organic complexes and their conversion to inorganic materials. 59-04435A
- Kanamoto, Shozo** See Nishida, Shinji
- Kanamoto, Masaru** See Matsushima, Yoshiaki
- Kanamoto, Terutoshi** See Shibata, Shuichi
- Kanamoto, Terutoshi; Shibata, Shuichi; and Mitachi, Seiko**
Preparation and properties of PbF₂-AlF₃ glass. 59-04241A
- Kanazawa, Takafumi** See Nagai, Masayuki; Umegaki, Takao
- Kanbayashi, Masao** See Fujimoto, Shoichiro
- Kandamrova, G. S.** See Vas'kovskii, V. O.
- Kandil, Hamdy** See Hassan, Farukhoda
- Kaneda, T.** See Bates, John B.
- Kaneda, T.; Bates, John B.; and Wang, J. C.**
Effect of water on the ionic conductivity of sodium beta alumina. 59-00836A
- Kanehori, Keiichi** See Yoshida, Kazutsu
- Kaseno, Masayuki** See Oda, Isao
- Kaseno, Masayuki; Oda, Isao; and Yamamoto, Noboru**
Transparent polycrystalline alumina and high pressure vapor discharge lamp. 59-02385P
- Kasner, A. S.** See Vorontsov, A. M.
- Kang, Eun-Tae** See Park, Yong-Wan
- Kang, Sang-Won; and Chon, Sung-Seon**
Kinetics of Si₃N₄ formation from Korean rice hulls. 59-03975A
- Kangro, A.; Tolstol, M. N.; and Vitol, I. K.**
Tunnel luminescence in super-high-purity silicate glasses. 59-01265A
- Kannenbergh, Bob G.** See Anderson, Robert W.
- Kantro, Donald J.** See Decker, John J.
- Kantro, David L.; and Weise, Charles H.**
Hydration of various beta-dicalcium silicate preparations. 59-00052A
- Kasankinova, L. M.** See Shklyar, F. R.
- Kao, Charles K.; and Maklad, Mokhtar S.**
Water resistant high strength fibers. 59-02387P
- Kao, Kwan C.** See Watanabe, H.
- Kao, Wen-yan** See Kan, Fu-hsi
- Kapincov, V. P.** See Shlevin, D. N.
- Kaplin, E. N.** See Artamonova, G. I.; Tarasov, B. V.
- Kappers, L. A.** See Halliburton, L. E.
- Kapustin, B. I.**
Improvements in the performance of tunnel kilns for the ceramic industry. 59-02808A
- Kapustin, N. I.** See Gromov, Yu. P.
- Karpetyan, G. O.** See Alekseeva, I. P.; Dmitryuk, A. V.
- Karpetyan, G. O.; Livshits, V. Ya.; and Maksimov, V. M.**
Use of the relation between concentration and diffusion coefficient in the formation of the parabolic (focusing) distributions of the refractive index in glass. 59-04270A
- Karpetyan, G. O.; Livshits, V. Ya.; and Tsimonov, D. G.**
Elastic properties of Li aluminosilicate glasses. 59-01156A
- Karas, G. A.** See Fomkin, N. I.
- Karas, G. E.** See Mukhin, A. A.
- Karas, G. E.; Konevskii, N. V.; and Mukhin, A. A.**
Production of high-alumina cement in the Semilux Refractory Plant. 59-04433A
- Karavikov, V. K.** See Dorofeeva, N. P.
- Karaulov, A. G.; and Sudarkina, T. E.**
Baddeleyite-containing charge for manufacturing refractory articles. 59-01412P
- Karch, Walter J.** See Canfield, Sheldon A.
- Kardux, Kenneth A.**
Practical application of current automatic weighing techniques in the ceramic industry. 59-01621A
- Kareev, Yu. P.**
Effect of firing conditions on the quality of facade ceramic tiles. 59-03638A; See also Belyusinko, N. I.; Koshlyak, L. L.
- Karelava, S. V.** See Golubev, A. I.
- Karlsson, K.; Pauks, P.; and Sirotnitskii, A. A.**
Enamel [with increased alkali resistance and impact strength]. 59-02187P
- Karlyn, David A.**
Pad transfer decorating. 59-01475A
- Karmazina, Etienne; Murat, Michel; and Comel, C.**
Experimental determination of nucleation and crystal growth rates during the hydration reaction of calcium sulfate hemihydrate. 59-04094A
- Karmazina, Etienne; Murat, Michel; and Romand, Maurice**
Isothermal calorimetry study of the system CaSO₄·H₂O: III. Rate of hydration of β semihydrates obtained from natural gypsum from several sources. 59-02083A
- Karschew, A. S.; Kovtun, N. M.; and Lukina, M. M.**
Phase transitions in dysprosium orthoferrite doped with cobalt and in neodymium orthoferrite. 59-00901A
- Karsankhova, E. N.** See Ryzantsev, A. A.
- Karow, H. U.** See Bober, Manfred
- Karpinos, D. M.; Grosheva, V. M.; and Klimesko, V. S.**
Charge for a ceramic material. 59-00438P
- Karpinos, D. M.; Listovnichaya, S. P.; and Balakhina, V. N.**
Spectroscopic investigation of the reaction of oxides with metallic surfaces: IV. System yttria-chromium. 59-00925A
- Karpukhina, A. K.** See Dibrov, G. D.
- Kartalopoulos, S. V.** See Raftopoulos, D. D.
- Kartashov, E. M.** See Bartenev, G. M.
- Karonarute, B. S. B.; and Lewis, Michael H.**
High temperature fracture and diffusional deformation mechanisms in Si-Al-O-N ceramics. 59-02990A
- Karyuk, A. A.; Ioffe, T. Ya.; and Kurochka, L. P.**
BaO-containing firing for an enamel coating. 59-01071P
- Karyuk, G. G.** See Merzhanov, A. G.
- Kasai, Junichi**
Rapid hardening cements. 59-02106A
- Kasenov, B. K.** See Isabev, S. M.
- Kashkev, I. S.** See Ivashchenko, P. A.
- Kask, N. E.** See Fedorovich, O. V.
- Kasymova, S. S.** See Andreev, N. S.
- Kasymova, S. S.; Milyukov, E. M.; and Petrovskii, G. T.**
Strontium in Glass (Strontsiy v Stekle). 59-02005B
- Katoaka, Nagamasa** See Ebata, Yoshihiro
- Katayama, Helta; Matsuda, Y.; and Kyoden, Hiroshi**
Ladle lining and repair with castables: I. 59-03547A
- Katayama, Helta; Nagayama, Ujimasa; and Kyoden, Hiroshi**
Ladle lining and repair with castables: II. 59-03548A
- Katayama, Helta; Shiratani, Yusuke; and Sera, Taizo**
Block lining for tundish repair. 59-02412A
- Katayama, Ichiro; Kubota, Hirotsuke; and Mochizuki, Mitsuo**
Method and composition, including particular additive for hydraulic cement, for fixing waste matter. 59-04135P
- Kathrein, H.** See Freund, F.
- Katkov, K. S.** See Spirina, N. A.
- Kato, Akio** See Tamaki, Nobuyuki; Tokunaga, Fumihiro
- Kato, Akio; and Okabe, Yasuo**
Formation of micro SiC tubes by the carburization of Si whiskers. 59-01829A
- Kato, Etsuro** See Murase, Yoshio
- Kato, Etsuro; Daimon, Keiji; and Takahashi, Junichi**
Decomposition temperature of β -Al₂TiO₅. 59-02950A
- Kato, Hajime; Takiguchi, Kiyoshi; and Sasaki, Shinichi**
Magnesia-spinel bricks for rotary cement kiln. 59-03551A
- Kato, Katsuo; Sekita, Masami; and Kimura, Shigeyuki**
Diuroropium(III) germanate oxide. 59-02961A
- Kato, N.** See Yasuda, K.
- Kato, Taketoshi** See Seki, Shigeru
- Katoh, Hajime; and Takiguchi, Kiyoshi**
Synthesized spinel clinkers. 59-03573A
- Katoh, Ikao** See Yoneda, Noboru
- Katooka, Masao** See Takenaka, Susumu
- Katsnel'son, A. A.** See Zhdanov, T. S.
- Katsuki, Kosuke; and Watanabe, Shizuo**
Process for producing oxidized or carbon fibers. 59-03913P
- Katvina, Victor; Porter, Ernest; and Smith, Marnell**
Rotatable fixture for spray coating. 59-02773A
- Katz, R. Nathan** See Quinn, G. D.
- Katzer, Hans** See Kratel, Guenter
- Kaufmann, Gerhard (Editor)**
North German Folk Poetry of the 17th to the 20th Centuries. 59-03138B
- Kavka, Jan; and Novotay, Vladimir**
Temporary stresses in glass due to heating. 59-01259A
- Kawabata, Toshihiko** See Asai, Kiyotsugu
- Kawabata, Yoshio** See Inoue, Kozo
- Kawabuchi, Katsuhiko; and Magari, Saburo**
Deposition of crystals from the plasmas of ZrO₂, HfO₂, ThO₂, and CeO₂. 59-01811A
- Kawachi, Masao; Sudo, Shoichi; and Shibata, Noriyoshi**
Deposition properties of SiO₂-GeO₂ particles in the flame hydrolysis reaction for optical fiber fabrication. 59-04173A
- Kawada, Kuniharu** See Naka, Shigeharu
- Kawado, Seiji; and Yanada, Tetsunosuke**
Influence of preoxidation annealing on stacking fault generation due to mechanical damage on silicon surfaces. 59-04969A
- Kawaguchi, Toranosuke** See Yamamoto, Hiroshi
- Kawahara, Toshiaki**
Cost decrease of tundish refractories. 59-02419A
- Kawai, Naoto** See Onodera, Akifumi
- Kawakami, Shojiro** See Onoda, Seichi
- Kawakami, Takaya** See Miyai, Kozo
- Kawakami, Tatsuo** See Kumagai, Masato
- Kawamura, H.; and Matsumura, M.**
Raman scattering and bond structure in chalcogenide glasses (Se-Ge system). 59-03334A
- Kawamura, Junichi; Kishimoto, J.; and Hosoi, Elji**
Observation of micropore distribution for cement bonded castables. 59-04428A
- Kawamura, Takaaki; and Fukamachi, Tomoe**
Temperature dependence of X-ray reflection intensity from an absorbing perfect crystal near an absorption edge. 59-03097A
- Kawamura, Takahiro** See Hino, Mitsuo
- Kawase, Yoshikazu** See Fujimoto, Shoichiro
- Kay, D. A. R.**
Thermodynamic data from oxygen concentration cells at 1500–1600°C. 59-04031A
- Kay, J. F.** See Doremus, Robert H.
- Kayamoto, Masami** See Wilson, Geoffrey R.
- Kaye, B. H.**
Use of Peret's diameter signature waveform as a shape characterization parameter in fine particle science. 59-03811A
- Kazankievskis, K. A.** See Daukys, V. I.
- Kazakov, V. D.** See Guloyan, Y. A.
- Kazakov, V. K.; Kislyi, P. S.; and Lapshin, V. I.**
Chemical and phase compositions of silicon nitride and silicon carbide powders. 59-00797A
- Kazandzhieva, V.; Gencheva, G.; and Konstantinova, L.**
Possible substitution of Kilsurita clays in the production of false facing tiles. 59-02594A; Prospects for improving the mechanical strength of unfired faience bodies based on clay from the Zhablyano deposit. 59-00517A
- Kazanskaya, E. V.; Sandomirskii, P. A.; and Simonov, M. A.**
Crystal structure of LiC₂D₂. 59-03939A
- Kazmerski, Lawrence L. (Editor)**
Polycrystalline and Amorphous Thin Films and Devices. 59-05143B
- Kazmierowicz, Casimir W.**
Conductor compositions comprising aluminum, silicon, and glass. 59-04604P; Method and apparatus for obtaining the temperature profile of a kiln. 59-02819P
- Kaznoff, Alexis I.** See Grossman, Leonard N.
- Keirns, Dale L.** See Yang, Wen-Ching
- Keen, Kirsten Hoving (Editor)**
American Art Pottery 1875–1930. 59-03128B
- Keimeltyan, A. A.** See Dudarov, Yu. G.
- Keirim-Markus, I. B.** See Bocharov, I. A.
- Keiser, John; and Hudd, Richard A.**
Innovations in spray pickle design. 59-00099A
- Keith, Wendell P.**
Sanitary ware manufacture in China. 59-04534A
- Kelina, R. P.; Volkov, O. S.; and Garibov, G. S.**
Glass. 59-02335P
- Keller, Helmut; Schwerdtfeger, Klaus; and Hennesen, K.**
Tracer diffusivity of ⁴⁵Ca and electrical conductivity in CaO-SiO₂ melts. 59-03353A
- Keller, John H.; McKenna, Charles M.; and Winnard, James R.**
Formation of epitaxial layers doped with conductivity-determining impurities by ion deposition. 59-02702P
- Keller, Robert B.** See Springer, George S.
- Keller, W. D.; and Haenni, R. P.**
Effects of micro-sized mixtures of kaolin minerals on properties of kaolinites. 59-01819A
- Kelly, J. E., III; and Tomozawa, Minoru**
Tracer-diffusion measurements in low-alkali glass. 59-03354A
- Kelly, James F.; and Fuller, O. Maynard**
Evaluation of a method for investigating sorption and diffusion in porous solids. 59-02784A
- Kelly, Marsha C. S.** See Kelly, Roger E.
- Kelly, Roger E.; and Kelly, Marsha C. S.**
Brick bats for archeologists—value of pressed brick brands. 59-03157A
- Kelly, William J.; and Orth, William H.**
Preparation, shipping, and use of slurried clays in whitewares. 59-03650A
- Kemmler-Sack, S.** See Griffiths, A. J.
- Kemmler-Sack, S.; and Jooss, I.**
Perovskite phases in the systems AO-SE₂O₃-UO₃, with A = alkaline-earth metal and SE = rare earths, La, and Y: Part XI. 59-00893A
- Kenney, Charles R.**
Graphite having improved thermal stress resistance and method of preparation. 59-03896P
- Kennedy, Christopher R.** See Bonar, John A.
- Kennedy, George C.**
Apparatus for making diamonds. 59-03888P
- Kennedy-Skipton, Henry K.**
Aqueous gypsum composition. 59-03212P
- Kenny, Carla; and Kenny, John B. (Editors)**
Creating Ceramic Miniatures. 59-01951B
- Kenny, John B.** See Kenny, Carla
- Kenny, Norman C.**
Raw material acceptance testing for dielectric applications. 59-01529A
- Keno, Leigh**
Odell & Booth Brothers—art potters of Tarrytown. 59-02043A
- Kerr, John M.; Jones, Henry M.; and Baroch, Charles J.**
Performance of ThO₂-UO₂ fuel in Indian Point I. 59-02750A
- Kerr, Richard A.**
Nuclear waste disposal—alternatives to solidification in glass proposed. 59-03765A
- Kerstan, Walter**
Freezing test for extruded clay columns. 59-02586A; Red coloration for clay surfaces and engobes. 59-02600A; Red coloration for clay surfaces and engobes. [continued] 59-02601A
- Kerstan, Ralf** See Auracher, Franz
- Kerstges, Johannes** See Beilmann, Richard
- Keshavan, M. K.; Sargent, G. A.; and Conrad, H.**
Statistical analysis of the Hertzian fracture of Pyrex glass using the Weibull distribution function. 59-04259A
- Keshavaram, B. N.** See Chakravarty, D.
- Keshiyvan, T. N.; Rabukhin, A. I.; and Dorofeev, V. G.**
Effect of the nature of chemical bonds on the elastic-optical properties of Li- and Pb-containing glasses with different vitreous structures. 59-03277A
- Kesler, John; and Hudd, Richard A.**
Innovations in spray pickle design. 59-02156A
- Kestigian, Michael; McClure, Robert E.; and Vaher, Eo**
Magnetic mirror for imparting nonreciprocal phase shift. 59-03919P
- Ketelak, G. A.** See Shvartsman, M. Z.
- Kettner, H.; and Buntbach, M.**
Evolution of atmospheric pollution by dust in the surroundings of the Hagen-Halden dolomite works. 59-00662A
- Keul, Robert** See Fischer, Klaus
- Kevan, Larry; and Klipert, Lowell D. (Editors)**
Electron Spin Double Resonance Spectroscopy. 59-03133B
- Khadzhi, V. E.** See Samoilovich, M. I.
- Khadzheva, M. D.** See Akmyrdov, R. N.
- Khadzheva, M.** See Ivanova, Ts.
- Khainer, S. P.; Kopekin, V. A.; and Mosina, A. N.**
Heat-insulating refractory articles. 59-01432P

- Khalakhar, T. K.; Bezverhenko, N. E.; and Zabolotnaya, O. S.**
Rapid method for determining ZrO_2 content in zirconia concentrations, bodies, and glasses. 59-03806A
- Khaliliev, V. D.**
Fluorophosphate glasses. 59-00193A
- Khaliliev, V. D.; Kanyan, N. B.; and Dzhevuktsyan, S. G.**
Sealing glass. 59-00369P
- Khaliliev, V. D.; Kanyan, N. B.; and Vakhrameev, V. I.**
Glass with increased specific electric resistivity. 59-01319P; Low-melting glass. 59-02341P
- Khaliliev, V. D.; Prokida, A. A.; and Vakhrameev, V. I.**
Electrical conductivity and structure of complex alkali-free fluoride glasses. 59-00178A
- Khamkhut'ko, A. F.**
See Chuiiko, P. I.
- Khandzhiev, L.**
See Dzhozhdzhorov, I.
- Kharashevili, D. L.**
See Shushanashvili, A. I.
- Kharashevili, E. Sh.**
Ceramic pigments based on perlite and rare earth oxides. 59-00499A; See also Goprindashvili, G. G.
- Kharichenko, V. M.**
See Uryumov, V. Ya.
- Kharichenko, V. S.**
See Ponomarenko, V. D.
- Kharitonov, F. Ya.; and Degtyarev, V. G.**
Charge for manufacturing refractory articles. 59-01421P; Charge for the manufacture of zircon refractories. 59-02516P
- Kharitonov, F. Ya.; and Gor'kovenko, O. V.**
Charge for manufacturing heat-resistant ceramic materials. 59-00443P
- Kharitonov, F. Ya.; and Sheronova, O. A.**
Charge for manufacturing ceramic material. 59-01417P
- Kharitonov, Yu. A.**
See Maksimov, B. A.
- Kharitshvili, L. S.**
See Verulashvili, R. D.
- Khar'yuzov, V. A.**
See Yakhkind, A. K.
- Khar'yuzov, V. A.; Kokorina, V. F.; and Proskuryakov, M. V.**
Dielectric properties and structure of glasses in the system $As-Ge-Se$. 59-01135A
- Khaund, Arup K.; and Nicholson, Patrick S.**
Fracture of a brittle composite—influence of elastic mismatch and interfacial bonding. 59-01733A
- Khavkina, L. M.**
Batch composition of silicate mix for obtaining silicate refractory bricks of specific strength. 59-02411A
- Khazanov, V. E.**
See Aslanova, M. S.
- Khenner, E. K.**
See Bogomolova, L. D.
- Kheruntsyan, V. I.**
See Sarinyulyan, R. S.
- Khiminets, O. V.**
See Khiminets, V. V.
- Khiminets, O. V.; Gerasimenko, V. S.; and Khiminets, V. V.**
Oscillation spectra and chemical stability of glass-forming melts in the system $As-Se-I$. 59-02270A
- Khiminets, V. V.**
See Khiminets, O. V.
- Khiminets, V. V.; Gerasimenko, V. S.; and Khiminets, O. V.**
Vibrational spectra of glasses in the system $As-S$. 59-01272A
- Khitrov, V. N.**
See Efimov, A. M.
- Khudkov, S. S.**
See Prihod'ko, G. L.
- Khmelev, Yu. G.; Kim, G. P.; and Zhinkin, D. Y.**
Molding sand mixture for the manufacture of molds and cores. 59-04490P
- Khodakovskaya, R. Ya.; Plutalov, N. F.; and Signev, V. N.**
Phase separation in glasses of the system $Li_2O-Al_2O_3-SiO_2$ during the early stages of devitrification (ceramming). 59-00231A
- Khodikel, E. P.**
See Vargin, V. V.
- Khodskii, L. G.**
See Mel'nik, M. T.
- Khodskii, L. G.; Brazgokavaya, A. I.; and Kaminskaya, V. S.**
Enamel for coating steel articles. 59-03245P
- Khodskii, L. G.; and Mamedova, G. G.**
Enamel [with additions to ensure its use as electrical insulation for a current-conducting film]. 59-02185P
- Khokhlova, A. N.**
See Lugin, R. F.
- Kholodnyi, A. G.**
See Gribko, V. F.
- Khomich, N. S.; Sakulevich, F. J.; and Putimtev, B. N.**
Ferromagnetic abrasive material and method for preparing. 59-03154P
- Khomrakh, F. P.**
See Kucherenko, T. S.
- Khomyleva, T. M.**
See Avdeeva, T. I.
- Khoroshavin, L. B.**
See Adil'baev, M. K.
- Khoroshavin, L. B.; Popova, V. I.; and Muratov, A. A.**
Cast forsterite [refractory] concretes for the bottom of cars in tunnel kilns. 59-01373A
- Khosla, S. N.**
Electrical properties of some ceramic insulators. 59-00553A
- Khotina, M. I.**
See Zil'bershtein, A. Kh.
- Khrenov, N. A.**
See Ivashchenko, P. A.
- Khresina, V. V.**
See Pavlov, D. E.
- Khrobostov, L. V.**
See Bondar, Yu. D.
- Khromenkov, N. I.; and Starovich, Yu. M.**
Automated system for industrial production of silica bricks in the Kalinin Combine for Building Materials No. 2. 59-02410A
- Khrusanova, M.**
See Peshev, P.
- Khuri-Yakub, B. T.; and Kimo, G. S.**
High frequency ultrasonics. 59-04808A
- Khuri-Yakub, B. T.; Kimo, G. S.; and Evans, A. G.**
Acoustic surface wave measurements of surface cracks in ceramics. 59-01768A
- Khusainov, B.**
See Lazarev, V. B.; Marenkin, S. F.
- Kiefer, Werner**
Fireproof glass. 59-01296P
- Kieffer, R.**
Forming ceramic masses by plastic deformation using hydraulic presses. 59-00503A
- Kielmeyer, William H.**
See Price, George B.
- Kiesel, Gerhard**
Method of producing antireflective coatings on acrylic glasses, optical bodies produced by this method, and the use of such optical bodies. 59-00348P
- Kienow, Ekkehard**
See Briem, Karl; Hennicke, Hans Walter
- Kienow, Sigismund**
See Abbassian, Mohammad; Briem, Karl; Neumann, Guenther
- Kienow, Sigismund; and Briem, Karl**
Mold for firing bodies of silica- or alumina-containing granules. 59-01442P
- Kiezer, J.; Kraeher, A.; and Gathemann, B.**
Model for the determination of raw meal reactivity under conditions similar to those in practice. 59-00055A
- Kiesling, Bernd; and Drensel, Horst**
Computer-based method of batch cost reduction. 59-01121A
- Kijima, Tsuyoshi; and Tsutsumi, Masayuki**
Preparation and thermal properties of dense polycrystalline oxyhydroxyapatite. 59-00909A
- Kikuchi, Toshiki**
See Nakazawa, Koji
- Kilareski, Walter P.**
Corrosion-induced deterioration of reinforced concrete—an overview. 59-04088A
- Killeen, J. C.**
Effect of niobium oxide additions on the electrical conductivity of UO_2 . 59-04679A
- Kim, Byung-Moo; Choi, Myoung-Sig; and Lee, Kyung-Hee**
Effect of particle size distribution of sand on compressive strength of calcium silicate brick. 59-00047A
- Kim, Chong-Hee**
Fractographic studies in ballistically damaged polycrystalline alumina. 59-00848A; See also Pyun, Su-II
- Kim, Chong-Hee; and Kim, Chong-Tae**
Bonding of alumina ceramic to metals. 59-03666A
- Kim, Chong-Hee; and Kim, Hyeon-Joon**
Alumina ceramic-to-metal bonding. 59-00543A
- Kim, Chong-Tae**
See Kim, Chong-Hee
- Kim, G. P.**
See Khmelev, Yu. G.
- Kim, Hwan**
Effect of minor additives on sintering of zircon. 59-00832A
- Kim, Hyeon-Joon**
See Kim, Chong-Hee
- Kim, Il-Kil**
See Ahn, Young-Pil
- Kim, Kwang Y.**
See Fee, Darrell C.
- Kim, Myun S.**
Crystallization of cylindrically granulated Hadong kaolin treated with aqueous sodium hydroxide. 59-00816A
- Kim, N. E.**
See Kulikova, N. V.
- Kim, Tae-Ok; and Shin, Hack-Gil**
Hexagonal ferrite: II. Preparation by coprecipitation of planar $Ba_2Zn_2Fe_2O_7$ and its magnetic properties. 59-03682A
- Kim, Wba-Tek**
See Cho, Tong-San
- Kim, Yong-Hwan**
See Park, Yong-Wan
- Kimura, Morihiro; Ishizawa, Kenki; and Nishio, Hidenaki**
Development of MgO -spinel brick. 59-03512A
- Kimura, Shigeoyuki**
See Kato, Katsuo
- Kimura, Shishichi**
See Somyia, Shigeoyuki; Yasuda, Eiichi
- Kimura, Tatsuya**
See Sakai, Junichi
- Kimura, Toshio; Ohishi, Shinobu; and Yamaguchi, Takashi**
Formation of $\alpha-Fe_2O_3$ during oxidation of $ZnFe_2O_4$ - Fe_2O_3 solid solutions. 59-00846A
- Kincheloe, N. K.; Rehfs, D. E.; and Anselmo, J. C.**
High-pressure Hugoniot of porous silicates. 59-00855A
- Kindanova, O. N.**
See Baranova, T. F.
- King, Frederick D.**
See Duck, Gary S.
- King, G. S. D.**
See Mortier, W. J.
- Kingery, W. D.**
Social needs and ceramic technology. 59-03127A; See also Gordin, W. H.
- Kingsbury, Paul I., Jr.; and Seward, Thomas P., III**
Process for making gradient photochromic glass articles. 59-00361P
- Kinloch, K. A. R.; and Fraser, S. M.**
Layergram iterative method of reconstructing three dimensional refractive index distributions. 59-01864A
- Kino, G. S.**
See Khuri-Yakub, B. T.
- Kinoshita, Kyoichi; and Kobayashi, Morio**
End preparation and fusion splicing of an optical fiber array with a CO_2 laser. 59-00185A
- Kinoshita, Makoto; Toyota, Chuza; and Terai, Ryohei**
Pressure sintering of copper-glass mixtures. 59-03332A
- Kinoshita, Shigeji**
See Sugita, Tadaaki
- Kinoz, Donald L.; and Allen, William R.**
Electrolytic furnace lining. 59-00448P
- Klovsky, Joseph R.; and Goyette, William J.**
Mordenite catalyst. 59-02903P
- Koplov, S. S.; Shvetsova, G. A.; and Lobova, T. A.**
Structure and properties of a self-lubricating material based on tungsten diselenide. 59-00776A
- Kiprianov, A. A.; Pizarskii, A. M.; and Belyustina, A. A.**
Electrical resistance of the surface layers of Na aluminosilicate glasses in NaCl and KCl solutions. 59-03282A; Relaxation characteristics of Na aluminosilicate glass electrodes during a gradual change in stress. 59-02280A
- Kira, Kinichi; Makino, Yoshio; and Yamamoto, Hirokazu**
Carbonation of synthetic ettringite. 59-04085A
- Kirchner, Henry P. (Editor)**
Strengthening of Ceramics—Treatments, Tests, and Design Applications. 59-02004B
- Kirchner, Henry P.; and Gruver, Robert M.**
Fractographic criteria for subcritical crack growth boundaries in 96% Al_2O_3 . 59-01830A; Fractographic criterion for subcritical crack growth boundaries in hot-pressed alumina. 59-00847A
- Kirchner, Henry P.; Gruver, Robert M.; and Richard, D. M.**
Fractographic criterion for subcritical crack growth boundaries at internal fracture origins in hot-pressed silicon nitride. 59-01831A; Localized impact damage in transformation-toughened zirconia. 59-01866A
- Kirchner, Henry P.; and Ragosta, J. M.**
Crack growth from small flaws in larger grains in alumina. 59-04003A
- Kirchner, Henry P.; and Richard, D. M.**
Fracture stress-reflecting spot relations in hot-pressed alumina. 59-04951A
- Kirdyashkin, V. A.**
See Sheikh-Zade, R. M.
- Kirfel, A.; Gupta, A.; and Will, G.**
Nature of the chemical bonding in boron carbide, B_4C ; I. Structure refinement. 59-03022A; Nature of the chemical bonding in boron carbide, B_4C ; II. Dynamic deformation densities and valence densities. 59-03023A
- Kirilenko, V. I.**
See Potapov, L. P.
- Kirilenko, T. V.**
See Pukhov, I. K.
- Kirilenko, V. V.**
See Doinikov, L. I.
- Kirilova, G. K.; Mikhailova, G. A.; and Rotenberg, B. A.**
Ceramic material [containing HfO_2 or ZrO_2]. 59-02506P
- Kirkbright, G. F.; and Snook, R. D.**
Volatilization of refractory compound-forming elements from a graphite electrothermal atomization device for sample introduction into an inductively coupled argon plasma. 59-01677A
- Kirkman, Richard T.**
See Fortner, John M.
- Kirkpatrick, Allen R.**
Process for fabricating thin film and glass sheet laminate. 59-02373P
- Kirkpatrick, John D.**
Process for making a cellululated vitreous material. 59-03437P
- Kiselev, A. V.; Gal'perina, T. Ya.; and Ivanova, R. P.**
Prospects for production of hydrothermal cements in Siberia. 59-03201A
- Kiselev, V. N.; Denisova, S. S.; and Strueva, T. M.**
Refining of a glass material through B_2O_3 spraying. 59-01354P
- Kiseleva, I. A.; Ogorodova, L. P.; and Topor, N. D.**
Thermochemical investigation of the system $CaO-MgO-SiO_2$. 59-05104A
- Kiseleva, Z. A.**
See Abdrakhmanova, N. S.
- Kislenko, M. P.**
See Pokrass, L. M.
- Kisheva, E. N.**
See Kostomarov, V. S.
- Kishi, Akira; Komaki, Ikuro; and Fueki, Kazuo**
Surface flattening kinetics of lead silicate and borosilicate glasses by a sinusoidal profile decay method. 59-03350A
- Kishidaka, Hisashi; Uchimura, Ryoji; and Kumagai, Masato**
Magnesia-chrome bricks using metallurgical chrome ores. 59-03550A
- Kishit, Toru**
Optical waveguide effect in Ag- and Cu-stained glasses. 59-03322A; Optical waveguide effect of thermally tempered sheet and plate glasses—application to surface stress measurements. 59-04234A
- Kishimoto, J.**
See Kawamura, Junichi
- Kishimoto, J.; and Yoshikata, Teruo**
Properties of castable refractories for use in a concrete pump. 59-03564A
- Kishimoto, Katsumi**
See Chikaura, Yoshinori
- Kishino, Seigo**
See Matsushita, Yoshiaki
- Kishko, B. S.; and Vasilik, G. Yu.**
Saving fuel and (electric) power resources is the main task of cement industry workers. 59-03206A
- Kislly, P. S.**
Production of objects made of refractory compounds by methods of powder metallurgy. 59-00420A; See also Egorov, F. F.; Kazakov, V. K.; Kuzenkov, M. A.
- Kispiert, Lowell D.**
See Kevan, Larry
- Klas, Robert**
See Nemeth, Miklos
- Kita, Katsuhiko**
Process for preparing an element of a dual-in-line ceramic package provided with a layer of sealing glass. 59-00621P
- Kitagawa, H.**
See Tsujide, T.
- Kitahara, Tadashi; and Arai, Toshihiro**
Annealing effect of the density of upper valence band states of evaporated amorphous As-Se films. 59-03253A; Change of composition ratio in amorphous arsenic selenide films caused by heat-annealing and photoirradiation. 59-04164A
- Kitamoto, Tatsuji**
See Sasazawa, Koji
- Kitamura, Atsushi**
See Yoshida, Kazuo
- Kitamura, Kenji**
See Shindo, Isamu
- Kitamura, Kenji; Il, Nobuo; and Shindo, Isamu**
Interface shape and horizontal variations of Al and Ga contents in substituted YIG single crystals grown by the floating zone method. 59-02663A
- Kittling, Erwin**
See Bertagnoli, Emmerich
- Kittl, Pablo A.**
See Goldschmidt, A.
- Kiyonaga, Kazuo**
Process for producing glass in a rotary furnace. 59-03438P
- Klassen, V. I.**
See Ogurtsov, V. G.
- Klaver, Gijbertus**
See Mone, Rudolf A. J.
- Klavina, L.**
See Code, H.
- Klawitter, Jerome J.; and Bharti, Nazir A.**
Method of making ceramic prosthetic implant suitable for a knee joint. 59-00539P
- Klee, W. E.**
See Schneider, Hartmut
- Klein, Hans-Peter**
See Galiffi, Severino
- Klein, P. H.**
See Burns, W. K.
- Klein, Paul Barry**
See Treacy, Donald J.
- Klein, Paul Barry; Schaffer, D. E.; and Strom, U.**
Carbon interstitial pair modes in the vibrational spectra of mixed β -alumina. 59-02927A

- Kleiner, Richard N. See Dziedzic, Chester J.
 Kleiner, Richard N.; and Mehlich, Emil J.
 Method for enhancing the crystallization rate of high purity amorphous Si_3N_4 powder by intimate contact with a titanium containing material. 59-04857P
 Kleinjans, Peter A. M. See Bijen, Jan M. J. M.
 Kleinknecht, Hans F.
 Optically measured carrier concentration in a semiconductor. 59-03738P
 Klemm, Waldemar A. See Jawed, Inam
 Klemm, Waldemar A.; Jawed, Inam; and Hohab, K. J.
 Effects of calcium fluoride mineralization on silicates and melt formation in portland cement clinker. 59-02069A
 Kleperis, J. See Grigor'eva, L. G.; Lazdons, J.
 Klepitz, János
 Geological factors affecting basalt quarrying in the southern Bakony Mountains [Hungary]. 59-04779A
 Klibanov, S. Z.
 Paste for cementing refractory brick during repair work. 59-02463A
 Klinger, L. See Mingelgrin, U.
 Klimashina, E. V.; and Prozorovskaya, N. V.
 Effect of doping elements on the resistance of quartz glass to γ -irradiation. 59-04183A
 Klimek, V. N. See Radomysel'skii, I. D.; Tkachenko, Yu. G.
 Klimek, V. S. See Karpinos, D. M.; Pashchenko, A. A.
 Klimek, V. S.; Skladin, V. G.; and Sharikov, S. Yu.
 Determination of the temperature of a nonconducting powder in detonation deposition. 59-00689A
 Klimek, V. V.; and Pashchenko, G. F.
 Ceramics from slag glass-ceramic powders. 59-00500A
 Klimek'eva, V. S.; Filimonova, N. I.; and Chumov, A. V.
 Refractory mortar. 59-01454P
 Klimovich, N. S.; Kostyrya, Yu. F.; and Lyudskinski, A. I.
 Charge for manufacturing refractories. 59-01420P
 Klimov, V. V. (Editor)
 Ferrites and Ferroelectric Substances—Methods for Obtaining and Analysis (Ferrity i Segnetoelektriki—Metody Polucheniya i Analiza). 59-01961B; See also Didkovskaya, O. S.; Ishchuk, V. M.
 Klimushina, I. M. See Krasovskaya, A. K.
 Kling, H. See Schmal, N. G.
 Klingenberg, Rudolph; and Sahli, Kurt
 Crystallographic characterization and properties in the solid solution system $\text{Pb}(\text{Fe}/\text{Al}/\text{Ga})_2\text{O}_6$. 59-00817A
 Klinking, George E. See Bozorg, B. M. A.; Vertical
 pneumatic transport of solids in the minimum pressure drop region. 59-00711A
 Klokholm, E. See Plaskett, T. S.
 Klomp, Jan T.
 Interfacial reactions between metals and oxides during sealing. 59-03237A
 King, Frederic J. See Huseby, Irvin C.; Pasco, Wayne D.
 King, Frederic J.; Pasco, Wayne D.; and Prochaska, Svante
 Alumina core having a high degree of porosity and crushability characteristics. 59-00430P
 King-Huber-Korn, C.
 Berlin ceramists. 59-02023A
 Kiyava, Yu. G. See Grigor'eva, L. G.
 Knab, Hans-Joel; and Hinstenberger, Heinrich
 Simultaneous determination of 20 trace elements in geologic samples by the isotope dilution method combined with spark source mass spectrometry. 59-04736A
 Knapp, Donald E.; and Sheehan, Gerard M.
 Anatase pigment from ilmenite. 59-02850P
 Knapp, W. J. See Chen, T.-J.
 Kneth, Walter A. See Sorensen, Darwin L.
 Knazewy, B. George
 LWR radioactive waste management systems—an overview with emphasis on material science. 59-01608A
 Knickerbocker, Ira O. See Funk, James E.
 Knights, C. F.; and Phillips, B. A.
 Cs-O system—phase diagram and oxygen potentials. 59-03942A
 Knippenberg, Wilhelmus F.; Verspaal, Gerrit; and Hagen, Siegfried H.
 Method of making an electric resistor having a resistance body consisting of silicon carbide having a negative temperature coefficient. 59-04633P
 Knoch, Heinrich; and Gazza, George E.
 Effect of carbon impurity on the thermal degradation of an $\text{Si}_3\text{N}_4\text{-Y}_2\text{O}_3$ ceramic. 59-00831A
 Knodel, J. R.; and Reed, Richard J.
 Metering fuel/air ratio to avoid drift. 59-03309A
 Knoefel, D.
 Relations between chemistry, phase content, and strength in portland cements. 59-00068A
 Knapp, Helmut
 Silver-free, low-gold noble metal alloys for firing of dental porcelain. 59-02624P
 Knotik, Karl; and Leichter, Peter
 Thin film treatment apparatus. 59-04669P
 Knowles, Daniel H.
 Optical waveguide coating assembly. 59-03433P
 Knudsen, Torben
 Early hydration of tricalcium silicate: I. Kinetics of the hydration process and the stoichiometry of the hydration products—comments. 59-03178A; Kinetics of the reaction of $\beta\text{-C}_2\text{S}$ and C_2S with CO_2 and water vapor. 59-01045A
 Kayazev, E. A.
 Strontium tetragermanate crystal hydrate. 59-04017A
 Kayazev, V. V. See Ostapenko, M. Ya.
 Kayazher, G. B. See Litvinov, P. I.
 Kayayyan, N. B. See Khalilov, V. D.
 Ko, Y. C.; Ko, Y. H.; and Jiang, C. S.
 Deposition of carbon from carbon monoxide in refractory lining of torpedo ladle. 59-03509A
 Ko, Y. H. See Ko, Y. C.
 Kobale, Manfred; Pink, Hans; and Schaefer, Helwig
 Liquid crystal cell having an insulating layer of a silicon oxide base. 59-04618P
 Kobayashi, A. S. See Emery, A. F.
 Kobayashi, Kazuo See Umebayashi, Seiki
 Kobayashi, Koji
 Optical and NMR studies on interdiffusion of silver in $\text{SiO}_2\text{-B}_2\text{O}_3\text{-Al}_2\text{O}_3\text{-R}_2\text{O}$ glasses. 59-00227A
 Kobayashi, Masahiro; Hujisawa, Takao; and Hashimoto, Koshiro
 Influence of the surface structure of glass fiber on its solubility in water. 59-03296A
 Kobayashi, Masayoshi See Megumi, Koichi
 Kobayashi, Morio See Kinoshita, Kyoichi
 Kobayashi, Mutsuhiro See Arita, Minoru
 Kobayashi, Toshiaki See Sacki, Yuza
 Kobayashi, Toshihiro
 Modern SF-type precalciner-kiln plants reach 45 million ton annual capacity—analysis of characteristics and comparison with other similar processes. 59-00056A
 Kobayashi, Toshio See Seki, Shigeru; Solvent effects of fluorides in cubic BN high pressure synthesis. 59-01911A
 Kobayashi, Y.
 Process for preparing titanium carbide base powder for cemented carbide alloys. 59-04867P
 Kobel'kov, G. P.; Lebedkin, S. S.; and Volkchenko, N. G.
 Mining quarries of the Antonov quartzite ore deposit for refractories. 59-02454A
 Koblika, R. J. See Giess, E. A.
 Kochevina, V. P. See Shevina, Z. A.
 Kochevina, L. L.; Fomichev, V. V.; and Kondratov, O. I.
 Vibration spectra of the oxides LaRhO_3 and Rh_2O_3 . 59-05112A
 Kocherzhenko, V. G.; Morgalev, B. N.; and Lebedev, Yu. I.
 Refractory material for lining reactors used in the production of CrCl_3 . 59-02533P
 Kocherzhinski, Yu. A. See Borisov, Yu. S.
 Kochetkova, G. V.; Sholomentseva, V. F.; and Makeeva, A. N.
 Method for determining the resistance of glass to chemicals. 59-00366P
 Kocuvan, Ivan See Barbic, Leon
 Kodama, Kunihiko; Dol, Sumio; and Matsumura, Tsuneo
 Electrical properties of CdCr_2Se_4 ; II, n -type In-doped single crystals. 59-03958A
 Kodama, Kunihiko; and Niiimi, Tatsuya
 Electrical properties of CdCr_2Se_4 ; I, p -type Ag-doped single crystals. 59-04935A
 Koehling, K.-H. See Fitzer, E.
 Koehler, E. K. See Majdic, Aleksander
 Koehler, G. W. See Paterson, J. Alan
 Koelsch, Edmund
 Waste heat utilization in a recuperatively heated glass tank with a waste heat boiler. 59-01277A
 Koenig, Geri; and Wolf, Irnelin
 New developments in the refractory mortar field. 59-02458A
 Koenig, H.; and Hoppe, R.
 [Borates of alkali metals]; I, $\text{Na}_2\text{B}_4\text{O}_7$; 59-00790A; Borates of alkali metals; II, LiB_3O_6 ; 59-00791A
 Koenig, H.; Hoppe, R.; and Jansen, Martin
 Borates of alkali metals; III, $\text{Na}_2\text{B}_6\text{O}_{10}$; 59-00792A
 Koepke, Barry G. See Esakul, Khlefa A.
 Koepke, Barry G.; McHenry, Kelly D.; and Savage, William B.
 Effect of heat treatment on the fracture behavior of a glass-ceramic with near-zero thermal expansion. 59-00173A
 Koerner, Reinhard
 Experiences and conclusions on body preparation at the Ilmenau (East Germany) porcelain plant. 59-01466A
 Koert, Hubert See Triebel, Wolfgang
 Koester, Eberhard See Schoenafinger, Eduard
 Koester, Heinrich Martin (Editor)
 Chemical Silicate Analysis—Spectrophotometric, Complexometric, and Flame Spectrometric Methods of Analysis. 59-01946B
 Koether, Manfred See Weichselgaertner, Horst
 Koether, W.; and Mueller, Franz
 Thermochemical investigation on the stability of orthosilicates and [ortho]-germanates. 59-00945A
 Koga, Minoru; and Yanaqi, Yoshio
 Apparatus for electric furnace capable of effecting electrode connection and refractory lining repairs independently of each other. 59-02501P
 Koga, Tadashi See Matsumoto, Seiji
 Kogan, Yu. I. See Tkachenko, V. F.
 Kogawa, Toshio; and Wakino, Kikuo
 Temperature dependence of frequency constant of $\text{Pb}(\text{Sn}, \text{Sb}, \text{Bi})_2\text{O}_3\text{-PbTiO}_3\text{-PbZrO}_3$ piezoelectric ceramics. 59-03701A
 Kogo, Yasuo See Saito, Kazuhisa
 Kolda, Hiroki See Hoshikawa, Keigo
 Kohl, Fred J. See Fryburg, George C.
 Kohonen, K. H.
 High temperature ceramic heat exchangers. 59-02439A
 Kolchev, T.
 Heat balance in the centrifugal-roller mill [used in the refractory industry]. 59-02438A
 Kolke, Ketichi
 Self-hardening water-soluble mold and process for producing. 59-03625P
 Kolzumi, Mitsue See Shimada, Masahiko; Yamada, Tetsuo
 Kojima, Akira; and Akao, Fumio
 Parametric phonon echo in LiNbO_3 single crystal. 59-03987A
 Kojima, Takeshi; Yagi, Kenji; and Shibuya, Kiyoshi
 Plastic-clad fiber using optical transmission. 59-01227A
 Kokhono, G. V. See Serebrennikov, V. V.
 Kokorina, E. N. See Mel'nikova, I. G.
 Kokorina, V. F. See Khar'yuzov, V. A.
 Kokta, Milan R.; Linares, Robert C.; and Di Giuseppe, Michael A.
 Lanthanum indium gallium garnets. 59-04855P
 Kokubo, Tadashi See Arioka, Masayuki; Ito, Setsuro
 Kokubun, Yasuo; and Iga, Kenichi
 Formulas for TE_{10} cutoff in optical fibers with arbitrary index profile. 59-01168A; Refractive-index profile measurement of preform rods by a transverse differential interferogram. 59-04250A
 Kokumai, Hiroyuki See Iwasa, Uichi
 Kokurina, A. D.
 Transitional forms of carbon and their graphitization. 59-05108A
 Kokurkina, A. V. See Sudakas, L. G.
 Kolacheva, N. M.; Levitin, R. Z.; and Shlykhan, L. P.
 Magnetic anisotropy in yttrium-samarium ferrite garnets. 59-00867A
 Kolar, Drago See Pejovnik, S.
 Kolar, Karel; Skvara, Frantisek; and Novotny, Jaroslav
 Binding agent based on cement clinker. 59-01059P
 Kolar, Louis C.
 Concepts of more effective heat use and application of fiber lining to porcelain enameling furnaces. 59-00091A; Enamel furnaces redesigned for speed. 59-02143A; New furnace technology. 59-00104A
 Kolbasova, V. A. See Andrianov, N. T.
 Kolbushev, V. V. See Zaitsev, I. S.
 Kolchin, V. V.; Mikhailova, N. K.; and Balashova, E. M.
 Ceramic capacitor material. 59-01540P
 Koleschenko, L. F. See Semchenko, G. D.
 Kolesov, Yu. I. See Aslanova, M. S.
 Kolesova, V. A.
 Structure of the anionic network of lead germanate glasses. 59-01253A
 Kolesova, V. A.; and Ryzhikov, V. A.
 Crystallization characteristics of melts of composition $2\text{PbO-SiO}_2\text{-xSO}_3$. 59-01125A
 Kollisch, Andreas; Richter, Edgar; and Hinz, Wilhelm
 Increase in acid resistance of alkali silicate glasses by MgCl_2 treatment. 59-01189A; Self diffusion of potassium in sodium-potassium-aluminosilicate glasses. 59-01237A
 Kolobkov, V. P.; Kudryashov, P. I.; and Stirostina, G. A.
 Photoluminescence and photoinduced absorption of Sm^{3+} in quartz glass. 59-03329A
 Kolokol'sev, V. N.
 Determination of the parameters of intrinsic acceptors in undoped GaSb . 59-02635A; Impurity zone in undoped GaSb . 59-02660A
 Kolomai, V. V.; Kostomarov, V. S.; and Marchenko, V. K.
 Slip based on a water-soluble binder for the production of ceramic films. 59-01596P; Slip for manufacturing ceramic films. 59-01096P
 Kolomai, V. V.; Marchenko, V. K.; and Kostomarov, V. S.
 Slip for preparing ceramic films. 59-01097P
 Kolombos, Alexander J. See Davies, Evan E.
 Kolomietsev, V. V. See Min'kov, D. B.
 Kolomietseva, S. E. See Orlova, G. M.
 Kolosov, A. M. See Malov, V. F.
 Kolosova, N. V. See Komleva, G. P.
 Koltermann, Manfred
 Production, consumption, and energy saving of refractories. 59-04434A; Use of refractory materials in the iron and steel industry. 59-01410A
 Komaki, Ikao See Kishi, Akira
 Komarneni, Sridhar; Freeborn, W. Phelps; and Smith, Catherine A.
 Simple cold-weld sealing of noble-metal tubes. 59-01663A
 Komarov, V. P. See Prosychev, I. I.
 Komarova, L. M. See Samoilovich, M. I.
 Komatsu, Michiyasu See Nakamura, Kiyoshi
 Komatsu, T.; and Soga, Naohiro
 ESR and Moessbauer studies of crystallization process of sodium iron silicate glass. 59-04182A; Moessbauer study of the NiFe_2O_4 precipitation process from a silicate glass. 59-04227A
 Komatsu, T.; Soga, Naohiro; and Kunugi, Masanaga
 ESR study of NiFe_2O_4 precipitation process from silicate glasses. 59-01144A
 Komelji, Azuma; and Murakami, Nobuo
 Method for setting gypsum utilizing retarder. 59-01066P
 Kometani, T. Y. See Wood, D. L.
 Komets, Katsutoshi See Watanabe, Masayuki
 Komissarova, L. G. See Semkina, N. V.
 Komiyama, Shigemi
 Grinding for zircon ore. 59-02437A
 Komlev, G. A. See Bezrodnii, V. G.
 Komleva, G. P.; Anisimova, E. M.; and Kolosova, N. V.
 Strontium glaze for articles made of faience and majolica. 59-02625P
 Komlik, V. V. See Malkov, B. A.

- Komoriya, G.; and Thomas, G. Lee
Magnetoelastic surface waves on YIG substrate. 59-01525A
- Konashenok, K. I. See Brytov, I. A.
- Kondakova, L. V.; Mikhaleva, V. A.; and Terenokva, E. M.
Gas medium for sealing glass to metal. 59-00298P; Glass. 59-00312P
- Kondo, Kenichi See Sawakura, Akira
- Kondo, Masano See Nakamura, Toshio
- Kondo, Renichi; Daimon, Masaki; and Asaga, Kiyoshi
Solid solutions in the system taeniolite-sodium taeniolite and their properties. 59-01909A
- Kondo, Renichi; Daimon, Masaki; and Song, Chong-Tak
Effect of lime on the hydration of supersulfated slag cement. 59-03182A
- Kondo, Renichi; and Ohsawa, Shigenari
Reactivities of various silicates with calcium hydroxide and water. 59-00067A
- Kondo, Susumu See Sugii, Kiyomasa
- Kondo, Susumu; Sugii, Kiyomasa; and Miyazawa, Shintaro
LPE growth of $\text{Li}(\text{Nb,Ta})\text{O}_3$ solid-solution thin film waveguides on LiTaO_3 substrates. 59-03301A
- Kondoleon, Christine
Openwork gold cup. 59-01015A
- Kondratov, O. I. See Kochergina, L. L.
- Konetkii, N. V. See Karas, G. E.
- Konijnendijk, W. L.; Verlijdsdonk, J. G.; and Van de Spijker, W. H. M.
X-ray characterization of $\text{Se}_2\text{SiAl}_2\text{O}_{12}$ and $\text{Ba}_2\text{SiAl}_2\text{O}_{12}$ and luminescence properties on activation with Ce^{3+} . 59-00951A
- Konnert, John H.; and D'Antonio, Peter
Structural ordering in silica glass optical fibers. 59-02288A
- Kono, Motomi
Process for mixing particulate material. 59-01628P
- Kononenko, G. V. See Belousov, Yu. L.
- Kononenko, G. V.; Slovikovskii, V. V.; and Gostyukhina, I. N.
Production of basic fused-cast refractories. 59-02470A
- Kononova, L. I. See Sokol, V. A.
- Kononykhin, V. S. See Gogishvili, O. Sh.
- Kononyuk, I. F. See Tolochko, S. P.
- Kosov, I. S.; and Teplov, M. A.
Magnetic properties of PrAlO_3 in tetragonal phase. 59-00868A
- Konovaiova, Z. S. See Vereshchagin, V. I.
- Konstantinova, L. See Kazandzhieva, V.
- Koontz, Harry S.
Gas hearth electrical heating supplement and method of operation. 59-03381P
- Kopelkin, V. A. See Khainer, S. P.
- Korabiev, I. F. See Makarova, L. A.
- Korecki, J. See Leja, E.
- Korenev, Yu. M.; Rykov, A. N.; and Novoselova, A. V.
Application of a mass-spectrometric method to construct P - T and T - x projections of the phase diagram of the system LiF-ZrF_4 . 59-04880A
- Korenshteyn, Ralph; and Castro, Carlos A.
LPE growth of double layer structures from molybdate and lead borate fluxes. 59-01523A
- Korepanov, V. E. See Evseev, A. A.
- Korkin, V. I.; and Tagunov, E. I.
Colored glaze. 59-01487P
- Korneev, V. I. See Andreev, V. V.
- Kornienko, L. S. See Fedorovich, O. V.
- Kornienko, P. N. See Pugin, V. S.
- Kornienko, V. N. See Chemerkov, L. G.
- Korotova, V. V. See Barkhatov, L. S.
- Korsten, Andreas See Petersen, Fritz
- Kortel, A. A. See Simonov, K. V.
- Kortel, A. A.; Reimov, L. A.; and Zhukovskaya, A. E.
Service of corundum plates in slide gates during the pouring of steel into 140-ton ladles. 59-02487A
- Korting, Reinhard See Wurr, Juergen
- Koryavin, A. A.; Nikolina, G. P.; and Petrovskaya, M. L.
Gas evolution from phosphate glasses during secondary heat treatment. 59-01171A
- Koryavin, A. A.; and Shashkin, V. S.
Effect of different factors on foam formation in glass during secondary heat treatment in vacuum. 59-01145A
- Korzo, V. F.; and Epaneshnikova, I. K.
Relation between temperature and electrical conductivity of cermet films of the system $\text{Cu-Al}_2\text{O}_3$. 59-02882A
- Korzunova, L. V. See Milberg, Z. P.
- Kosak, F.; Cimpl, Z.; and Hladina, R.
Optical, magnetic, and transport properties of the As-S-Te system. 59-05001A
- Koshanova, L. A. See Rusak, V. I.
- Koshkin, Yu. N.; Ordyskii, G. V.; and Shkhiyan, T. G.
Gripping means for refueling a nuclear reactor. 59-04692P
- Koshlyak, L. L.
Improvements in the production of acid-resistant ceramic wares. 59-00507A
- Koshlyak, L. L.; and Kalininskii, V. V. (Editors)
Production of Structural Ceramic Products (Proizvodstvo Izdelii Stroitel'noi Keramiki). 59-01995B
- Koshlyak, L. L.; and Kareev, Yu. P.
Plink—a new type of ceramic facing material. 59-00389A
- Kosinskaya, A. V.; Malaykina, M. K.; and Malayina, A. G.
Stone casting. 59-00495P
- Kosobokova, P. A.; Aleinikova, T. N.; and Bryantsev, B. A.
Glaze [with expanded firing temperature range]. 59-02613P
- Kosolapova, T. Ya.
Chemical properties of refractory compounds. 59-00404A
- Kosolapova, T. Ya.; Makarenko, G. N.; and Zvyatkevich, D. F.
Plasma-chemical synthesis of refractories. 59-00418A
- Kosova, I. I. See Mazurina, E. K.
- Kostanyan, K. A.
Electrical melting of glass. 59-00181A; See also Ambartsunmyan, A. G.; Lor'yan, S. G.; Sarinyulyan, R. S.
- Koster van Groenou, A. F. See Visser, Wierick
- Kosterev, G. T. See Fomkin, N. I.
- Kostial, I. See Cernoch, Svatopluk F.
- Kostick, Dennis S.; and Foster, Russell J.
Soda ash (sodium carbonate), sodium sulfate, and sodium. 59-03834A
- Kostikov, V. I. See Otopkov, P. P.
- Kostikov, Yu. P. See Leonov, A. I.
- Kostin, D. T.; Budkin, I. A.; and Yushenkov, A. G.
Paste for the metallization of ceramics. 59-00613P
- Kostoff, Ronald N.
Role of fissile fuel breeders in the energy economy. 59-04760A
- Kostomarov, N. S. See Kulikov, A. F.
- Kostomarov, V. S. See Kolumainen, V. V.
- Kostomarov, V. S.; Il'yushchenko, L. S.; and Kiseleva, E. N.
Ceramic material. 59-01542P
- Kostomarov, V. S.; Milberg, Z. P.; and Poyarkova, L. I.
Glass [for use in glass-enameled capacitors]. 59-04298P
- Kostrov, S. B. See Kulikova, N. V.
- Kostyeva, T. G. See Grebenshchikov, R. G.
- Kostyrya, Yu. F. See Klimovich, N. S.
- Kosugi, Osamu See Ohtsuka, Atsushi
- Kotchick, David M. See Schwab, David E.
- Kotchick, David M.; and Tressler, Richard E.
Deformation behavior of sapphire via the prismatic slip system. 59-03945A
- Koto, Kichiro; and Schulz, Heinz
X-ray diffuse scattering from wurtzite-type compounds. 59-03116A
- Kotsevich, A. M.; and Novitskii, E. Z.
Production of facade tiles based on the Brets raw materials. 59-00516A
- Kotsis-Szabo, Ildiko; and Deri, Marta
Chemical homogeneity of porcelain. 59-04517A
- Koumoto, Kunihito; Yangida, Hiroaki; and Mizuta, Susumu
Evaporation of zinc oxide from spinel solid solutions in vacuum. 59-01826A
- Kouwenhoven, Herman W.; and Stork, Willem H. J.
Crystalline silicates and process of preparation. 59-04849P
- Kovach, Louis See Holcombe, Cressie E., Jr.
- Kovachev, I. See Kovacheva, T.
- Kovacheva, T.; Kovachev, I.; and Radkova, A.
Sintering and microstructure of powders from porcelain articles. 59-02603A
- Kovalenko, N. P. See Boguslavskii, I. A.
- Kovalenko, V. V. See Pozhidaev, A. A.
- Kovalevskaya, I. P. See Magunov, R. L.
- Kovalevskii, N. N. See Tsapuk, A. K.
- Kovba, L. M. See Samartsev, B. G.
- Kovba, L. M.; Lykova, L. N.; and Kulikova, Z. Ya.
Polymorphic modifications of BaNb_2O_6 . 59-03997A
- Kovner, M. I. See Ioffe, V. Ya.; Rudakova, S. V.; Zagural'skii, M. T.
- Kovner, M. I.; and Zagural'skii, M. T.
Primer enamel. 59-00134P; Slip for enamel coating. 59-01095P
- Kovner, M. I.; Zagural'skii, M. T.; and Pankus, P.
Priming enamel. 59-02198P
- Kovaovich, S. See Chernobelskaya, T.
- Kovtun, N. M. See Karnachev, A. S.
- Kovylov, V. M. See Bykov, A. N.
- Kovzirdze, Z. D. See Gapiadashvili, G. G.
- Koyama, H.
Cathodoluminescence study of SiO_2 . 59-04887A
- Kozhevnikov, E. K.; and Saltynskaya, E. N.
Industrial classification based on their enrichment of dolomite raw materials from major deposits of the U.S.S.R. 59-04780A
- Kozhevnikov, N. M. See Alekseev, F. P.
- Kozhina, I. I. See Turkina, E. Yu.
- Kozhukharov, V. See Neov, S.
- Kozhushko, G. M. See Kaisheva, L. I.
- Kozlova, O. B. See Norkina, A. S.
- Kozlovskii, L. V.; Fed'ko, Yu. P.; and Solov'ev, N. P.
Bonding of metals to ceramics. 59-02180P
- Kozlovskii, L. V.; Sintsova, I. T.; and Shabliakov, A. A.
Effect of oxides of Sc subgroup elements on the crystallization capacity and structure of glasses of the system $\text{MnO-Al}_2\text{O}_3\text{-SiO}_2$. 59-02229A
- Kozlovskii, V. F. See Pokrovskii, B. I.
- Kozma, L.; and Huppmann, W. J.
Experimental method for determining transport paths in liquid phase sintering. 59-01828A
- Kozorin, L. G. See Isaev, S. M.
- Kozorog, M. G. See Bobkova, N. M.
- Kozub, Yu. I. See Pisarenko, G. S.
- Kozuka, Hirotsugu See Megumi, Koichi
- Kozuka, Mikio
Spraying apparatus for preparing glass fiber reinforced cementitious product. 59-04377P; See also Ootani, Toshihiro
- Kozuka, Mikio; Ono, Isao; and Fukuwatari, Takashi
Method of molding cementitious material. 59-00346P
- Kozyukov, V. M. See Sedmalis, U.
- Kraemer, A. See Kieser, J.
- Kraeutle, Karl J.
Method and apparatus for studying adhesion of particulate materials. 59-00717P
- Kraev, V. M.; Martynova, G. N.; and Rudovskaya, R. A.
Ceramic material for manufacturing filtering devices. 59-01415P
- Krajewski, Adriano See Azzoni, C. B.; Fabbri, B.
- Krajewski, Adriano; and Mongiorgi, Romano
Effects of chromophoric ions in a new glassy composition for industrial ceramics. 59-03278A
- Krapivina, S. A. See Kuznetsova, V. L.
- Krapivina, O. V. See Anokhin, V. I.
- Krasil'nikov, V. N. See Glazyrin, M. P.
- Krasil'nikova, Z. S.; and Shvaika, D. I. (Editors)
Improving the Quality of Ceramic Wall Materials and Porous Aggregates (Povyshenie Kachestva Stenykh Keramicheskikh Materialov i Poristyykh Zapolnitel'). 59-04044B
- Krasnosouova, A. S.; and Nazareva, V. A.
Use of clays from the Nikolaev deposit for the production of interior facing tiles by rapid firing. 59-02605A
- Krasotkina, N. I. See Fraife'd, M. S.
- Krasovskaya, A. K.; and Klimushina, I. M.
Substrate film strip for metallizing ceramics. 59-01600P
- Krasulin, Yu. L. See Grevtsev, S. N.; Ivanov, A. B.
- Kratel, Guenter; Stohr, Guenter; and Katzer, Hans
Heat insulating articles. 59-04479P
- Kraus, Milton N. (Editor)
Pneumatic Conveying of Bulk Materials. 2nd ed. 59-03141B
- Krause, H. Brigitte; Cowley, J. M.; and Wheatley, John
Short-range ordering in $\text{PbMg}_{1-x}\text{Nb}_{1-x}\text{O}_3$. 59-03072A
- Krautz, Fred G. See Sage, Donald B.
- Kravale, I. See Redala, S.
- Kravchenko, E. A.; Morgunov, V. G.; and Demina, L. D.
Investigation of the structure of antimony dioxide, Sb_2O_3 , by nuclear K-radiation of ^{113}Sb . 59-04978A
- Kravchenko, I. V. (Editor)
Chemistry and Technology of Special Cements (Khimiya i Tekhnologiya Special'nikh Tsementov). 59-01948B
- Kravchenko, L. D.; Bondarev, K. T.; and Tsaritsyna, M. A.
Calculation of the strength of triplex reinforced glass. 59-01115A
- Kravchenko, V. P. See Usatkov, I. F.; Ustikov, I. F.
- Kravchik, A. E. See Ordan'yan, S. S.
- Kravchinskaya, M. V.; Tikhonov, P. A.; and Kuznetsov, A. K.
Phase relations in the system $\text{HfO}_2\text{-Pr}_2\text{O}_3\text{-Dy}_2\text{O}_3$. 59-03995A; Rare earths-containing highly refractory material. 59-01445P
- Kravchuk, I. F.
Refinement of the phase diagram of the systems LiCl-MCl ($\text{M}=\text{Mg, Ca, Sr, Ba, Mn}$) by directed crystallization. 59-05035A
- Kravitz, Stanley See Estes, John H.
- Krebs, H. W. See Barnett, T. W.
- Krecher, Josef See Hennecke, Hermann
- Krechin, D. V. See Ovod, V. F.
- Kreidl, Norbert J. See Uhlmann, Donald R.
- Kreijger, P. J. See Van der Velden, A.
- Kreizerova, A. Ya. See Vasserman, A. A.
- Krenek, Jaroslav
Development of ceramic prefabrication at the Czechoslovak Brickworks. 59-02391A
- Krenkel, Teodoro G. See Chamorro, Homero J.
- Kretzer, Horst See Bauer, Klaus
- Krieger, K. D. See Conrad, F.-W.
- Kriegesmann, Jochen See Schlichting, Juergen
- Krichker, Peter
Particle size analysis by pressure measurement in a suspension. 59-00702A
- Krishnan, R. S.; Srinivasan, R.; and Devanarayana, S.
Thermal Expansion of Crystals. 59-05150B
- Krishnan, T. S. See Menon, P. R.
- Kristen, Klaus See Scheidler, Herwig
- Krivanev, O. L.; Shaw, T. M.; and Thomas, Gareth
Microstructure and distribution of impurities in hot-pressed and sintered silicon nitrides. 59-00871A
- Krivososova, N. T. See Lyubomirskaya, N. N.
- Krivoruchko, P. P.; Portnova, A. I.; and Alapin, B. G.
Firing of Cr_2O_3 refractories. 59-03530A
- Krivososova, D. A.; Masarik, M. A.; and Dergunova, V. S.
Method of manufacture and oxidation resistance of a graphite material with zirconium diboride, silicon, and vanadium additions. 59-00763A
- Krivosova, A. K. See Ignashev, E. P.
- Kroeger, F. A. See Tiku, S. K.
- Krohn, David A.; and Merrin, Seymour
Method of manufacturing graded index optical fibers. 59-00344P
- Kroichuk, L. A. See Ivashchenko, P. A.
- Krokozinski, H. J.; Baer, E.; and Freund, F.
Thermally stimulated depolarization of dipolar defects in MgO single crystals. 59-05103A
- Krop, K. See Leja, E.
- Krotkus, A. See Dobrovolski, Z.
- Kroyer, Karl K. K.
Process of making a blistered, crystallizable glass material. 59-03443P
- Krushinin, Yu. D. See Belousov, Yu. L.; Kuleshov, E. A.
- Krug, F. See Linke, D.
- Krugitskii, N. N. See Pakhovchishin, S. V.

- Krumholz, D.; Brinkmeyer, E.; and Neumann, E.-G.
Core/cladding power distribution, propagation constant, and group delay—simple relation for power-law graded-index fibers. 59-02215A
- Krupka, Kenneth M.; Robie, Richard A.; and Hemingway, Bruce S.
High-temp. heat capacities of corundum, periclase, anorthite, $\text{CaAl}_2\text{Si}_2\text{O}_7$ glass, muscovite, pyrophyllite, KAlSi_3O_8 glass, grossular, and $\text{NaAlSi}_3\text{O}_8$ glass. 59-01841A
- Kruse, Bernd-Dieter; and Hauser, Hans
Effect of calcining conditions on the sintering behavior of alumina: I. Calcination in gases. 59-03952A; Effect of calcining conditions on the sintering behavior of alumina: II. Calcination with mineralizers. 59-03953A
- Kruszewski, Klemens G.; and Michalik, Jerzy S.
Wear of molybdenum electrodes in electrically heated glass tank furnaces. 59-01278A
- Kruzent, Robert A.
Method for the disposal of nuclear or toxic waste materials. 59-02754P
- Krykhtin, G. S.; Raikhan, N. B.; and Sidorovskii, E. L.
Advantages of rubber mill linings. 59-03166A
- Krylov, V. D. See Liepin, V. V.
- Krystyniak, Casimir W.; and Borom, Marcus P.
Magnetic tag process. 59-03392P
- Kryukova, V. N.; and Vyzovova, N. G.
Reaction of GeO_2 with PbO . 59-03697A
- Kryzhanovskaya, I. A.; Shokotova, B. G.; and Ponomarev, I. F.
Expanding cement. 59-00081P
- Kryzhanovskii, I. G. See Pryadko, V. M.
- Krzykowski, Philip F. See Hager, Adolph G.
- Krzywicki, L.; and Nieborowski, H.
Effect of moisture content of brick on the microstructure of cement-lime mortar in brickwork joints. 59-02066A
- Kubin, L. P. See Blanchin, M. G.
- Kubinski, Ignacy; Lado, Ewa; and Wolka, Zofia
Coding the materials used in the glass and ceramic tableware industry. 59-03121A
- Kubitsa, Petr See Novotny, Vladimir
- Kubo, T. See Miyazawa, T.
- Kubodera, Kenichi See Nakano, Junichi
- Kubodera, Kenichi; and Otsuka, Kenji
Laser performance of a glass-clad LiNdP_2O_7 rectangular waveguide. 59-01205A
- Kubota, Hiroaki See Katayama, Ichiro
- Kubota, Nobuhisa See Okano, Haruo
- Kucharczyk, D.; and Niklewski, T.
Accurate X-ray determination of the lattice parameters and the thermal expansion coefficients of VO, near the transition temperature. 59-02917A
- Kucherenko, T. S.; Yalinskaya, V. A.; and Khomrakh, F. P.
Silicate filler composition for increasing the acid-resistance of enamel coatings. 59-01093P
- Kuczynski, George C. (Editor)
Sintering Processes. (Materials Science Research, Vol. 13). 59-05147B
- Kudo, Daidiro; Maeda, Kazuo; and Tanikawa, Eiki
Process for the vapor growth of a thin film. 59-02735P
- Kudo, Seishi; and Ikeda, Takuro
Elastic compliance anomalies in K_2SeO_4 . 59-04931A
- Kudryashov, P. I. See Kolobkov, V. P.
- Kuech, F.
Homogenization of raw materials from Westerwald [Germany]. 59-02766A
- Kuehl, Guenter H.
Preparation of shape selective zeolite alpha as catalyst. 59-03910P
- Kuenzi, H. U.; Agreman, K.; and Guentherodt, Hans-J.
Internal friction peaks in metallic glasses. 59-03299A
- Kugumimoto, Hideo See Nakazato, Yoshio
- Kuhn, Rudolf See Herchenbach, Horst
- Kukacka, L. E. See Sugama, Toshifumi
- Kukhtarev, N. V.; Markov, V. B.; and Odulov, S. G.
Holographic storage in electrooptic crystals: I. Steady state. 59-04962A; Holographic storage in electrooptic crystals: II. Beam coupling-light amplification. 59-04569A
- Kukolev, G. V.; Nemets, I. I.; and Woon, Ye Yen
Unroasted magnesite refractories with a tar-phosphate binder. 59-03580A
- Kukushva, M.; Boneva, Kh.; and Nedev, V.
Technology for producing Zr glazes for use on ceramic sanitary ware fired at low temperatures. 59-02295A
- Kukushva, M.; Shova, R.; and Nedev, V.
Changes in the composition of raw materials for porcelain sanitary ware. 59-04514A
- Kukushkin, A. P. See Bocharov, L. D.
- Kulakov, V. M. See Suvorov, S. A.
- Kulenko, E. N. See Vlasov, A. S.
- Kuleshov, E. A.; Krachinin, Yu. D.; and Plotnikova, T. V.
Glass. 59-00316P
- Kuliev, A. A. See Gotuk, Ali Alarik
- Kulikov, A. F.; Butarin, A. I.; and Kostomarov, N. S.
High-alumina refractory slabs for use in thermal power plants. 59-02440A
- Kulikov, B. M.
Calculation of the composition- and parameter-dependent properties of glasses. 59-01114A
- Kulikova, N. V.
Glaze [with decreased glaze-firing temperature and increased thermal expansion coefficient]. 59-04546P
- Kulikova, N. V.; Kim, N. E.; and Zenias, L. E.
Glaze. 59-01495P
- Kulikova, N. V.; Yudin, T. V.; and Kostrov, S. B.
Glaze with a high whiteness and luster. 59-01490P
- Kulikova, N. V.; Yudin, T. V.; and Tikhomirov, Yu. N.
Glaze. 59-01493P
- Kulikov, Z. Ya. See Kovba, L. M.
- Kulkarni, A. K.; Das, Pranab; and Rao, S. V. K.
Influence of preparation conditions on mullite formation in clay-alumina mixtures. 59-02994A
- Kulkarni, S. V. See Pipes, R. B.
- Kul'kov, A. I.; and Yaushevich, M. V.
Glass-to-metal bonding. 59-02334P
- Kulyamina, L. L. See Avanesov, V. A.
- Kumada, Ken; and Namikawa, Hiroshi
Reversibly photosensitive glass. 59-03447P
- Kumagai, Masato See Kishidaka, Hisashi; Uchimura, Ryoji
Fracture behavior of refractories under thermal shock conditions: III. Finite element analysis of thermal stresses produced in a refractory heated from one end. 59-03531A
- Kumar, Ananda H.; and Niklewski, Jerzy B.
Alumina-mullite ceramics for multilayer substrates. 59-00544A
- Kumar, Ashok; Lakshminarayan, K. N.; and Srivastava, K. K.
Dielectric relaxation study of chalcogenide glasses. 59-04176A
- Kumar, D. See Chakravorty, D.
- Kumashiro, Y.; and Sakuma, E.
Vickers microhardness of nonstoichiometric niobium carbide and vanadium carbide single crystals up to 1500°C. 59-05113A
- Kumata, K.; Namikawa, H.; and Yamamoto, K.
Photochromic glass based on TiO_2 -doped cadmium germanate. 59-04235A
- Kumazawa, Mineo See Suzuki, Isao
- Kumito, Hiroshi See Nakanishi, Norihiro
- Kumskov, V. N. See Bresler, S. N.
- Kundo, Yu. A.; Sussli, E. P.; and Shilov, V. I.
Automatic control system for variable multiengine drives. 59-03171A
- Kuniba, Kenji; Teshima, Yoshio; and Yoshii, Mineshi
South African andalusite (Transgraph-60). 59-02844A
- Kunkle, Gerald E.
Convex bottomed float glass forming chamber entrance. 59-03371P
- Kuntze, Richard A. See Glass, Roger W.
- Kunugi, Masanaga See Hirao, Kazuyuki; Komatsu, T.
Kuo, Yeung-yi See Chen, Yau-cheng
- Kupperman, David S.; Pabis, Lee; and Yuhus, Donald
Acoustic microscopy techniques for structural ceramics. 59-03795A
- Kuprienko, P. I.; and Pashkov, A. F.
Ferrite powders. 59-01550P
- Kurbatov, T. Kh. See Rustamov, P. G.
- Kurbatov, Yu. A.
Fuel-power balance of the enterprise is steadily improved. 59-03186A
- Kurkin, I. N. See Garifullina, R. L.
- Kurkin, V. P. See Mazurina, E. K.
- Kurkjian, Charles R.; Pentecost, Joseph L.; and Prindle, William H.
Glass plants and glass research in China. 59-04203A
- Kurnavina, G. N. See Bezrodnii, V. G.
- Kurochka, L. P. See Karyuk, A. A.
- Kuroda, Hiroto; Masuko, Harutake; and Muekawa, Shigeru
Development of highly repetitive phosphate glass lasers. 59-04175A
- Kuroda, Koji See Shinozaki, Kazuo
- Kuroda, Koji; Shinozaki, Kazuo; and Uematsu, Keizo
Oxygen-deficiency-induced polymorphs and electrical conductivity of SrMgO_{2-x} . 59-01880A
- Kuroda, Tatsuo; Matsuzawa, Mikio; and Ikeda, Katsuo
Slag corrosion test of various refractories for ladle refining process. 59-03571A
- Kurosaki, Shiro See Shiraiishi, Satoshi
- Kurskaya, I. N. See Baranova, T. F.
- Kurth, Thomas C.
Controlling the drawing rollers to produce diameter perturbations in an optical waveguide. 59-00287P
- Kurteva, N. N.; Sakliski, A. V.; and Rudnitskaya, E. S.
IR spectra of Al and Mg titanates. 59-03973A
- Kurtz, Anthony D.; and Mallon, Joseph R.
Methods of fabricating transducers employing flat bondable surfaces with buried contact areas. 59-04642P
- Kurtz, Dennis D. See Anderson, John B.
- Kurucz, Janos
Failures in cement rotary kilns [caused] by excessive thermal dilation. 59-04095A
- Kushal'nikov, V. T.
Effect of technological parameters on the lime-caustic processing of Na_2CO_3 using burnt (calcined) dolomite in glassmelting. 59-01152A
- Kushiro, Ikuro See Egler, David H.
- Kushnirskii, G. M. See Aizenberg, A. N.
- Kuskova, L. V.; Prodavtsova, E. I.; and Ivanova, M. P.
Capacitor ceramic. 59-02693P; Charge for ferroelectric ceramic material. 59-00587P
- Kusteladze, K. S. See Gaprindashvili, G. G.
- Kutelnikov, A. F. See Zolkin, P. I.
- Kutolin, S. A. See Mal'tsev, V. T.
- Kutsenko, L. V. See Polyushkin, V. I.
- Kutsenko, Ya. P. See Turyanitsa, I. D.
- Kutsenko, Ya. P.; Turyanitsa, I. D.; and Chepur, D. V.
Physicochemical properties and IR spectra of glass-forming Sb_2O_3 . 59-03330A
- Kutukov, V. F.; Belyakova, N. P.; and Bykov, A. N.
Composition for manufacturing refractory heat-insulating material. 59-00446P
- Kuwabara, M. See Benn, M.
- Kuwajima, Hideji; Mizoguchi, Hirofumi; and Sakurada, Juichi
Method for disintegrating mica flakes and apparatus used therefor. 59-00740P
- Kuwata, Jun; Uchino, Kenji; and Nomura, Shoichiro
Diffuse phase transition in lead zinc niobate. 59-04917A
- Kuzenkov, M. A.; Kislyi, P. S.; and Grabchuk, B. L.
Structure and properties of sintered boron carbide. 59-04451A
- Kuzenkov, M. A.; Kislyi, P. S.; and Makarenko, G. N.
Sintering behavior of aluminum nitride synthesized in low-temperature plasma. 59-00771A
- Kuz'menkov, M. I. See Chereshe, G. Kh.; Strugach, L. S.
Kuz'menkov, M. I.; Pechkovskii, G. V.; and Martynchik, S. P.
Synthesis and study of BaP_2O_7 [for use in optical glasses]. 59-02294A
- Kuz'menkov, M. I.; Pyshevskii, S. V.; and Kuz'menkova, F. M.
Material for manufacturing abrasive tools. 59-00008P
- Kuz'menkova, F. M. See Kuz'menkov, M. I.
- Kuz'micheva, G. M. See Eliseev, A. A.
- Kuz'min, E. V.; and Orshinnikov, S. G.
Electronic properties of transition metal dioxides. 59-00556A
- Kuz'min, I. D.; and Nikitin, V. I.
Effect of the grain size composition of dehydrated clay on brick quality. 59-00382A
- Kuz'min, L. I.
Refractory packing material for lining thermal units. 59-02556P
- Kuz'min, L. I.; and Snegirev, A. I.
Refractory packing material for lining heating units. 59-00491P
- Kuz'min, N. N.; Osinskii, V. I.; and Papovyan, V. E.
Binder for ceramic shells used in lost wax process. 59-00434P
- Kuz'mina, G. A. See Ryazantsev, A. A.
- Kuz'movich, V. V. See Ust'yanov, V. B.
- Kuznetsov, A. I. See Kuznetsova, I. N.
- Kuznetsov, A. I.; Medvedeva, G. V.; and Lysenok, L. N.
Glass for soldering to metal. 59-01310P
- Kuznetsov, A. I.; Sukhovskaya, N. G.; and Goloburdov, V. P.
Glass. 59-00314P
- Kuznetsov, A. K. See Kravchinskaya, M. V.
- Kuznetsov, G. I. See Ocheretnyuk, F. F.; Tarasov, A. F.
- Kuznetsov, N. T. See Slovyanskikh, V. K.
- Kuznetsov, N. T.; Slovyanskikh, V. K.; and Gracheva, N. V.
System $\text{Pr}_2\text{Te}_2\text{-UTE}$. 59-05082A
- Kuznetsov, V. A. See Sizova, R. G.
- Kuznetsov, V. V.; and Sorokin, V. S.
Preparation of epitaxial GaP layers from melt-solutions in Sb and Bi. 59-02678A
- Kuznetsova, E. A. See Sivash, V. G.
- Kuznetsova, I. G. See Rytatsev, K. I.
- Kuznetsova, I. N. See Markova, T. P.
- Kuznetsova, I. N.; and Kuznetsov, A. I.
New compositions for glasses and composites for use in the electronic industry. 59-00225A
- Kuznetsova, V. L.; Krapivina, S. A.; and Surina, Z. A.
Charge for the manufacture of a lightweight refractory material. 59-02513P
- Kuzuba, Takashi; Sato, Yoichiro; and Yamaoka, Shinobu
Raman-scattering study of high-pressure effects on the anisotropy of force constants of hexagonal boron nitride. 59-03060A
- Kvyatkovskii, O. V. See Fedorov, N. F.
- Kwon, Oh-Hun See Lee, Hee-Soo
- Kwon, Oh-Jong See Hong, Soon-Hyung
- Kyoden, Hiroshi See Katayama, Heita; Yoshino, Shigeo
- Kyoden, Hiroshi; Ichikawa, Kenji; and Namba, Yasutoshi
Wear pattern of slide plates. 59-04460A
- Kyoden, Hiroshi; Namba, Yasutoshi; and Haishi, Hideki
Ladle lining and repair with castable [refractories]. 59-03546A
- La Course, William C. See Doremus, Robert H.
- La Due, Stephen E.; and Pieper, Helmut
Progress report on electric melting. 59-01231A
- La Fever, Russell L. See Justice, Ben
- La Iglesia, A. See Van Oosterwyck-Gastuche, M. C.
- La Iglesia, A.; and Van Oosterwyck-Gastuche, M. C.
Kaolinite synthesis: I. Crystallization conditions at low temperatures and calculation of thermodynamic equilibria. Application to laboratory and field observations. 59-01856A
- La Rue, Daniel L.
Glass article [hollow] handling chuck. 59-01297P
- Labbe, Jean-Claude See Billy, Michel
- Labes, V. I. See Lavrov, I. V.
- Labutina, L. V. See Kalinovskii, V. E.
- Lach, Vladimir
Microstructural changes during the firing of wall tile and sanitary ware. 59-01472A; 59-03646A
- Lachman, Irwin M. See Armistead, William H.; Davis, Allen D., Jr.
- Lachowski, Eric E.; Mohan, K.; and Taylor, H. F. W.
Analytical electron microscopy of cement pastes: II. Pastes of portland cements and clinkers. 59-03169A
- Lackey, W. J. See Stinton, D. P.

- Lackner, Anne M.; and Relf, Phillip G.**
Method for polishing cadmium sulfide semiconductors. 59-02719P
- Lacour, C.; and Paulus, M.**
Lyophilization parameters of ceramic compounds. 59-03009A
- Lacy, J. B.; Abraham, M. M.; and Boldo O, J. L.**
Oxidation and reduction of lithium-containing MgO at high temperatures. 59-03038A
- Ladon, Ewa** See Kubinski, Ignacy
- Ladwig, Richard D.**
Automatic calcining kettle. 59-03213P
- Lagos, Costas C.; Lamo, Ricardo A.; and Crowley, John L.**
Internal coating process for glass tubing. 59-02339P
- Lagzdins, S.** See Vaivads, J.
- Lagzdins, S.; Petersone, D.; and Vaivads, J.**
Glass. 59-01324P
- Lagzdins, J.; Kleperis, J.; and Lasis, A.**
Electron absorption spectra and structure of tungsten centers in tungstate-phosphate glasses. 59-00184A
- Lagzdins, J.; Shults, I. A.; and Vitina, I.**
Reduced forms of tungsten in tungsten silicophosphate and tungsten aluminosilicate-phosphate glasses and electrical conductivity of these glasses. 59-04248A
- Lahaye, Jacques** See Ehrburger, Pierre
- Laiikov, V. S.**
Reduction of fuel and electric power consumption. 59-03204A
- Laine, Jean-Claude**
Method of pressing and pressing machine for hollow glassware. 59-04355P
- Laine, Norman R.** See Sanchez, Moises G.
- Laird, James A.** See Tung, Chi F.
- Laitinen, H. A.; and Hsen, T. M.**
Chemically treated tin oxide electrodes responsive to pH and sulfide. 59-00686A
- Lakatos, Tibor; Johansson, Lars-Gunnar; and Simmingskoeld, B. K. W.**
Viscosity-temperature relations in glasses composed of SiO_2 - Al_2O_3 - Na_2O - PbO - B_2O_3 - CaO - ZnO - Li_2O in the compositional range of "crystalline" glasses. 59-02304A; Viscosity-temperature relations in the lead crystal system containing 24-30% PbO : III. 59-01275A
- Lakshmi, Mrs. See Rastogi, R. P.**
- Lakshminarayan, K. N.** See Kumar, Ashok
- Lalykin, S. P.** See Gogishvili, O. Sh.
- Lama, William** See Rees, James D.
- Lambert, J. P. F.; and Wilshire, F. W.**
Neutron activation analysis for simultaneous determination of trace elements in ambient air collected on glass-fiber filters. 59-00700A
- Lambies Lavilla, Vincente** See Escribano L., P.; Nunez R., M. A.
- Lambies Lavilla, Vincente; and Guillen Monzonis, Claudio**
New ceramic coloring—manganese substituted for zinc in willemite. 59-02789A
- Lampert, Albert J.**
Insulated furnace structure. 59-02818P
- Land, C. C.** See Petrovic, J. J.
- Land, Peter L.**
Strain rates for three- and four-point flexure tests. 59-01666A
- Landa, Ya. A.** See Aizenberg, A. N.
- Landau, Manfred**
Method of coating glass and glass coated thereby. 59-03413P
- Landis, E. K., Jr.** See Messelt, C. D.
- Lang, B.** See Carriere, Bernard
- Lang, Raimund** See Beken, Gunther
- Lange, F. F.**
Compressive surface stresses developed in ceramics by an oxidation-induced phase change. 59-01795A; Correction—Eutectic studies in the system Si_3N_4 - $\text{Si}_3\text{N}_2\text{O}$ - MgSiO_3 . 59-01798A; Eutectic studies in the system Si_3N_4 - $\text{Si}_3\text{N}_2\text{O}$ - MgSiO_3 . 59-00841A; Method of protecting Si_3N_4 ceramic alloy during heating. 59-02901P; Si_3N_4 - Ce_2O_3 - SiO_2 materials—phase relations and strength. 59-01746A; Silicon nitride-silicon carbide composite material. 59-02912P; 59-03922P; See also Clarke, David R.
- Lange, F. F.; and Davis, B. I.**
Development of surface stresses during the oxidation of several Si_3N_4 - CeO_2 materials. 59-00822A
- Lange, F. F.; Davis, B. I.; and Clarke, David R.**
Compressive creep of Si_3N_4 - MgO alloys: I, Effect of composition. 59-04897A; Compressive creep of Si_3N_4 - MgO alloys: II, Source of viscoelastic effect. 59-04898A; Compressive creep of Si_3N_4 - MgO alloys: III, Effects of oxidation induced compositional change. 59-04899A
- Lange, F. F.; Diaz, Edward S.; and Anderson, Clarence A.**
Tensile creep testing of improved Si_3N_4 . 59-00777A
- Lange, Robert G.; and Schlotthauer, Harley L.**
Plaster composition containing water-reducing agent. 59-02119P
- Langensiepen, Jelena Brun; and Hummel, Floyd A.**
Compatibility relations in the system Al_2O_3 - P_2O_5 - WO_3 . 59-03937A
- Langer, Manfred; and Siebels, Johann**
Method of producing an article (turbine blade) which comprises a first zone of a nonoxide ceramic material and a second zone of a softer material. 59-04864P
- Langlois, W. E.**
Effect of the buoyancy parameter on Czochralski bulk flow in garnet growth. 59-04928A
- Lasin, A. G.** See Deryavko, I. I.
- Lanio, Ricardo A.** See Lagos, Costas C.
- Lapenas, A. A.** See Silin, A. R.
- Lapshin, V. I.** See Kazakov, V. K.
- Lapshin'sh, Kh. A.; and Dablin, M. A.**
Production of acoustic and decorative gypsum tiles by vibration molding. 59-02596A
- Laptev, D. M.** See Astakhova, I. S.
- Larche, F.** See Vernaz, E.
- Larionov, M. T.** See Zolotarev, A. I.
- Larker, Hans**
Method of containing spent nuclear fuel or high-level nuclear fuel waste. 59-04696P
- Larson, Daniel R.; and Rios, Ricardo G.**
Porcelain enamel electrostatic powder coatings—production and pilot line experiences with various systems. 59-03240A
- Larson, Richard I.; Adomitis, John T.; and Beckingham, Thomas G.**
Method and apparatus for blending fine and cohesive powders in a fluidized bed with gas injection through ball valves. 59-01624P
- Lasday, Stanley B.**
Production of energy pellets from biomass. 59-04759A
- Lasis, A. Yu.; Gasimova, K. V.; and Morkuniene, V. A.**
Crystallochemical characteristics of calcium sulfate hemihydrate. 59-03174A
- Laska, Harry M.; and Grimm, Nelson**
Method of producing a tubular body of polycrystalline alumina. 59-01577P
- Laskowski, Donald E.** See Laskowski, Thomas E.
- Laskowski, Thomas E.; Scotford, David M.; and Laskowski, Donald E.**
Measurement of refractive index in thin section using dispersion staining and oil immersion techniques. 59-01651A
- Lasocka, Maria**
Reproducibility of thermal effects within the glass transition region. 59-04252A
- Latos, Thomas S.**
Method and apparatus for controlling plasma etching. 59-04621P
- Lau, K. H.** See Cubicciotti, Daniel
- Lauche, J.** See Tairov, Yu. M.
- Laud, Kamalakar R.** See Logothetis, E. M.
- Lauder, Alan**
Barium- and ruthenium-containing perovskite catalysts. 59-03889P; Ruthenium-containing perovskite catalysts. 59-02910P
- Lautenschlager, F. W.; and Hennecke, Hermann**
Blower beater mill. 59-00665P
- Laville, H.; and Bernier, Jean Claude**
Micromagnetism in a new BaO - Fe_2O_3 - B_2O_3 glass. 59-01211A
- Lavoisey, Yves**
Apparatus and method for the assembly of glass sheets. 59-03360P
- Lavrent'ev, A. V.** See Fedoseev, D. V.
- Lavrov, A. V.** See Minacheva, L. Kh.
- Lavrov, I. V.; Labes, V. I.; and Fedorova, E. D.**
Increasing the strength of SiC polishing granules. 59-00007P
- Lawa, Brian R.** See Chantikul, P.; Dabbs, T. P.; Marshall, D. B.; Wiederhorn, Sheldon M.
- Lawa, Brian R.; Evans, A. G.; and Marshall, D. B.**
Elastic/plastic indentation damage in ceramics—the median/radial crack system. 59-04932A
- Lawa, Brian R.; Hockey, Bernard J.; and Wiederhorn, Sheldon M.**
Atomically sharp cracks in brittle solids—an electron microscopy study. 59-04883A; Thermal effects in sharp-particle contact. 59-03101A
- Lawrence, R. J.** See Munson, D. E.
- Lawrie, William E.**
Apparatus for locating defective nuclear fuel elements. 59-01613P
- Laws, V.** See Majumdar, Amalendu Jyoti
- Lawver, James E.; Snow, Robert E.; and McClintock, Walter O.**
Method of beneficiating phosphate ores. 59-03843P
- Lazarev, A. N.; Shchegolev, B. F.; and Ignat'ev, I. S.**
Correlation between the empirical force constants of Si-O bonds and their electronic structure, based on the MO-LCAO calculations. 59-04902A
- Lazarev, V. B.** See Bazakutsa, V. A.; Shaplygin, I. S.
- Lazarev, V. B.; Marensin, S. F.; and Khuseinov, B.**
Glass formation in the system Cd-As-I. 59-03964A
- Lazarev, V. B.; and Shaplygin, I. S.**
Classification of simple and mixed oxides of metals. 59-03936A; Isostructure and reciprocal solubility of Cd_2O_3 and Ca_2MoO_6 . 59-03974A
- Lazarev, Yu. S.; Fedorova, V. A.; and Figurovskii, I. A.**
Chemical polishing of glass articles. 59-01288P
- Lazareva, V. P.** See Kaminskaya, N. L.
- Lazoryak, B. I.; Efremov, V. A.; and Glzhinskii, A. R.**
Synthesis of monocrystals of the molybdates $\text{M}_2\text{R}(\text{MoO}_4)_3$, where $\text{M} = \text{K}$, Rb and $\text{R} = \text{rare-earth elements}$, Y , and Al . 59-05064A
- Le Contellec, M.** See Guivarc'h, A.
- Le Craw, Roy C.** See Gyorgy, Ernst M.
- Le Davay, Louis; and Jouteur, Robert**
Coating for optical fibers. 59-03368P
- Le Doussal, H.; Carrie, J. P.; and Chastant, Marc**
Behavior of refractories subjected to severe thermomechanical stress. 59-04390A
- Le Flem, Gilles** See Amara, M. Ben
- Le Flem, Gilles; Colmet, R.; and Claverie, Jean**
Magnetic and electric properties of Ca_2MnO_4 . 59-04987A
- Le Houllier, R.** See Berube, M. A.
- Le Neasse, Georges E.; and Muthern, Andre M.**
Device for terminating the fibers of an optical fiber ribbon with connectors. 59-00291P
- Leach, B. Foss**
Some applications of natural radioactive emissions in glasses. 59-01243A
- Leal, Richard A.** See Reed, James R.
- Lebech, B.** See Christensen, A. Norlund
- Lebedev, A. T.; and Nikonova, L.**
Etching mixture for frosting glass. 59-01294P
- Lebedev, G. D.** See Zaitsev, A. A.
- Lebedev, V. P.; Przhnevskii, A. K.; and Savost'yanov, V. A.**
Spectral and kinetic selection of optical centers in glass. 59-04257A
- Lebedev, Yu. I.** See Kocherzhenko, V. G.
- Lebedkin, S. S.** See Kobel'kov, G. P.
- Lebetzki, Egon** See Schneider, Hartmut
- Leboucq, Jacques** See Desplanches, Gerard
- Lebugle, A.** See Montel, G.
- Leclercq, Robert** See Van Laethem, Robert
- Leconq, Andre; and Poulin, Marcel**
Lanthanum fluorozirconate glasses. 59-00211A
- Leding, Francis R.** See Page, John
- Lee, Byung-Ha** See Lee, Chong-Keun
- Lee, Chong-Keun; Lee, Byung-Ha; and Chun, Seung-Kwan**
Effects of alkaline-earth oxides on electrical characteristics of stearite porcelain. 59-03678A
- Lee, Dong-Hi; and McPherson, Reginald**
Metastable immiscibility and microstructural development during sintering of an SiO_2 - Al_2O_3 plasma prepared powder. 59-01870A
- Lee, Eal H.; Moorhead, R. Dale; and Poppa, Helmut**
Controlled metal-film deposition on alumina substrates. 59-00548A
- Lee, Hee-Soo; Park, Jeong-Hyun; and Kwon, Oh-Hun**
Abrasive wheels bonded with sodium borosilicate glass. 59-04059A
- Lee, Hee-Soo; Park, Jeong-Hyun; and Oh, Young-Jei**
Reaction products between coes and kaolinites. 59-00423A
- Lee, Henry C.** See Attard, Alfred E.
- Lee, Hong-Lim**
High temperature vaporization of high-melting-point oxides. 59-00854A
- Lee, June-Gunn; and Cutler, Ivan B.**
Sinterable sialon powder by reaction of clay with carbon and nitrogen. 59-00770A
- Lee, Kuo-Hue; and Crawford, J. H., Jr.**
Luminescence of the F center in sapphire. 59-03008A
- Lee, Kwang** See Ahn, Young-Pil
- Lee, Kyung-Hee**
Solubility of calcium silicate hydrates. 59-00071A; See also Kim, Byung-Moo
- Lee, Minyoung; Szala, Lawrence E.; and De Vries, Robert C.**
Process for preparing a polycrystalline diamond body. 59-01592P; Process for preparing a polycrystalline diamond body/silicon carbide substrate composite. 59-01091P; Process for preparing a polycrystalline diamond body/silicon nitride substrate composite. 59-01593P; Process for preparing a silicon-bonded polycrystalline diamond body. 59-00984P
- Lee, Moon-Ho; Hwang, In-Churi; and Choo, Woong-Kil**
Development of piezoelectric ceramics. 59-00550A
- Lee, Richard Joel; Fasiska, Edward J.; and Janocko, Philip B.**
Electron beam particulate analysis. 59-04718A
- Lee, Soo-Young** See Pyn, Su-Il
- Lee, Woodrow W.; and Choi, Sang-Il**
Electronic structure of β -alumina surface with an adsorbed sodium atom. 59-04561A
- Leebeck, C. J.**
Electrical properties of some Y-Si-Al oxynitride glass-ceramics. 59-03281A
- Leebeck, C. J.; and Loehman, Ronald E.**
Electrical properties of yttrium-aluminum-silicon oxynitride glasses. 59-01157A
- Lees, T. P.** See Deane, P. G.
- Legge, G. J. F.; and Hammond, I.**
Total quantitative recording of elemental maps and spectra with a scanning microprobe. 59-01674A
- Leggett, Hyman**
Low-absorbance porcelain-on-aluminum coating. 59-00101A
- Lehman, Richard L.; and Mauring, William H.**
Glass batch wetting with water—parameters and techniques. 59-03291A
- Lehmann, Willi**
Calcium yttrium borate phosphor composition. 59-04282P
- Lehnheuser, Werner**
(Editor) Chemical and Technical Tables for Ceramists (Chemisches und technisches Rechen in keramischen Bereich). 2nd ed. 59-03132B; Chemical and technical calculations for the ceramic field: I. 59-00679A; Chemical and technical calculations for the ceramic field: II. 59-00680A; Chemical and technical calculations for the ceramic field: III. 59-00681A; Chemical and technical calculations for the ceramic field: IV. 59-00682A; Chemical and technical calculations for the ceramic field: V. 59-00683A; Chemical and technical calculations for the ceramic field: VI. 59-00684A; Chemical and technical calculations for the ceramic field: VII. 59-00685A
- Leichter, Peter** See Knott, Karl
- Leiman, V. I.** See Gracheva, L. V.

- Leisen, Roger W.; Pieterick, Jerome A.; and Pletcher, Wayne A.
Nonglare glass coating. 59-01342P
- Leipold, Martin H. See Chen, C. P.
- Leipold, Wolfgang See Schueller, Karl-Heinz
- Leiser, Daniel B. See Goldstein, Howard E.
- Leja, E.; Korecki, J.; and Krop, K.
Phase composition of SnO , thin films obtained by reactive dc sputtering. 59-03691A
- Leko, V. K.
Viscosity of quartz glasses. 59-01274A; See also Shubin, V. N.
- Lekomtseva, E. D. See Shklyar, F. R.
- Leish, Michael D.; and Marmor, Abraham
Wettability of soda-lime glass—effect of cleaning procedures. 59-00279A
- Lemaître, Jacques See Leonard, A. J.
- Lemaître, Jacques; and Delmon, Bernard
Effect of mineralizers on properties of kaolin bodies. 59-01464A
- Lenker, Richard S.; and Storey, Clyde H.
Process for producing a gradient photochromic ophthalmic lens. 59-04370P
- Lenzner, M. See Herrmann, Dieter
- Lenard, William M.; and Taylor, Lynn J.
Protective coating for glass substrate. 59-00366P
- Lent, B. See Cockayne, B.
- Leonard, A. J.; Genet, M. J.; and Lemaître, Jacques
Reply to "Comment on 'Structural analysis of the transition phases in kaolinite-mullite thermal sequence.'" 59-00913A
- Leonard, L. A.
Dolomite and silica—survival or revival? 59-01380A
- Leonhardt, John H. See Hryciuk, Kenneth S.
- Leonen, A. I.; Kostikov, Yu. P.; and Trusova, E. M.
Mechanism of activated sintering of SnO_2 . 59-00736A
- Lepers, K. E.
Development of lightweight construction for industrial furnaces—advantages and application limits. 59-03513A
- Lepley, B.; Nguyen, P. H.; and Boutrix, C.
Copper diffusion and photovoltaic mechanisms at Cu-CdS contact. 59-04556A
- Leroux, G. See Joukoff, B.
- Leroux, Mathieu; Tromson-Carli, Annie; and Gibart, Pierre
Growth of Al₂Si on insulating substrates by metal organics chemical vapor deposition. 59-04565A
- Leroy, Bernard
Kinetics of growth of the oxidation stacking faults. 59-04983A
- Leseur, André See Anav, Maurice
- Leschenko, P. P.; Paromova, M. V.; and Lykova, L. N.
Polymorphic transformations in $\text{Ba}_2\text{Nb}_2\text{O}_7$. 59-03998A
- Lesnikov, A. K. See Dement'eva, N. V.
- Leis, D. P.; and Morrison, G. H.
Ion implantation for in-situ quantitative ion microprobe analysis. 59-02786A
- Letnyuk, L. M. See Makarov, B. V.
- Letzsch, Ruediger See Heide, Monika
- Leung, C. H.; and Song, K. S.
Model of excitonic mechanism for defect formation in alkali halides. 59-03019A
- Leung, Chi-Hung; and Van Vlack, Lawrence H.
Solubility limits in binary (Ca,Mn) chalcogenides. 59-00922A
- Leung, R. C. See Garland, C. W.
- Leusmann, U.; and Moerelt, Heinrich
Gyrolite—initial and final product of the calcium-hydroxysilicate series in steam-cured lime-silicate concretes. 59-04096A
- Leuthard, Paul E.
Dental fillings. 59-04543P
- Levasseur, Alain; Brethous, J. C.; and Hagenmuller, Paul
EPR study of vitreous electrolytes belonging to the $\text{B}_2\text{O}_3\text{-Li}_2\text{O-LiCl}$ system. 59-03271A
- Levecheva, Khr. See Radev, D.
- Leveque, Marcel; Battigelli, Jean A.; and Plantard, Dominique
Controls for toration fiberization. 59-03370P; Method and apparatus for forming fibers by gas blast attenuation. 59-00335P; Method for making fibers from glass or other attenuable materials. 59-03408P
- Levenberg, V. A.; and Lunter, S. G.
Properties of glassy rare-earth-element [REE] metaphosphates. 59-04243A
- Levenfeld, G. Yu. See Vanyushin, A. V.
- Levin, Elaine
Dora De Larios [California potter]. 59-00018A; Judy Chicago: "The Dinner Party." 59-02040A; Portfolio—Paul Solder [ceramist and teacher]. 59-02044A
- Levina, V. S. See Kalinowski, V. E.
- Levinson, Lionel M.
High breakdown voltage varistor. 59-02708P; See also Philipp, Herbert R.
- Levitin, R. Z. See Kolacheva, N. M.
- Levitskii, V. A.
Thermodynamic of refractory double oxides: I. Use of CaF₂ as a solid electrolyte in galvanic cells for the thermodynamic study of refractory double oxides. 59-04594A
- Levitt, A. P.
Stresses in metal matrix composites due to fiber matrix thermal expansion mismatch. 59-04828A
- Levitt, Charlie M.; and Chatterjee, Samuel
Measurement of optical properties [sorting]. 59-03814P
- Levy, G.; and Eisenberg, R.
Anglo Alpha Cement commissions a modern 2000 ton per day kiln at Duffield, South Africa. 59-00036A
- Lewis, David, III; Truc-chi Thi Huynh; and Reed, James S.
Processing defects in partially stabilized zirconia. 59-01744A
- Lewis, Herbert I.; Price, William M.; and McConnell, Anthony B.
Method for brightening natural calcic ores. 59-00739P
- Lewis, Michael H. See Karunaratne, B. S. B.
- Lewis, Michael H.; and Barnard, P.
Oxidation mechanisms in Si-Al-O-N ceramics. 59-05004A
- Lewis, Michael H.; Bhatti, A. R.; and Lumby, Roland J.
Crystallization of Mg-containing phases in β' in Si-Al-O-N ceramics. 59-02948A; Microstructure of sintered Si-Al-O-N ceramics. 59-01872A
- Lewis, O. See Saka, W.
- Lewis, William C.
 $\text{SiO}_2\text{-TiO}_2$ glass meets space needs. 59-02283A
- Leyden, Donald E.; and Collins, Ward T. (Editors)
Silylated Surfaces. 59-01468B
- Leyens, G.; and Moreau, R.
Study of different types of tank furnaces using a mathematical model and experimental measurements. 59-01254A
- Li, Bao-zhen See Yu, Shan-qing
- Li, Chia-chih
Emergence of porcelain in ancient China. 59-03160A; Phase separation of liquid-liquid in glass and its influence on the properties and crystallization behavior. 59-00232A
- Li, Jia-zhi; Chen, Xian-qing; and Deng, Ze-qun
Study of pottery unearthed at Homudu. 59-04080A
- Li, Sheng S.
Semiconductor measurement technology—theoretical and experimental study of the temp. and dopant density dependence of hole mobility, effective mass, and resistivity in B-doped Si. 59-01531A
- Li, Shi-shan; Chiang, An-min; and Sha, Ching-shung
Methods of measuring the homogeneity of optical materials. 59-03310A
- Li, Xiang-hong See Guo, Zhu-kun
- Law, H. Ming; and Varkey, Charles J.
Sequential purification and crystal growth. 59-03747P
- Liberman, A. L. See Frolovskii, N. M.
- Liberman, Z. M.; Oganesyan, G. M.; and Pukspuu, T. R.
Multichannel installation for automatic control of bulk material fineness. 59-03192A
- Libkind, F. Ya. See Ostrovskii, V. I.
- Liebal, Eberhard
Mounting plate for a compression mold part. 59-02361P
- Liebal, Eberhard; and Eichenberg, Norbert
Turret glass press. 59-04383P
- Liebhauser, Mihaly See Nemeth, Miklos
- Lien, Jih-Chang See Rao, G. R. Mohan
- Lepin, V. V.; Krylov, V. D.; and Maier, A. A.
Orientation of crystals in BN ceramics precipitated from a gas phase. 59-05002A
- Lieser, K. H. See Spatz, R.
- Lifanov, I. P.; and Rempel, A. M.
Production of floor tiles and facade tiles in the Leningrad Ceramic Plant. 59-02599A
- Ligeon, E. L. See Destefanis, G. L.
- Ligorati, Ferdinando; Invernizzi, Renzo; and Collu, Carlo
Ziegler catalysts. 59-03929P
- Lin, John; Stamires, Dennis; and Brady, Michael
Balanced alumina matrix in zeolite containing catalyst. 59-04838P
- Limar, T. F.; Cherednichenko, I. F.; and Reshetnikova, L. G.
Lanthanum aluminate-barium zirconate powders for the manufacture of ceramics. 59-04854P
- Limar, T. F.; Pribylovskaia, Z. I.; and Mulenkova, M. N.
Ceramic capacitor material. 59-00583P
- Lin, Feng-ying See Hu, Her-fang; Kan, Fu-hsi
- Lin, P.-L.; Pelton, A. D.; and Bale, C. W.
Computation of ternary molten salt phase diagrams—correction. 59-00802A
- Lin, Wen See Dewees, Thomas J.
- Lin, Zu-xiang See Huang, Zhen-kun
- Linares, Robert C. See Kokta, Milan R.
- Linares, Robert C.; and Ambasz, Wiktor J.
Preparation of phosphorus-containing metallic glass-forming alloy melts. 59-02372P
- Lind, Robert B.
Apparatus for handling glass jars. 59-01282P
- Lindau, I. See Stoehr, J.
- Lindemann, Willi; and Woegerbauer, Rupert
Phase relations of natural Mg-metasilicate (from the viewpoint of products synthesized) prepared by heating talc. 59-05021A
- Lindemer, Terrence B. See Besmann, Theodore M.; Rhodes, William H.
- Lindemer, Terrence B.; Wachtmann, John B., Jr.; and Rhodes, William H.
Four research institutes in China. 59-05123A
- Lindholm, R. C.
Utilization of programmable calculators in sedimentology. 59-02796A
- Lindner, Hans A.; and Siebels, Johann
Gauss-Weibull analysis. 59-01644A
- Lindstrom, Jan N. See Smith, Ulf K. H.
- Lineberry, Cletus E.; Buckner, John G.; and Harris, Jimmy W.
Method and apparatus for hacking and stacking brick. 59-01370P
- Ling, Cheng See Besmann, Theodore M.
- Lingard, A. L. See Carda, Dan D.
- Lingart, Yu. K.; and Bodyshevskii, S. V.
Melting and crystallization of corundum. 59-03015A
- Lingl, Hans
Prefabrication of wall panels. 59-00400P
- Lining, Kurt; and Wood, Charles L.
Valve block assembly [glass machine control]. 59-00377P
- Linke, D.; and Eberhardt, G.
Correlations between properties of chalcogenide glasses: IV. 59-00157A
- Linke, D.; Gitter, M.; and Krug, F.
Correlations between properties of chalcogenide glasses: V. Glass formation and phase separation in the systems Ti-Ge-Se and Pb-Ge-Se. 59-00158A
- Lipkind, M. B. See Sorochin, M. A.
- Lipp, George D.
Method of glass drawing. 59-02353P
- Lippman, Alfred
Process for consolidation of fine alumina particles. 59-04791P
- Lipsitt, H. A. See Chatterjee, D. K.
- Lisenkov, A. A.; and Vasil'ev, A. I.
Physicochemical analyses of interactions along the profiles $\text{CaAl}_2\text{O}_3\text{-SiO}_2$ and $\text{CaGa}_2\text{O}_7\text{-SiO}_2$. 59-04238A
- Lisovskaya, G. P. See Barinova, V. A.
- Lissalde, F. See Abrahams, S. C.
- Lissy, Gunter J.
Use of powder in a water heater plant. 59-02177A
- Listovichaya, S. P. See Karpins, D. M.
- Listovichii, V. E. See Sergenkov, V. M.
- Litchevskii, M. I. See Apilat, V. Ya.
- Litovskii, E. Ya.; Petukhov, E. K.; and Puchkevich, N. A.
Method for determining the thermal conductivity of highly efficient heat-insulating refractory materials. 59-02453A
- Litvinenko, Yu. P. See Pokras, L. M.
- Litvinov, A. P. See Vasiliuskas, V.
- Litvinov, P. I.; Firsov, V. M.; and Knyazhev, G. B.
Glass-ceramic materials and their manufacture. 59-04311P; Glass-crystalline material and method of producing. 59-00310P
- Litvinov, Yu. G.; Volchanskaya, V. V.; and Iskandarov, K. I.
Reciprocal system of the bromides and iodides of sodium, cadmium, and lead. 59-04005A
- Litz, P. E. See Martin, R.
- Liu, Cheng-Yih
Neutral pH silicon etchant for etching silicon in the presence of phosphosilicate glass. 59-01579P
- Liu, Shau-Ming S.; Owen, William H., III; and Pashley, Richard D.
Process for forming a contact region between layers of polysilicon with an integral polysilicon resistor. 59-02732P
- Liverani, Andrea
Physicochemical studies on porcelain table ware produced in different parts [of the world]. 59-02593A
- Livshits, V. Ya. See Karapetyan, G. O.
- Ljungstrom, Evert See Johansson, Lars-Gunnar
- Loane, Charles M., Jr. See Uher, Joseph F.
- Lobanov, B. V. See Usi'yanov, V. B.
- Lobanova, N. V. See Palukhin, V. N.; Tyutikov, A. M.
- Lobanova, V. I.
Increasing the turnover factor of saggars for firing ceramic condenser blanks. 59-04423A
- Lobo, Alfredo C. O.
Quality control in the application of castable refractories. 59-04436A
- Loboda, S. N.; and Get'man, E. I.
Degree of ionicity of complex compounds having tetrahedral ions of sixth group elements. 59-04912A
- Lobova, T. A. See Kiparisov, S. S.
- Loch, Marilyn L.
Collecting American parian. 59-00993A
- Loeffler, Romain E.
Method and apparatus for distribution of glass fibers. 59-01329P
- Loeffler, Romain E.; Genson, Samuel R.; and Brunk, Jack L.
Method and apparatus for collecting fibrous material. 59-01328P
- Loehman, Ronald E.
Preparation and properties of yttrium-silicon-aluminum oxynitride glasses. 59-00239A; See also Leedecke, C. J.
- Loehman, Ronald E.; and Rowcliffe, David J.
Sintering of $\text{Si}_3\text{N}_4\text{-Y}_2\text{O}_3\text{-Al}_2\text{O}_3$. 59-01907A
- Logmans, Hans See Stacy, William T.
- Logothetis, E. M.
Resistive-type exhaust gas sensors. 59-02683A
- Logothetis, E. M.; Laud, Kamalakar R.; and Park, John K.
Rare earth or yttrium, transition metal oxide thermistors. 59-00625P
- Logston, Harry A. See Brown, James N.
- Lohrm, Walter; and Tiefenbacher, Eberhard
Process for the manufacture of a ceramic axial turbine wheel. 59-00482P
- Lomazov, M. A. See Akhmechet, Zh. N.
- Long, Alton W. See Hofmann, William E.
- Longo, Vittorio; and Podda, Liliana
Phase diagram of the system $\text{ZrO}_2\text{-CaO-MgO}$ between 1200 and 1700 °C. 59-03990A
- Longworth, G. See Skrimshire, C. P.
- Lonick, Dean See Maurer, R. E.
- Loock, Ehrenfried
Aqueous black ink and process for the production thereof. 59-00432P

- Loos, Alfred C.; and Springer, George S.
Moisture absorption of graphite-epoxy composites immersed in liquids and in humid air. 59-04815A
- Loov, Robert E. See Gillott, Jack E.
- Lord, A. E., Jr. See Steinberg, J.
- Lord, David E.; Carter, Gary W.; and Petrin, Richard R.
Method for making glass nonfogging. 59-01333P
- Lorenz, Wolfgang; Ortmann, Reiner; and Timmler, Andreas
Principles of sample preparation for heterogeneous materials such as refractories. 59-01397A
- Lorenzelli, R. See Ali, M. el Sayed; El-Sayed Ali, M.
- Lor'yan, S. G.; Sarinyulyan, R. S.; and Kostanyan, K. A.
Glass. 59-00318P
- Loryan, V. E. See Borovinskaya, I. P.
- Loseva, E. I. See Fedorova, V. A.
- Loup, J.-P. See Rifflet, J.-Cl.
- Lourtiau, R. See Allibert, M.
- Lovatt, William J.
Dust trap [kiln furniture]. 59-01429P
- Love, G. See Cox, M. G. C.
- Lovelace, David F. See Thompson, George H. B.
- Low, Philip F. See Odum, John W.
- Lowe, James N.
Casting of articles from compositions containing calcined gypsum and portland cement. 59-04122P
- Lowell, J.
Tunneling between metals and insulations and its role in contact electrification. 59-01538A
- Lowell, S.
Continuous scan mercury porosimetry and the pore potential as a factor in porosimetry hysteresis. 59-04716A; Introduction to Powder Surface Area. 59-03135B
- Loydl, Ronald
Aspects of measuring and evaluation of temperature of the cement rotary kiln jacket. 59-02052A
- Lu, Kun-Er; and Tarcea, Walter H.
Method for improving the durability of spontaneous NaF opal glassware. 59-03405P
- Lucas, J. P.; Toth, L. E.; and Gerberich, W. W.
Novel technique for producing fine metal fibers for enhancing mechanical properties of glass-ceramic composites. 59-02879A
- Lucas, Jacques See Poulain, Marcel
- Lucovsky, G.
Chemical effects on the frequencies of Si-H vibrations in amorphous solids. 59-03260A; Spectroscopic evidence for valence-alternation-pair defect states in vitreous SiO₂. 59-00924A; See also Galeener, Frank L.; Street, Robert A.
- Ludington, Steve
Thermodynamics of melting of anorthite deduced from phase equilibrium studies. 59-01930A
- Luecke, Richard H. See Glasgow, Larry A.
- Luft, Victor
Slotted, electroded piezoelectric wafer for electrooptic devices. 59-00631P
- Lugin, R. F.; Poltavets, R. F.; and Khokhlova, A. N.
Composition for glazing of insulators. 59-01488P
- Luginina, I. G. (Editor)
Mechanism of Action of Mineralizers and Clinker Formation in Cement Raw Material Mixtures (Mekhanizm Deistviya Mineralizatorov i Klinkerobrazovanie Tsementnoi Syr'evoi Smeci). 59-01980B
- Luginina, I. G.; and Mikhel'ev, Yu. M.
Phosphorus-containing additive decreases the negative effect of alkalis on the [compressive] strength of cement stone. 59-03195A
- Lukas, Helmut H.; and Dalgleish, Jack F.
Apparatus for breaking an optical fiber. 59-01281P
- Lukashevich, A. S. (Editor)
Refractory Operations (Ogneupornyye Raboty). 59-02000B
- Luker, M. G. See Frolovskii, N. M.
- Lukicheva, N. M. See Sarkisov, P. D.
- Lukina, E. S. See Morozova, L. P.
- Lukina, M. M. See Karnachev, A. S.
- Lumby, Roland J. See Lewis, Michael H.
- Lundgren, Bert K. G.; and Westin, Urban
Manufacturing molds or mold cores. 59-01438P
- Lun'kin, S. P. See Milyukov, E. M.
- Lunter, S. G. See Levenberg, V. A.
- Luongo, J. P. See Wood, D. L.
- Lupelko, T. G. See Belyaev, I. N.
- Lupo, Vincent
Method of producing glass-ceramics with uniform brown stain decoration. 59-03422P; See also Hummel, Merritt J.
- Luque, Eusebio See Chamorro, Homero J.
- Lur'e, M. A.
Refractories for use with different types of fuel. 59-02480A
- Lushington, K. J. See Garland, C. W.
- Lusia, A.
Physicochemical properties and structure of Cu phosphate glasses. 59-00233A; See also Lagzdons, J.
- Luternauer, John L. See Swan, David
- Luzhnyy, N. P. See Dembovskii, S. A.; Shabunina, G. G.
- Luzin, A. G. See Simonov, K. V.
- Lyasin, V. F. See Suvareva, V. S.
- Lyke, Larry R.; and Byars, Joseph B.
Isokinetic sampling of glass batch carryover. 59-02262A
- Lykova, L. N. See Kovba, L. M.; Leshchenko, P. P.
- Lynch, Alban J.; and Gallagher, Eugene
Particle size analyzer. 59-04750P
- Lynch, D. F.; Moodie, A. F.; and Warble, C. E.
Micro/macro observations of a metal/ceramic reaction. 59-03981A
- Lynch, James F. (Editor)
Engineering Property Data on Selected Ceramics: Vol. 2, Carbides. (MCIC Report HB-07, Vol. 2.) 59-01959B
- Lynn, Merrill See Claypoole, Stewart A.
- Lynskii, V. I.
Buzzer for the automatic control of the water level in water reservoirs of refractory plants. 59-02413A
- Lyon, Keith Geoffrey; Salinger, G. L.; and Swenson, C. A.
Tunneling models and the experimental thermal expansivities of fused silica and poly(methylmethacrylate) (PMMA) below 4 K. 59-03107A
- Lysak, S. V. See Pitak, N. V.
- Lysanov, V. S. See Ordan'yani, S. S.
- Lysanov, V. S.; Alekseev, V. P.; and Efros, M. G.
Glass binder for manufacturing tools from Elbor. 59-00300P
- Lysenok, L. N.
Kinetics of breakdown of vitreous La(BO₃)₃ by water. 59-01202A; See also Kuznetsov, A. I.; Nikolina, G. P.; Suikovskaya, N. G.
- Lyubomirskaya, N. N.; Krivonozova, N. T.; and Chernyak, L. P.
Frit for ceramic glaze. 59-04544P
- Lyubushko, G. I. See Vorobiev, Y. K.
- Lyudvinskii, A. I. See Klimkovich, N. S.
- Lyzhina, L. D. See Vasina, N. A.
- Mabud, S. A.; and Glazer, A. M.
Lattice parameters and birefringence in PbTiO₃ single crystals. 59-03004A
- Macanga, Edward, Jr.
Performance comparisons of materials used in heat exchangers. 59-00109A
- Macaskill, D.
Calcination of materials. 59-03837P
- Maccaannan, G.
Quality and cost control [in the production of porcelain enamels]. 59-03125A
- MacChesney, John B.; O'Connor, Paul B.; and Pearson, Arthur D.
Optical fiber fabrication process. 59-03428P
- Macdonald, G. L.
X-ray spectrometry. 59-04747A
- Macedo, Pedro B.; Mohr, Robert K.; and Gupta, Prabhat K.
Optical fiber with compression surface layer. 59-02363P
- Macedo, Pedro B.; Samanta, Minmay; and Simmons, Joseph H.
Joint doped porous glass article with high modifier concentrations. 59-02340P
- Macedo, Pedro B.; Simmons, Joseph H.; and Samanta, Minmay
Joint doping of porous glasses to produce materials with high modifier concentrations. 59-03390P
- Mach, Joseph F. See Bartholomew, Roger F.; Eolin, Robert W.
- Macharadze, T. G. See Pronkin, A. A.
- Machida, M. See Takagi, Hiroyoshi
- Machulka, G. A. (Editor)
Laser Treatment of Glass (Lazernaya Obrabotka Stekla). 59-04046B
- MacKenzie, John D. See Baldwin, C. M.; Doremus, Robert H.
- MacKenzie, K. J. D.; Gerard, W. A.; and Golestani-Fard, F.
Preparation and electrical properties of monocadmium and dicadmium stannates. 59-03692A
- MacKenzie, Peter B.
Conserving energy with industrial heating equipment. 59-03819A
- MacKen, Eric D. (Editor)
Thermistors. 59-00975B
- Macko, P. See Durny, Rudolf
- Mackova, V. See Durny, Rudolf
- Macmillan, Norman H.
Resistance of refractories to wear by coke particles. 59-03570A; See also Rickerby, D. G.
- Madar, Jan
Crystal structure defect and its effect on the porosity of synthetic mordenite. 59-04907A
- Madden, M. C.; and Clark, David E.
Interfacial analysis of bioglass-vitallium and bioglass-stainless steel composites. 59-04812A
- Madoyan, R. S.; Sarkisyan, G. N.; and Petrosyan, Yu. G.
Phase diagram of the system LiVO₃-LiNbO₃. 59-05014A
- Maeda, Kazuo See Kudo, Daiziro
- Maeda, Yoshiyuki; and Isomura, Masanori
Crushing and sizing process of sintered alumina and synthetic mullite. 59-02421A
- Maekawa, Shigeru See Kuroda, Hiroto
- Maestrelli, G. See Timossi, P.
- Maetz, J. See Troemel, M.
- Maesle, E. See Harns, J.
- Maffei, Alberto; Antolini, Paolo; and Meriani, Sergio
New raw material for the ceramic industry—aplite from Campiglia Maritima, Livorno [Central Italy]. 59-02838A
- Magari, Saburo See Kawabuchi, Katsuhiko
- Magazenzov, V. N. See Demet'eva, N. V.
- Maguire, Phillip See Cheetham, Colin J.
- Magunov, R. L.; Zakoldyazhnaya, O. V.; and Kovalevskaya, I. P.
System GaSe-GeTe. 59-05075A
- Mah, Tai-Hi; Maziadysani, K. S.; and Ruh, Robert
Characterization and properties of hot-pressed Si₃N₄ with alkoxy-derived CeO₂ or Y₂O₃ as sintering aids. 59-00754A
- Mahapatra, Subrato See Bhagade, L. G.
- Maker, Phillip K. See McDaniel, Carl V.
- Mahmoud, M. Y. See Omar, A. A.
- Mahnke, Harald; Nieberle, Joergen; and Trautz, Volker
Nonflammable insulating material. 59-03613P
- Maier, A. A. See Liepin, V. V.; Ryabtsev, K. I.
- Maier, K. See Fritz, W.
- Maier, Peter
Stabilization of gas-air mixtures for constant combustion properties. 59-01683A
- Maizorova, A. F. See Vasil'eva, I. A.
- Maissashvili, N. G. See Vinogradova, G. Z.
- Maissashvili, N. G.; Vinogradova, G. Z.; and Timofeeva, N. V.
Interactions of different modifications of phosphorus with tellurium. 59-04974A
- Maizel, G. M. See Alekseev, L. F.
- Majdic, Aleksander See Jones, Sigmar; Routschka, Gerald
- Majdic, Aleksander; Routschka, Gerald; and Koehler, E. K.
Investigation of mullite and sintered corundum bricks: I. Technological properties. 59-02449A; Investigation of mullite and sintered corundum bricks: I, Technological properties. [continued] 59-02450A
- Majling, J. See Hanic, F.
- Majling, J.; and Hanic, F.
Crystal data for Na₂Mg₂P₂O₇. 59-02937A
- Majumdar, Amalendu Jyoti; and Laws, V.
Fiber-cement composites—research at BRE. 59-03862A
- Majumdar, M. K. See Adhikari, M.
- Makarenko, G. N. See Kosolapova, T. Ya.; Kuzenkova, M. A.
- Makarevich, L. G. See Trunov, V. K.
- Makarov, B. V.; Pashkov, A. F.; and Letyuk, L. M.
Liquid binder for ceramic moldings. 59-02533P
- Makarov, V. N.; and Balashov, Yu. S.
Mathematical appraisal of the internal friction maximums of inorganic glasses within the framework of the linear theory of viscoelasticity. 59-04224A
- Makarov, V. Ya.
Production of structural porcelain in the N. K. Krupskaya Lobnensk Plant. 59-00391A
- Makarova, L. A.; Zolchenko, M. I.; and Korabiev, I. F.
Enamel [with decreased melting temperature and increased whiteness]. 59-04159P
- Makarova, O. V. See Bazuev, G. V.
- Makarova, T. M. See Molchanov, V. S.
- Makedontseva, O. S. See Pavlushkin, N. M.
- Makkeeva, A. N. See Kochetkova, G. V.
- Makhnachev, P. P. See Andrianov, N. T.
- Maki, Iwao
Mechanism of glass formation in portland cement clinker. 59-02089A
- Makino, H.; and Hibiya, T.
Comparison of eight mixed garnet systems for 7 μm-period bubble devices. 59-01509A
- Makino, Yoshio See Kira, Kinichi
- Makino, Yukio See Iwamoto, Nobuya
- Maklad, Mokhtar S.
Method of fabricating an elliptical core single mode fiber. 59-02352P; See also Goell, James E.; Kao, Charles K.
- Makova, I. M. See Bogomolova, L. D.; Malysheva, L. N.
- Maksimov, B. A.; Nikol'skii, Yu. V.; and Kharitonov, Yu. A.
Crystal structure of Y germanate Y₂GeO₄(OH,F). 59-02942A
- Maksimov, L. V. See Dmitriyuk, A. V.
- Maksimov, V. M. See Karapetyan, G. O.
- Maksimova, G. V. See Denker, B. I.
- Maksimova, S. I. See Marenkin, S. F.
- Maksimovich, S. I. See Shcheglova, M. D.
- Makusdov, D. I. See Grigoryan, S. S.
- Malakhov, A. I.; and Yudin, V. I.
Calculation of compositions of mixtures of multicomponent chemical systems using the center-of-gravity theory. 59-04886A
- Malandrino, Quirino
Role of additives in the ceramic industry—deflocculants. 59-02772A
- Malani, N. See Ross, H. G.
- Malarkey, C. J.; and Wehrenberg, Thomas M.
Isostatic pressing [of] refractories. 59-01391A
- Maldonado, Juan R.; and Maydan, Dan
X-ray fluorescence measurement of thin film thicknesses. 59-00723P
- Malen'kikh, S. M.; Mubarakshin, R. M.; and Oborskii, G. A.
Composition for impregnating abrasive tools. 59-00006P
- Malhotra, Vinay
Stearite in India. 59-02845A
- Malikov, A. I.; and Solnyshkina, T. N.
Use of clays from the Khebnikovskoe deposit for the production of tiles for the inner facing of walls. 59-00522A
- Malinowski, Tadeusz See Olczak, Jerzy
- Malis, T.; and Gleiter, H.
Structure of the ferroelectric-paraelectric transformation interface in barium titanate: I, Basic structure and characteristics. 59-00933A; Structure of the ferroelectric-paraelectric transformation interface in barium titanate: II, Influence of domain boundaries. 59-00934A
- Malitskaya, M. A. See Raevskii, I. P.
- Malkin, F.
Ceramic tiles as color standards. 59-02572A
- Malkov, B. A.; Uvarov, R. V.; and Komlik, V. V.
Nonlinear ceramic dielectric material. 59-01580P
- Mallick, Pankaj K.; and Raghupathi, Narasimhan
Thick section compression molded composites. 59-03927P
- Mallon, Joseph R. See Kurtz, Anthony D.

- Mallory, James D.**
Flural glass forming machines with lehr conveyor. 59-00357P
- Mally, Heinz** See Ransmayr, Wilhelm
- Malov, V. F.; Kolesov, A. M.; and Pavlushkin, N. M.**
Synthesis and study of glasses which can record ^{131}I fission tracks. 59-03351A
- Malova, N. S.** See Fedorov, P. I.
- Mal'tev, N. I.** See Timofeev, N. V.
- Mal'tev, V. T.; and Kotoln, S. A.**
Computation of the Gibbs' energy and enthalpy of formation of compounds in binary and ternary oxide systems. 59-03938A
- Mal'teva, Z. S.** See Milyukov, E. M.
- Malyarenko, V. V.** See Ovcharenko, F. D.
- Malyavin, A. G.** See Kosinskaya, A. V.
- Malyavina, M. K.** See Kosinskaya, A. V.
- Malyi, A. G.** See Gogotsi, G. A.
- Malyshva, L. N.; Roshina, E. P.; and Makova, I. M.**
Melting of selenium ruby-red glass under a layer of charge. 59-01209A
- Malyukov, S. P.** See Petrova, V. Z.
- Manedova, G. G.** See Khodskii, L. G.
- Mamine, Takayoshi** See Matsushita, Takeshi
- Mamkin, P. S.** See Sirelov, K. K.
- Manabe, Akira** See Shirato, Mompei
- Manchenko, Z. F.** See Ermolenko, N. N.
- Mansadi, Harufumi**
Barium titanate semiconductor ceramic compositions. 59-03708P
- Mandal, N. K.** See Sengupta, G.
- Mandell, Myron J.** See Rotenberg, Manuel
- Mandi, Peter**
Geology, deposits, mining, and preparation of arcose feldspathic sands in the Triassic region around Weierhammer [Germany]. 59-02833A
- Manevich, V. E.** See Buzynkin, M. V.; Eremina, L. I.; Tolkachev, M. P.
- Manevich, V. E.; and Izhevskaya, E. M.**
Mathematical model of the heat exchange in glassmelt charges of a vertical-drawing machine. 59-00215A
- Manevy, Georges** See Bourgeois, Michel
- Manghani, Murli H.** See Chandrasekhar, H. R.
- Manik, V. V.** See Ovcharenko, F. D.
- Manikhand, T. R.** See Deshmukh, P.
- Mannheim, Jose R.**
Decorated safety glass. 59-01291P
- Manns, W.; and Schoenfelder, R.**
Influence of mortar additives on the strength of masonry mortars. 59-00385A
- Manollo, T. P.** See Mashchenko, L. V.
- Manning, William H.** See Lehman, Richard L.
- Mansingh, A.** See Webb, J. B.
- Mansmann, Manfred**
Thermally stable quartz glass. 59-02381P
- Mansoor, Naila A. L.**
Variation of some physical properties with calcination and annealing temperature of magnesia obtained by thermal decomposition of basic magnesium carbonate. 59-04038A
- Mansoor, Naila A. L.; and Hanna, S. B.**
Silicon carbide and nitride from rice hulls: II. Effect of iron on the formation of silicon carbide. 59-02489A
- Manthey, Paul G.** See Brotmann, Karl
- Mantle, Harold** See Smith, Ulf K. H.
- Manukyan, A. M.** See Akopyan, S. A.
- Many, A.** See Goldstein, Yehuda
- Mauel, Reiner; and Doerr, Wolfgang O.**
Manufacturing and irradiation experience with $\text{UO}_2/\text{Gd}_2\text{O}_3$ fuel. 59-02749A
- Mao, Shen** See Hu, Her-fang
- Maqsood, A.; Wanklyn, Barbara M.; and Garton, G.**
Flux growth of polymorphic rare-earth disilicates, $\text{R}_2\text{Si}_2\text{O}_7$ ($\text{R} = \text{Tm}, \text{Er}, \text{Ho}, \text{Dy}$). 59-04947A
- Marakushev, A. A.**
Method for thermodynamic calculation of basicity indicators of rocks and minerals. 59-04726A; Periodic system of the ionic and atomic radii of chemical elements. 59-05009A
- Marazzi, Pietro**
Quick baking process for ceramic products. 59-02623P
- Marcault, Jeanm**
Process for coating a glass sheet with a semireflective film of tin oxide. 59-01349P
- March, N. H.** See Grout, P. J.
- Marchal, G.**
Safety in solid fuel milling and storage plants. 59-04115A
- Marchant, David D.**
Ceramic component for electrodes. 59-02694P
- Marchasson, Maurice** See Dondyne, Alban
- Marchenko, V. K.** See Kolomaiainen, V. V.
- Marchewka, T. L.; and Heystek, H.**
Centrifugal casting of refractory concretes. 59-01374A
- Marchetti, S.**
Direct application of enamel on sheet iron—effect of pretreatment on the strength of adherence. 59-02139A
- Marceus, D.**
Interdependence of waveguide and material dispersion. 59-00208A; Multimode delay compensation in fibers with profile distortions. 59-01217A; See also Presby, H. M.
- Marceus, D.; and Presby, H. M.**
Effect of profile deformations on fiber bandwidth. 59-01149A
- Marenkin, S. F.** See Danilenko, G. N.; Lazarev, V. B.
- Marenkin, S. F.; Maksimova, S. I.; and Khaseinov, B.**
Homogeneity region in CdAs_2 . 59-0255A
- Marfusin, A. S. (Editor)**
Spectroscopy, Luminescence, and Radiation Centers in Minerals. 59-02003B
- Marianeschi, Edmondo; and Marini, Paolo**
Coating solution for applying tensioning coatings to electrical steel strip. 59-04155P
- Marin, I. B.** See Zaitsev, I. S.
- Marinace, John C.**
Formation of epitaxial tunnels utilizing oriented growth techniques. 59-02703P
- Marinangeli, Annamaria; Morelli, M. A.; and Simoni, R.**
Raman and infrared study of aqueous solutions of sodium silicates as a function of pH. 59-04002A
- Marinelli, Donald P.**
Apparatus for depositing epitaxial semiconductor from the liquid phase. 59-00581P
- Marini, Paolo** See Marianeschi, Edmondo
- Marino, J. J.**
Thermal design of refractory and insulating systems: I. Mechanisms of heat transfer. 59-04761A
- Marino, O.** See Mascolo, Giuseppe
- Markelov, Yu. N.** See Ovrod, V. F.; Usvitskii, M. B.
- Markes, M. E.; and Halliburton, L. E.**
Defects in synthetic quartz—radiation-induced mobility of interstitial ions. 59-04911A
- Markov, S. P.; Pol'yakova, V. Ya.; and Beda, L. L.**
Computer-controlled assembly for the automatic checking of defects in glass strips. 59-00153A
- Markov, V. B.** See Kukhtarev, N. V.
- Markov, V. N.** See Pinsk, M. G.
- Markov, Yu. F.** See Bara, Cestmir
- Markova, T. P.; Kuznetsova, I. N.; and Smarysheva, L. S.**
Low-crystallizability glass. 59-00330P
- Marks, J. David**
Materials considerations in Wiegand-effect devices. 59-02667A
- Markusch, Peter** See Welte, Rainer
- Marner, Abraham** See Lelah, Michael D.
- Marotta, Alberto** See Buri, Alberto
- Marquardt, C. L.; and Glemmeroth, George**
Formation of metallic silver on silver-halide surfaces—flash-photolysis experiments on silver-halide photochromic glasses. 59-00194A
- Marquis, P. M.** See Honstvet, I. A.
- Marshall, D. B.**
Improved biaxial flexure test for ceramics. 59-02785A; See also Chantikul, P.; Dabbs, T. P.; Lawn, Brian R.
- Marshall, D. B.; and Lawn, Brian R.**
Flaw characteristics in dynamic fatigue—the influence of residual contact stresses. 59-04197A
- Marshall, D. B.; Lawn, Brian R.; and Chantikul, P.**
Residual stress effects in sharp contact cracking: II. Strength degradation. 59-05037A
- Marshall, D. B.; Lawn, Brian R.; and Mechtolsky, John J., Jr.**
Effect of residual contact stresses on mirror/flaw-size relations. 59-02968A
- Marshall, Sidney; and Zeto, Robert J.**
Low temperature CMOS/SOS process using dry pressure oxidation. 59-02710P
- Martenssen, E. C.**
Testing of refractory gunning compositions. 59-03577A
- Martin, Anna J.; and Bliz, Heinz**
Charge deformation and geometric relaxation at the (001) MgO surface. 59-02931A
- Martin, C.** See Elchinger, M. F.
- Martin, Francis W.** See Elmer, Thomas H.
- Martin, J. J.** See Sibley, W. A.
- Martin, John K.**
Apparatus for blow molding hollow glassware. 59-03364P
- Martin, R.; Litz, P. E.; and Huff, W. D.**
New technique for making thin sections of clayey sediments. 59-02790A
- Martin, Walter L., Jr.**
Air fin coolers for glass fiber forming apparatus. 59-04272P
- Martin, C. M. L.** See Bosch Reig, F.
- Martinego, Pier Carlo** See Giachello, Angelo
- Martinez, G. M.** See Gomes, J. M.
- Martinez-Caceres, R.** See Espinosa de los Monteros, J.
- Martino, F.** See Rosenberg, Martin L.
- Martirosyan, G. G.** See Gal'perina, M. K.
- Martynchik, S. P.** See Kuz'menkov, M. I.
- Martynko, V. D.** See Simashko, S. G.
- Martynova, L. N.** See Ermolenko, N. N.
- Martysheva, G. N.** See Krav, V. M.
- Marumo, Fumiaki** See Egami, Koji
- Masie, Kimio; and Murata, Yoshio**
Piezoelectric ceramic filter. 59-03740P
- Masaki, Hideyuki**
Method for producing a silicon nitride base sintered body. 59-02897P
- Masanori, Inada** See Eda, Kazuo
- Masaryk, Joseph S.**
Foamed insulation refractory. 59-00450P
- Mascolo, Giuseppe; Iannone, E.; and Colella, Carmine**
Microstructure and properties of ceramics obtained by sintering pozzolana-blast furnace slag mixtures. 59-03191A
- Mascolo, Giuseppe; Marino, O.; and Cantarelli, A.**
Crystallization field in the $\text{MgO-Al}_2\text{O}_3\text{-H}_2\text{O}$ system below 200°C . 59-04910A
- Mashchenko, L. V.; Polyakova, V. F.; and Manollo, T. P.**
Performance of kaolin refractories in the regenerative-chamber roof of a single-channel open hearth furnace. 59-02465A
- Mashchenko, L. V.; Pryadko, V. M.; and Nerubashchenko, L. I.**
Refractory coating for protecting the lining of open-hearth furnace spouts. 59-04501P
- Mashio, Tsukuru** See Nishiyama, Hiroshi
- Mashizadeh, Safer A.** See Springer, George S.
- Masilinkovskii, A. S.; and Trishkina, E. S.**
Nonfired glaze. 59-01502P
- Maslov, V. P.** See Dvorski, A. A.; Okhrimenko, G. M.; Zhuzhneva, A. P.
- Masoner, Vernon W.**
Forming of preconsolidated metal matrix composites. 59-00130P
- Massarini, B.** See Bourgain, Jacques C.
- Massey, G. A.; Erer, N. G.; and Nelson, G. W.**
Measurement of very high resistivities using electrooptic crystals. 59-04723A
- Masso, Jon D.** See Chang, Leei
- Massol, Jean-Jacques** See Battigelli, Jean A.
- Mastel, B.** See Hollenberg, Glenn W.
- Masui, Akira**
Effect of gunning material on wear of converter lining. 59-03519A
- Masuko, Harutaka** See Kuroda, Hiroto
- Matheny, R. A.; Corelli, J. C.; and Trantina, Gerald G.**
Radiation damage in silicon carbide and graphite for fusion reactor first wall applications. 59-03768A
- Mathern, Andre M.** See Le Noane, Georges E.
- Mathieu, Alain** See Schmitt, Jean M.
- Mathieu, Henry** See Pascual, J.
- Mathieu, Henry; Pascual, J.; and Camnazel, J.**
Uniaxial stress dependence of the direct-forbidden and indirect-allowed transition of TiO_2 . 59-03108A
- Matral, Josef**
Manufacture of granulated foam glass from perlite. 59-04222A
- Matsuda, Osamu** See Hara, Naomichi
- Matsuda, Y.** See Katayama, Heita
- Matsui, Hirofumi**
Green sand composition for casting. 59-04475P
- Matsui, M.** See Soma, T.
- Matsui, Yoshito** See Ito, Eiji
- Matsumoto, Kazuhiro** See Yasue, Tamotsu
- Matsumoto, Kazuko; and Fuwa, Keiichiro**
Major and trace elements determination in geological and biological samples by energy-dispersive X-ray fluorescence spectrometry. 59-04722A
- Matsumoto, Kazutoshi** See Yoshida, Tetsuro
- Matsumoto, Kenzo** See Yamaguchi, Osamu
- Matsumoto, Kimimasa** See Murakami, Hiroshi
- Matsumoto, Seiji; Koga, Tadashi; and Fukai, Kiyoshi**
Production of acicular ferric oxide. 59-04796P
- Matsumoto, Yoshiaki** See Yamamoto, Osamu
- Matsumura, Isao; Hayashi, Yasuhide; and Iijiri, Atsuhisa**
Brick for ladle lining: I. 59-03500A; Brick for ladle lining: II. 59-03501A
- Matsumura, M.** See Kawamura, H.
- Matsumura, Sadao** See Fukuda, Tsuguo
- Matsumura, Tatsuo** See Nameishi, Naoyuki
- Matsumura, Tsuneo** See Kodama, Kunihiko
- Matsunaga, Takehiko; Umeda, Saburo; and Kamel, Tsuneaki**
Process for producing thin film resistor. 59-00623P
- Matsuno, Fumio**
Changes of mineral phases during the sintering of $\text{Fe}_2\text{O}_3\text{-CaO-SiO}_2$ system. 59-01781A
- Matsuno, Koichiro** See Hirai, Masataka
- Matsushima, Noriaki** See Funabiki, Kyohei
- Matsushita, Kazuo; and Toyama, Minoru**
Unevenness of illuminance caused by gradient-index fiber arrays. 59-04269A
- Matsushita, Takeshi; Mamine, Takayoshi; and Hayashi, Hisao**
Fe ion implantation into semiconductor substrate for reduced lifetime sensitivity to temperature. 59-04615P
- Matsushita, Yoshiaki; Kishino, Seigo; and Kanamori, Masaru**
Thermally induced microdefects in Czochralski-grown silicon crystals—dependence on annealing temperature and starting materials. 59-05102A
- Matsuura, Katsuji; and Arai, Kunihito**
Process for treating the surface of glass fiber to impart resistance to alkalis. 59-03441P
- Matsuura, Susumu** See Oikawa, Mitsuhiro
- Matsuyu, Shigeki; Ohta, Michio; and Yamane, Masaji**
Dehydration process of gypsum. 59-02063A
- Matsuzaki, Ryoko** See Saeki, Yuzo
- Matsuzura, Mikio** See Kuroda, Tatsuo
- Mattern, P. L.** See Shelby, J. E.
- Mattes, Brenton L.**
Transducers. 59-02688A
- Matthes, Wolf E.**
Reduced glazes by salt firing. 59-04532A
- Matthes, Wolf E.; and Bergmeier, H.**
Gas heated experimental furnaces for stoneware and low-fired porcelain: I. 59-02806A; Gas heated experimental furnaces for stoneware and low-fired porcelain: II. 59-02807A
- Matthews, F. L.** See Pyner, G. R.
- Matthews, Jack R.**
Initial stages of sintering and hot-pressing in vibro-compacted fuels. 59-04682A

- Matthews, John W.; and Stobbs, William Michael**
Growing epitaxial films when the misfit between film and substrate is large. 59-01556P
- Matusek, Miroslav**
Hardness of grinding tools and glasses. 59-02013A
- Matsumi, Kazumasa; and Sakka, Sumio**
Crystallization kinetics in glass by DTA. 59-01127A
- Matveev, Yu. V.**
Optimization of the size of refractory concrete blocks. 59-02461A
- Matyash, A. Ya. See Akhmechet, Zh. N.**
- Matzke, HJ.**
Hertzian indentation of thorium dioxide, ThO₂. 59-04959A
- Maurakh, M. A. See Krivoshein, D. A.**
- Maurer, R. E.; and Lonick, Dean**
First hand look at coal gasifiers. 59-01680A
- Maurer, Robert D.**
Optical waveguide with protective coating. 59-01345P;
Strength of screen tested optical waveguide fibers. 59-00260A
- Maximo, Maria A. Pereira See Cortes, G. W. Kerr de P.**
- May, Alexander; and Smelley, Annie G.**
Effects of electrolytes on the electrophoretic mobilities of Florida phosphatic clay wastes. 59-02830A
- May, Harry S.**
Measuring resistance or conductance of insulators. 59-00698A
- May, John E.**
Method of manufacturing a metal oxide varistor. 59-00607P
- Maydan, Dan See Maldonado, Juan R.**
- Mayer, Peter See Topping, John A.**
- Mazdiyassni, K. S.**
Process for producing reaction sintered silicon nitride of increased density. 59-02909P; See also Mah, Tai-ii
- Mazumber, B.**
Some correlations between physical property-composition diagrams and temp.-composition diagrams for a binary interalkali halide fused system and an Na₂MoO₄-MoO₃ system. 59-03077A
- Mazumber, B.; and Morris, K. B.**
Viscosity in fused binary salt system: (I) PbO-Bi₂O₃; (II) PbO-PbMoO₄; (III) NaCl-RbCl. 59-03110A
- Mazurin, O. V.**
(Editor) Glassmelting and Stabilization of Inorganic Glasses (Steklovanie i Stabilizatsiya Neorganicheskikh Stekol). 59-01969B; Thermal ionic relaxation in inorganic glasses. 59-00269A; See also Fridkin, R. Z.
- Mazurin, O. V.; Startsev, Yu. K.; and Pospelova, L. N.**
Calculating the time for attaining highly viscous fluid state of metastable equilibrium by glassy liquids. 59-00143A
- Mazurina, E. K.; Kosova, I. I.; and Kurkin, V. P.**
Alkali silicate glass for self-focusing (glass) fibers with an aperture 0.18. 59-00138A
- Mazzoldi, P. See Gottardi, Vittorio**
- Mazzucchelli, Michael; Stein, Christian; and Wintzer, Manfred**
Process for producing ceramic substrates for electronic circuits. 59-00622P
- McArthur, Dennis P.**
Thermally stable nickel-alumina catalysts useful for methanation and other reactions. 59-03926P
- McCann, David H.; Turly, Alfred P.; and White, Marvin**
Electronic pictures from charge-coupled devices. 59-00555A
- McCartan, Daniel A. See Finn, Lawrence R.**
- McCarthy, Gregory J. (Editor)**
Scientific Basis for Nuclear Waste Management, Vol. 1. 59-02001B
- McCarthy, Gregory J.; Rhyne, James J.; and Silber, Herbert B. (Editors)**
Rare Earths in Modern Science and Technology: Vol. 2. 59-05145B
- McCartney, E. R. See Trigg, M. B.**
- McCartney, L. N. See Hunt, R. A.**
- McCauley, James W.; and Corbin, N. D.**
Phase relations and reaction sintering of transparent cubic aluminum oxynitride spinel (ALON). 59-00898A
- McCauley, James W.; Halpin, Bernard M., Jr.; and Hynes, Thomas V.**
Radar absorptive ferrite/resin composites from industrial effluent. 59-04823A
- McCauley, Ronald A.**
Structural characteristics of pyrochlore formation. 59-05054A; See also Rain, M.
- McClintock, Walter O. See Lawver, James E.**
- McClinton, Katharine M.**
Emile Gallé's glass—translucent beauty. 59-03161A
- McCloskey, Dennis E.**
Installation of an oxy-acid pickle system—a case history. 59-02157A
- McClure, Robert E. See Kestigian, Michael**
- McCure, William M. See Caldwell, William H.**
- McColm, Del**
Catharine Hiersoux [California porcelain potter]. 59-02026A
- McConnell, Anthony D. See Lewis, Herbert I.**
- McConnell, Malcolm D. See Huseby, Irvin C.**
- McCormick, Ronald O.**
Method of welding tubular members. 59-00351P
- McCort, Ralph E.**
Apparatus for producing blowing wool insulation from glass wool mat. 59-02310P
- McCoy, Richard A.**
Aqueous size composition for glass fibers containing epoxy resin, polyethylene glycol monostearate PVP, methacryloxypolytriethoxysilane and glucan-carboxymethyl cellulose mixture 59-00282P
- McCracken, W. J.; Clark, David E.; and Hench, Larry L.**
Surface characterization of cerammet composites and environmental sensitivity. 59-04829A
- McCrone, Walter C.**
Evaluation of asbestos in insulation. 59-01383A
- McDaniel, Carl V.; Maher, Phillip K.; and Pilato, Joseph M.**
Preparation of zeolites. 59-00747P
- McDonald, H. O.; and Stephenson, J. B. (Editors)**
Chemical Vapor Deposition of Group IVB, VB, and VIB Elements, a Literature Review. (U.S., Bur. Mines, Inf. Circ. No. 8794.) 59-01947B
- McDonie, Arthur F. See Tomasetti, Charles M.**
- McFee, James H.; and Miller, Barry I.**
Molecular beam epitaxy using premixing. 59-00611P
- McGaughey, G. S. See Sheffield, G. S.**
- McGee, Thomas D. See Bray, Donald J.**
- McGill, J.; and Wilson, John I. B.**
Optical absorption in glow discharge amorphous silicon films. 59-03688A
- McGill, Robert W.**
Bottle gripping device. 59-01286P
- McGuth, Joseph C.; and Przetak, Edwin J.**
Ceramic (SiC) lined conduit. 59-03592P
- McHenry, Kelly D. See Koepke, Barry G.**
- McHenry, Kelly D.; and Tresler, Richard E.**
Fracture toughness and high-temperature slow crack growth in SiC. 59-01834A; High temperature dynamic fatigue of hot-pressed SiC and sintered α -SiC. 59-01734A
- McIntyre, Donald B. See Glazner, Allen F.**
- McKenna, Charles M. See Keller, John H.**
- McKinstry, William E. See Hattman, Elizabeth A.**
- McKinzie, Howard; and Trickett, Elizabeth A.**
Method of preparing modified titanium dioxide photoactive electrodes. 59-04637P
- McLaren, John R. See Davidge, R. W.**
- McLaren, Malcolm G. See Cardoso, Sonia Regina F.**
- McLaren, Malcolm G.; and Friedberg, Arthur L.**
American Ceramic Society delegation visits the People's Republic of China. 59-05120A
- McLaughlin, Robert R.**
Process and device for quantitative analysis of cement and water content in fresh concrete. 59-03226P
- McLendon, J. T.; Raymon, N. S.; and Heystek, H.**
Relation of mineralogical and chemical composition of refractory periclases to modulus of rupture at 1500 to 1600°C. 59-01402A
- McMahon, Clifford C.**
Relative humidity and modulus of rupture. 59-00704A
- McMaster, Harold A.; and Nitschke, John S.**
Vacuum holder system and method for use in bending glass. 59-04384P
- McMaster, Harold A.; Nitschke, John S.; and Nitschke, Dean M.**
Apparatus and method for bending glass sheets. 59-04274P
- McMillan, Peter W. (Editor)**
Glass-Ceramics. 59-01968B
- McMullen, James; and Vokac, James**
Cage for low pressure silicon dioxide deposition reactors. 59-04600P
- McMullin, B. R.; and Van de Poll, H. W.**
Xeroradiography—an improved X-ray method as applied in the study of unopened small-diameter sediment cores. 59-02797A
- McMurdie, Howard F. See Morris, Marlene C.**
- McMurtry, Carl H. See Coppola, John A.**
- McNally, R. N.; and Beall, George H.**
Crystallization of fusion cast ceramics and glass-ceramics. 59-01808A
- McPherson, Reginald**
Evidence for a metastable miscibility gap in the system mullite-alumina. 59-01827A; See also Lee, Dong-Hi
- McVey, Charles I.; and Datta, Ranajit K.**
Alumina, calcia, baria (glass) sealing composition optionally modified with B₂O₃. 59-04273P
- McWhinnie, Harold J.**
Eight blue Chun glazes. 59-00019A; Formulas for Chinese ash glazes. 59-03641A; Iron glaze variations. 59-00022A; Nine Lung-Chuan glazes. 59-00025A; Palette of cone 6 oxidation glazes. 59-01016A
- Mchedlov-Petrosyan, O. P.; Ol'ginskii, A. G.; and Doroshenko, Yu. M.**
Effect of some complex chemical additives on the hydration of cement clinker binders and their physicochemical properties. 59-02068A
- Meakin, J. C. M.**
Method of removing worn refractory lining of a furnace with the aid of explosives. 59-00473P
- Meakin, J. D. See Burton, L. C.**
- Meaturney, M. L.; Conlon, W. T.; and Heuer, A. H.**
Plastic deformation in CaO-stabilized ZrO₂(CSZ). 59-05026A
- Mecholsky, John J., Jr.**
Fracture of ceramics by single-pulse 10.6- μ m irradiation. 59-00850A; See also Marshall, D. B.; Rice, Roy W.
- Mecholsky, John J., Jr.; and Drexhage, Martin G.**
Comparison of optical and fractographic measurements of residual stress in compressively clad glass rods. 59-02213A
- Mecholsky, John J., Jr.; Gonzalez, A. C.; and Freiman, Stephen W.**
Fractographic analysis of delayed failure in soda-lime glass. 59-00195A
- Meckel, Lothar See Gliemeroth, Georg**
- Medvedev, M. I. See Pakhovchishin, S. V.**
- Medvedeva, G. V. See Kuznetsov, A. I.; Suikovskaya, N. G.**
- Medynskaya, A. A.**
Foam glass. 59-00297P
- Megies, John E., Jr. See Cantaloupe, Francis A.; Chyung, Kenneth**
- Megumi, Koichi; Kozuka, Hirotsugu; and Kobayashi, Masayoshi**
Strontium barium niobate single crystal doped with Ce. 59-03453P
- Mehalich, Emil J. See Kleiner, Richard N.**
- Mehan, R. L.; and Bolon, R. B.**
Interaction between silicon carbide and a nickel-based superalloy at elevated temperatures. 59-00411A
- Mehan, R. L.; Hillig, William B.; and Morelock, Charles R.**
Si/SiC ceramic composites—properties and applications. 59-04824A
- Mehdi, Q. H. See Taylor, David Martin**
- Mehta, Sudhir; and Ribud, Subhash H.**
Characterization of a phase-separated aluminosilicate glass by analytical electron microscopy. 59-00151A
- Meiller, Francois See Blanc, Jean-Pierre**
- Meinert, Norbert See Broemer, Heinz**
- Meisinger, Arthur C.**
Perlite. 59-01709A
- Melan, Giuseppe F. M.; and Nicoulant, Jean R.**
Strand attenuation and winding apparatus. 59-03452P
- Melikova, Z. D.; and Rustamov, P. G.**
System In-Pb-Se. 59-05076A
- Melkonyan, G. S.**
Raw material mixture for glassmaking. 59-00367P
- Melling, P. J.; and Duncan, J. F.**
Directionally crystallized sodium lead silicate glass-ceramic. 59-02222A
- Mel'nik, M. T.; Khodskii, L. G.; and Ushakova, L. K.**
Enamel [colored enamel with increased luster and chemical resistance]. 59-02181P; Frit for a cover enamel. 59-01084P
- Mel'nikov, A. M. See Duderov, Yu. G.**
- Mel'nikov, Yu. T. See Dzyatnikov, V. N.**
- Mel'nikova, G. G. See Borisov, V. G.**
- Mel'nikova, I. G. See Goryacheva, Z. E.**
- Mel'nikova, I. G.; Kokorina, E. N.; and Vasil'eva, L. E.**
Charge for manufacturing mullite. 59-02509P
- Mel'nikova, O. V. See Fedorov, N. F.**
- Mel'nikova, S. V.; Anistratov, A. T.; and Beznozikov, B. V.**
Optical properties of ABCI-type crystals. 59-00884A
- Meloy, T. P. See Beddow, J. K.**
- Mel'tser, P. A. See Varzhenevskii, N. S.**
- Menchetti, Silvio; and Sabelli, Cesare**
New borate polyanion in the structure of Na₂(B₃O₆)(OH)₂. 59-03025A
- Mendel, John E. See Chikalla, Thomas D.**
- Menden, G.**
Blast-resisting bag filters with pressure relief in coal grinding plants. 59-00037A
- Mendiratta, M. G. See Chatterjee, D. K.**
- Mendiratta, R. G. See Pillai, P. K. C.**
- Menetrier, D.; Jawed, Inam; and Sun, T. S.**
ESCA and SEM studies on early C,S hydration. 59-01040A
- Meng, Xian-liang See Wan, Guo-zhong**
- Menke, Bernhard C.; and Sahi, Kurt**
Phase examination of the composition 3PbO:GeO₂. 59-00897A
- Menkik, George F.**
Production control for glass containers with the Production Line Monitoring System. 59-01230A
- Menson, P. R.; Juneja, J. M.; and Krishnan, T. S.**
Decomposition of zircon by soda ash sintering process. 59-02826A
- Meralikib, Mohammed; and Friedrichs, Hans Adolf**
Kinetics of limestone calcination. 59-04099A
- Merchant, Stanley R.; and Cermak, Michael J.**
Titania thermistor and method of fabricating. 59-04670P
- Mercier, J. See Fourcaudot, G.**
- Mercier, M.**
New method of hot forming applied to the manufacture of very large insulators. 59-01473A
- Mercier, Philippe; and Deville, Michel**
Three-dimensional numerical study of glass flow in a forehearth. 59-01263A
- Merenda, Pierre See Sol, Nicole**
- Meriani, Sergio See Maffei, Alberto**
- Meric, J. P.**
Sludge solidification. 59-02774A
- Merkulov, A. I.; Radutsan, S. I.; and Tezlevan, V. E.**
Preparation of single crystals of magnetic semiconductor CdCr₂Se₄. 59-02679A
- Merrin, Seymour See Krohn, David A.**
- Mertens, Paul See Beilmann, Richard; Hennecke, Hermann**
- Merz, Kenneth M. See Wahlers, Richard L.**
- Merz, Kenneth M.; and Shapiro, Howard E.**
Resistor material, resistor made therefrom, and method of making it. 59-04660P; Resistor material, resistor made therefrom, and method of making. 59-01092P
- Merzhanov, A. G.; and Borovinskaya, I. P.**
Self-propagation of high-temperature synthesis in the chemistry and technology of refractories. 59-00425A
- Merzhanov, A. G.; Borovinskaya, I. P.; and Karyuk, G. G.**
Process for preparing titanium carbide. 59-00479P; Titanium carbide abrasive. 59-00011P
- Messelt, C. D.; Stanley, D. A.; and Landis, E. K., Jr.**
Application of a diffusion model to oxide sintering. 59-01772A

- Messick, Louis J.**
Microwave InP/SiO₂ insulated gate field effect transistor. 59-00610P
- Mestre, Pierre, and Prevost, Henri**
Process of imparting a permanent curvature to a sheet of glass. 59-03442P
- Metcalfe, Arthur S., and Eilers, Louis H.**
Retarded aqueous hydraulic cement slurry. 59-04149P
- Metelkin, I. I.** See Shapiro, G. M.
- Meyer, Adolf, and Gutfleisch, Peter O.**
Fiber-reinforced hydraulically hardenable shaped objects. 59-03217P
- Meyer, Arnold** See Wassermann, Martin
- Meyer, Robert A.**
Stabilized aluminosilicate hydrocracking catalyst. 59-03924P
- Meyer, N.**
Modern refractory application in kilns for firing ceramics. 59-02455A
- Mezentsev, E. P.** See Ostrovskii, L. G.; Simonov, K. V.
- Mezrue, J., and Seguler, J.**
Clay prospecting—a rational investigation method. 59-03831A
- Mikhailik, Jerzy S.** See Kruszewski, Klemens G.
- Michel, D.; Roux, Y.; and Perez y Jorba, M.**
Ceramic eutectics in the systems ZrO₂-Ln₂O₃—unidirectional solidification, microstructural, and crystallographic characterization. 59-01778A
- Michol, F.**
Homogenization [methods and equipment]. 59-02765A
- Michéle, Raymond J.** See Claassen, George R.
- Midgley, H. G.**
Composition of pleochroite in high alumina cement clinker. 59-04087A; See also Hara, N.
- Miguelonets, I. M.; Gerasimenko, V. S.; and Turyanitsa, I. D.**
Glass formation in the system Cu-Sb-S-I. 59-01176A
- Miguelonets, I. M.; and Sichek, M. Yu.**
Glass formation in the system Ge-Se. 59-01177A
- Müller, William C.** See Olds, Leonard E.
- Mikhail, R. Sh.** See Abo-El-Enein, S. A.; Ragai, Jehane
- Mikhailov, B. A.; Arkatova, T. G.; and Efimov, A. M.**
Quantitative determination of the reflection coefficient and calculation of optical constants of borate glasses in the infrared spectral region. 59-04244A
- Mikhailov, M. D.** See Apykhin, N. N.; Dunaev, A. A.
- Mikhailov, S. Ya.**
Decrease of dust formation in Magnesit [refractory] Plant. 59-02423A
- Mikhailova, G. A.** See Kirillova, G. K.
- Mikhailova, K. A.** See Usatkov, I. F.
- Mikhailova, N. K.** See Kolchin, V. V.
- Mikhailova, V. A.** See Kondakova, L. V.
- Mikhel'son, Yu. M.** See Luginina, I. G.
- Miki, Takashi** See Nagashima, Matajiro
- Mikelsen, J. C., Jr.**
Pseudobinary phase relations of Li₂TiO₃. 59-03056A
- Mikelsen, J. C., Jr.; and Galeener, Frank L.**
Thermal equilibration of Raman active defects in vitreous silica. 59-05099A
- Mikulenok, G. V.** See Goryacheva, Z. E.
- Milberg, Z. P.** See Kostomarov, V. S.
- Milberg, Z. P.; Freidenfelds, E.; and Korzunova, L. V.**
Glass for low-melting coatings. 59-00305P
- Milev, Ts.** See Dzondzhorov, I.
- Milevskii, L. S.; and Smol'skii, I. L.**
Mechanism of motion of dislocations in crystals with a diamond structure. 59-00869A
- Milevskii, John V.** See Amick, James A.
- Miller, Barry I.** See McFee, James H.
- Miller, Frederick C.**
Sulfur electrode for sodium-sulfur batteries. 59-01601P
- Miller, Gabriel L.**
Method and apparatus for investigating dielectric semiconductor materials. 59-04622P
- Miller, Glen E.**
Method and apparatus for cutting optical fibers. 59-04332P
- Miller, Philip J.**
Low-frequency Raman scattering and glass transitions in alkali metaphosphate glasses. 59-01206A
- Miller, Richard; and Moore, Henry**
Compacted batch—will it make a difference? 59-01120A
- Miller, Richard G.; and Cavitt, Roy L.**
Electrically nonconductive copper-boron coatings on nonmetallic substrates. 59-00594P
- Miller, Richard L.**
Method for producing a storable mortar. 59-04136P
- Miller, Robert A.** See Fryburg, George C.
- Miller, Roger A.** See Claypoole, Stewart A.
- Müllers, I. V.** See Bielis, I. Ya.
- Milligan, W. O.** See Mullica, Donald F.
- Milligan, W. O.; Mullica, Donald F.; and Oliver, Joel D.**
Rare-earth trihydroxide parameters. 59-03061A
- Millot, Georges**
Clay. 59-01788A
- Mills, Alfred L.; and Williams, John A.**
Processing of irradiated nuclear fuel. 59-04702P
- Milnazi, Peter T.**
Testing of glass containers with the bright field analyzer. 59-01260A
- Milovanov, A. P.** See Portnyagin, V. I.
- Milyukov, E. M.** See Kasymova, S. S.
- Milyukov, E. M.; Derzhavin, S. N.; and Ivanov, A. V.**
Interrelations between the microhardness of glasses and field intensity of a cation. 59-02260A
- Milyukov, E. M.; Lun'kin, S. P.; and Mal'tseva, Z. S.**
Glass formation regions and optical properties of some borate and germanate glasses of systems containing Bi₂O₃ or PbO. 59-04202A
- Mimura, Yoshiyuki** See Hase, Takashi
- Minacheva, L. Kh.; Antsyshkina, A. S.; and Lavrov, A. V.**
Crystal structure of molybdenyl tetrapolyphosphate (MoO₄)₂P₄O₁₁. 59-00811A
- Minai, Kichi** See Ogawa, Toshio
- Minami, Tsutomu** See Tohge, Noboru
- Minami, Yoshifumi** See Yasuda, Naohiko
- Minato, Ichiro** See Iwai, Shinichi
- Minato, Minoru** See Hamamoto, Fujio
- Miner, R. R.**
Evolution of improved silicon carbide refractories. 59-04412A
- Mingelgrin, U.; Kliger, L.; and Gal, M.**
Effect of grinding on the structure and behavior of bentonites. 59-01817A
- Min'ko, N. I.; Zhemela, N. A.; and Nesterenko, G. T.**
Use of chemical analysis in the qualitative assessment of the gas content and composition of crystalline deposits in glass bubbles. 59-01266A
- Min'kov, D. B.; Kolomeitsev, V. V.; and Parkhaev, B. V.**
Quartz ceramics from thermoplastic suspensions. 59-02475A
- Minnear, W. P.; and Bradt, R. C.**
Stoichiometry effects on the fracture of TiO₂. 59-05051A
- Minnick, Lawrence E.**
Method and apparatus for controlling the neutron flux in nuclear reactors. 59-00649P
- Miołkowska, S.; and Zdanowicz, L.**
Nucleation processes of CdAs₂ films on sodium chloride substrates. 59-04578A
- Mirak'yan, M. M.; and Gaudu, A. N.**
Air-hardening mortar for fibrous heat-insulating refractory materials. 59-02407A
- Mireev, V. A.** See Safonov, V. V.
- Mirkin, L. V.** See Sokolov, V. A.
- Mirkovich, V. V.**
Thermal diffusivity of Ba-mica/ytria-stabilized zirconia composites. 59-04832A
- Miroshnik, L. V.; Orlov, I. G.; and Degtyareva, E. V.**
Atomization of Cr₂O₃ and zircon suspensions. 59-03497A
- Misawa, M.; Price, D. L.; and Suzuki, Kenji**
Short range structure of alkali disilicate glasses by pulsed neutron total scattering. 59-04254A
- Mishchenko, N. A.**
Flow of glassmelt in the space between the punch and matrix during the pressing of bodies made of glass S Ch. 2. 59-00191A
- Mishin, V. P.** See Gol'dman, F. A.
- Misra, Dwarika Nath**
Isoionic isotope exchange with hydroxylapatite and the dilution effect. 59-01854A
- Misra, N. K.; Prabhawalkar, Varsha P.; and Ghosh, T. B.**
Integral width of X-ray line profiles of polycrystalline barium titanate through Curie temperature. 59-03970A
- Mitachi, Seiko** See Kanamori, Terutoshi; Shibata, Shuichi
- Mitchell, D.; and Stenford, M. J.**
Production of refined ball clays for use in sanitary ware. 59-03651A
- Mitchell, James D.**
Copper conductor compositions containing copper oxide and Bi₂O₃-based glass. 59-01547P
- Mitchell, James R.**
Pottery and porcelain from East Liverpool, Ohio. 59-02045A; Stoneware from Norton Potteries, Bennington, Vermont. 59-02048A
- Mitchell, T. E.** See Donlon, W. T.; Heuer, A. H.; Ogbuji, L. U.
- Mitev, T.** See Bogdanov, B.
- Mitev, T.; Fev, T.; and Dimova, T.**
Interaction between NiO, ZnO, and Fe₂O₃ during the production of the ferrite (Zn,Fe₂)(Ni_{1-x}Fe_x)₂O₄—XRD data. 59-04571A
- Mitkova, E.** See Radev, D.
- Mitomo, Mamoru** See Horuchi, S.
- Mittal, Kashmiri Lal** (Editor)
Surface Contamination—Genesis, Detection, and Control: Vol. 1. 59-02006B; Surface Contamination—Genesis, Detection, and Control: Vol. 2. 59-02007B
- Miura, Yoshinari; and Takahashi, Katsuaki**
Chronopotentiometric analysis of electrode reactions of metal ions in molten sodium borate. 59-03261A
- Miyachi, Tamotsu** See Hattori, Yoshinori
- Miyahara, Kenichiro; and Nakayama, Nobuji**
Process for producing polycrystalline oxide fibers. 59-00481P
- Miyai, Kozo; Suzuki, Narishige; and Kawakami, Takaya**
Fluorescent dental porcelain. 59-00531P
- Miyake, Tetsuya; Ogawa, Norio; and Asano, Motohisa**
Continuous separation of uranium isotopes. 59-04690P
- Miyasuchi, Katsuki** See Yamashita, Kunio
- Miyasuchi, Masahiro** See Shinozaki, Kazuo
- Miyazaki, Toshiyuki** See Yoshimura, J.
- Miyazawa, Shintaro**
Ferroelectric domain inversion in Ti-diffused LiNbO₃ optical waveguide. 59-00557A; See also Kondo, Susumu; Nakano, Junichi
- Miyazawa, T.; Okada, K.; and Kubo, T.**
Aberration improvement of Selfoc lenses. 59-04163A
- Mizoguchi, Hirofumi** See Kuwajima, Hideji
- Mizuno, Hiroshi** See Sugiyama, Kohzo
- Mizusaki, J.; Cannon, W. R.; and Bowen, H. Kent**
Electrochemical degradation of ceramic electrodes. 59-03680A
- Mizushima, Eiji** See Ohsato, Nobuyoshi
- Mizushima, Yoshihiko** See Utsugi, Yasushi
- Mizuta, Susumu** See Koumoto, Kunihito
- Mizutani, Junichi** See Morikawa, Akira
- Mkrchyan, G. A.** See Ruban, F. G.
- Mkrchyan, V. S.** See Aivazov, M. I.
- Mocelin, Alain M.** See Canteloup, Jean
- Mochalov, A. G.** See Fedik, A. A.
- Mochalova, N. V.** See Pavlovna, N. E.
- Mocharyuk, G. F.; Babuk, T. I.; and Derid, O. P.**
Order-disorder transitions in solid solutions of CdGa₂Se₃-CdIn₂Se₃. 59-03985A
- Mochizuki, Akira** See Yamaguchi, Tetsuro
- Mochizuki, Mitsuo** See Katayama, Ichiro
- Mock, Willis, Jr.** See Singh, Jag J.
- Mocydziarz, S.**
Effect of chemical composition of slag fiber on its elasticity. 59-02428A
- Moderbauer, O. E.; Brodzeli, M. I.; and Nakashidze, G. A.**
Glass. 59-00313P
- Modlin, Robert A.**
Natural gas availability—short range and long range. 59-02811A
- Moeller, P.; and Morteani, G.**
Trace elements for use in (raw material) deposit investigation. 59-01714A
- Moertel, Heinrich** See Leusmann, U.
- Mogah, Cyril J.** See Flamm, D. L.
- Mogensen, Gurli; and Jensen, Leif M.**
Alkali resistant, synthetic, mineral fibers. 59-04461P
- Mogilevskaya, N. I.** See Zagural'skii, M. T.
- Mohan, K.** See Gard, J. A.; Lachowski, Eric E.
- Mohapatra, Sarat K.; and Wagner, Sigurd**
Electrochromism in nickel-doped strontium titanate. 59-00839A
- Moharil, S. V.; Wakde, D. G.; and Deshmukh, B. T.**
Deformation-induced nonradiative decay of color centers in alkali halides. 59-02957A
- Mohr, J. Gilbert; and Rowe, William P.** (Editors)
Fiber Glass. 59-00964B
- Mohr, Robert K.** See Macedo, Pedro B.
- Moiseev, V. V.** See Portnyagin, V. I.
- Mokhosov, M. V.** See Alekseev, F. P.
- Molchanov, V. S.**
Effect of the mixing of the decomposing solution on the determination of the alkali-resistance of silicate glasses. 59-02231A
- Molchanov, V. S.; Makarova, T. M.; and Andrianova, L. V.**
Ionic radius and chemical stability of silicate glasses. 59-01201A
- Molev, V. I.; Schchavlev, O. S.; and Polukhin, V. N.**
Optical glass. 59-02365P
- Moliner, Jacques** See De Massey, Bernard
- Momo, F.** See Baiocchi, E.
- Monahan, Robert D.; and Halloran, John W.**
Single-crystal boundary migration in hot-pressed aluminum oxide. 59-00920A
- Monastirev, A. V.; and Aleksandrov, A. V.** (Editors)
Kilns for Lime Production—A Handbook (Pechi dlya Proizvodstva Izvesti). 59-01974B
- Moncheaux, Michel** See Chenel, Pierre
- Mone, Rudolf A. J.; and Klaver, Gijbertus**
Process for the preparation of agglomerates of porous aluminum oxide. 59-00750P
- Mongiorgi, Romano** See Krajewski, Adriano
- Monheim, W.** See Herrmann, Dieter
- Moniz, Antonio Carlos**
Mineralogy of Brazilian soils. 59-01708A
- Monma, Hideki; and Ueno, Seichi**
Thermogravimetric analysis of hydroxypatite prepared by hydration of tricalcium phosphate. 59-04834A
- Monneraye, Marc A.; and Monnier, Michel J. C.**
Method of manufacturing a lead-through of a metal element through a ceramic component by means of sealing. 59-00606P
- Monnier, Michel J. C.** See Monneraye, Marc A.
- Monnier, R.** See Sanchez, J. A.
- Monosi, Saveria** See Collepardi, Mario
- Monteiro, Edson Jose; and Angeleri, Frederico B.**
Influence of grinding glazes for sanitary ware on firing characteristics, in regard to body-glaze agreement. 59-01469A
- Montel, G.; Lebugle, A.; and Pastor, H.**
Manufacture and electronic and electrotechnical applications of materials containing refractory borides, carbides, and nitrides. 59-03687A
- Montenaro, A.** See Baiocchi, E.
- Montorsi, Margherita; and Appendino, Pietro**
Silicon terbium oxynitride of composition Tb₂Si₂O₇N₂. 59-00572A
- Moody, A. F.** See Lynch, D. F.
- Moon, Sung** See Doother, John
- Moore, B. J.**
Analyses of natural gases. 1978. 59-03818A
- Moore, David L.** See Johnson, Joseph E.
- Moore, Donald A.; and Morrow, Sheila A.**
Thermally activated creep of monoclinic europia. 59-03773A
- Moore, Duncan T.**
Gradient-index optics—a review. 59-04207A; See also Gregorka, Lisa

- Moore, Henry See Miller, Richard
- Moore, Roger H. See Reed, James S.
- Moorer, Howard H.; and Andereg, Charles M.
Cement grinding aid and set retarder. 59-04124P
- Moore, Peter R.; and Shoffner, James E.
Method of forming carbon composites. 59-03904P
- Moorhead, R. Dale See Lee, Eal H.
- Moorthy, V. K. See Soni, N. C.; Thiagarajan, K.
Morant, M. J. See Roberts, G. G.
- Morave, Thomas J.; and Skogman, Richard A.
Nonbirefringent thallium iodide thin films for surface protection of halide optical elements. 59-02362P; Production of inhomogeneous films by sequential layers of homogeneous films. 59-02375P
- Mordarski, Walter J.; and Ziegler, Sylvester T.
High performance nuclear fuel element. 59-03778P
- Moresu, R. See Leyens, G.
- Morissen, H. W.; Rikken, A. H. M.; and Van Tienen, A. J. M.
Pelletized batch—its manufacture and melting behavior. 59-03325A
- Morrell, Antoinette; and Hermosin, Antonio
Fast sintering of soft Mn-Zn and Ni-Zn ferrite pot cores. 59-02646A
- Morrell, Douglas J.; Cantrell, Joseph S.; and Chang, Luke L. V.
Phase relations and crystal structures of Zn and Cd tungstates. 59-03046A
- Morrell, M. A. See Marinangeli, Annamaria
- Morlock, Charles R. See Mehan, R. L.
- Morena, Robert See Hughes, Ronald H.
- Morgalev, B. N. See Kocherzhenko, V. G.
- Morgan, Peter E. D.
Comment on the structures of $\text{Ce}_2\text{Si}_2\text{O}_7$, $\text{La}_2\text{Si}_2\text{O}_7$, $\text{Ce}_2\text{O}_3 \cdot 2\text{Si}_2\text{N}_6$, and $\text{La}_2\text{O}_3 \cdot 2\text{Si}_2\text{N}_6$. 59-00801A; The α/β -Si₃N₄ question. 59-05093A
- Morgan, Thomas R. See Subbanna, Somanahalli N.
- Morgan, Weldon B.
Alloy of silicon and gallium arsenide. 59-01539P
- Morgunov, V. G. See Kravchenko, E. A.
- Mori, Hidefumi; and Izawa, Tatsuo
New loss mechanism in ultralow-loss optical fiber materials. 59-04230A
- Mori, Masashi See Danjo, Hiroyuki; Takahashi, Tadaaki
Mori, Takao See Okino, Seiki
- Moriconi, G. See Sandrolini, F.
- Moriconi, Giacomo See Collepardi, Mario
- Morize, Marcel; and Delobel, Jacques
Refractory lining element for a furnace. 59-04505P
- Morikawa, Akira; Narita, Yoshinori; and Mizutani, Junichi
Method of making ceramic shaped article from inorganic raw material powder by extrusion molding. 59-02898P
- Morimoto, Hozumi See Umebayashi, Seiki
- Morimoto, Tadashi See Uchimura, Ryoji
- Morimoto, Tadashi; and Ebisawa, Ritsuo
Energy-saving by injection repair of a heating furnace: I. 59-04232A
- Morimoto, Tadashi; and Harita, Akira
Refractories for Q-BOP at Chiba Works KSC. 59-04438A
- Moringa, M.; and Cohen, J. B.
Defect structure of VO_2 : I. The ordered phase, VO_2 . 59-02952A; Defect structure of VO_2 : II. Local ionic arrangements in the disordered phase. 59-02953A
- Moringa, M.; Cohen, J. B.; and Faber, J. Jr.
X-ray diffraction study of $\text{Zr}(\text{Ca}_x\text{Y}_{1-x})\text{O}_{2-x}$: I. The average structure. 59-03113A
- Morishita, Tomohiro See Sakemi, Hiroji
- Morita, Mitsuo See Nameishi, Naoyuki
- Moritsun, Yukikazu; Yamada, Kooji; and Wada, Masatoshi
Vitreous enamel compositions. 59-01098P
- Moriya, Yoshiro; Imai, Kazuhito; and Tanaka, Makoto
Heat-resisting ceramic fibers and method for manufacture thereof. 59-03602P
- Moriyoshi, Yusuke
Dislocations in magnesium oxide. 59-02862A
- Morkunene, V. A. See Lasis, A. Yu.
- Morosanu, Constantin E.; and Segal, Eugen
Kinetics of heterogeneous deposition of silicon, silicon nitride, and silicon dioxide films from dichlorosilane. 59-03976A
- Moroz, B. I. See Chernyak, L. P.
- Moroz, B. I.; and Datsenko, B. M.
Improving the quality of ceramic wares obtained from polyminerall red burnt clays. 59-01499P
- Morozov, E. M. See Ishchuk, V. M.
- Morozov, V. A. See Pazin, A. V.
- Morozova, E. M. See Timofeeva, N. V.
- Morozova, I. V. See Pavlushkina, T. K.
- Morozova, L. P.; Lukin, E. S.; and Smolya, A. V.
Ceramic articles based on aluminum-yttrium garnet. 59-00582P
- Morris, A. W.; and Elwell, D.
High temperature solution growth of yttrium aluminum garnet crystals using accelerated crucible rotation. 59-00853A
- Morris, Helen Clum
Working potteries of the Western United States. 59-01033A
- Morris, Henry B.
Method of depositing titanium dioxide (rutile) as a gate dielectric for MIS device fabrication. 59-03734P
- Morris, John C.; Weidman, James K.; and Prior, Michael D.
Apparatus for applying granular refractory material to surfaces. 59-00431P
- Morris, K. B. See Mazumder, B.
- Morris, Marlene C.; McMurdie, Howard F.; and Evans, Eloise H.
Standard X-ray diffraction powder patterns—data for 86 substances. 59-01665A
- Morrison, Albert R. See Haynes, Harold L.
- Morrison, Art
Contemporary folk sculptors of Ocumichu [Michoacan, Mexico]. 59-00016A
- Morrison, G. H. See Leta, D. P.
- Morrow, Sheila A. See Moore, Donald A.
- Morsch, Paul; and Zimmer, Erich
Process for recovering usable products from by-product ammonium nitrate formed in the manufacture of nuclear reactor fuels or breeder materials. 59-03783P
- Morse, David L. See Hares, George B.
- Morteani, G. See Moeller, P.
- Morten, B.; Pirozzi, L.; and Prodenzani, M.
Strain sensitivity in film and cermet resistors—measured and physical quantities. 59-01535A
- Mortier, W. J.; King, G. S. D.; and Sengier, L.
Crystal structures of dehydrated H chabazite pretreated at 320°C and at 600°C after steaming. 59-00815A
- Mortl, Gunther L. See Stein, Joseph L.
- Moruya, Kazuo; and Ogawa, Tomoya
Observations of dislocations in a synthetic quartz crystal by light scattering tomography. 59-04999A
- Mosina, A. N. See Khainer, S. P.
- Moskvin, A. S.; and Bostrom, I. G.
Exchange interactions in orthoferrite-orthochromites. 59-00842A
- Moss, Richard I. See Hughes, Ernest W.; Ruderer, Clifford G.; Smith, Howard J.
- Motojima, Seiji See Sugiyama, Kohzo
- Motojima, Seiji; and Sugiyama, Kohzo
Chemical vapor deposition of tantalum diboride. 59-01787A
- Motoki, Hideo; Nagaretani, Shigehiro; and Tomita, Elchi
Foamable heat insulating compositions containing alkali silicate and alumina cement. 59-01431P
- Motovil, A. A.; Ponomareva, E. P.; and Brazhnikova, I. P.
Determining the chemical composition of talc by spectral analysis. 59-03797A
- Moudgil, Brij M.
Separation of magnesite from ores which also contain calcite or dolomite. 59-04797P
- Moutard, Anne-Marie See Crepeau, Alain P.
- Movchan, N. P. See Yachmenev, V. E.
- Movchan, V. O.; and Burya, A. I.
Corundum-containing lapping paste. 59-02016P
- Moya C., S. See Nunez R., M. A.
- Moyer, K. H.
Measuring density of P/M materials with improved precision. 59-01736A
- Moyer, Wendell W., Jr.; and Smith-Johannsen, Robert
Expansive cement and agent therefor. 59-04129P
- Moyntian, Cornelius T. See Drexhage, Martin G.
- Moyntian, Cornelius T.; Saad, N. S.; and Tran Danh Cong
Mixed-alkali effect in the dilute foreign-alkali region. Failure of the strong electrolyte/cationic interaction model. 59-03313A
- Moyntian, Philip I.; and Young, Donald L.
Fluidized coal combustion. 59-00725A
- Mozhaev, A. P.; Oleinikov, N. N.; and Shumilkin, N. S.
Conditions for preparing high-density single-phase magnetic ceramics based on Li-containing ferrites. 59-02633A
- Mozil, Ya. V.; and Senyuk, T. F.
SiC-based grinding-polishing paste. 59-00985P
- Mozzo, Martin A., Jr.
Energy management in a diversified corporation. 59-02803A
- Mrazek, R. V. See Brown, R. R.
- Mrowec, Stanislaw (Editor)
Defects and Diffusion in Solids—An Introduction. (Materials Science Monographs, 5.) 59-05132B
- Mubarakshin, R. M. See Malen'kikh, S. M.
- Muehlich, Albert See Rau, Karlheinz
- Mueller, Franz See Koether, W.
- Mueller, Gerhard See Kalbitzer, Siegfried
- Mueller, Karl-Adolf See Feldmann, Rainer
- Mueller-Buschbaum, Hk. See Harder, M.; Hoerkner, W.
- Muellner, M. See Troemel, M.
- Muenkel, Raymond L. See Nubani, Jawdat I.
- Muganlinskaya, G. M. See Rza-Zade, P. F.
- Mukerji, Joydeb See Biswas, S. K.
- Mukerji, Joydeb; and Nandi, Asis Kumar
Oxidation of silicon nitride in the temperature range 1150–1450°C. 59-03039A
- Mukerji, Joydeb; Nandi, Asis Kumar; and Sharma, Kapil Dev
Reaction in container glass batch. 59-03337A
- Mukherjee, Tapash See Das, Keshab
- Mukhin, A. A. See Belov, K. P.; Karas, G. E.
- Mukhin, A. A.; Karas, G. E.; and Entin, V. I.
Production of corundum refractory plates for slide valves of steel-casting ladles. 59-02471A
- Mukhopadhyay, T. K. See Adhikari, M.
- Mularie, W. M.; Furth, W. F.; and Westwood, A. R. C.
Influence of surface potential on kinetics of glass reactions with aqueous solutions. 59-01193A
- Mulenkov, M. N. See Limar, T. F.
- Mullica, Donald F. See Milligan, W. O.
- Mullica, Donald F.; Oliver, Joel D.; and Milligan, W. O.
Cerium trihydroxide. 59-02929A
- Mullin, J. B. See Bardsley, W.
- Multani, M. S. See Palkar, V. R.
- Multani, M. S.; Namadikar, N. G.; and Venkataramani, N.
Hot-sprayed yttrium iron garnet. 59-00563A
- Mumford, Eustace H.
Method of loading containers into an annealing lehr. 59-03417P
- Mundy, Philip A.; and Ward, Rodney L.
Powder applications for dishwashers—three years' advancement. 59-02167A
- Munson, D. E.; and Lawrence, R. J.
Dynamic deformation of polycrystalline alumina. 59-01814A
- Munz, Dietrich See Ziegler, Guenter
- Munz, Dietrich; Babey, R. T.; and Shannon, J. L., Jr.
Fracture toughness determination of Al_2O_3 using four-point-bend specimens with straight-through and chevron notches. 59-02983A
- Munz, Dietrich; Holsolt, G.; and Eschweiler, J.
Comparison of high-temperature fracture toughness of hot-pressed Si_3N_4 with straight-through and chevron notches. 59-02932A
- Murahashi, Kinjiro
Quality of gypsum for cement. 59-02105A
- Murakami, Hiroshi; and Matsumoto, Kimimasa
Design of a waste water treatment system. 59-03511A
- Murakami, Nobuo See Komeiji, Azuma
- Murakami, Shiro See Iimura, Tsutomu; Shinohara, Tadashi
- Murakami, Toshiaki See Suzuki, Minoru
- Murase, Yoshio; and Kato, Etsuro
Phase transformation of zirconia by ball-milling. 59-00699A
- Murashko, R. E.; Samarkov, V. N.; and Bosolina, T. A.
Hydrostatic pressing of a mixture of titanium diboride and [20%] titanium carbide powders. 59-00762A
- Murat, Michel
Structure, crystal chemistry, and reactivity of calcium sulfate. 59-02884A; See also Karmazin, Etienne
- Murata, Yoshio See Masaki, Kimio
- Muravov, A. A. See Khorshev, L. B.
- Murav'eva, K. K.; and Ivanov, V. A.
Formation kinetics of a transition layer in the system ZnSe film- GaAs substrate. 59-02650A
- Murayama, Yoshiaki See Niimi, Takayasu; Niimi, Tamotsu
- Murday, J. S. See Ramaker, D. E.
- Murontsev, V. A. See Orlova, G. M.
- Murphy, C. B.
Thermal analysis. 59-04741A
- Murray, Cherry Ann; and Greytak, Thomas J.
Intrinsic surface phonons in amorphous silica. 59-03971A
- Murray, Donald
Studio potters of Tonalá [Jalisco, Mexico]. 59-00032A
- Murray, Edward C.
Copper casting method using titanium dioxide release method. 59-02522P
- Murray, Haydn H.
Ceramic minerals in China. 59-04776A
- Murrell, Lawrence L.; Grenoble, Dane C.; and De Luca, John P.
Process for preparing ultrastable, high surface area alpha-alumina. 59-01721P
- Murrieta, S. H. See Rubio O., J.
- Murthy, M. Krishna See Topping, John A.; Zamin, Mohammed
- Murzin, A. V. See Sergeenkov, V. M.
- Musiak, Andre See Ehrburger, Pierre
- Musser, John J.
Metal encased refractory brick. 59-01439P
- Muta, Gensuke See Bando, Shinji
- Mutsaers, Cornelis A. H. A. See Boonstra, Alexander H.
- Myers, John E.
Method for collecting glass fibers. 59-01331P
- Myulendorf, O. S. See Apilat, V. Ya.; Goriletskii, V. I.
- Nabeta, Tsuneaki See Tanemura, Fumikazu
- Nadenu, J. S.; and Dickson, J. I.
Effects of internal stresses due to a dispersed phase on the fracture toughness of glass. 59-04187A
- Nadiradze, A. A.; Chanturishvili, L. D.; and Gvetsiani, G. G.
Enthalpy and heat capacity of tungsten oxides of lanthanum at high temperatures. 59-04940A
- Nadkarni, R. A.
Multitechnique multielemental analysis of coal and fly ash. 59-04729A
- Nadler, Peter
Highly efficient model and method for measuring the static and quasi-static fatigue strength of ceramic materials. 59-01647A
- Naegele, E.; and Hilsdorf, H. K.
New method for cement content determination of fresh concrete. 59-03193A
- Naga, S. M. See El-Rafei, E. A.
- Nagai, Bin See Nameishi, Naoyuki
- Nagai, Haruo
Thermodynamic analysis of $\text{Ga-In-As}_2\text{P}_3$ CVD: Ga-In-As-P-H-Cl system. 59-05105A
- Nagai, Masayuki See Yanagida, Hiroaki
- Nagai, Masayuki; Fujita, Satoru; and Kanazawa, Takafumi
Ionic conductivity in the system $\text{NaZr}_2(\text{PO}_4)_2\text{-Na}_2\text{Y}(\text{PO}_4)_3$. 59-03972A
- Nagai, S. See Osaki, Yukio
- Nagakura, Mitsuru See Yamamoto, Hiroshi
- Nagaretani, Shigehiro See Motoki, Hideo
- Nagashima, Matajiro; and Hiraiwa, Osamu
- Nagashima, Matajiro; and Miki, Takashi
Repair method for an ignition furnace. 59-02483A

- Nagata, Kunihiko; Iguchi, Hideji; and Okazaki, Kiyoshi**
Properties of an interconnected porous Pb(Zr,Ti)O₃ ceramic. 59-04583A
- Nagayama, Ujima** See Katayama, Heita
- Nagel, Suzanne R.** See Walker, K. L.
- Nagoul, K. K.** See Chakravarti, S. K.
- Nagvi, A. A.** See Borthakur, P. C.
- Nail, I. K.; and Tien, Tseng-Ying**
Subsolidus phase relations in part of the system Si₃Al₂/Y₂N₂O. 59-00936A
- Naka, Shigeharu** See Suwa, Yoshiko
- Naka, Shigeharu; Hirano, Shinichi; and Shimono, Kazuki**
Formation of diamond from glassy carbon. 59-03864A
- Naka, Shigeharu; Takeda, Yasuo; and Kawada, Kuniharu**
Growth of single crystals of Na₃Al₂Li₂F₆ garnet under hydrothermal conditions. 59-04958A
- Nakabayashi, Masahiro**
High performance fused flux for submerged arc welding. 59-04161P
- Nakagawa, Koji** See Yamagishi, Hiroshi
- Nakagawa, Masayuki** See Okabe, Toshio
- Nakagawa, Zenbetsu** See Hamano, Kenya
- Nakamura, M.** See Sakaguchi, S.
- Nakajima, Masahiro** See Watanabe, Masayuki
- Nakamura, Kiyoshi; Ishii, Takashi; and Komatsu, Michiyasu**
Method of manufacturing composite ceramic articles. 59-01625P
- Nakamura, Takao** See Torii, Yukio
- Nakamura, Tetsuro; Okada, Akira; and Yoshimura, Masahiro**
Preparation and magnetic properties of perovskite-type compounds Sr₂Cr₂WO₆, Ca₂Cr₂WO₆, and Sr₂Cr₂UO₆. 59-03052A
- Nakamura, Toshio; Kondo, Masamune; and Ozeki, Hidekichi**
Application of loss stopper for tundish. 59-03495A
- Nakamura, Yoshikazu; Iguchi, Hideji; and Tanai, Taiji**
Grain orientation effects on strength in PbBi₂Nb₂O₆. 59-00560A
- Nakase, Hisashi** See Uehara, Akira
- Nakase, Masanori** See Ishii, Eiichi
- Nakase, T.** See Furuchi, Ryusaburo
- Nakashiki, Norihiko; Takano, Mikio; and Kumito, Hiroshi**
Preparation of fine MgO powders by freeze-drying. 59-03874A
- Nakano, Harry N.**
Characterizing glass frits for slurries. 59-00090A
- Nakano, Hirohisa** See Yamaguchi, Osamu
- Nakano, Junichi; Kubodera, Kenichi; and Miyazawa, Shintaro**
LiBi₂Nd₂P₂O₇ waveguide laser layer epitaxially grown on LiNdP₂O₇ substrate. 59-01524A
- Nakano, Junichi; Kubodera, Kenichi; and Yamada, Tomoaki**
Laser-emission cross sections of MeNdP₂O₇ (Me = Li, Na, K) crystals. 59-01860A
- Nakano, Junichi; Yamada, Tomoaki; and Miyazawa, Shintaro**
Phase diagram for a portion of the system Li₂O-Nd₂O₇-P₂O₅. 59-00894A
- Nakano, Ziro** See Hosaka, Takuo
- Nakarat, Suprecha**
Combining glass and clay. 59-00994A
- Nakashidze, G. A.** See Modebadze, O. E.
- Nakashima, Hiromasa**
Filter cloth washing device for filter press. 59-01623P
- Nakashima, Tsuyoshi** See Nishida, Masahiro
- Nakata, Yoshiyuki** See Sugita, Tadaki
- Nakayama, Nobuji** See Miyahara, Kenichiro
- Nakazato, Yoshio; Kugumimoto, Hideo; and Soeda, Naohiko**
Bubble structures in porcelain enamel. 59-04151A
- Nakazawa, Koji** See Shono, Hiroaki
- Nakazawa, Koji; Kikuchi, Toshiki; and Fujita, Toshiohito**
Apparatus for manufacturing a glass fiber chopped strand mat. 59-00281P; Method and apparatus for introduction of glass filament strand onto feed roller of chopped glass filament strands manufacturing system. 59-02345P
- Nakazawa, Yukiyo** See Sugawara, Katsuro
- Nakazono, Katsushige** See Watanabe, Tadahiho
- Nalbandyan, V. I.** See Belyaev, I. N.
- Namba, Yasutoshi** See Kyoden, Hiroshi; Yoshino, Shigeo
- Nameishi, Naoyuki** See Sugiyama, Nobuaki
- Nameishi, Naoyuki; Furukawa, Kunio; and Morita, Mitsuo**
Development of vibration-casting materials for ladle. Report II: Observation of high-zircon vibration-cast materials after use. 59-03515A
- Nameishi, Naoyuki; Ishibashi, Tanezo; and Furukawa, Kunio**
Development of vibration-casting materials for ladle. Report I: Flow properties of very fine silica powder. 59-03514A; Development of vibration-casting materials for ladle. Report III: Workability control of vibration-casting materials. 59-03516A
- Nameishi, Naoyuki; Matsumura, Tatsuo; and Adachi, Hideo**
Alteration of direct-bonded magnesia chrome bricks used in RH degassing vessels: I. 59-03490A
- Nameishi, Naoyuki; Nagai, Bin; and Hirose, Takemi**
Refractories for coke oven door after service. 59-04439A
- Nameishi, Naoyuki; Odanaka, Shinichi; and Nishio, Hideaki**
Test results for samples collected by the first visit to the People's Republic of China. 59-03575A
- Nameishi, Naoyuki; and Tsuchinari, Akihiro**
Grinding refractory materials with a supersonic jet mill. 59-04416A
- Namikawa, H.** See Kumata, K.
- Namikawa, Hiroshi** See Kumada, Ken
- Namnikar, N. G.** See Multani, M. S.
- Nandi, Asis Kumar** See Mukerji, Joydeb
- Nagvi, Arshad Ali** See Safdar, M.
- Narasimhan, M. D.** See Agrawal, G. N.; Subrahmanyam, A. V.
- Narayan, J.; and Chen, Yok**
Characterization of defects in nickel-doped MgO crystals. 59-04889A
- Naredi, R.**
Further development of the infrared scanner. 59-02074A
- Narita, Yoshinori** See Morikawa, Akira
- Narnov, B. A.** See Varfolomeev, M. B.
- Naruse, Y.; Tanaka, T.; and Eguchi, H.**
Design and examination of brickwork construction for a mixer. 59-03510A
- Nashbov, I. O.** See Shafagatova, G. G.
- Nashbov, I. O.; Saitanov, T. I.; and Shafagatova, G. G.**
System Ce₂Se-PbSe. 59-03074A
- Nashpur, Rita; Banerjee, H. D.; and Paul, Amalendu**
Energy storage behavior of some binary alkali borate glasses by thermoluminescence studies. 59-04191A
- Nasredinov, F. S.; Seregin, P. P.; and Vasil'ev, L. N.**
Mechanism of the effect of platinum impurities on the electrical properties of glassy As₂Se₃. 59-01208A
- Nassau, J.** See Nassau, Kurt
- Nassau, Kurt; Grasso, Michael; and Glass, A. M.**
Quenched glasses in the systems of Li₂O with Al₂O₃, Ga₂O₃, and Bi₂O₃. 59-04245A
- Nassau, Kurt; and Nassau, J.**
History and present status of synthetic diamond. 59-02654A
- Nassau, Kurt; Wang, Christine A.; and Grasso, Michael**
Quenched metastable glassy and crystalline phases in the system lithium-sodium-potassium metaniobate-tantalate. 59-00244A
- Nath, P.; Sundgren, J. E.; and Andersson, B.**
Microhardness and electrical resistivity of Au/TiC multilayer structures prepared by rf sputtering. 59-01526A
- Natsume, M.** See Udagawa, S.
- Namov, V. I.** See Gol'denberg, G. L.
- Navarro, J. E. Enrique; Amorós Albaro, J. L.; and De La Torre Edo, J.**
Infrared spectroscopy [study of ceramic raw materials]. 59-02787A
- Nazare, Maria H.** See Davies, Gordon
- Nazarenko, V. V.** See Efimov, G. V.
- Nazarova, V. A.** See Krasnousova, A. S.
- Neat, Frank**
Refractory exothermic heating insulating articles. 59-04504P
- Nedeljkovic, Arsenije I.**
Pickle-free enameling systems. 59-00110A; Porcelain enamel powder coatings—a status report. 59-02166A; See also Stalter, Thomas L.
- Nedev, V.** See Filipov, F.; Kukusheva, M.
- Neely, Homer E., Jr.**
Glass fiber composition. 59-01302P
- Negas, Taki** See Schneider, Samuel J.
- Ngishi, Hiroshi; Yamazaki, Yoshinobu; and Sekiya, Michio**
Measurement and estimation of characteristics of hardened plaster paste. 59-04101A
- Ngita, Mutsumi**
Method for forming a quartz crystal vibrator. 59-02715P
- Negroni, Eugenio; and Negroni, Roberto**
Honeycomb muffle in tank furnaces for glassmelting. 59-04480P
- Negroni, Roberto** See Negroni, Eugenio
- Neidhardt, Manfred; and Rehfeld, Gerhard**
Method of manufacturing electrically fused corundum. 59-02538P
- Neilson, G. F.; and Weinberg, Michael C.**
Test of classical nucleation theory—crystal nucleation of lithium disilicate glass. 59-00265A
- Neiman, A. Ya.; Tkachenko, E. V.; and Zhukovskii, V. M.**
Defect formation in complex oxides of composition R₂III₂O₇ with the garnet structure, [R = rare earths and Y; E = Al, Ga, Fe, etc.]. 59-02951A
- Neisen, Juergen**
Process for the pretreatment of nonferrous metals to be electrothermally covered with ceramic materials [dental]. 59-04552P
- Nelson, B. N.; and Exarhos, Gregory J.**
Vibrational spectroscopy of cation-site interactions in phosphate glasses. 59-01273A
- Nelson, G. W.** See Massey, G. A.
- Nelson, Norvell J.**
Silicon nitride film and method of deposition. 59-00630P
- Nemanich, R. J.; and Solin, S. A.**
First- and second-order Raman scattering from finite-size crystals of graphite. 59-02982A
- Nemeth, Miklos; Kias, Robert; and Liebhauser, Mihaly**
Flow studies in chamber dryers of the Bataszek hollow clayware factory. 59-04754A
- Nemets, I. I.**
Increased thermal stability of refractories. 59-04422A; See also Kukolev, G. V.
- Nemets, I. I.; and Gvoz, V. S.**
Charge for the manufacture of refractories. 59-04469P
- Nemets, I. I.; Skomorovskaya, L. A.; and Gvoz, V. S.**
Refractory material. 59-02554P
- Nemoto, H.; and Oda, Isao**
Direct examinations of PTC action of single grain boundaries in semiconducting BaTiO₃ ceramics. 59-03673A
- Neov, S.; Gerasimova, I.; and Kozhukharov, V.**
Structure of glasses in the TeO₂-P₂O₅ system. 59-04263A
- Neuenberg, M. A. H.** See Haridasan, T. M.
- Neravskchenko, L. I.** See Maschenko, L. V.
- Neshpo, V. S.** See Ordan'yan, S. S.
- Nesterako, G. T.** See Min'ko, N. I.
- Nesterova, V. M.**
Quality control of structural porcelain production in the N. K. Krupskaya Lobnensk Plant. 59-00392A
- Nestler, Helmut** See Dietrich, Werner
- Neuhauer, Robert G.**
Pressure-made soft metal vacuum seals for glass and ceramics. 59-00240A
- Neumann, E.-G.** See Krumbholz, D.
- Neumann, Guenther; Klenow, Sigismund; and Hennicke, Hans Walter**
Relation between texture and crack kinetics and its effect on the fatigue behavior of refractories: I. Description of experiments and investigative methods. 59-04442A; Relation between texture and crack kinetics and its effect on the fatigue behavior of refractories: II. Results and discussion. 59-04443A
- Nevedomskii, V. A.** See Filatov, L. G.
- Nevskaia, L. V.** See Kaminskaya, N. L.
- Newby, Billie J.**
Method for calcining nuclear waste solutions containing zirconium and halides. 59-00651P
- Newkirk, Lawrence R.; and Valencia, Flavio A.**
Superconducting articles of [Nb₃Ge CVD to a copper substrate]—manufacture and method of producing. 59-04466P
- Newman, Darden** See De Santis, John L.; O'Donoghue, Robert J.
- Newnham, Robert E.** See Holmes, Michael; Sa Neto, A.
- Newton, R. G.** See Cox, G. A.
- Ng, H. N.** See Nicola, J. H.
- Nguyen, P. H.** See Lepley, B.
- Nichols, D. N.** See Rimai, D. S.
- Nichols, F. A.**
How brittle is brittle fracture? 59-01846A; Transport phenomena in nuclear fuels under severe temperature gradients. 59-03774A
- Nichols, I. L.** See Beard, H. R.
- Nichols, John A.** See Hageman, Lynn Robert
- Nicholson, Patrick S.**
Thermal shock resistance mechanisms in refractory oxides. 59-04455A; See also Cooper, Sharon A.; Khaund, Arup K.
- Nickel, Ernest H.** See Robinson, Bruce W.
- Nicola, J. H.; Scott, J. F.; and Ng, H. N.**
Raman study of the α-β cristobalite phase transition in AlPO₄. 59-03059A
- Nicolescu, I. V.** See Glodeanu, F.
- Nicolas, Jean** See Sroussi, Roland
- Nicoletti, F.** See Gottardi, Vittorio
- Nicoufand, Jean R.** See Melan, Giuseppe F. M.
- Nieberle, Juergen** See Mahanke, Harald
- Nieborowski, H.** See Krzywicka-Laurow, R.
- Niedrach, Leonard W.**
Oxygen ion-conducting ceramics—a new application in high temperature-high pressure pH sensors. 59-04580A
- Nielsen, Hilmer R.**
Additive for grouts, its preparation and use. 59-01057P
- Niemeyer, E. A.**
Design and construction of a 55 t/hour central coal grinding and drying plant at Laegerdorf. 59-00041A
- Nienart, Louis F.; Sellers, Gregory J.; and Bretts, Gerald R.**
Adhesive bonding of metallic glass fabric. 59-00123P
- Niesse, John E.; and Fenner, Otto H.**
Effects of glass content and laminate structure on the mechanical properties of FRP structures. 59-01155A
- Niesz, Dale E.** See Wills, Roger R.
- Niikawa, Koichi** See Hirai, Toshio
- Niimi, Takayasu; and Murayama, Yoshiaki**
Result of used brick analysis for VOD (vacuum O decarburization furnace). 59-04446A
- Niimi, Tamotsu; Murayama, Yoshiaki; and Yoshino, Shigeo**
Analysis of MgO-C bricks tested in an electric arc furnace. 59-03492A
- Niimi, Tatsuya** See Kodama, Kunihiko
- Nijhawan, K. K.** See Taylor, D.
- Nikiteno, V. I.** See Dedukh, L. M.
- Nikitin, V. I.** See Kuz'min, I. D.
- Nikitin, Yu. I.; Bogdanovich, M. G.; and Bychkov, E. B.**
Diamond abrasive paste. 59-02017P
- Niklewski, Jerzy B.** See Kumar, Ananda H.
- Niklewski, T.** See Kucharczyk, D.
- Nikolina, G. P.** See Koryavin, A. A.
- Nikolina, G. P.; and Lysenok, L. N.**
Kinetics and mechanism of nucleophilic decomposition of glassy and crystalline Ba(PO₃)₂. 59-04216A
- Nikol'skii, Yu. V.** See Maksimov, B. A.
- Nikonenko, V. A.** See Kaishava, L. I.; Zabd'ko, A. I.
- Nikonova, L. G.** See Lebedev, A. T.
- Nikulin, V. A.**
Production technology of structural porcelain bodies at the Lobnensk Plant. 59-04530A
- Nikulin, V. Kh.; Prusakova, L. M.; and Yurkov, L. F.**
Heat-resistant glass. 59-00325P
- Ninomiyi, Hisato; Yamamoto, Tsutomu; and Tada, Naotsugu**
Evaluation of various commercial alumina cements. 59-04411A
- Nis, John R.** See Coucoulas, Alexander
- Nishi, Hideo**
Method for producing miniature lamps. 59-04343P
- Nishida, Masahiro; Nakashima, Tsuyoshi; and Hongo, Yasuo**
Construction of an electric furnace roof using castables only. 59-02417A
- Nishida, Masamitsu** See Ouchi, Hiromu
- Nishida, Shigeo** See Onoda, Seiichi

- Nishida, Shinji; and Kanamitsu, Shozo**
Electrostatic precipitator for tar gas. 59-03526A
- Nishida, Shinji; Takeoka, Isamu; and Naoe, Masahiko**
Lining equipment for LD converter. 59-03549A
- Nishida, Tetsuki; and Takashima, Yoshimasa**
Moessbauer spectroscopic study of the formation of non-bridging oxygen in the potassium borate glasses. 59-04226A
- Nishida, Yasuhiro** See Akai, Shinichi
- Nishihara, Ken** See Iemura, Iwao
- Nishihara, Yoshikazu; and Ogawa, Shinji**
Moessbauer study of ^{57}Fe in the pyrite-type dichalcogenides. 59-00875A
- Nishikawa, Tomozo**
Polycrystalline β -alumina with preferable orientation of grains for sodium ion conduction. 59-00908A
- Nishikawa, Tomozo; Okamoto, Yasunori; and Uchida, Yozo**
Grain size dependence of grain-boundary sliding in polycrystalline Ni-Zn ferrite. 59-04807A
- Nishikawa, Yasuo** See Yanagida, Hiroaki
- Nishikawa, Yasuo; Takahashi, Hirokuni; and Takemura, Shigeyuki**
Hardening properties of monolithic refractories. 59-04419A
- Nishimura, Mitsuhiko** See Tsujino, Takeshi
- Nishimura, Toshiro** See Watanabe, Minoru
- Nishio, Hideaki** See Kimura, Morihiro; Nameishi, Naoyuki; Yoshino, Shigeo; Yoshino, Yasuo
- Nishitani, Teruyuki** See Ochiai, Tsunemi
- Nishitani, Hiroshi; Ogawa, Toshio; and Maschio, Tanaka**
Piezoelectric crystalline film of zinc oxide and method for making. 59-01587P; Piezoelectric crystalline film of zinc oxide containing additive elements. 59-00619P; Piezoelectric crystalline film of zinc oxide. 59-02730P
- Nishiyama, Ryuji** See Yokoyama, Kazuo
- Nishizawa, Junichi**
Single crystal of semiconducting material on crystal of insulating material. 59-02740P
- Nitschke, Dean M.** See McMaster, Harold A.
- Nitschke, John S.** See McMaster, Harold A.
- Nitta, Tsuneharu; Terada, Ziro; and Hayakawa, Shigeru**
Humidity-sensitive electrical conduction of $\text{MgCr}_2\text{O}_4\cdot\text{TiO}_2$ porous ceramics. 59-02658A
- Nitta, Yoshifumi** See Abe, Hidekazu
- Nitzan, M.** See Grinshpan, Y.
- Nitzan, M.; Grinshpan, Y.; and Goldstein, Yehuda**
Field-effect mobility in quantized accumulation layers on ZnO surfaces. 59-02980A
- Niwa, Kazuo; Shibagaki, Masahiro; and Horike, Yasuhiro**
Apparatus for the plasma treatment of semiconductors. 59-02692P
- Nixon, P. J.; Collins, R. J.; and Rayment, P. L.**
Concentration of alkalis by moisture migration in concrete—a factor influencing alkali aggregate reaction. 59-01037A
- Noad, J. P.** See Prasad, E.
- Noakes, Jack E.; and Turner, Leslie L.**
Method for making pure beta silicon carbide. 59-01441P; Method of increasing the strength of a beta silicon carbide article. 59-03905P
- Noda, Juichi** See Fukuma, Masaharu
- Noda, Juichi; Fukuma, Masaharu; and Ito, Yoshio**
Phase matching temperature variation of second-harmonic generation in Li₂ out-diffused LiNbO_3 layers. 59-03326A
- Noguchi, Tatsuhiko** See Seki, Shigeru
- Noji, Toshio** See Wakasa, Isao
- Noji, Toshio; Shono, Hiroaki; and Wakasa, Isao**
Tuned orifice plate for forming glass fibers. 59-00290P
- Nojiri, M.** See Tsujide, T.
- Noian, Daniel A.**
Directing glass-forming constituents against a lateral surface parallel to the axis of rotation of a starting member to form a monolithic blank for an optical waveguide. 59-04287P; See also Araujo, Roger J.; Borrelli, Nicholas F.
- Noian, Daniel A.; Borrelli, Nicholas F.; and Schreurs, Jan W. H.**
Optical absorption of silver in photochromic glasses—optically induced dichroism. 59-02268A
- Nolet, Daniel A.**
Optical absorption and Moessbauer spectra of Fe, Ti silicate glasses. 59-04232A
- Nomura, S.; Jiang, S. J.; and Cross, Leslie E.**
Structure and dielectric properties of materials in the solid solution system $\text{Pb}(\text{Mg}_{1-x}\text{Nb}_x)_2\text{O}_7$: $\text{Pb}(\text{W}_{1-x}\text{Mg}_x)_2\text{O}_7$. 59-00930A
- Nomura, Shochiro** See Kuwata, Jun; Uchino, Kenji
- Nomura, Takeshi; and Yamaguchi, Takashi**
 TiO_2 aggregation and sintering of BaTiO_3 ceramics. 59-01537A
- Nonaka, Shingo** See Osaki, Yukio
- Nonaka, Yasuhiko**
Vacuum vapor-deposition apparatus. 59-04672P
- Noreika, Alexander J.; and Francombe, Maurice H.**
Deposition of solid semiconductor compositions and novel semiconductor materials. 59-04607P
- Norget, M. J.** See Catlow, C. R. A.
- Norkina, A. S.; and Kozlova, O. B.**
Standardization of refractories by members of the S.E.V. [Economic Committee of Socialist Countries]. 59-02492A
- Norris, A. W.** See Taylor, D.
- Norris, A. W.; Taylor, D.; and Thorpe, I.**
Range curves—an experimental method for the study of vitreous pottery bodies. 59-01478A
- North, John W.**
Method of producing cellulated or bloated objects and objects produced by the method. 59-00472P; Process and apparatus for producing cellulated vitreous refractory material in prescribed shapes and products therefrom. 59-04496P
- Nose, Masahiko** See Nishida, Shinji
- Notis, Michael R.** See Bender, B. A.
- Notis, Michael R.; and Spriggs, Richard M.**
Emerging areas in hot-pressing. 59-03860A
- Notis, Michael R.; and Wingert, P.**
Densification mapping for the intermediate and final stages of hot-pressing. 59-03946A
- Novak, V. A.** See Zaitsev, A. A.
- Novikova, E. V.** See Shevina, Z. A.
- Novikova, M. N.; Ivanova, V. M.; and Ukhova, M. S.**
Frit for enamel. 59-00131P
- Novitski, E. Z.** See Kotsevich, A. M.
- Novopashin, A. A.; and Sergeev, N. N.**
Calculation of the thermal expansion coefficient of silicate glasses based on their structure-energy characteristics. 59-03257A
- Novoselova, A. V.** See Korenev, Yu. M.; Sher, A. A.; Shtanov, V. I.
- Novotny, Jaroslav** See Kolar, Karel
- Novotny, Jiri** See Binka, Jiri
- Novotny, Vladimir** See Kavka, Jan
- Novotny, Vladimir; Vich, Milan; and Kubista, Petr**
Strength and thermal resistance of some commercial glasses: II. Thermal resistance. 59-01247A
- Nowack, Klaus** See Wassermann, Martin
- Nowotny, Hans** See Steurer, Walter
- Nowkha, A. V.** See Otopkov, P. P.
- Nubani, Jawdat I.; and Muenkel, Raymond L.**
Stem-sealing method for assembling electron tubes including improved cullet collection. 59-00371P
- Nudelmann, B. I.; Bikkau, M. Ya.; and Oborin, P. A.**
Raw mixture for the production of refractory high-alumina cement. 59-04500P
- Nudelmann, B. I.; Gadeev, A. Y.; and Bikkau, M. Ya.**
Raw mixture for the production of cement clinker. 59-02123P
- Nudelmann, B. I.; Sventsitsky, A. S.; and Bikkau, M. Ya.**
Cement and process for producing. 59-00078P
- Nuding, Werner** See Roentgen, Paul
- Nuesle, Gerhard**
Melting technology and energy supply for fossil-fuel-fired container glass tanks with consideration of electrical boosting. 59-01210A
- Numata, Hideji** See Sakemi, Hiroji
- Numata, Takuhisa; Obuchi, Yutaka; and Sakurai, Yoshifumi**
Measurement of cubic anisotropy in (111)-oriented garnet films. 59-04574A
- Nunes R., M. A.; Lambies Lavilla, Vincente; and Moya C., S.**
Color of celcian-based ceramic pastes: I. System celcian- Li_2O . 59-02575A
- Nurulliev, Z. P.** See Akhmedova, M. T.; Degtyar, E. P.
- Nuss, James W.**
Inorganic pigment comprising a solid solution of differing spinels. 59-04547P
- Nuyts, W.** See De Brouckere, L.
- Nyck, J. A.; and Sturgill, D. T.**
Waste heat recovery boiler on a glassmelting furnace. 59-02307A
- Nyul, Paul**
Electroluminescent semiconductor device having optical fiber window. 59-01549P
- Oakeson, Wendell G.; and Cutler, Ivan B.**
Effect of CO_2 pressure on the reaction with CaO . 59-00829A
- Obendorf, Johann; Doermann, Guenter; and Gras, Rainer**
Method for the coating of glass surfaces. 59-04344P
- Obolotchik, V. A.**
Problems of the technology and application of chalcogenides of refractory metals. 59-00419A
- Oborin, P. A.** See Nudelmann, B. I.
- Oborski, G. A.** See Malen'kikh, S. M.
- O'Brien, John P.** (Editor)
Gas Turbines for Automotive Use. 59-01965B
- O'Bryan, H. M., Jr.; Grodkiewicz, William H.; and Bernstein, J. L.**
Preparation and unit-cell parameters of single crystals of Ba_2TiO_9 . 59-02677A
- O'Bryan, H. M., Jr.; Van Uiter, L. G.; and Guggenheim, Howard J.**
Glass transition temperatures and thermal expansion of BeF_2 and ZnCl_2 glasses. 59-00203A
- Ocheretysky, F. F.; Kuznetsov, G. I.; and Romazan, I. Kh.**
Gunning the refractory lining of steel-casting ladles at the Magnitogorsk Metallurgical Combine. 59-04418A
- Ochiai, Tsunemi; Ikeda, Masakazu; and Nishitani, Teruyuki**
Drying unshaped refractory linings. 59-03518A
- Ochseneitner, G. J., Jr.** See Seemann, Howard H.
- O'Connor, Paul B.** See MacChesney, John B.
- Oda, Hiroshi**
Ceramic varistor. 59-04601P
- Oda, Isao** See Kaneno, Masayuki; Nemoto, H.; Soma, T.
- Oda, Isao; Kaneno, Masayuki; and Yamamoto, Noboru**
Tubular discharge envelope composed of a polycrystalline transparent alumina and a high-pressure vapor discharge lamp using it. 59-04382P
- Odanaka, Shinichiro** See Nameishi, Naoyuki
- Odanaka, Shinichiro; and Fukuyama, Manabu**
Properties of Chinese aluminous shale 45%. 59-03563A
- Odier, P.** See Rifflet, J.-Cl.
- Odin, I. N.** See Sher, A. A.
- Odier, Ivan; and Dorr, Henning**
Early hydration of tricalcium silicate: I. Kinetics of the hydration process and the stoichiometry of the hydration products—reply to comments. 59-03179A
- Odier, Ivan; and Schmidt, Otto**
Structure and properties of portland cement clinker doped with zinc oxide. 59-01053A
- Odum, John W.; and Low, Philip F.**
Relation between swelling, surface area, and b dimension of Na-montmorillonites. 59-01898A
- O'Donoghue, Robert J.; and Newman, Darden**
Shop methods for determining the cleanliness of a steel surface. 59-00116A
- Odulov, S. G.** See Kukhtarev, N. V.
- Oel, Heribert J.; Daanheim, Henning; and Helland, Gerd**
Dependence of density and refractive index of a glass on cooling rate. 59-01132A
- Oelke, Waldemar W.; and Poplawsky, Ralph C.**
Method of and apparatus for thermally cutting glass. 59-03412P
- Oganesyan, G. M.** See Liberman, Z. M.
- Ogawa, Minoru**
Sprayer for repairing refractory lining. 59-02562P
- Ogawa, Norito** See Miyake, Tetsuya
- Ogawa, Noriyuki** See Shimada, Masahiko
- Ogawa, Shinji** See Nishihara, Yoshikazu
- Ogawa, T.; Ikawa, Katsuchi; and Iwamoto, Kazumi**
Reactions between ZrC and some metal oxides. 59-03769A
- Ogawa, Tomoya** See Morija, Kazuo
- Ogawa, Toshio** See Nishiyama, Hiroshi
- Ogawa, Toshio; Minai, Kichi; and Wakino, Kikuo**
Crystal structure and electrical properties of $\text{Pb}(\text{Sn}_{1-x}\text{Sb}_x)_2\text{O}_7$ ceramics. 59-03855A
- Ogbuji, L. U.** See Heuer, A. H.
- Ogbuji, L. U.; Mitchell, T. E.; and Heuer, A. H.**
Discussion of microstructural characterization of REFEL (reaction-bonded) silicon carbides. 59-00407A
- Ogden, Julius S.** See Willis, Roger R.
- Ogino, Kiyoshi**
Method of producing lumps of tangled fibers. 59-00349P
- Ogiso, S.** See Takagi, Hiroyoshi
- Ogo, Yoshiaki** See Onodera, Akifumi
- Ogorodova, L. P.** See Kiseleva, I. A.
- Ogurtsov, V. G.; and Klassen, V. I.**
Enrichment of the low-grade pellicular varieties of sands of the Tashlinskoe deposit. 59-01704A
- Ogurtsov, V. G.; and Popova, I. I.**
Use of ultrasound in methods for efficient analysis of the dressability of quartz glass sands. 59-01715A
- Oh, Kong P.**
Monte Carlo study of the strength of unidirectional fiber-reinforced composites. 59-02877A
- Oh, Shin Moo**
Cooling rates of optical fibers during drawing. 59-00156A
- Oh, Young-Jei** See Lee, Hee-Soo
- O'Hare, C.** See Wharmore, R. W.
- Obuchi, Yutaka** See Numata, Takuhisa
- Oheda, Hidetoshi**
Exponential absorption edge in amorphous Ge- Se compounds. 59-03285A
- Ohishi, Izumi** See Yoshida, Mitsuo
- Ohishi, Naonori; Sakakida, Toshikazu; and Hasegawa, Mitsuru**
Method for preparing corundum particles. 59-03840P
- Ohishi, Shinobu** See Kimura, Toshio
- Ohlinger, Manfred** See Schoenfinger, Eduard
- Ohls, James W.**
Method for making an optical waveguide coating die. 59-03406P
- Oborodski, Alexander; Gehrmann, Klaus; and Vierling, Hermann**
Production of space abrasion-resistant active carbon carriers or catalysts. 59-04870P
- Ohata, Nobuyoshi; Tanaka, Kethachiro; and Mizushima, Elji**
Method for producing fibers from heat-softening materials. 59-03410P
- Ohawa, Shigenari** See Kondo, Renichi
- Obita, Michio** See Matsuya, Shigeki
- Obita, Minoru** See Seki, Shigeru
- Obita, N.; Ishida, Fumihiko; and Ikeda, T.**
Submicron magnetic bubble material of $(\text{YSmLu})_2(\text{FeGaSc})_2\text{O}_{12}$. 59-04593A
- Ohnaka, Atsushi; and Kosugi, Osamu**
Formation and color of the spinel solid solution in the system $\text{CoO-MgO-Cr}_2\text{O}_3\text{-Fe}_2\text{O}_3\text{-TiO}_2$. 59-04523A
- Obuchi, F.** See Hench, Larry L.
- Obuchi, F.; Clark, David E.; and Hench, Larry L.**
Effect of crystallization on the Auger electron signal decay in an $\text{Li}_2\text{O-2SiO}_2$ glass and glass-ceramic. 59-00171A
- Okawa, Mitsuhiko; and Matsunaga, Susumu**
Method of preparing zinc sulfide phosphor coactivated with copper and gold. 59-04638P
- Oka, Yoshio; Ricker, Karl S.; and Tomozawa, Minoru**
Calcium deposition on glass surface as an inhibitor to alkaline attack. 59-00142A
- Okabe, Toshio; and Nakagawa, Masayuki**
Growth of $\alpha\text{-Ag}_2\text{S}$ whiskers in a VLS system. 59-04954A
- Okabe, Yasuo** See Kato, Akio
- Okada, Akira** See Nakamura, Tetsuro
- Okada, K.** See Miyazawa, T.
- Okada, Kichiji; and Yamagata, Kozo**
Fuel saving in a tunnel kiln. 59-02805A

- Okada, Kiyoshi; Ozaka, Jojo; and Iwai, Shinichi**
Structure of dithallium tungstate(VI). 59-03089A
- Okada, Motohide** See Saito, Soichiro
- Okamoto, Kazuma**
Labor and cost savings resulting from electric furnace tapping spout development. 59-01392A
- Okamoto, Takashi** See Iemura, Iwao
- Okamoto, Yasunori** See Nishikawa, Tomozo
- Okamura, Fujio P.** See Winter, John K.
- Okamura, Masahiro** See Tanaka, Tomoyuki
- Okano, Haruo; Harada, Noriomi; and Kubota, Nobuhisa**
Method of forming an insulating film. 59-02723P
- Okazaki, Kiyoshi**
Theoretical density and PbO deficiency of pore-free transparent PLZT ceramics. 59-03702A; See also Nagata, Kunihito
- O'Keefe, M.**
Modeling potentials and the sizes of ions in oxides and nitrides. 59-03010A
- Okhtin, V. G.** See Gaponov, Ya. G.
- Okhrimenko, G. M.; Rodichev, Yu. M.; and Maslov, V. P.**
Surface-strengthening of glass-ceramics. 59-01360P
- Okino, Seki; Mori, Takao; and Yamai, Toshiharu**
Heat-reflecting glass plate and method of producing. 59-0324P
- Oku, Masao; and Hirokawa, Kichinosuke**
XPS observation of Fe₂O₃ at temperatures between 25 and 800°C. 59-01934A
- Okuda, H.** See Sekiya, Tadashi
- Okuda, Shigeru** See Danjo, Hiroyuki
- Okuda, Taizo**
Tundish wear lining and repairing. 59-04456A
- Okumura, Tadao**
Application of rheological properties of intrusion mortar to estimate the lateral pressure of preplaced aggregate concrete. 59-03170A
- Okuyama, Toshio** See Hattori, Kenichi
- Olacuga, R.** See Amara, M. Ben
- Olczak, Jerzy; and Malinowski, Tadeusz**
Roman glass bowl from Komorowo, Poland. 59-01022A
- Olds, Leonard A. G.; Müller, William C.; and Pallo, John M.**
High temperature alumina-silicate fibers stabilized with Cr₂O₃. 59-03536A
- Oleinik, G. S.** See Pilyankevich, A. N.
- Oleinik, M. I.** See Chmerko, L. G.
- Oleinikov, N. N.** See Mozhayev, A. P.
- Olginski, A. G.** See Mchedlov-Petrosyan, O. P.
- Oliver, Joel D.** See Milligan, W. O.; Mullica, Donald F.
- Omar, A. A.; Mahmood, M. Y.; and Salman, S. M.**
Cordierite and magnesian pyroxene formation in glasses based on quartz sand-dolomite-magnesia-clay mixtures. 59-01124A
- Omi, Tadao** See Watanabe, Minoru
- Omlinsky, Barry A.; and Wolatz, Fredrick E.**
Gypsum-based granules and method of production. 59-02116P
- Omori, Mamoru** See Yajima, Seishi
- O'Neill, Eugene E.**
Process for preparing calcined gypsum and gypsum board. 59-0144P
- O'Neill, Guy; and Wall, William F.**
High temperature quantitative DTA analysis. 59-04720A
- Ongsik, K.**
Enameling furnace that can be turned off. 59-02144A
- Ono, Akira** See Inomata, Yoshizo
- Ono, Isao** See Kozuka, Mikio
- Ono, Noriaki** See Furumi, Koichi
- Onoda, Seichi; Kawakami, Shojiro; and Nishida, Shigeo**
Optical fiber. 59-04363P
- Onoda, Seichi; Tanaka, Toshiki F.; and Sumi, Masao**
Optical fiber. 59-02364P
- Onodera, Akifumi; Suito, Kaichi; and Kawai, Naoto**
Semisintered oxides for pressure-transmitting media. 59-04588A
- Onodera, Akifumi; Suito, Kaichi; and Ogo, Yoshinori**
Shear strength of some semisintered oxides at high pressure. 59-05042A
- Onozato, Paulette I. K.** See Weinberg, Michael C.
- Oots, Toshihisa; Yamai, Iwao; and Saito, Hajime**
Brookite formation by the oxidation of titanium metal under hydrothermal conditions. 59-04798A
- Ootani, Toshihiro; Kozuka, Mikio; and Takeda, Ryuichiro**
Process for continuously preparing fiber reinforced cement. 59-03227P
- Opoczky, Ludmilla**
Grinding hard materials in ball mills. 59-02764A; Grinding of brittle materials in ball mills. 59-04706A
- Opoku, J.** See Shih, T. T.
- Oppermann, Heinrich** See Reichelt, Werner
- Ordan'yan, S. S.**
Physicochemical bases for obtaining compositions of materials based on refractory compounds. 59-00417A; See also Tkachenko, Yu. G.
- Ordan'yan, S. S.; Kravchik, A. E.; and Neshpor, V. S.**
Sintering kinetics of niobium carbide powders of nonstoichiometric composition. 59-00921A
- Ordan'yan, S. S.; Lysanov, V. S.; and Digonskii, V. V.**
Superhard composite material [BN]. 59-03925P
- Ordynskii, G. V.** See Koshkin, Yu. N.
- Orlik, V. A.** See Smetanina, A. N.
- Orlov, D. L.** See Sobolev, E. V.
- Orlov, L. K.; and Romanov, Yu. A.**
Periodic semiconductor structures based on piezoelectric crystals AIB_{VI} type. 59-00569A
- Orlova, G. M.** See Shchukina, N. E.; Turkina, E. Yu.
- Orlova, G. M.; Kolomeitseva, S. E.; and Timonov, A. S.**
Viscosity and thermal expansion of P-Se-Te glasses. 59-02303A
- Orlova, G. M.; and Muromtsev, V. A.**
Heat capacity of glassy As₂S₃, As₂Se₃, and As₂Te₃ in the temperature range 300–600 K. 59-01181A
- Orlova, I. G.** See Degtyareva, E. V.; Miroshnik, L. V.
- Orlova, I. G.; and Gudulina, A. I.**
Charge for a refractory material. 59-00439P
- Orosz, Joe Maria; and Cardoso, Sonia Regina F.**
Relation between particle size distribution of zircons and opacity of sanitary ware glazes. 59-04533A
- Orr, Richard S.** See Andrews, Harry N.
- Orth, William H.** See Kelly, William J.
- Ortipp, Wolfgang**
CaO-CO₂ equilibrium and its significance for cement-bonded materials. 59-00038A
- Ortmann, Reiner** See Lorenz, Wolfgang
- Osadchaya, N. V.** See Pavlov, V. P.
- Osaki, Yukio; Nonaka, Shingo; and Nagai, S.**
Developmental condition of mechanized unit. 59-03517A
- Ossama, Makino** See Eda, Kazuo
- Ossana, Hiroshi** See Suzuki, Hideo
- Osato, Hitoshi** See Sugimura, Takashi
- Oshima, Hirotohi**
Phase relations in the system MgO-V₂O₅-VO₂ at 1200°C. 59-05030A
- Osiko, V. V.** See Denker, B. I.
- Osinski, V. I.** See Kuz'min, N. N.
- Osipova, E. A.** See Cheshnya, T. V.
- Osipova, I. I.** See Gnesin, G. G.
- Osokin, A. P.** See Timashev, V. V.
- Ossaka, Jojo** See Okada, Kiyoshi
- Ostapenko, M. Ya.; Knyazev, V. V.; and Ponomareva, E. P.**
Glaze. 59-00534P
- Ostapenko, M. Ya.; Shablovskaya, L. B.; and Ponomareva, E. P.**
Glazes for facing tiles. 59-00505A
- Ostermann, Werner R.**
Artistic enameling on copper. 59-03156A; Ceramic pigments: [I, II]. 59-03632A; Ceramic pigments: III. 59-03633A; Ceramic pigments: IV. 59-03634A; Ceramic pigments: V. 59-03635A
- Ostop, John A.** See Johnson, Joseph E.
- Ostrovskaya, E. A.** See Trishchenko, A. A.
- Ostrovskaya, Yu. M.** See Rosinskii, F. F.
- Ostrovskii, L. G.; and Mezentsev, E. P.**
Increasing the quality of magnesia refractories. 59-02446A
- Ostrovskii, V. I.; Libkind, F. Ya.; and Pavlyuchuk, A. I.**
Composition for impregnating abrasive tools. 59-02015P
- Ostrowski, Richard C.**
Microwave drying of ceramic shell molds. 59-02541P
- Ota, Norio; and Ishida, Fumihiko**
Garnet single crystal film for magnetic bubble domain devices. 59-02704P
- Otani, Tadashi** See Tatsumi, Toshio
- Otopkov, P. P.; Nozhkina, A. V.; and Kostikov, V. I.**
Individual abrasive grains with a silicon-base alloy coating. 59-02018P
- Otsuka, Kenji** See Kubodera, Kenichi
- Ott, Robert E.**
Effect of water vapor in furnace atmosphere on ground coat surface properties. 59-00095A
- Ottesen, D. K.** See Shelby, J. E.
- Otto, Harald H.**
Crystal data and crystal growth of Pb₂GeO₆. 59-02935A
- Otto, Harald H.; and Dietrich, A.**
Crystal data for PbGe(Ge₂O₇)₂. 59-02939A
- Otto, Joachim**
Black cores in ceramic products. 59-02571A; Ceramic veneer. 59-04602P
- Ouchi, Hiromu; Nishida, Masamitsu; and Hayakawa, Shigeru**
Piezoelectric ceramic compositions. 59-04650P
- Ovchar, Z. A.** See Gan'kevich, A. B.
- Ovcharenko, F. D.; Malyarenko, V. V.; and Mank, V. V.**
EPR probe mobility in montmorillonite dispersions. 59-03636A
- Ovcharenko, N. V.** See Yakhkind, A. K.
- Ovcharenko, N. V.; Yakhkind, A. K.; and Alaeiev, V. Ya.**
Interdiffusion coefficients for Li and Na in Li aluminogermanate glasses. 59-00209A
- Ovchinnikov, S. G.** See Kuz'min, E. V.
- Overbeek, J. T. G.** See Van Blokdan, P. H. G. M.
- Ovov, V. F.; Krechin, D. V.; and Markelov, Yu. N.**
Measurement of the transport rate of plate glass strips. 59-00219A
- Owen, A. J.; and Brown, A. J.**
Refractories. 59-02481A
- Owen, James Frederick; Tegedren, K. J.; and Shanks, H. R.**
Optical properties of the sodium-tungsten bronzes and tungsten trioxide. 59-03034A
- Owen, William H., III** See Liu, Sheau-Ming S.
- Owens, James W.** See Gladney, Ernest S.
- Ozaki, Hideo** See Nakamura, Toshio
- Ozerskaya, E. I.** See Abzgil'din, F. Yu.
- Ozhogin, V. I.** See Irshinskii, A. L.
- Paal, Gabor** See Havas, Janos
- Pabst, Reiner F.; and Elssner, Gerhard**
Adherence properties of metal-to-ceramic joints. 59-01508A
- Padera, Frank; and Cahill, Jerry E.**
Spectra of solids. 59-04738A
- Padgett, G. C.**
Mechanical behavior [of refractory structures]—theory and practice. 59-01396A
- Padovani, Francois A.**
Silicon seed production process. 59-04663P
- Paek, U. C.; Spainhour, Carroll D.; and Schroeder, Charles M.**
Tensile strength of 50-m long silica fibers drawn with a laser galvanometer scanning system. 59-02296A
- Page, John; and Leding, Francis R.**
Calcining kettle having multipass heating system. 59-00668P
- Page, T. F.** See Jepps, N. W.; Sawyer, G. R.
- Pahis, Lee** See Kupperman, David S.
- Pai, B. C.** See Ramachandran, B. E.
- Pallette, M.**
Anisotropy of polarizability in glasses—parameters of analysis of the structure and homogeneity. 59-03252A
- Pajackowska, A.** See Piekarczyk, Wladyslaw
- Pajchovchishin, S. V.; Medvedev, M. I.; and Kruglitskii, N. N.**
Colloidal-chemical properties of the system kaolinite-water-glass. 59-02212A
- Palikar, V. R.; and Mutani, M. S.**
High density PZT material. 59-00562A
- Palio, John M.** See Olds, Leonard E.
- Palin, John A.** See Greskovich, Charles D.
- Palin, John A.; and Greskovich, Charles D.**
Thermomechanical properties of hot-pressed Si₃N₄-Be₂N₂O₂ ceramic. 59-01749A
- Palmer, Arlene M.**
Philadelphia glasshouse, 1794–1797. 59-01018A
- Palmer, D. J.; and Dickens, P. G.**
Tungsten dioxide—structure refinement by powder neutron diffraction. 59-03106A
- Palmonari, C.**
Environmental pollution from tile factories. 59-04520A
- Palmour, Hayne, III** See Roberts, Rodney M.
- Palukhin, V. N.; Lobanova, N. V.; and Filippov, N. A.**
Alkaline borate germanate glass with increased solubility. 59-01279P
- Palys, Shelby Z. (Compiler)**
List of Bureau of Mines Publications and Articles, January 1 to December 31, 1978. With Subject and Author Index. [No. 1-80] 59-04047B
- Pampuch, Roman; and Haberk, Krzysztof**
Manufacture, characteristics, and sinterability of ZrO₂ micropowders. 59-04813A
- Panasenko, E. B.; Zaginichenko, N. I.; and Sklokina, N. F.**
Double silicates of the rare-earth elements and sodium. 59-04921A
- Panchenko, G. K.** See Vorobeichikov, L. T.
- Panda, J. D.** See Goswami, G.
- Pandey, R. K.**
Growth of LiGd(MoO₄)₂ single crystals. 59-04957A
- Panek, Zdenek**
Melting temperatures of CaO and MgO. 59-01869A; See also Danek, Vladimir
- Panevchik, V. V.** See Goryaev, V. M.
- Panich, A. E.** See Gol'tsov, Yu. I.
- Pan'kov, V. V.; and Bashkurov, L. A.**
Kinetics of formation of Ni-Zn ferrites Ni_{1-x}Zn_xFe₂O₄ and Ni_{1-x}Zn_xFe₂O₄. 59-03000A
- Pankova, N. A.**
Effect of forces acting in an ultrasonic field on the acceleration of decolorization of a glass melt. 59-01146A; Kinetics of decolorization of glass batches in furnaces. 59-00210A; Role of dissolution of bubbles during the purification of glass bodies from these bubbles. 59-00253A; Size-distribution of bubbles during the clarification of glass bodies. 59-00256A
- Panoch, Hans J.** See Feldmann, Rainer
- Pantelides, Sokrates T. (Editor)**
Physics of SiO₂ and Its Interfaces. Proceedings of the International Topical Conference held at the IBM Thomas Watson Research Center, Yorktown Heights, N.Y., Mar. 22–24, 1978. 59-01990B; See also Pollmann, J.
- Pantier, Earl A.** See Jackovitz, John F.
- Panus, V. R.** See Borisova, Z. U.
- Panyushkin, P. P.** See Filatov, L. G.
- Pap, Laszlo** See Erdelyi, Attila
- Paperi, Emma N.**
Early American industrialist—"Baron" Stiegel. 59-02033A
- Papovyan, V. E.** See Kuz'min, N. N.
- Paprocki, Antoni; and Woloska-Kotanska, Czestawa**
Effect of fly ash additions on the heat of hydration and other properties of portland cement: I. 59-03180A; Effect of fly ash additions on the heat of hydration and other properties of portland cement: II. 59-03181A
- Paradine, M. J.** See France, P. W.
- Pardoe, G. W. F.** See Birch, J. R.
- Parechianian, Haig S.** See Seibold, Robert W.
- Park, H. K.; and Barrett, L. R.**
Corrosion resistance of carbon-containing magnesia refractories in melts. 59-01377A
- Park, Jeong-Hyun** See Lee, Hee-Soo
- Park, John K.** See Logothetis, E. M.
- Park, K. H.; Song, H. S.; and Chun, Sung-Soon**
Firing of slag-containing batch. 59-00190A
- Park, Keum-Churi; and Han, Mun-Hi**
Unburned refractory for ladle—especially for sling mass. 59-00428A
- Park, Soon-Za**
Cobalt blue spinel stains. 59-00501A

- Park, W. J.**
Estimation of sample size for testing composite materials. 59-02868A
- Park, Yong-Wan** See Choi, Sang-Heul
- Park, Yong-Wan; Kang, Eun-Tae; and Kim, Yong-Hwan**
High-expansion glass-ceramics. 59-03295A
- Parkhaev, B. V.** See Min'kov, D. B.
- Parks, Donald E.** See Rotenberg, Manuel
- Parmer, Daljit-Singh** See Rautenberg, Peter
- Paromova, M. V.** See Leshchenko, P. P.
- Parpart, J.**
Dedusting of pulverized coal installations. 59-00040A
- Parr, Albert C.** See De Smet, Donald J.
- Parroti, L. J.; and Taylor, M. G.**
Development of the molybdate complexing method for the analysis of silicate mixtures. 59-01039A
- Parcellunas, J.** See Kaciulis, S.
- Parshina, V. V.** See Udalov, Yu. P.
- Parsons, A. B.** See Roberts, A. D.
- Partlow, Deborah P.** See Yoldas, Bulent E.
- Partridge, Phyllis B.**
Duffner & Kimberly lamps. 59-00998A
- Paruso, Deborah M.; and Yoldas, Bulent E.**
Method of forming sodium beta-Al₂O₃ solid materials. 59-04862P
- Pasco, Wayne D.** See Klug, Frederic J.
- Pasco, Wayne D.; and Klug, Frederic J.**
Alumina core having a high degree of porosity and crushability characteristics. 59-02500P; Method for making porous, crushable core having an integral outer barrier layer. 59-03730P
- Pasco, Wayne D.; Klug, Frederic J.; and Prochaska, Svante**
Making ceramic articles having a high degree of porosity and crushability characteristics. 59-03725P
- Pascoe, R. T.; Hughan, R. R.; and Garvie, Ronald C.**
Strong and tough zirconia ceramics. 59-03083A
- Pascual, J.** See Mathieu, Henry
- Pascual, J.; Camassel, J.; and Mathieu, Henry**
Fine structure in the intrinsic absorption edge of TiO₂. 59-02981A
- Pashchenko, A. A.; Serbin, V. P.; and Kilmenko, V. S.**
Physicochemical Bases for the Inorganic Binder and Glass-Fiber Compositions (Fiziko-Khimicheskie Osnovy Kompozitsii Neorganicheskoe Vyazhushchee-Steklovokno). 59-01988B
- Pashchenko, A. A.; Serbin, V. P.; and Paslavskaya, A. P.**
Stability of glass fiber reinforcements in portland cement matrix. 59-02286A
- Pashchenko, G. F.** See Kilmenko, V. V.
- Pashkov, A. F.** See Kuprienko, P. I.; Makarov, B. V.
- Pashkova, T. A.** See Borisov, M. B.
- Pashley, Richard D.** See Liu, Sheau-Ming S.
- Pask, Joseph A.**
Ceramic processing—a ceramic science. 59-00753A; See also Biswas, Dipak R.; Dokko, Phillip C.; Tso, Stephen T.
- Paslavskaya, A. P.** See Pashchenko, A. A.
- Pastor, Antonio C.** See Pastor, Ricardo C.
- Pastor, H.** See Montel, G.
- Pastor, Ricardo C.; and Pastor, Antonio C.**
Reactive atmosphere processing method of crystal growth of alkaline earth chlorides. 59-03746P
- Pasynkov, R. E.** See Prokof'eva, L. A.
- Patel, Mahesh S.**
Flame spray powder mix. 59-03246P
- Paterson, J. Alan; Koehler, G. W.; and Duffy, Thomas J.**
Development of large rectangular ceramic insulators for ion accelerators for the neutral beam program. 59-04678A
- Patterson, J.** See Cahn, R. W.
- Paulus, P.** See Dusauskas-Duz, S.; Karlsons, K.; Kovner, M. I.; Redala, S.; Rudakova, S. V.
- Paul, Amalendu** See Nasipuri, Rito; Yousefi, A.
- Paul, Cyrus** See Waldrop, Walter I.
- Paul, Francis R.**
Apparatus for applying liquid to continuously advancing filaments. 59-03362P
- Paulin Filho, P. I.; and Trench de Freitas, Clauer**
Internal friction in uranium dioxide. 59-04684A
- Paulson, W. M.** See Shirley, C. G.
- Paulus, M.** See Lacour, C.
- Pavlenko, N. P.** See Pugin, V. S.
- Pavlenova, N. E.; Mochalova, N. V.; and Zenov, S. P.**
Protective coating for corundum bodies and mullite-silicate ceramics. 59-01444P
- Pavlov, D. E.; Sovetova, L. K.; and Khresina, V. V.**
Glaze. 59-01494P
- Pavlov, V. F.**
Flux for manufacturing low-temperature ceramic mass. 59-01430P
- Pavlov, V. F.; and Osadchaya, N. V.**
Vitreous flux for the manufacture of ceramic tiles. 59-02627P
- Pavlova, V. M.** See Sarukhanishvili, A. V.
- Pavlovskii, V. K.** See Goryacheva, Z. E.
- Pavlushkin, N. M. (Editor)**
Principles of the Technology of Glass-Ceramics (Osnovy Tekhnologii Stallov). 59-04055B
- Pavlushkin, N. M.** See Barinova, V. A.; Malov, V. F.; Tsurupa, V. K.
- Pavlushkin, N. M.; Artamonova, M. V.; and Makedontseva, O. S.**
Glass thermosensitive with a controlled absorbance and having a neutral absorption band. 59-04299P
- Pavlushkina, T. K.** See Bogomolova, L. D.
- Pavlushkina, T. K.; Artamonova, G. I.; and Morozova, I. V.**
Heat-resistant glass. 59-01327P; Opal glass. 59-00353P
- Pavlyuchuk, A. I.** See Ostrovskii, V. I.
- Pawloski, Henry** See Blank, Richard E.
- Pazin, A. V.**
Energy of activation of electrical conductivity of glasses in the system Sb-Ge-Se. 59-02238A
- Pazin, A. V.; Glushkov, E. D.; and Borisova, Z. U.**
Electrical conductivity of glasses in the system GeSe-As₂Se₃-Sb₂Se₃ over a wide temperature interval. 59-00180A; Vitrification and electrical conductivity of glasses in the system GeSe-As₂Se₃-Sb₂Se₃. 59-02305A
- Pazin, A. V.; and Morozov, V. A.**
Glass-formation region and electrical conductivity of glasses in the system SnSe-GeSe-As₂Se₃. 59-02253A
- Pazin, A. V.; Morozov, V. A.; and Borisova, Z. U.**
Glass formation and electrical conductivity of glasses in the system SnSe-GeSe-As₂Se₃. 59-02248A
- Pearce, Michael L.**
Induction furnaces for high temperature continuous melting applications. 59-01691P
- Pearce, Philip D.**
Coal firing systems for kilns. 59-01686P
- Pearce, Stephen L.; and Selman, Gordon L.**
Cermets. 59-02888P
- Pearson, Arthur D.** See MacChesney, John B.
- Pearson, D. J.; and Bohn, Jack R.**
Pressure swing recovery system for mineral deposits. 59-00748P
- Peatfield, M.; and Spencer, D. R. F.**
Developments in refractory materials for LD linings. 59-01379A
- Peckhovsky, V. V.** See Cherkov, G. Kh.; Kuz'menkov, M. I.
- Peckhovsky, V. V.; Salomets, G. I.; and Dzyuba, E. D.**
Electrical conductivity of singly substituted orthophosphates of calcium and barium in the process of dehydration. 59-04933A
- Pederson, D. O.** See Harrington, S. N.
- Peet, T.** See Mitev, T.
- Pei, Yu K.**
Glass-ceramic article [burner] and method of making. 59-04309P
- Peller, Helmut**
Use of oxygen in industrial firing. 59-04762A
- Peisach, M.** See Giles, I. S.
- Pejovnik, S.; Kolar, Drago; and Huppmann, W. J.**
Sintering of Al₂O₃ in presence of liquid phase. 59-04009A
- Pekarsky, A.** See Zador, S.
- Pekerman, F. M.** See Vargin, V. V.
- Pellechia, Vincent J.** See Johnson, Barry C.
- Pellegrini, G.; Piat, G.; and Schneiders, A.**
Dendritic surfaces for high temperature solar collectors. 59-00549A
- Pellicori, S. F.; Russell, E. E.; and Watts, L. A.**
Radiation induced transmission loss in optical materials. 59-00245A
- Pelton, A. D.** See Lin, P.-L.
- Pelzer, Rudolf** See Baron, Dietmar
- Pemrick, Raymond E.**
Fine grit abrasive. 59-04063P
- Pemberthy, Larry**
Molten glass homogenizer and method of homogenizing glass. 59-03425P
- Peniston, Thomas E.**
Considerations involving the use of ceramic fiber insulation for furnaces. 59-00092A; Energy saving with ceramic fiber. 59-02145A; Oxycalc, low-nickel spray pickle. 59-02162A
- Pentecost, Joseph L.**
Electronic and technical ceramics in China. 59-04560A; Fundamentals of automatic control by microprocessors. 59-02243A; See also Kurkjian, Charles R.
- Pepeyayev, V. E.; and Samoilov, V. V.**
Charge for manufacturing ceramic capacitors. 59-01544P
- Pepper, Stephen V.**
Effect of interfacial species on shear strength of metal-sapphire contacts. 59-04559A
- Pepplinkhouse, H. J.**
Synthesis of zircon by solid state reaction. 59-03095A
- Peray, Kurt E. (Editor)**
Cement Manufacturer's Handbook. 59-03130B
- Pereira Filho, Julio A.**
Creep of refractories under compression. 59-04399A
- Pereira, C.** See Rivas, J.
- Perepelitsyn, V. A.** See Adil'baev, M. K.; Freidenberg, A. S.
- Peresh, E. Yu.** See D'ordayi, V. S.
- Perevozov, V. N.**
Economics of productivity at the Semiluksk refractory plant. 59-02427A
- Perez y Jorba, M.** See Michel, D.
- Perkins, Dexter, III; Ezene, Eric J.; and Westrum, Edgar F., Jr.**
New thermodynamic data for diaspore and their application to the system Al₂O₃-SiO₂-H₂O. 59-01875A
- Perkins, R. A.** See Bates, John B.
- Perkins, Roderick B.**
Foundry mold and core wash additives. 59-03600P
- Perkowski, Alfred D.**
Supporting glass sheets. 59-00374P
- Perlmutter, D. D.** See Avison, N. L.
- Permesang, Klaus**
How watertight are joints? 59-03643A
- Permikins, N. M.** See Strelow, K. K.
- Perova, A. A.** See Bartenev, G. M.
- Perrin, Daniel R.** See Gladney, Ernest S.
- Persb, Wolfgang** See Von Freyhold, Helmut
- Pertlik, Franz**
Refinement of the crystal structure of the mineral claudetite As₂O₃ ("Claudetite I"). 59-00912A
- Perugini, Giancarlo**
Ceramic self-sealing coatings for high-temperature surfaces. 59-03233A
- Peshev, P.; and Khrosanova, M.**
Synthesis and crystal growing of LaNbO₄. 59-05061A
- Pesina, T. I.; Zakrevskii, V. A.; and Pukh, V. P.**
Effect of ZnO on the strength of silicate glass. 59-03272A
- Petchul, J. J.** See Bullard, J. E.
- Peter, David E.** See Creter, Phillip G.
- Peters, Homer D. F.**
Hot gob detector for controlling a glassware forming machine. 59-00326P
- Peters, John W.** See Hall, Thomas C.
- Peters, Ralph H.** See West, Gordon B.
- Peters, W. C.** See Abraham, M. M.
- Petersen, Fritz; and Korsten, Andreas**
Electrical resistance furnace for the production of silicon carbide. 59-00730P
- Petersen, I. F.; and Johansen, Vagn**
Burnability and clinker nodule formation from a statistical point of view. 59-04084A
- Peterson, John M.** See Hall, William C.
- Peterson, Norman L.** See Chen, W. K.
- Peterson, Susan**
Clay honors its own. 59-03159A
- Peterson, D.** See Lagzdina, S.
- Petho, Silvester** See Boehm, Josef
- Petracca, Victor G.** See Boberski, William G.
- Petrella, Joseph R.**
Glass lift mechanism for and method of press bending glass sheets. 59-03384P
- Petrenko, Yu. P.** See Zabrod'ko, A. I.
- Petrini, Richard R.** See Lord, David E.
- Petro, James**
Molten glass metering device for making lamp bases. 59-00352P
- Petroff, Pierre M.** See Dingle, Raymond
- Petrovsky, Ya. G.** See Madayan, R. S.
- Petrov, D. A.**
Phase diagram of a five-component eutectic system in coordinates of a three-dimensional pentagon. 59-05012A; Theory of multicomponent phase diagrams. 59-05096A
- Petrov, V. A.** See Dvurechenski, A. V.; Vanyushin, A. V.
- Petrova, I. I.; and Chekhovskoi, Ya. Ya.**
Heat capacity of zirconium, niobium, and tantalum carbides by a pulsed method. 59-01838A
- Petrova, L. V.** See Sil'vestrovich, S. I.
- Petrova, V. Z.; Plekhanov, A. A.; and Bukhmasov, V. I.**
Glass for sealing to metals. 59-01309P
- Petrova, V. Z.; Shutova, R. F.; and Malynkov, S. P.**
Glass for bonding to ferrites. 59-01304P
- Petrovic, J. J.; and Lund, C. C.**
High-temperature deformation of stoichiometric ²³⁹PuO₂. 59-01606A
- Petrovskaya, M. L.** See Koryavin, A. A.
- Petrovskii, G. T.** See Evstrop'ev, K. K.; Kasymova, S. S.
- Petrovskii, G. T.; and Agafonova, K. A.**
Waveguide structures based on glass-forming materials for integrated optics. 59-04271A
- Petrovskii, G. T.; Shcheglova, Z. N.; and Evtushenko, I. V.**
Properties of glasses in the system Na₂O-Nb₂O₅-P₂O₅. 59-04242A
- Petrovskii, N. V.**
Glass with electronic conductivity. 59-02332P
- Petukhov, E. K.** See Litovskii, E. Ya.
- Petzl, F.**
Design of sintering kilns for the manufacture of electronic components. 59-03820A
- Petzow, Guenter** See Boskovic, S.; Schneider, G.
- Peyton, Jerry W.**
Systematic procedure for the economic evaluation of conversion to porcelain enamel powder. 59-00119A
- Pfaff, G.** See Feltz, Adalbert
- Pfuhl, H.**
Molds for the production of normal and large ceramics [dinnerware]. 59-04525A
- Phaal, Cornelius**
Method of making an abrasive product. 59-04065P
- Phillip, Herbert R.; and Levinson, Lionel M.**
NbO₂ devices for subnanosecond transient protection. 59-00566A
- Phillips, B. A.** See Knights, C. F.
- Phillips, C. M.** See Sopori, B. L.
- Phippo, K. J.**
Enamel frits. 59-02142A
- Pisina, J.; and Rusin, Z.**
Preparation and properties of vacuum-treated and pressed concrete containing fine aggregate. 59-03198A
- Piat, G.** See Pellegrini, G.
- Piazza, Matthew R.**
Process and apparatus for uniformly distributing glass fibers. 59-00359P
- Pickering, S.**
Kinetics of surface-layer formation on simulated nuclear waste glass. 59-04217A

- Piekarczyk, Wladyslaw; and Pajaczowska, A.**
Dissociation processes and crystal growth of gadolinium gallium garnet. 59-04920A
- Pieper, Helmut**
Electrically heated melting furnace for mineral materials (frits, glass). 59-04768P; Electrically heated melting furnace for mineral materials (frits). 59-01688P; Glassmelting furnace and method. 59-02336P; See also La Due, Stephen E.
- Pierce, William E.** See Dale, Rush S.
- Pieret, M.** See Debras, G.
- Pierret, R. F.; Ganshor, R. L.; and Cornell, M. E.**
Charge injection in metal-ZnO-SiO₂-Si structures. 59-04890A
- Pierro, Joseph E.; and Tarca, Walter H.**
Method for hydrating silicate glasses. 59-04341P
- Pietrick, Jerome A.** See Leinen, Roger W.
- Pilato, Joseph M.** See McDaniel, Carl V.
- Pillai, C. K. K.** See Pillai, P. K. C.
- Pillai, P. K. C.; Pillai, C. K.; and Mendiratta, R. G.**
Space-charge polarization in ZnO photoconductors. 59-01533A
- Pilling, Ronald W.**
Henry Chapman Mercer and the Moravian Tile Works. 59-00030A
- Pilyak, V. G.** See Bolotin, V. N.
- Pilyankevich, A. N.; and Oleinik, G. S.**
Fracture characteristics of twinned crystals of silicon carbide of the cubic modification. 59-00849A
- Pinaeva, M. M.** See Vasil'ev, V. S.
- Piscio Fernandez, S.**
Glass and ceramic industry in Spain. 59-02247A
- Plak, Hans** See Aulich, Hubert; Kobale, Manfred
- Plak, Hans; Treitinger, Ludwig; and Vite, Lutz**
Preparation of fast detecting SnO₂ gas sensors. 59-04582A
- Plano, James J.** See Ueltz, Herbert F. G.
- Plank, M. G.; and Markov, V. N.**
Charge for manufacturing radio ceramics. 59-01545P
- Plasner, G. Z.**
Formation of short-range order in amorphous bodies. 59-02241A; Short-range order in glasses. 59-04255A
- Plovian, Ugo**
Automated rapid drying of ceramic tiles. 59-02567A
- Pipes, R. B.; Scott, W. R.; and Kulkarni, S. V. (Editors)**
Nondestructive Evaluation and Flaw Criticality for Composite Materials. 59-05141B
- Pipes, R. B.; Wetherhold, Robert C.; and Gillespie, John W., Jr.**
Notched strength of composite materials. 59-02878A
- Piret, Paul; Piret-Meunier, Jacqueline; and Declercq, Jean Paul**
Structure of phrallumite. 59-00931A
- Piret-Meunier, Jacqueline** See Piret, Paul
- Pirogov, Yu. A.; Bakhina, L. A.; and Zaichenko, M. V.**
Strength of silicate-bonded gunite obtained from magnesite and chromite. 59-03572A
- Pivotte, D.** See Gajardo, P.
- Pizzoli, L.** See Morten, B.
- Pizzo, J.** See Arensburg, D.
- Pirumyan, G. I.** See Zamyatin, S. R.
- Pisarenko, G. S.; Amel'yanovich, K. K.; and Kornib, Yu. I.**
Construction Strength of Glass and Glass-Ceramics (Konstruktsionnaya Prochnost' Stokol i Sitallov). 59-05130B
- Pisarenko, N. K.** See Zamyatin, S. R.
- Pisarevskii, A. M.** See Kiprianov, A. T.
- Plak, N. V.** See Gaidou, A. N.; Usatikov, I. F.; Yutina, A. S.
- Plak, N. V.; Lyask, S. V.; and Alapin, B. G.**
Solid-phase synthesis of mullite from oxides. 59-02490A
- Pliba, John J.**
Sinterless zinc oxide varistor devices. 59-03748P
- Plikevich, S. B.** See Belyi, Ya. I.
- Plink, Richard**
Sale of cement. 59-02110A
- Pivinskii, Yu. E.; and Bezz, V. A.**
Preparation of aqueous suspensions of zircon and a study of their rheological, technological, and binding properties. 59-04432A
- Placido, Wilson Fernando** See Cortes, G. W. Kerr de P.
- Plank, Charles J.** See Rubin, Mac K.
- Plank, Charles J.; Rosinski, Edward J.; and Rubin, Mac K.**
Method for producing zeolites. 59-03902P
- Plantard, Dominique** See Leveque, Marcel
- Plaskett, T. S.; Klokholm, E.; and Croenemeyer, D. C.**
Growth and properties of Sb and Ti substituted (100) EuG films as a function of Pb content. 59-01520A
- Platner, Edmund; and Voelkenle, Horst**
Crystal structure of Cd₂Ge₂O₇. 59-01803A; Crystal structure of the compound Li₂Zn₂GeO₇. 59-00813A
- Platz-Horster, Gertraud**
Discovery and distribution of glass blowing. 59-00997A
- Plekhanov, A. A.** See Petrova, V. Z.
- Plemysanikov, N. N.** See Rodnikova, V. V.
- Plesch, R.**
Automatic loss correction for materials which oxidize during X-ray analysis. 59-00678A
- Pletcher, Wayne A.** See Leinen, Roger W.
- Pliego-Cuevo, Y. B.; and Glasser, F. P.**
Role of sulfates in cement clinkering reactions—phase formation in the system CaO-Al₂O₃-Fe₂O₃-SiO₂-CaSO₄-K₂SO₄. 59-02109A
- Pliner, S. Yu.** See Toropov, Yu. S.
- Plisko, T. A.** See Sil'vestrovich, S. I.
- Plou, Josef** See Binka, Jiri
- Plotnikova, T. V.** See Kuleshov, E. A.
- Plummer, William A.** See Fontana, Eugene H.
- Plutalov, N. F.** See Khodakovskaya, R. Ya.
- Pluth, Joseph J.; and Smith, Joseph V.**
Crystal structure of dehydrated potassium-exchanged zeolite A. Absence of supposed zero-coordinated potassium. Refinement of Si,Al-ordered superstructure. 59-00810A
- Physhevskii, S. V.** See Kuz'menkov, M. I.
- Podda, Liliana** See Longo, Vittorio
- Podnik, Richard S.; Houghton, LeRoy H.; and Rempes, Paul E., Jr.**
Spark plug seal. 59-03751P
- Podkhaluzin, V. P.** See Andreev, A. A.
- Podobeda, L. G.** See Tsapuk, A. K.
- Poeschmann, Helmut**
Rapid test method for porcelain enamel. 59-03241A; Rapid testing method for enamels. 59-02171A
- Poetschke, Juergen** See Hauck, Federico
- Pohanka, Robert C.** See Rice, Roy W.
- Pokras, L. M.; Litvinenko, Yu. P.; and Kisenko, M. P.**
Selection of refractories and diameter of slide-valve plates in steel-pouring ladles. 59-04449A
- Pokrovskii, A. N.** See Samartsev, B. G.
- Pokrovskii, B. I.; and Kozlovskii, V. F.**
Analysis of composition and stability of phases with spinel structure by the method of concentration waves. 59-04876A
- Polesak, Lazzio**
Pettelizing of lead crystal batches. 59-01226A
- Polato, P.; and Salvagno, E.**
Application of computers in the glass industry. 59-02203A
- Politis, C.** See Hofmann, Peter
- Polito, W. J.** See Andrews, J. M.
- Politova, E. D.** See Belous, A. G.
- Pollmann, J.; and Pantelides, Sokrates T.**
Scattering-theoretic approach to the electronic structure of semiconductor surfaces—the (100) surface of tetrahedral semiconductors and SiO₂. 59-03071A
- Polsmane, V. K. (Editor)**
Optical and Spectral Properties of Glasses. Summaries of Reports, All-Union Symposium (Opticheskie i Spektral'nye Svoistva Stokol. Tezisy Dokladov Vsesoyuznogo Simpoziuma, 4th). 59-01985B
- Polovnikova, T. N.** See Artamonova, G. I.
- Poltavets, R. F.** See Lugin, R. F.
- Polukhin, V. N.** See Molev, V. I.
- Polukhin, V. N.; Urusovskaya, L. N.; and Smirnova, T. V.**
Glass formation in some phosphate systems containing chlorine and bromine. 59-01175A
- Polyakova, M. G.** See Bezrodnyi, V. G.
- Polyakova, V. F.** See Mashchenko, L. V.
- Pol'yakalis, V. Ya.** See Markov, S. P.
- Polyushkin, V. I.; and Kutsenko, L. V.**
Chromium aventurin glass based on the Krivoi Rog blast-furnace slag and Karshtinsk sand. 59-01119A
- Pommersheim, James M.; and Clifton, James R.**
Mathematical modeling of tricalcium silicate hydration. 59-02085A
- Ponomarenko, V. D.; and Kharchenkov, V. S.**
Heat-compensated glass-ceramic material. 59-00323P
- Ponomarev, I. F.** See Kryzhanovskaya, I. A.
- Ponomareva, E. P.** See Motovilov, A. A.; Ostapenko, M. Ya.
- Pons, A.** See Corrons, A.
- Poole, A. B.** See Alford, N. McN.
- Poole, James P.**
Forming process—an update. 59-03289A
- Pope, Alfred H.**
Cleaner modification results in cost, energy savings. 59-02132A; Cost and energy savings by cleaner modifications. 59-00093A
- Pope, Bill J.; Horton, M. Duane; and Hall, H. Tracy**
High thermal conductivity substrate. 59-00601P
- Popescu-Has, Dumitru** See Scholze, Horst
- Popil'skii, R. Ya.** See Resnikova, E. D.
- Poplavsky, Ralph C.** See Oelke, Waldemar W.
- Poplevina, O. G.** See Goryacheva, Z. E.
- Popov, E.; and Popov, K.**
Acid-resistant Ti enamel for pig iron. 59-02125A
- Popov, G. P.**
Current-conducting film for electric resistance heaters. 59-02698P
- Popov, I. V.; Vorob'ev, B. A.; and Zaitsev, P. I.**
Rationale for selection of heat exchangers for heavy-duty rotary kilns. 59-03203A
- Popov, K.** See Popov, E.
- Popov, M.; and Stollava, L.**
Use of new raw materials for manufacturing ceramic building products. 59-03483A
- Popov, O. N.**
Interaction of refractory materials with silicate glassmelts. 59-01390A; See also Bondarev, K. T.
- Popov, O. N.; Sil'vestrovich, T. S.; and Terman, V. B.**
Charge for the manufacture of refractory articles. 59-02515P
- Popov, V. V.; and Filippova, G. I.**
Movement of a gas bubble in circulation flows of a glassmelt. 59-04228A
- Popova, E.** See Elenkova, M. S.
- Popova, G. S.** See Aslanova, M. S.
- Popova, I. I.** See Ogurtsov, V. G.
- Popova, V. I.** See Khoroshavin, L. B.
- Popova, V. S.; Brykova, N. N.; and Dmitrichenko, N. S.**
Durability of Machinery in the Production of Refractories. 59-01954B
- Popovich, N. V.** See Tsurupa, V. K.
- Popovkin, B. A.** See Tatarenko, L. N.
- Poppa, Helmut** See Lee, Eal H.
- Poppe, Richard L.** See Childress, David L.
- Poppi, Mauro**
Economic factors affecting the technological processes in the ceramic industry. 59-03122A
- Porai-Koshits, E. A.** See Vasilievskaya, T. N.
- Porcella, Daniel B.** See Sorensen, Darwin L.
- Porotnikov, N. V.** See Agafonov, V. N.
- Porter, Edward S.**
Apparatus for treating solid particulate material [clementer]. 59-04121P
- Porter, Ernest** See Katvala, Victor
- Porter, John T., II**
Separation of uranium isotopes. 59-03784P
- Portnova, A. I.** See Krivoruchko, P. P.
- Portnyagin, V. I.; Milovanov, A. P.; and Moiseev, V. V.**
Refractive index and structural relaxation of glass produced by ion exchange. 59-02277A
- Porz, Franz; Stahl, R.; and Thuenemler, Fritz**
Characterization of the microstructure of reaction sintered silicon nitride. 59-00755A
- Poskus, A. S.** See Kaciulis, S.
- Posner, A. M.** See Pymman, M. A. F.
- Posney, Richard V.** See Frank, Robert G.
- Post, D.** See Sawatzky, G. A.
- Posternak, M.; Freeman, A. Jay; and Ellis, Donald Edwin**
Electronic band structure, optical properties, and generalized susceptibility of NbO₃. 59-02974A
- Postupack, Dennis S.; Allerton, David A.; and Emmert, Richard L.**
Method for forming graded shade band on substrate [windshield]. 59-04340P
- Posypaliko, V. I.** See Vasina, N. A.
- Posypaliko, V. I.; Shter, G. E.; and Vasina, N. A.**
Quaternary reciprocal system composed of the fluorides, molybdates, and tungstates of sodium and barium. 59-05029A
- Potapov, L. P.; Kirilenko, V. I.; and Shiryayev, P. P.**
Direct observation of stacking faults in crystals with bcc lattices. 59-03947A
- Potapov, V. K.; and Gusev, M. I.**
Nonshrinking cement. 59-04140P
- Potier, M. Pierre**
Apparatus for bending glass sheets. 59-04275P
- Potseleva, L. N.** See Mazurin, O. V.
- Pouchard, M.** See Boukhari, A.
- Poulain, Marcel** See Lecoq, Andre
- Poulain, Marcel; and Lucas, Jacques**
New class of materials—fluoride glasses based on ZrF₄. 59-01220A
- Poupeney, Mollie**
Stove-top cookware. 59-00031A
- Powell, Bob R., Jr.; Youngblood, G. E.; and Hasselman, D. P. H.**
Effect of thermal expansion mismatch on the thermal diffusivity of glass-Ni composites. 59-04186A
- Powell, C. Michael** See Vora, Madhukar B.
- Powell, J. R.** See Horn, F. L.
- Power, G. P.**
Electrochemical method for the recycling of tungsten carbide and other hard metal carbides using a rotating drum anode. 59-03859A
- Powers, D. A.**
Interactions between molten nuclear reactor core materials and structural concrete. 59-00645A
- Powers, Dale R.**
Method of making dry optical waveguides. 59-00342P
- Poyarkova, L. I.** See Kostomarov, V. S.
- Pozhidaev, A. A.; Andreeva, N. G.; and Kovalenko, V. V.**
Enamel slips. 59-02191P
- Pozin, M. E.** See Yagvel, E. V.
- Prabhuwarkar, Varsha P.** See Misra, N. K.
- Pracidelli, Sebastiao** See Amarante, Armando, Jr.
- Prasad, E.; Sayer, M.; and Noad, J. P.**
Anderson localization and electrical 1/f noise in lanthanum strontium vanadate. 59-02919A
- Prasad, K.; Agrawal, G. N.; and Joshi, V. C.**
Effect of minor additions on the synthesis and properties of forsterite. 59-02966A
- Prasad, P. M.** See Deshmukh, P.
- Prasli, R. M.** See Graham, A. L.
- Prati, P. L.** See Dalgleish, B. J.; Jennings, H. M.
- Pratt, Ronald G.** See Brice, John C.
- Prulins, A.** See Trukhin, A. N.
- Preitschul, Fritz K.**
Electrical impedance measuring apparatus for providing separate measurements of the conductivity and dielectric coefficient of various materials. 59-02798P
- Prentice, William J., Jr.** See Hryciak, Kenneth S.
- Preshey, H. M.**
Method for inspecting transparent rods. 59-01332P; See also Marcuse, D.
- Preshey, H. M.; Marcuse, D.; and Cohen, L. G.**
Calculation of bandwidth from index profiles of optical fibers: II. Experiment. 59-00144A
- Preshey, H. M.; Marcuse, D.; and French, William G.**
Reflective-index profiling of single-mode optical fibers and preforms. 59-01234A
- Pressier, Jean W.**
Gypsum. 59-03832A
- Preston, Anthony** See Clark, Donald G.

- Preto, Fernando** See Feraday, Melville A.
Previte, Robert W.
 Method of enhancing the compressive strength of hydraulic cement composition. 59-04139P
- Prevost, Henri** See Mestre, Pierre
- Prewo, Karl M., and Brennan, John J.**
 High strength silicon carbide fiber-reinforced glass-matrix composites. 59-04809A
- Pribluda, S. Z.** See Akunova, L. F.
Priblyovskaya, Z. I. See Limar, T. F.
Price, Charles R. See Florea, Timothy G.
Price, D. L. See Misawa, M.
Price, George B., and Kleimeyer, William H.
 Method for making high purity, devitrification resistant, amorphous silica fibers. 59-03409P
- Price, William M.**
 Process for improving rheology of clay slurries. 59-02857P; See also Lewis, Herbert I.
- Prikhod'ko, G. L.; Tarasova, L. K.; and Khudkov, S. S.**
 Charge-compensated layer of GaAs, doped with Fe diffusion. 59-02632A
- Primenko, V. I., and Gudovich, O. D.**
 Heat capacity of silicate glasses containing Zn and Ti oxides. 59-00205A
- Prince, N.**
 Technology of graphite moderator structures. 59-04689A
- Prindle, William R.** See Kurkjian, Charles R.
- Prior, Michael D.** See Morris, John C.
- Prison, Iliaza; and Farinau, Cornel**
 Statistical control in the porcelain industry. 59-03653A
- Pritchard, R. G.** See Adams, J. M.
- Privas, Yves E.**
 Process for depositing a conducting metal layer on an insulating support. 59-03744P
- Probst, Hubert B.**
 Substitution of ceramics for high temperature alloys. 59-01747A
- Prochazka, Svanete**
 Process for preparing semiconducting silicon carbide sintered body. 59-04657P; See also Dubin, R. R.; Klug, Frederic J.; Pasco, Wayne D.
- Prodavtsova, E. I.** See Kuskova, L. V.
Profflo, B. See Hreglich, S.
- Prokhorova, L. A.; Pasyukov, R. E.; and Serova, I. A.**
 Piezoelectric ceramic material. 59-01585P
- Prokofiev, V. I.** See Sirovinskii, A. A.
Prokopalo, O. I. See Raevskii, I. P.
Prosenko, S. I. See Ved, V. E.
- Proskin, A. A.**
 Mobility of alkali ions in binary glasses. 59-03315A; Transfer number and mobility of alkali metal ions in two-alkali metal glasses ($M^+O + M^+O$)/2SiO₂. 59-02299A; See also Artyushkina, N. G.; Evstrop'ev, K. K.; Gurovich, E. A.; Il'in, A. A.; Khalilov, V. D.;
Proskin, A. A.; Evstrop'ev, K. K.; and Artyushkina, N. G.
 Glass with anionic conductivity with respect to iodine. 59-01315P
Proskin, A. A.; Evstrop'ev, K. K.; and Macharadze, T. G.
 Conductivity of bialkali borosilicate glasses. 59-01122A; Mobility of Na and K ions in mixed-alkali borosilicate glasses. 59-03314A
Proskin, A. A.; Tarakov, Yu. P.; and Igikhanyan, Yu. G.
 Electrical conductivity and infrared spectra of glasses in the systems $Ba(PO_3)_2$ -AlF₃-Rf₃ (R = Mg, Ca). 59-00177A
- Proskura, A. I.**
 Stationary thermally stimulated conductivity of the ceramic $Zn_{0.9}Cd_{0.1}S$. 59-03081A
- Proskuryakov, M. V.** See Khar'yuzov, V. A.
Prosychev, I. I.; Shaplygin, I. S.; and Komarov, V. P.
 Compounds in the system Bi₂O₃-RuO₄. 59-04896A
- Protchenko, N. I.** See Tatarenko, L. N.
Prozhoga, V. T. See Goryainov, K. E.
Prozorovskaya, N. V. See Klimashina, E. V.
Prodzinski, M. See Morten, B.
Prusakova, L. M. See Nikulin, V. Kh.
Pryadko, V. M. See Mashchenko, L. V.
Pryadko, V. M.; and Kryzhanovskii, I. G.
 Service of refractory concretes in the lining of steel-pouring ladles. 59-02488A
- Pzetak, Edwin J.** See McGuth, Joseph C.
Pzhevushkii, A. K. See Lebedev, V. P.
- Ptacek, Premisl**
 Pavement plates of conglomerated granite—a construction element of modern technology. 59-02394A
- Puchkevich, N. A.** See Litovskii, E. Ya.
- Puechl, Karl H.**
 Nuclear fuel element, core for nuclear reactor, nuclear fuel material. 59-02757P
- Pugin, V. S.; Pavlenko, N. P.; and Kornienko, P. A.**
 Determination of the specific surfaces [areas] of powders and porous materials by mercury porosimetry. 59-00688A
- Pukh, V. P.** See Pesina, T. I.
Pukhlik, O. I. See Boguslavskii, I. A.
Pukhov, I. K.; Drokina, A. I.; and Kirilenko, T. V.
 Domain structure of single crystals of lithium-substituted ferrites with cobalt additions. 59-00827A
- Pukspuu, T. R.** See Liberman, Z. M.
Puskharov, N. See Ermolenko, N. N.
Puutimäe, B. N. See Khomich, N. S.
Puzhanov, G. T. See Vakhitov, A. A.
Puzirev, E. I. See Shapiro, G. M.
Puzirev, E. I.; and Gurevich, L. E.
 Ceramic material based on Al-Mg spinel. 59-02507P
- Puzirev, E. I.; and Shapiro, G. M.**
 Charge for manufacturing quartz-based ceramic material. 59-01287P
- P'yanykh, E. G.; Antonov, G. I.; and Yakobchuk, L. M.**
 Effect of technological parameters on the properties of periclase-chromite refractories. 59-02430A
- Pye, Lawrence D.** See Frechette, Van Derck
- Pyman, M. A. F.; Hillier, J. W.; and Posner, A. M.**
 Conversion of X-ray intensity ratios to composition ratios in the electron probe analysis of small particles using mineral standards. 59-01797A
- Pyner, G. R.; and Matthews, F. L.**
 Comparison of single and multihole bolted joints in glass fiber reinforced plastic. 59-02861A
- Pyun, Su-Il**
 Fabrication of Mn-Zn ferrite by hot petroleum drying. 59-03681A; See also Hong, Soon-Hyung; Jeon, Seung-Beom
Pyun, Su-Il; and Chang, Seung-Hyun
 Effects of microstructure and additives (CoO and Al₂O₃) on the magnetic properties of Mn-Zn ferrite. 59-03956A
Pyun, Su-Il; Lee, Soo-Young; and Kim, Chong-Hee
 Fabrication and characterization of fine high-purity alumina from Korean alunite and sulfate salts. 59-03640A
- Quackenbush, Carr Lane** See Smith, J. Thomas
Quackenbush, Carr Lane; and Smith, J. Thomas
 Phase effects in Si₃N₄ containing Y₂O₃ or CeO₂: II, Oxidation. 59-02881A
- Quanton, M.; and Kahn, A.**
 Crystal structure of potassium dithionite orthovanadate. 59-02945A
- Quezel, S.** See Boucherie, J. X.
Quinn, G. D.; and Katz, R. Nathan
 Time-dependent high-temperature strength of sintered α -SiC. 59-01931A
- Raabe, J. A.**
 Disk reclaiming—a new [equipment] technique in bed blending. 59-02828A
- Rabier, J.** See Veysiere, P.
- Rabin, N. I.; Andres, V. V.; and Salikov, V. S.**
 Manufacture of articles from SiC. 59-01437P
- Rabukhin, A. I.** See Keshishyan, T. N.
Radautsan, S. I. See Merkulov, A. I.
Radczewski, O. E.
 Are feldspars with the same chemical and physical properties interchangeable in ceramic bodies? 59-04510A
Radev, D.; Levcheva, Khr.; and Mitkova, E.
 Possible use of [Bulgarian] raw materials in the production of faience facing tiles. 59-04529A
- Radford, Kenneth C.**
 Effect of fabrication parameters and microstructure on the mechanical strength of UO₂ fuel pellets. 59-03760A
- Radkevich, A. V.** See Goriletskii, V. I.
Radkova, A. See Kovacheva, T.
Rado, Theodore A.
 Process for the production of synthetic rutile. 59-03846P
- Radomysel'skii, I. D.; Klimentov, V. N.; and Shcherban, N. I.**
 Wear resistance of porous iron-glass materials in operation under unlubricated friction conditions. 59-00780A
- Radtke, Schrade F.**
 Boron nitride/elastomeric polymer composition for coating steel casting dies. 59-04465P
- Raevskaya, E. I.** See Andryukhina, T. D.; Bondarev, K. T.
Raevskii, I. P. See Turk, A. A.
Raevskii, I. P.; Malitskaya, M. A.; and Prokopalo, O. I.
 Photoconductivity and thermally stimulated conductivity of potassium and sodium niobate single crystals. 59-00902A; Photoferroelectric phenomena in sodium niobate. 59-00903A
Raevskii, I. P.; Malitskaya, M. A.; and Vutsik, K. A.
 Photoferroelectric phenomena in potassium niobate. 59-00904A
- Raftopoulos, D. D.; and Kartalopoulos, S. V.**
 Evaluation of the stress-optic coefficients of transparent solid plates using interferometry. 59-00189A
- Ragal, Jehanne; Sing, Kenneth S. W.; and Mikhail, R. Sh.**
 Origin of porosity in titania gels: I, Microporous and mesoporous gels prepared from titanium chloride and ammonia. 59-03037A
- Raghupathi, Narasimhan** See Mallick, Pankaj K.
Ragosta, J. M. See Kirchner, Henry P.
Raikhman, N. B. See Krykhin, G. S.
Rain, M.; Berman, S.; and McCauley, Ronald A.
 Compatibility triangles in the system CaO-V₂O₅-SiO₂. 59-01376A
- Raisanen, Walfred R.**
 System for measuring moisture content. 59-00722P
- Raj, R.** See Tsai, R. L.
Rakins, V. P. See Bakalkin, A. P.
Ramachandran, B. E.; Pal, B. C.; and Balasubramanian, N.
 Acid resistance of E glass. 59-01101A
- Ramaker, D. E.; Munday, J. S.; and Turner, Noel Hinton**
 Calculated and measured Auger line shapes in SiO₂. 59-02925A
- Raman, T. R. V.** See Dedgaonkar, R. P.
Ramaswamy, V.; Stolen, R. H.; and Divino, M. D.
 Birefringence in elliptically clad borosilicate single-mode fibers. 59-01112A
- Ramesohl, H.**
 Operating experience with solid fuel firing in the rotary cement kiln and resultant conclusions. 59-02095A
- Ramesohl, Hubert** See Brachthaeuser, Kunibert; Herchenbach, Horst
Ranade, S. N. See Dedgaonkar, R. P.
Rand, B. See Crucean, E.
Randich, E. See Cuthrell, R. E.
Rannev, N. V. See Ivanov, S. A.
Ransmayr, Wilhelm; and Mally, Heinz
 Process for producing mineral wool fibers provided with a binder. 59-00480P
- Ranuzzi, Filippo** See Stampa, Carlo
Ranze, W.
 Electrical protective measures and earth fault signaling systems in cement works. 59-00048A
- Rao, A. V. R.** See Sen Gupta, J.
Rao, Chaitany; and Schmitz, Bruno
 Method and apparatus for the production of mold bodies. 59-04549P
- Rao, G. R. Mohan; Stanczak, John S.; and Lien, Jih-Chang**
 Semiconductor integrated circuit with implanted resistor element in polycrystalline silicon layer. 59-04662P
- Rao, M. R. K.** See Hargave, R. V.
Rao, S. V. K. See Kulkarni, A. K.
Rapp, James E.
 Glass-ceramics for semiconductor doping. 59-00309P; Melt-formed polycrystalline ceramics and dopant hosts containing phosphorus. 59-02712P
- Rase, D. E.** See Frechette, Van Derck
Rashevskaya, E. G.
 Slavyansk ceramic plant for the production of acid-resistant wares. 59-00519A
- Rashina, E. P.** See Malysheva, L. N.
Rashkovskii, A. S.; Dykhita, T. I.; and Farionov, A. M.
 Composition for a heat-insulating material. 59-01425P
- Rasmussen, Stephen L.; and Cutler, Ivan B.**
 Initial sintering of feldspars and porcelain: I, Theoretical treatments and experimental procedure. 59-03968A; Initial sintering of feldspars and porcelain: II, Results and discussion. 59-03969A
- Rastogi, R. P.; Dubey, B. L.; and Lakshmi, Mrs.**
 Physicochemical properties of neodymium thallate. 59-00907A
- Ratiani, M. N.; Guprindashvili, G. G.; and Chagelashvili, V. K.**
 Opaque glaze. 59-01503P
- Ratterman, Ernest; and Carus, Alan C.**
 Solving a glass grinding industry problem—a case history. 59-03342A
- Rau, Charles A., Jr.; and Besmer, Philip M.**
 Probabilistic fracture mechanics. 59-03875A
- Rau, Karlheinz; Muehlich, Albert; and Simmat, Fritz**
 Light conducting fiber. 59-00328P
- Rau, Karlheinz; Simmat, Fritz; and Muehlich, Albert**
 Method of producing synthetic quartz glass, apparatus for the practice of the method, and use of the synthetic quartz glass. 59-00350P
- Rauh, E. G.; and Garg, S. P.**
 ZrO₂-(cubic)-ZrO₂-(cubic + tetragonal) phase boundary. 59-01935A
- Rausenbach, Bernd; and Hinz, Wilhelm**
 Determination of penetration depth of tin into float glass by ion mass spectrometry: I. 59-01133A
- Rauschenfels, Eberhard** See Zur Strassen, Heinrich
Rautavuori, Jorma K.; and Tormala, Pertti
 Method of manufacturing vitreous carbon. 59-03612P
- Rautenberg, Peter; Hildenbrand, Hartmut; and Farmer, Dhill-Singh**
 Manufacture of optical fiber cables. 59-04328P
- Ravaglioli, Antonio** See Bigli, A.; Fabbri, B.
Ravanello, Carmen
 Marks and dating of 19th century ceramics from Imola. 59-02041A
- Raven, L. F.** See Waddington, J. S.
Ravez, Paul See Dondoyne, Alban
Ravochkin, S. I. See Simonov, K. V.
Rawal, B. S.; and Warden, J. T.
 EPR in a barium borosilicate glass containing titanium ions. 59-00165A
- Ray, James A.**
 Hydraulic cement mixes and process for improving cement mixes. 59-01064P
- Rayment, P. L.** See Nixon, P. J.
Raymon, N. S. See McLendon, J. T.
Razumov, V. A. See Abduvaliev, T. A.
Razumovskaya, O. N. See Fesenko, E. G.
- Reade, Richard F.**
 Anorthite glass-ceramics. 59-03359P; Glass articles with NiFe₂O₄, CoFe₂O₄, or (Co,Ni)Fe₂O₄ surface layers. 59-03382P; Glasses and glass-ceramics with metal alloy surfaces. 59-03387P; See also Beall, George H.
- Reagan, William J.** See Chen, Nai Y.
Rechter, Harold L.
 Aluminous refractory compositions containing carbon, silicon, and chrome oxide. 59-04462P
- Redala, S.; Pauks, P.; and Kravale, I.**
 Enamel. 59-01077P
- Reed, David J.; and Wuensch, Bernhardt J.**
 Ion-probe measurement of oxygen self-diffusion in single-crystal Al₂O₃. 59-01851A
- Reed, James R.; and Leal, Richard A.**
 Method for coating [alumina] catalyst supports. 59-04856P
- Reed, James R.; Way, Terrance; and Leal, Richard A.**
 Apparatus for coating [ceramic] catalyst supports. 59-03887P

- Reed, James S. See Cornilsen, Bahne C.; Lewis, David, III; Salamone, Angelo L.
- Reed, James S.; and Moore, Roger H.
Novel whiteware bodies and energy efficient process for their production. 59-04551P
- Reed, Richard J.
Combustion man's guide: I. Platinum-zirconia oxygen sensors. 59-03668A; See also Knodel, J. R.
- Reed, Walter J.; and Whitney, E. Dow
Ceramic tools chip away at productivity problems. 59-01727A
- Rees, William Alfred See Rosenberg, Martin L.
- Rees, James D.; and Lamm, William
Some radiometric properties of gradient-index fiber lenses. 59-04256A
- Reese, Thomas J.
Apparatus for fabricating sharply bent glass sheets. 59-02308P
- Reetz, Teja
Electromigration in a thorium oxide-based ceramic. 59-00840A
- Reeve, M. H. See France, P. W.
- Regourd, Micheline; Thomassin, Jean Hugues; and Bailly, Patrick
Study of the early hydration of Ca₂SiO₃ by X-ray photoelectron spectroscopy [XPS]. 59-04117A
- Rehfeld, Gerhard See Neidhardt, Manfred
- Rehms, D. E. See Kincheloe, N. K.
- Reichelt, Werner; Oppermann, Heinrich; and Wolf, Erich
System V-O-Te. 59-04026A
- Reid, F. Joseph See Rhodes, William H.
- Reid, John S. See Robertson, Brian F.
- Reif, Philip G. See Lackner, Anne M.
- Reikhardt, L. V. See Freidenberg, A. S.
- Reinecke, T. L.
Fluorescence linewidths in glasses. 59-03287A
- Reiner, Gyorgy
Applications of results of geological surveys in production. 59-00731A
- Reinov, L. A. See Kortel, A. A.
- Reisman, Arnold See Berkenblit, Melvin
- Rempel, A. M. See Lifanov, I. P.
- Rempes, Paul E., Jr. See Podiak, Richard S.
- Rendetzky, Janos See Albert, Peter
- Reschke, B. See Huether, Werner
- Reshetnikova, I. G. See Limar, T. F.
- Resnikova, E. D.; Popil'skii, R. Ya.; and Barykin, B. M.
Electrophysical properties of Y chromite doped with Ca chromite. 59-03525A
- Ress, A. K.
Optimum size of a cement work for minimization of manufacturing and transport costs. 59-00059A
- Revay, Miklos; and Wagner, Zsolt
Determination of the expected decrease in strength of high alumina cement concrete by derivatography. 59-00042A
- Reven, Frederick V.
High temperature refractory caulking composition. 59-03603P
- Revitz, Martin See Garbarino, Paul L.
- Revzin, G. E. See Volkova, L. V.
- Revzin, G. E.; Sennikov, S. G.; and Volkova, L. V.
Charge for manufacturing high-alumina refractories. 59-01418P
- Reynen, Piet; Justus, Volker; and Sonntag, Pedro
Thermogravimetry of large samples. 59-04742A
- Reynolds, Carl D. See Ardary, Zane L.
- Rezin, David B. See Yates, Derek N.
- Rezesen, Nicolae See Craus, Mihail-Liviu
- Reznik, V. Yu. See Dubrovskii, R. I.; Dvurechenskii, A. V.
- Reznikova, A. N. See Tolkachev, M. P.
- Reznikova, E. D. See Barykin, B. M.
- Rhee, Jhuu; Chi, Ung-Up; and Han, Ki-Sung
Utilization of blast furnace slag: I. Grain-growth of slag glass. 59-00273A
- Rhodes, Maurice See Barlow, William A.
- Rhodes, Warren W. See Johnson, David W., Jr.
- Rhodes, William H.
Development of translucent Al₂O₃, silicon nitride, silicon carbide, and sialon in China. 59-04804A; See also Cannon, R. M.; Lindemer, Terrence B.
- Rhodes, William H.; Lindemer, Terrence B.; and Wurst, John C.
Two universities in China. 59-05125A
- Rhodes, William H.; and Reid, F. Joseph
Transparent yttria ceramics containing magnesia or magnesium aluminate. 59-02626P
- Rhyne, James J. See McCarthy, Gregory J.
- Ribarsky, M. W. See Wall, William E.
- Rice, James R. See Evans, A. G.
- Rice, Roy W.
Difference in mirror-to-flaw size ratios between dense glasses and polycrystals. 59-00164A; See also Hockey, Bernard J.
- Rice, Roy W.; Becker, Paul F.; and Freiman, Stephen W.
Thermal structural ceramic composites. 59-04833A
- Rice, Roy W.; Freiman, Stephen W.; and Mecholsky, John J., Jr.
Dependence of strength-controlling fracture energy on the flaw-size to grain-size ratio. 59-01810A
- Rice, Roy W.; and Pohanka, Robert C.
Grain-size dependence of spontaneous cracking in ceramics. 59-00851A
- Richard, D. M. See Kirchner, Henry P.
- Richard, J. See Guivarch, A.
- Richard, Michel M. See Drouzy, Michel L.
- Richards, B. E.
Waste heat boilers for flat glass furnaces. 59-02306A
- Richards, George
Experience with ceramic fiber insulation in a continuous furnace. 59-00097A; See also Hall, Bernard L., Jr.
- Richter, Edgar See Kollisch, Andreas
- Richter, Stefan; and Tucek, L'ubomir
Dressing of high clay gravel sands from the deposit Kral'ovce. 59-02829A
- Ricke, Helmut
History of lamp-blown glass produced by C. H. F. Mueller workshop in Hamburg, Germany. 59-01003A
- Ricker, Karl S. See Oka, Yoshio
- Rickerby, D. G.; and Macmillan, Norman H.
Hardness of cubic single crystals by spherical indentation. 59-01836A
- Ricault, Daniel
Experimental annealing of a natural dunite. 59-02831A
- Rieger, Hans W.; and Alder, Hanspeter
Oxygen-resistant electroconductive carbon bodies. 59-04492P
- Rieger, Konrad C.
Quality control of talc for the ceramic industry. 59-02841A
- Ries, H. B.
Body preparation in the fine ceramics industry. 59-04511A
- Rifflet, J.-Cl.; Odier, P.; and Loup, J.-P.
Thermoelectric emissivity of refractory oxides at 1000–2500 K—application to materials for MHD generators. 59-04595A
- Rigal, Michel See Desplanches, Gerard
- Riggs, Olen L., Jr.
Method of treating a substrate material to form an electrode. 59-03735P
- Rikken, A. H. M. See Morelissen, H. W.
- Riley, F. L. See Benn, M.; Campos-Loriz, D.
- Riley, Robert E.; and Wallace, Terry C., Sr.
Method for making hot-pressed fiber-reinforced carbide-graphite composite. 59-02896P
- Rimai, D. S.; Dunn, M. A.; and Jamieson, J. C.
Temperature dependence of the elastic constant C₄₄ of MgF₂ and TiO₂. 59-03098A
- Rimai, D. S.; and Sladec, R. J.
Pressure dependences of the elastic constants of semiconducting NbO₃ at 296 K. 59-03054A
- Rimai, D. S.; Sladec, R. J.; and Nichols, D. N.
Pressure dependences of the elastic constants of single-crystal Ti₂O₃ at 296 K. 59-03055A
- Rinaldi, R.; and Wenk, H. R.
Stacking variations in calcareous minerals. 59-03080A
- Rinco, J. M.; Barba, M. F.; and Valle, F. J.
Influence of certain melting variables on the properties of glasses from the Li₂O-CdO-SiO₂ system. 59-04211A
- Rindone, Guy E.
Space shuttle offers exciting possibilities for study of materials and their processing under microgravity. 59-01244A
- Rinehart, Dale W.
Ion exchange strengthening of soda-lime-silica glass. 59-03389P
- Rion, Richard G.
Alternatives for handling porcelain enamel solid wastes. 59-02126A; See also Larson, Daniel R.
- Riou, A.; and Roulit, G.
Time of flight neutron diffraction study of the crystal structure of silver bismuth chromate(VI). 59-03104A
- Ribud, Subhash H. See Jankowski, Paul E.; Mehta, Sudhir
- Riseman, Jacob See Ho, Irving T.
- Risse, Bernd
Kiln utilizing infrared radiation in the range of 0.7 to 1.5 μ m to heat dental ceramic material. 59-04771P
- Risse, M. See Tellier, C.
- Ristic, M. M.
(Editor) Sintering—New Developments. (Materials Science Monographs, Vol. 4.) Proceedings—4th International Round Table Conference on Sintering, Dubrovnik, Yugoslavia, Sept. 5–10, 1977. 59-00973B; See also Duzevic, Davor
- Ristic, M. M.; and Stojanovic, B.
Thermal decomposition kinetics of sodium-potassium superoxides: I. Decomposition in nonisothermal conditions. 59-00942A; Thermal decomposition macrokinetics of sodium and potassium superoxides: II. Differential thermal analysis. 59-00943A
- Ritter, John E., Jr. See Jakus, Karl
- Ritter, John E., Jr.; Bandyopadhyay, N.; and Jakus, Karl
Statistical reproducibility of the crack propagation parameter *N* in dynamic fatigue tests. 59-00928A
- Rittler, Hermann L.
Glass-ceramic coated optical waveguides. 59-04310P; Method for making basalt glass-ceramic fibers. 59-03407P; Method of producing a glass-ceramic. 59-04356P
- Rivard, J. G.
Needs for automotive sensors. 59-02673A
- Rivas, J.; Iniguez, J.; and Pereira, C.
Preparation and properties of nickel ferrites. 59-03693A
- Rivier, N.
Disclination lines in glasses. 59-01138A
- Rizzo, Ronald A. See Johnson, D. Lynn
- Robb, Ronald R.; Yaker, Charles; and Burd, Lamar
Ceramic cores for manufacturing hollow metal castings. 59-03593P
- Robert, T. See Anseau, M. R.
- Roberto, Frederick J. See Buescher, William E.
- Roberts, A. D.; and Parsons, A. B.
Humidity influence on rolling friction of glass on rubber. 59-01187A
- Roberts, G. G.; and Morant, M. J. (Editors)
Insulating Films on Semiconductors 1979. (Institute of Physics Conference Series No. 50.) 59-05139B
- Roberts, Gordon J.; and Hensley, James H.
Unstable devitrifiable glasses and friction materials containing them. 59-02386P
- Roberts, J. T. A.
Ceramic utilization in the nuclear industry—current status and future trends: II. 59-00640A; Ceramic utilization in the nuclear industry—current status and future trends: III. 59-00641A
- Roberts, Lawrence R. See Dodson, Vance H.
- Roberts, Rodney M.; Ellemann, Thomas S.; and Palmour, Hayne, III
Hydrogen permeability of sintered aluminum oxide. 59-00860A
- Robertson, Brian F.; and Reid, John S.
X-ray scattering intensities from a shell model for silicon. 59-03119A
- Robertson, Daniel Stewart; Young, I. M.; and Telfer, J. R.
Cadmium oxide-tungsten oxide phase system and growth of cadmium tungstate single crystals. 59-01775A
- Robertson, James A.
Zeolite A crystals of uniformly small particle size and the manufacture thereof. 59-01766P
- Robertson, John M.; and Algra, H. A.
Inhomogeneities in bubble films measured by spin wave resonance. 59-01522A
- Robie, Richard A. See Krupka, Kenneth M.
- Robie, Richard A.; Hemingway, Bruce S.; and Fisher, J. R.
Thermodynamic Properties of Minerals and Related Substances at 298.15 K and 1 Bar (10⁵ Pascals) Pressure and at Higher Temperatures. (Geol. Surv. Bull. (U.S.) No. 1452.) 59-00976B
- Robinson, Bruce W.; and Nickel, Ernest H.
Useful new technique for mineralogy—the backscattered-electron/low vacuum mode of SEM operation. 59-01676A
- Robinson, F. N. H. See Bleaney, B.
- Robinson, William G.; and Fellows, Horace G.
Kiln furniture, particularly crank structures. 59-02531P
- Rockett, T. J. See Feng, Shih-Shing
- Rodgers, Michael A.
Process for manufacturing pure polycrystalline silicon. 59-01591P
- Rodichev, Yu. M. See Okhrimenko, G. M.
- Rodnikova, V. V.; and Pletymnikov, N. N.
Thermophysical properties of some Pb-containing optical glasses in a molten state. 59-01262A
- Roeder, Gerhard See Helke, Guenter
- Roengen, Paul; Simons, Hubert; and Nuding, Werner
Process for bonding an improved metallic support member to glass surfaces. 59-01348P
- Roengen, Robert E.
Royal Vienna Porcelain—or what's in a beehive? 59-02047A
- Rogers, D. E.
Hydraulic cement from the by-product of geothermal water desalination. 59-02078A
- Roginskaya, Yu. E. See Andryushenkova, S. A.
- Rogl, Peter See Steurer, Walter
- Rogozina, O. I. See Gel'fand, Ya. E.
- Rogozinski, Tadeusz
Treatment of blast-furnace and steel-plant slags. 59-03578A
- Rohlig, R. See Albano-Muller, L.
- Rohm, A.
Technique of multicolored enameling. 59-02176A
- Rollos, M. See Sotiriopoulos, J.
- Rokhienko, D. A. See Sokol, V. A.
- Roland, J. P.; Tseng, T. Y.; and Vest, Robert W.
Stability of the β -alumina phase in the system Na-Al-Fe-O. 59-00926A
- Rolla, A.
Prefabricated [refractory] concrete element for industrial furnaces. 59-03615P
- Romand, Maurice See Karmazin, Etienne
- Romanov, A. I. See Gordon, V. G.
- Romanov, B. P. See Vereshchagin, V. I.
- Romanov, Yu. A. See Orlov, L. K.
- Romanova, O. V. See Avdeeva, T. I.
- Romazan, I. Kh. See Ocheretnyuk, F. F.
- Roof, Thomas F. See Stoen, Roger C.
- Ropp, R. C.; and Carroll, B.
Solid-state kinetics of LaAl₃O₇. 59-04013A
- Rosar, M. E. See Dougherty, Joseph P.
- Rosca, Ioan; and Ivascan, Natalia
Production of mullite-cordierite refractory materials. 59-03560A
- Rosen, Meyer R.; Braun, David B.; and Drap, Stephen
Process for forming ceramic bodies employing aqueous lubricant. 59-01627P
- Rosenberg, Arnold M.; and Gaidis, James M.
Concrete water-reducing admixture. 59-04126P; Mechanism of nitrite inhibition of chloride attack on reinforcing steel in alkaline aqueous environments. 59-01047A
- Rosenberg, Martin L.; Martino, F.; and Reed, William Alfred
Compton-profile studies of amorphous and single-crystal SiO₂. 59-02933A
- Rosenblatt, M. See Evans, A. G.
- Rosenfield, Alan R. See Shetty, Dinesh Kumar

- Rosenqvist, Ivan Th. (Editor)
Proceedings—Third European Clay Conference, Oslo, Norway, June 2-5, 1977. 59-00970B
- Rosinski, Edward J. See Plank, Charles J.; Rubin, Mac K. Rosinski, F. F.; and Churaeva, Yu. M.
Adventure glass. 59-01283P
- Rosinski, F. F.; and Ostrovskaya, Yu. M.
Effect of technological factors and some Group II oxides on the spectral characteristics of Na-Ca silicate glasses with a high Fe₂O₃ content (8-10%). 59-01151A
- Ross, Fred K. See Hochella, Michael F., Jr.
Ross, H. G.; and Malani, N.
Float glass firing. 59-01165A
- Rossouw, C. J.; and Whelan, M. J.
K-shell cross section for 80 kV electrons in single-crystal graphite and AlN. 59-01855A
- Rostasy, F. S.; Weiss, R.; and Wiedemann, G.
Changes of pore structure of cement mortars due to temperature. 59-04086A
- Rotenberg, B. A. See Kirillova, G. K.
Rotenberg, Manuel; Mandell, Myron J.; and Parks, Donald E.
Effects of bulk and surface conductivity on the potential developed by dielectrics exposed to electron beams. 59-00552A
- Roth, Emanuel P.; and Anderson, Ansel C.
Interaction between thermal phonons and dislocations in LiF. 59-02996A
- Roth, Martin; Simonsen, Hans P.; and Schmidt, Guenther
Method and apparatus for making convex sheets of glass having a small radius of curvature. 59-04333P
- Roux, Y. See Michel, D.
Roult, G. See Riou, A.
Rouse, Colin Graham
Fabrication of continuous high-silica glass fibers. 59-04194A
- Rousseau, J.-M.
Quantitative estimation of kaolinite in sediments by differential infrared spectroscopy. 59-01890A
- Routhort, J. L.; and Scattergood, R. O.
Anomalous solid-particle erosion rate of hot-pressed silicon carbide. 59-04877A
- Routhort, J. L.; Scattergood, R. O.; and Turner, A. P. L.
Erosion of reaction bonded SiC. 59-04942A
- Routschka, Gerald See Majdic, Aleksander
Routschka, Gerald; and Majdic, Aleksander
Refractories for reheating and heat-treating furnaces—a literature survey. 59-02479A
- Roux, Jean-Pierre See Bourgeois, Michel
Rowcliffe, David J. See Jones, Robin L.; Loehman, Ronald E.
Rowe, William P. See Mohr, J. Gilbert
Rowland, John D. See Blake, David W.
Rowley, A. J.
Portakils for bricks. 59-02398A
- Roy, A. K.; and Sircar, N. R.
Phosphate bonding of aluminous aggregates and thermomechanical characterization of the monolithics. 59-02467A
- Roy, B. N.
Kinetics parameters and thermodynamic properties of calcium tungstate crystal growth from lithium chloride and sodium tungstate melts. 59-01859A
- Roy, Delia M. See Asaga, Kiyoshi
Roy, Delia M.; and Asaga, Kiyoshi
Rheological properties of cement mixes: III. Effects of mixing procedures on viscometric properties of mixes containing superplasticizers. 59-04113A
- Rozanova, V. S.; Skorokhodov, V. A.; and Galkin, B. P.
Refractory coating. 59-00487P
- Rozhanskii, V. N.; Veleznitskaya, M. A.; and Shreiber, Juergen
Local disturbance of stoichiometry of MgO crystals due to plastic deformation. 59-00866A
- Rozhin, Yu. I. See Belousov, Yu. L.
Rozhkova, S. V. See Altanov, A. F.
Roziere, J. See Balzinger, C.
Roziere, J.; Balzinger, C.; and Baro, R.
Mutual orientations observed in hematite crystals. 59-03021A
- Ruban, F. G.; Mkrchan, G. A.; and Tkachenko, L. A.
Binder for an abrasive tool. 59-00981P
- Rubin, Mac K. See Plank, Charles J.
Rubin, Mac K.; Rosinski, Edward J.; and Plank, Charles J.
Crystalline zeolite ZSM-43 [and] synthesis thereof. 59-04850P
- Rubinina, N. M. See Augustov, P. A.
Rubio O., J.; Murrieta S., H.; and Aguilar S., G.
Superposition model analysis of the cubic spin-Hamiltonian parameters for Mn²⁺ and Fe³⁺ in the alkaline earth oxides, fluoroperoxides, and Li-VI compounds. 59-00938A
- Rublevskii, I. P. See Semchenko, G. D.
Ruckstuhl, Konrad
Method of and apparatus for treating waste materials. 59-04713P
- Rudakova, S. V.; Kovner, M. I.; and Pauks, P.
Enamel. 59-00129P
- Rudenko, L. F. See Bushueva, I. M.
Ruderer, Clifford G.; and Moss, Richard I.
Solar tests of samples from the PEI weathering programs. 59-00117A
- Rudnitskaya, E. S. See Kurtsava, N. N.
Rudolph, Richard
Output and process data characteristics for CaCO₃ decomposition in vibratory furnaces. 59-01050A
- Rudovskaya, R. A. See Kraev, V. M.
Rue, Charles V.
Segmental grinding wheel and composite abrading segments therefor. 59-04067P
- Rueck, Jon M.
Process and apparatus for treatment of exhaust gases from glassmelting furnaces. 59-04368P
- Ruehle, M. See Zangvil, A.
Rub, Robert See Mah, Tai-ii; Visser, J. W.
Ruini, G.
Quality control—special problems in the ceramic industry. 59-03126A
- Rummel, Bill
Lewis Snyder's Studio S Pottery. 59-01006A
- Rumyantsev, V. N.
Structural aluminum in quartz as an indicator of the physicochemical conditions of crystallization. 59-05053A
- Runge, Hartmut
Light emitting semiconductor component. 59-01561P
- Runya, Martin A. See Justice, Ben
Rusak, V. I. See Bobkova, N. M.
Rusak, V. I.; Koshanova, L. A.; and Sinevich, A. K.
Glass. 59-00311P
- Rusin, Z. See Piasta, J.
Rusnak, R. M.
Powder compaction with radial punch motion. 59-01743A
- Russell, E. E. See Pellicori, S. F.
Russell, George A., Jr. See Stein, Joseph L.
Russell, Graham John; and Woods, J.
Growth of CdS in sealed silica capsules. 59-04955A
- Russell, Ken
Porcelain enamel in microelectric circuitry. 59-00112A
- Russell, Larry M.
Three-layered fiberglass construction. 59-02384P
- Rustamov, P. G. See Melikova, Z. D.
Rustamov, P. G.; Baboeva, P. K.; and Allazov, M. R.
Phase diagram of the cross section Fe-In-Si. 59-05013A
- Rustamov, P. G.; Guseinov, G. G.; and Kurbanov, T. Kh.
Synthesis of single crystals and physicochemical properties of CrPr₃ and CrPr₂Se. 59-03094A
- Rustamov, P. G.; Sadykhova, S. A.; and Safarov, M. G.
System MnSe-Bi₂Se₃. 59-05081A
- Ruthner, M. J.
Fast reaction presintering of barium hexaferrite powders. 59-02872A
- Rutman, D. S. See Toropov, Yu. S.
Rutz, H. L. See Hauth, Willard E., III
Ruvolo Filho, Adhemar; and Berg, Egon Antonio Torres
Determination of cation exchange capacity of clays by infrared spectrometry. 59-01637A
- Ryabtsev, K. I.; Kuznetsova, I. G.; and Maier, A. A.
Effect of gas medium on sintering and properties of AlN ceramics. 59-03857A
- Ryadinskaya, G. A. See Zharov, E. F.
Ryan, Robert L. See Schmidt, Beuther L.
Ryan, William H.
Method and apparatus for measuring the volume and shape of a glass bob. 59-04334P
- Ryzantsev, A. A.; Karnaukhova, E. N.; and Kuz'mina, G. A.
Phase diagrams and solubility of components in the systems A'B'-CdTe. 59-05016A
- Rybakova, T. P. See Trunov, V. K.
Rybalin, P. T. See Bondarev, K. T.
Rykov, A. N. See Korenev, Yu. M.
Rylova, G. A.; Usatova, O. N.; and Skorikov, V. M.
Reaction of vanadium(V) oxide with the oxides of dysprosium, thulium, ytterbium, and lutetium. 59-04004A
- Rylova, T. S.; and Borisova, Z. U.
Electrical conductivity of Ag-As-Se glasses in the region with a low Ag content. 59-02233A
- Ryzhikov, V. A. See Kolesova, V. A.
Rza-Zade, P. F.; and Dzhanhanderov, Sh. D.
System Li₂O-CoO-B₂O₃. 59-05079A
- Rza-Zade, P. F.; Mughanlinskaya, G. M.; and Akhmedova, D. A.
System La₂O₃-B₂O₃-V₂O₅. 59-05078A
- Sa Neto, A.; Cross, Leslie E.; and Newnham, Robert E.
Study of acentricity in complex perovskites based on tellurium oxide using optical second harmonic generation (SHG). 59-00935A
- Saad, N. S. See Moynihan, Cornelius T.
Sabelli, Cesare See Menchetti, Silvio
Sadykhova, S. A. See Rustamov, P. G.
Saekang, Charoon; and Chu, Pak L.
Diameter determination of graded-index optical fibers from backscattered pattern. 59-00163A
- Seeki, Yuzo; Matsuzaki, Ryoko; and Kobayashi, Toshiaki
Thermal decomposition of magnesium sulfate. 59-04831A
- Safai-Jazi, A.; and Yip, G. L.
Scattering from an off-axis inhomogeneity in step-index optical fibers—radiation loss. 59-01236A
- Safarov, A. F. See Eivazov, E. A.
Safarov, M. G. See Rustamov, P. G.
Safdar, M.; Hussain, Fazal; and Naqvi, Arshad Ali
Magnetic susceptibility of binary glasses: II. Effect of annealing and base compositions. 59-03304A
- Safonov, V. V.; Chaban, N. G.; and Ivinskaya, R. B.
Phase equilibria in the systems AgCl-NaCl-PbCl₂(TeCl₄) and AgCl(NaCl)-PbCl₂-TeCl₄. 59-05018A
- Safonov, V. V.; and Chernykh, S. M.
System indium-tellurium-iodine. 59-05088A
- Safonov, V. V.; and Mireev, V. A.
Systems AgCl-FeCl₃(PdCl₂) and PdCl₂-FeCl₃(PbCl₂). 59-05089A
- Sagara, Hiroji
Optical glass. 59-02367P
- Sage, Donald B.; and Krautz, Fred G.
Glass size compositions and glass fibers coated therewith. 59-02331P
- Sahl, Kurt See Klingenberg, Ruditha; Menke, Bernhard C.
Sahnou, N. See Gawnami, G.
Saiga, Noriaki See Yamanaka, Shigeru
Saino, Aido
New technologies for the production of floor and wall tile with special reference to the fast firing process. 59-01474A
- Saito, Hajime See Oota, Toshitaka
Saito, Kazuhisa; and Kogo, Yasuo
Carbon fiber having improved thermal oxidation resistance and process for producing. 59-03588P
- Saito, Makoto See Asada, Chiaki
Saito, Masao See Endo, Kohe
Saito, Shinroku See Sorniya, Shigeyuki
Saito, Soichiro; Okada, Motohide; and Yamaguchi, Takashi
Reaction between cemented tungsten carbide and molten Cu-Mn alloys. 59-03242A
- Sakaguchi, S.; and Nakahara, M.
Strength and fracture behavior of optical fiber. 59-03345A
- Sakai, Junichi; and Kimura, Tatsuya
Optical fiber. 59-04364P
- Sakai, Masahiro See Hoshino, Yoshiaki
Sakai, Tsokazu
Flexural strength of hot-pressed AlN with Al₂O₃. 59-03863A
- Sakai, Tsokazu; and Watanabe, Akiteru
Thermal expansion of sintered oxynitrides in the system AlN-Al₂O₃. 59-03881A
- Sakaida, Toshiaki See Ohishi, Naoki
Sakalas, A.
Intrinsic defects in CdSe [single] crystals. 59-02999A
- Sakamaki, Shozo See Yamagishi, Hiroshi
Sakamoto, Yoshihiro See Fujimaru, Takenori
Sakata, H. See Ishikawa, H.
Sakata, Koichiro See Takenaka, Tadashi
Sakemi, Hiroji; Morishita, Tomohiro; and Numata, Hideji
Fired ceramic having dense and low thermal expansion characteristics. 59-03379P
- Sakharov, V. V. See Savenko, V. G.
Sakhno, K.; and Sharankov, Khr.
Technical properties of the Bulgarian single-coat enamel DIREM 11-1. 59-03244A
- Sakka, Sumio See Matsuta, Kazumasa
Sakikaki, A. V. See Kurtsava, N. N.
Saks, William
International fame of Royal Crown Derby. 59-01004A
- Sakulevich, F. J. See Khomich, N. S.
Sakuma, E. See Kumashiro, Y.
Sakuma, Hiroshi
Single type filter press. 59-01630P
- Sakurada, Juichi See Kuwajima, Hideji
Sakurai, Kenji See Tanaka, Hiroshi; Yamamoto, Yoshihiro
Sakurai, Yoshifumi See Numata, Takuhisa
Salama, R. W.; Abadir, M. F.; and Gadalla, A. M.
System Al-Co-O in air. 59-05067A
- Salama, S. N. See Salman, S. M.
Salamah, Mohammad A.; and White, D.
Role of nickel in the one-coat vitreous enameling system. 59-01070A
- Salamone, Angelo L.; and Reed, James S.
Extrusion behavior and microstructure development in alumina. 59-00760A
- Sale, F. R. See Anderton, D. J.
Saleh, M. N. See Drexhage, Martin G.
Saleh, M. N.; and Gawish, M. M.
Conduction models of semiconducting calcium borate glasses containing iron oxide. 59-04168A
- Salikov, V. S. See Rabin, N. I.
Salinger, G. L. See Lyon, Keith Geoffrey
Salman, S. M.; and Salama, S. N.
Chemical durability of some pharmaceutical glass containers. 59-03259A
- Salman, S. M. See Omar, A. A.
Salnikin, I. M. See Degyar, E. P.
Sal'nikov, V.; Banik, Gerhard; and Ettmayer, Peter
Substitution of Pb by Cd, Ba, and Sr in Pb₂GeO₇. 59-00937A
- Salonets, G. I. See Pechkovskii, V. V.
Sasbury, Ronald L. See Jarcho, Michael
Satykhova, V. A. See Fedorov, N. F.
Satynskaya, E. N. See Kozhevnikov, E. K.
Savagnio, L. See Polato, P.; Toninato, T.
Samanta, Mirimay See Macedo, Pedro B.
Samartsev, B. G.; Pokrovskii, A. N.; and Kosva, L. M.
Phase diagram of the system Cs₂SO₄-La₂(SO₄)₃. 59-03042A
- Samoilov, V. V. See Pepelyayev, V. E.
Samoilovich, I. Yu. See Degyar, E. P.
Samoilovich, M. I.; Komarova, L. M.; and Khadzhii, V. E.
Peculiarities in the optical spectra of synthetic amethyst crystals. 59-05007A
- Sampath, S.; Hadap, R. G.; and Swamy, R. K.
Kinetics of oxidation of U-Pu mixed oxides under controlled oxygen potential. 59-01607A
- Sampson, Nigel
Plain man's guide to the mysteries of mixing. 59-01620A
- Samsonov, G. V.; and Serebryakova, T. I.
Classification of borides. 59-00798A

- Samsonova, N. D. See Finkel'shtein, L. D.
 Sanchez, J. A.; and Monnier, R.
 DTA study of the CaCl₂-Ca phase diagram. 59-03943A
 Sanchez, Moises G.; Ernest, Michael V.; and Laine, Norman R.
 Process for preparing spheroidal alumina particles. 59-02907P
 Sanday, Santiago C.
 Ceramic rotor blade having root with double curvature. 59-01753P
 Sandell, B.
 Method for preparing fibers for mixing into a sprayed concrete mass and a device for performing the method. 59-00085P
 Sandomirskii, P. A. See Kazanskaya, E. V.
 Sandrolini, F.; and Moriconi, G.
 Compaction pressure effects in the firing of self-vitrifying ceramic materials. 59-01792A
 Sandytov, D. S. See Bartenev, G. M.
 Sangwal, K.
 Mechanism of dissolution of MgO crystals in acids. 59-01868A
 Sangwal, K.; and Arora, S. K.
 Anisotropy of grinding damage, chemical polishing, and etching in MgO crystals. 59-01771A
 Sanin, V. N. See Balashov, Yu. S.; Skripnikov, V. A.
 Sanina, E. I. See Andryukhina, T. D.
 Sapiro, Maurice
 Making a slab portrait. 59-00024A
 Sarn, Raymond V. See Elbert, Raymond J.
 Saranva, T. M. See Goryacheva, Z. E.
 Sarawant, I. P.; and Vajpei, A. C.
 Moessbauer effect investigation of iron oxide-chromium oxide systems. 59-04995A
 Sardak, E. M. See Belyi, Ya. I.
 Sargent, G. A. See Keshavan, M. K.
 Sargent, P. M. See Sawyer, G. R.
 Saringsulyan, R. S. See Lor'yan, S. G.
 Saringsulyan, R. S.; Kostanyan, K. A.; and Kheruntsyan, V. I.
 Charge for glass-cement. 59-00285P
 Sarkar, S. L.
 Improved technique of resin impregnation and etching of portland cement clinker. 59-02079A; Phase composition, microstructure, quality, and burning of portland cement clinkers—a review of phenomenological interrelations: I and II—discussion. 59-02100A
 Sarkar, S. L.; and Jeffery, J. W.
 Review of the 7 phase. 59-00915A
 Sarkisov, P. D.; Egorova, L. S.; and Lukicheva, N. M.
 Effect of sulfide sulfur on the structure of foam-slag glasses. 59-03276A
 Sarkisyan, G. N. See Madoyan, R. S.
 Sarmiento, Guillermo; Crabbe, Phillip G.; and Boger, David V.
 Measurement of the rheological characteristics of slowly settling flocculated suspensions. 59-01652A
 Sarukhanishvili, A. V.
 Glass formation in the system MnO-B₂O₃. 59-02250A
 Sarukhanishvili, A. V.; Eristavi, T. D.; and Pavlova, V. M.
 Enamel [with increased acid resistance and decreased firing temperature]. 59-02186P; Enamel for jewelry metals. 59-01075P; Enamel. 59-02192P
 Sasaki, Shinichi See Kato, Hajime
 Sasaki, Yutaka; Ikeda, Yoneichi; and Tashiro, Masaharu
 Process for regenerating iron-antimony oxide containing catalyst. 59-04868P
 Sasazawa, Koji; Shimizu, M.; and Kitamoto, Tatsuji
 Process for producing magnetic Fe oxide. 59-02733P
 Sastry, G. V. S. See Chakravorty, D.
 Sata, Toshiyuki See Takase, Mitsuhiro
 Satarina, A. V. See Zharov, E. F.
 Sato, Akimune See Watanabe, H.
 Sato, Takuo See Adachi, Shirohito
 Sato, Yoichiro See Kuzuba, Takashi
 Sato, Shin See Suganuma, Tsuneo
 Satomi, Mitsuo See Hirota, Eiichi
 Satyamurthy, K.; Singh, Jitendra P.; and Hasseiman, D. P. H.
 Effect of spatially varying thermal conductivity on the magnitude of thermal stress in brittle ceramics subjected to convective heating. 59-03955A
 Satyamurthy, K.; Singh, Jitendra P.; and Kamai, M. P.
 Thermal stress analysis of brittle ceramics with density gradients under conditions of transient convective heat transfer. 59-05101A
 Saunders, Elingston
 Agglomerating particulate perlite. 59-02849P
 Savage, William D. See Koepke, Barry G.
 Savborg, Orjan
 System V₂O₅-TiO₂. 59-05087A
 Savchenko, V. D. See Belyi, Ya. I.
 Savchuk, V. K. See Tserdik, M. S.
 Savel'ev, V. L. See Trukhin, A. N.
 Savenko, V. G.; and Sakharov, V. V.
 Formation of calcium titanate, Ca₂TiO₄, on thermolysis of mixed titanium and calcium hydroxides. 59-04948A
 Savenkova, G. E. See Didkovskaya, O. S.
 Savost'yanov, V. A. See Lebedev, V. P.
 Sawada, Akikatsu See Horioka, Masakiyo
 Sawaguchi, Eisuro See Goto, Yoshihiro
 Sawaoka, Akira; Kondo, Kenichi; and Akashi, Tamotsu
 Effects of shock compression on α -Al₂O₃ and MgO powders. 59-03957A
 Sawatzky, G. A.; and Post, D.
 X-ray photoelectron and Auger spectroscopy study of some vanadium oxides. 59-03117A
 Sawyer, G. R.; Sargent, P. M.; and Page, T. F.
 Microhardness anisotropy of silicon carbide. 59-04992A
 Sawyer, James L.
 Early high-strength portland cement and method of manufacture. 59-00080P
 Saxer, B. See Erni, H.
 Sayer, M. See Prasad, E.; Webb, J. B.
 Saylor, Charles Proffer; Wichers, Edward; and Hoffman, James I.
 Observations of surface changes in platinum crucibles. 59-01656A
 Sazhina, V. N. See Semkina, N. V.
 Sazonets, N. V. See Vykhovalovs, A. F.
 Sazonov, A. I.; Torgashov, V. V.; and Skorikov, V. N.
 Refractory packing material for lining thermal units. 59-01455P
 Scamehorn, John F. See Bendig, Larry L.
 Scandale, E.; Scordari, F.; and Zarka, A.
 Defects in natural beryl single crystals: I, Observations of dislocations. 59-02954A; Defects in natural beryl single crystals: II, Growth studies. 59-02955A
 Scardfield, J. E. See Foster, L. M.
 Scarinci, G. See Toninato, T.
 Scarinci, G.; Gottardi, Vittorio; and Gambaretto, Gian P.
 Effects of treatment with fluorinating agents on the composition and surface structure of soda-lime glass. 59-04188A
 Scaringe, Raymond P.; and Ibers, James A.
 Application of the matrix method to the calculation of diffuse scattering in linearly disordered crystals. 59-02921A
 Scattergood, R. O. See Roubout, J. L.
 Schaarschmidt, Ulrich See Finsterwalder, Lorenz
 Schaefer, Harald
 Reaction of quartz glass with gaseous Al₂Cl₆ and with Al foil + gaseous Al₂Cl₆. 59-00249A
 Schaefer, Helwig See Kobale, Manfred
 Schaefer, William P.
 Impact of OSHA regulations on university laboratories. 59-05124A
 Schaeffer, Helmut A.
 Application of stable isotopes for diffusion measurements in glasses. 59-01105A; See also Capps, Webster; Goetz, Hubert
 Schaefer, D. E. See Klein, Paul Barry
 Schaffman, M.; Silver, M.; and Corthell, C.
 Simulations of the transient photoconductivity in α -SiO₂ using a multiple-trap model. 59-05043A
 Scheel, H. See Herrmann, Dieter
 Schetz, Barry E.; and White, William B.
 Characterization of anion diffusion in zirconate A₂B₂O₇ compounds by Raman spectroscopy. 59-00796A
 Scheidecker, R. W.; and Berard, Michael F.
 Self-diffusion of Er in pure and HfO₂-doped polycrystalline Er₂O₃. 59-00917A
 Scheidecker, R. W.; Hunter, Orville, Jr.; and Calderwood, F. W.
 Elastic properties of partially stabilized HfO₂ compositions. 59-00837A
 Scheidler, Herwig; and Kristen, Klaus
 Glass-ceramic cooktop technology in Europe. 59-02252A
 Schein, Lawrence B.; Cressman, Paul J.; and Cross, Leslie E.
 Electrostatic measurements of tertiary pyroelectricity in partially clamped LiNbO₃. 59-03960A; Electrostatic measurements of unusually large secondary pyroelectricity in partially clamped LiNbO₃. 59-03961A
 Schellen, J. See Janzen, Carol M. F.
 Schellen, Klaus See Szabo, Antilla
 Scherer, George W.
 Sintering inhomogeneous glasses—application to optical waveguides. 59-01241A; See also Dominick, Ellen K.
 Scherer, George W.; and Cooper, A. R.
 Thermal stresses in clad-glass fibers. 59-02297A
 Scherrer, Stanislas See Thomassin, Jean Hugues
 Schiewer, Edwin See Heimerl, Wilfried
 Schiffel, R.
 Problems with ceramic body calculations using rational analysis. 59-02595A
 Schinlmeister, Wilfried
 Coated cemented carbide elements and their manufacture. 59-00004P
 Shiroyko, Gerhard H.; and Day, Delbert E.
 Boehmite-bonded high alumina refractories. 59-03499A
 Schlaeger, Albert J. See Boehme, Werner R.
 Schlatter, H.; and Heinicke, G.
 Plant monitoring and control systems in the cement industry. 59-00062A
 Schlegel, R. See Gersner, Bernd
 Schlichting, Juergen
 Oxidation kinetics of silicon ceramics from the viewpoint of refractory materials resistant against hot corrosion. 59-04429A; See also Yasuda, Eiichi
 Schlichting, Juergen; and Kriegermann, Jochen
 Oxidation behavior of hot-pressed silicon carbide. 59-00416A
 Schlicker, Melvin C.
 Optical waveguide shipping spool. 59-02368P
 Schlomann, K.
 Composite wall structure of bricks. 59-03486P
 Schlotthauer, Harley L. See Lange, Robert G.
 Schmal, N. G.; Schwitzgebel, G.; and Kling, H.
 Thermodynamic investigations of the solid solution of lead zirconate-lead titanate. 59-00946A
 Schmandt, Gary M. See Finn, Lawrence R.
 Schmandt, Gary M.; Chappellier, Robert N.; and Hand, Ronnie D.
 Apparatus for coating glass fibers. 59-03365P
 Schmeckenbecher, A. F.
 Method of selectively depositing metal on a ceramic substrate with a metallurgy pattern. 59-04639P
 Schmidt, Beuther L.; and Ryan, Robert L.
 End-port furnace—a continuing case history. 59-02237A
 Schmidt, Beuther L.; and Sigmund, H. David
 Four pass regenerator for an end port furnace. 59-01169A
 Schmidt, Guenther See Roth, Mario
 Schmidt, Heinz
 Physical and chemical investigative methods in the heavy clay industry: I, Sampling. 59-02395A; Physical and chemical investigative methods in the heavy clay industry: II, Damaging coarse particles and lime bursting test. 59-02396A; Physical and chemical investigative methods in the heavy clay industry: III, Physical testing. 59-02397A
 Schmidt, N. A. See Gerthsen, P.
 Schmidt, Otto See Odler, Ivan
 Schmidt, R. V.; Cross, P. S.; and Glass, A. M.
 Optically induced crosslink in LiNbO₃ waveguide switches. 59-03323A
 Schmidt, Reinhardt
 Waste heat utilization in the silicate industry. 59-01684A
 Schmidt, Walter
 Process and device for detecting inclusions in [garnet] crystals. 59-00720P
 Schmiedgen, Guenter
 Present state and development of modern process control systems in cement plants. 59-00063A
 Schmitt, Jean M.; and Mathieu, Alain
 Calcium aluminate based refractory hydraulic binder and its process of preparation. 59-00436P
 Schmitz, Bruno See Rao, Chaity
 Schnable, George L.; and Fisher, Albert W.
 Method of chemically vapor-depositing a low-stress glass layer. 59-03733P
 Schneider, F. See Erni, H.
 Schneider, G.; Gauckler, L. J.; and Petzow, Guenter
 Phase equilibria in the system Al₂C₃-Be₂C-SiC. 59-00895A; Phase equilibria in the system AlN-Si₃N₄-Be₃N₂. 59-01882A
 Schneider, H.
 Testing of magnesium oxide—explanatory notes on the new version of DIN 273, Pt. 1. 59-00073A
 Schneider, Hartmut; Klee, W. E.; and Hornemann, Ulrich
 Shock-induced transformations of andalusite and kyanite powders. 59-01904A
 Schneider, Hartmut; and Lebetzki, Egon
 Process for the production of glass fiber light conductors. 59-02374P
 Schneider, L.; and Blaszczak, G.
 Coal grinding possibilities. 59-02057A
 Schneider, Philip M.; and Fowler, W. Beall
 One-electron energy bands of silicon dioxide in the ideal β -cristobalite structure. 59-03029A
 Schneider, Samuel J.; Negas, Taki; and Frederikse, Hans P. R.
 MHD materials. 59-03686A
 Schneiders, A. See Pellegrini, G.
 Schnessel, S. Michael
 Paul Joseph Starkand—virtuoso in glass paperweights. 59-01017A
 Schnurbusch, Horst See Gras, Rainer
 Schoenflinger, Eduard; Deigner, Paul; and Koester, Eberhard
 Stabilization of chromium dioxide magnetic pigments. 59-02741P
 Schoenflinger, Eduard; Deigner, Paul; and Ohlinger, Manfred
 Iron oxide magnetic pigments for the production of magnetic coatings. 59-01559P
 Schoenfelder, R. See Manns, W.
 Schoenfeld, Wolfgang
 Phases and reactions during the formation of barium and strontium hexafluoride. 59-01886A
 Scholz, Manfred; Lörte, Stroh; and Stendenbach, Karl-Heinz
 Method of repairing a defective [enamel] coated workpiece [container]. 59-02194P
 Scholze, Horst; and Popescu-Has, Dumitru
 Glazes with improved abrasion resistance. 59-00506A
 Schoppe, Fritz
 Process and installation for the production of calcined material. 59-04789P
 Schouler, E.; Foutelier, J.; and Duclot, M.
 New methods for studying the electrical properties of solid oxide electrolytes. 59-04730A
 Schoutens, Jacques E.; and Senesac, Steven L.
 Effects of hydrostatic pressure up to 25 kbars on zinc oxide varistors—static loading. 59-01512A
 Schrader, Ernest K.
 Method for testing impact strength. 59-01679P
 Schramm, Ruediger
 Developmental trends of machines and methods for fine grinding in the cement industry. 59-00045A
 Schrantz, Joe
 Porcelain panels—a tough package. 59-01069A
 Schreckengost, Lee
 Production experiences using no-pickle ground coat. 59-00115A
 Schreckengost, Victor
 Ceramic design in China. 59-04071A

- Schreiber, Edward See Sondergeld, Carl H.
Schreier, Ulrich See Dumesnil, Maurice E.
Schreiner, Horst
Sintered contact material of silver and embedded metal oxides. 59-02664P
Schreurs, Jan W. H. See Nolan, Daniel A.
Schreurs, Jan W. H.; and Davis, D. H.
EPR spectrum of Sb^{3+} in a silicate glass. 59-01143A
Schrevelius, Nils G.
Silicon carbide body containing a molybdenum disilicide alloy. 59-02559P
Schroeder, Charles M. See Pack, U. C.
Schubart, Rolf E. R.
Method for pressing articles such as plates from pulverulent porcelain composition. 59-00538P
Schubert, P. See Fitzer, E.
Schueller, Karl-Heinz; Leopold, Wolfgang; and Aechter, Reinhard
Influence of experimental conditions on the results of dry strength determinations. 59-04721A
Schuermann, Eberhard; Bardenheuer, Friedrich; and Doehner, Steffen
Oxidation stages of iron in steelmaking slags at 1600°C. 59-04103A; Phase modifications of dicalcium silicate in steelmaking slags at 1600°C. 59-04104A
Schulte, Robert L. See De lasi, Richard J.
Schulten, Zan See Szabo, Attila
Schultz, Hyman See Hattman, Elizabeth A.
Schultz, Peter C.
Progress in optical waveguide process and materials. 59-00241A
Schultz, Peter C.; and Wuslika, Raja R.
Method of making nitrogen-doped graded index optical waveguides. 59-04333P
Schulz, Heinz See Koto, Kichiro
Schulz, Lawrence E.
Thixotropic refractory binder based on aluminum phosphate gelled silica sols. 59-04509P
Schulz, Wallace W. See Strichan, Denis M.
Schulze, Walter A.; Cross, Leslie E.; and Buessem, W. R.
Degradation of BaTiO₃ ceramic under high ac electric field. 59-01510A
Schulze, Walter A.; Shrouf, T. R.; and Jang, S. J.
Monolithic multilayer electromechanical transducers for optical applications. 59-04576A
Schumann, Erwin; and Bohlender, Oskar
Vacuum oven with [thin sheet] graphite heating. 59-02822P
Schumann, Werner See Jahn, Walter
Schuster, Peter
Manufacture of ceramic pipe. 59-01368A
Schuster, Peter; and Von Chari, Bernd
Foamed ceramic element and process for making it. 59-04474P
Schuthof, J. See Arends, J.
Schutt, John B.
Alkali-metal silicate binders and methods of manufacture. 59-00076P
Schwab, David E.; and Kotchick, David M.
High temperature strength of sintered α -SiC in salt and oxidizing environments. 59-03538A
Schwartz, Murray A.; and Ault, Neil N. (Editors)
Proceedings of the Symposium on the Impact of Federal Health, Safety, and Environmental Regulations on the Ceramic Industry. 59-00969B
Schwarz, G. See Fitzer, E.
Schwarz, S. A. See Helms, C. R.
Schwarzer, Siegfried See Becker, Kurt
Schweifer, Erwin
Experiences with an electrically heated enameling furnace with a [fiber] mat lining and with a computer controlled large box furnace. 59-03236A
Schweiger, Fritz
Side reflector [graphite] for a high-temperature nuclear reactor. 59-03785P
Schweizer, J. See Bouchelle, J. X.
Schwenninger, Ronald L.
Method of measuring temperature of a sheet with a noncontacting-type pyrometer. 59-03421P
Schwerdfeger, Ingo See Gerstner, Bernd
Schwerdfeger, Klaus See Keller, Helmut
Schweitz, Karl A.; and Vogt, Georg
Process for the production of dense sintered shapes of polycrystalline boron carbide by pressureless sintering. 59-03915P
Schwiecker, Horst; Thorn, Gernot; and Ehrl, Hans-Peter
Arrangement and photometer for measuring and controlling the thickness of optically active thin layers. 59-04278P
Schwitzgebel, G. See Schmahl, N. G.
Schwutke, Guenter H. See Cizek, Theodore Frank
Selfres, Donald R. See Burnham, Robert D.
Sclar, Charles B. See Bass, Jay D.
Scordari, F. See Scandale, E.
Scott, David M. See Laskowski, Thomas E.
Scott, Charles C.
Casting and using a lid bat. 59-02025A
Scott, J. F. See Nicola, J. H.
Scott, Joseph H., Jr. See Iprli, Alfred C.
Scott, V. D. See Cox, M. G. C.
Scott, W. R. See Pipes, R. B.
Scudleri, F.
Differential interferometric method for optical fiber testing. 59-01136A; See also Bertolotti, M.
Searcy, Alan W. See Beruto, Dario; Ewing, Jay
Sebastian, K. V.; and Tendolkar, G. S.
High density tungsten-copper liquid phase sintered composites from coreduced oxide powders. 59-01839A
Sedgwick, Thomas O. See Cowher, Melvyn E.
Sedmale, G. See Seina, J.
Sedmalis, U. (Editor)
New Inorganic Glass—Proceedings of the Expanded Conference (Novye Neorganicheskie Stekla, Materialy Rasshirenogo Zasedaniya, Riga, April 26-27, 1979). 59-05140B; See also Bol'shii, Ya. Ya.; Dusauskas-Duz, S.; Seina, J.; Shul's, M. M.; Vaivads, J.; Vitina, I.
Sedmalis, U.; Bol'shii, Ya. Ya.; and Kozuykov, V. M.
Glass [with increased light transmission]. 59-04300P
Sedmalis, U.; Kozuykov, V. M.; and Bol'shii, Ya. Ya.
Glass [with PbO additions has increased n]. 59-02324P
Sedova, G. K. See Fedorov, P. I.
Seebald, John W.
Pyro-processing rotary kiln mixing rod. 59-02122P
Seefried, Monique
Glass core pendants found in the Mediterranean area. 59-01000A
Seemann, Howard H.; and Ochsenreither, G. J., Jr.
Furnace wall construction. 59-01689P
Segal, Eugen See Morosanu, Constantin E.
Segatto, Peter R. See Allen, Richard E.
Segnit, E. R. See Canterford, J. H.
Seguler, J. See Mezure, J.
Seibold, Robert W.; Parechian, Haig S.; and Weatherill, William T.
Fiber-resin-carbon composites and method of fabrication. 59-04852P
Seidel, D. C. See Beard, H. R.
Seidel, G. See Gregory, Brooke
Seifert, Harald
Slag corrosion of refractory concretes. 59-01406A
Seikai, Shigeyuki See Tatada, Mitsuhiro
Seiner, Jerome A. See Boberski, William G.
Seltz, Lamont J.; and Fort, Geza
Electrical connector test equipment. 59-04611P
Selzer, Walter H.
Process for making iron oxide of controlled particle size. 59-04655P
Seka, W.; Soares, J.; and Lewis, O.
High-power phosphate-glass laser system—design and performance characteristics. 59-01184A
Sekerchioglu, Ibrahim See Wills, Roger R.
Sekerchioglu, Ibrahim; and Wills, Roger R.
Effect of Si₃N₄ powder reactivity on the preparation of the Si₃N₄-O-Al₂O₃ silicon aluminum oxyhydride [O'-sialon] solid solution. 59-00830A
Seki, Michiharu See Yoshida, Kazutsu
Seki, Shigeru; Kobayashi, Toshio; and Kato, Taketoshi
Heat insulating material for high temperature use and process for manufacturing thereof. 59-01326P
Seki, Shigeru; Noguchi, Tatsuhiko; and Ohta, Minoru
Sand mold composition. 59-01458P
Sekikawa, Yoshizo See Bando, Yoshio; Setaka, Nobuo
Sekita, Masami See Kato, Katsuo
Sekiya, Michio See Negishi, Hiroshi
Sekiya, Tadashi; and Okuda, H.
Growth of Cr₂O₃ crystals by the decomposition of a K₂Cr₂O₇ melt. 59-04956A
Selenev, M. E. See Vasiliuskas, V.
Selig, F. See Broser, Immanuel J.
Selikova, N. I. See Didkovskaya, O. S.
Selin, F. A.; Gupta, Tapan K.; and Hower, P. L.
Low voltage ZnO varistor—device process and defect model. 59-04573A
Sell, Nancy J.; and Doyen, June E.
Cement dust briquets and process of production thereof. 59-00079P
Sell, Nancy J.; and Fischbach, Fritz A.
New technique permits recycling difficult dust. 59-01049A
Sellers, Gregory J. See Brets, Gerald R.; Nienart, Louis F.
Sellin, A.
Bibliographic survey of raw materials for introducing lead into glass. 59-00141A
Selman, Gordon L. See Pearce, Stephen L.
Selvaraj, Alphonso See Billy, Michel
Seyanin, P. A.; Tshin, I. P.; and Strekotin, V. V.
Major repairs in tunnel kilns used to fire grog refractory bodies. 59-02452A
Semans, Bruce F.; Dyers, Stanley A.; and Bauer, William C.
Pilot plant test program for the briquetting, prereacting, and melting of glass batch: I, Tests and results. 59-00234A; Pilot plant test program for the briquetting, prereacting, and melting of glass batch: II, Interpretation of results. 59-00235A
Semba, Kimio See Furumi, Koichi
Semba, Kimio; and Sugawara, M.
Grinding aids for Roseki. 59-02436A
Semchenko, G. D.
Binder for refractory articles. 59-02503P
Semchenko, G. D.; Kolesnichenko, L. P.; and Derevyanko, T. G.
Charge for the manufacture of refractory articles. 59-04470P
Semchenko, G. D.; Kolesnichenko, L. P.; and Rublevskii, I. P.
Refractory material. 59-02555P
Semchenko, G. D.; Zolina, L. D.; and Zagoshin, V. T.
Charge for manufacturing refractory articles. 59-02511P
Semenov, G. A. See Shul'ts, M. M.
Semenov, I. N.
Increasing the quality of production at the Panteleimonovsk refractory plant. 59-02447A
Semjonow, Valentin; and Fiedrowitz, Juergen
Process and device for the manufacture of nonwoven webs from filaments. 59-00360P
Semkina, N. V.; Bokach, G. S.; and Zinkovskii, I. V.
Material for producing pyrometric refractory components, pyrometric refractory component, and process for producing it. 59-04482P
Semkina, N. V.; Komissarova, L. G.; and Sazhina, V. N.
High-grade mullite-silica refractories for the cover of blast furnaces. 59-02441A
Semler, Charles E.; and Hawisher, Thomas H.
Evaluation of the thermal shock resistance of refractories using the ribbon test method. 59-03528A
Sen Gupta, J.; and Rao, A. V. R.
Production of clay pozolana by fluidized bed technique. 59-02840A
Senderov, A. A. See Zdorov, A. I.
Senesac, Steven L. See Schoutens, Jacques E.
Senz, Ludwig See Feltz, Adalbert
Seng, Stephen
Apparatus for handling heat-softenable batch material. 59-04277P
Sengier, L. See Mortier, W. J.
Sengupta, G.; Mandal, N. K.; and Chatterjee, R.
Semiconducting properties of pure and doped α -aluminum oxide. 59-02684A
Sengupta, Subrata P. See Banerjee, Lalit K.
Sennikov, S. G. See Revzin, G. E.; Volkova, L. V.
Senova, R. N. See Serebrennikov, V. V.
Senyavin, N. K. See Boricheva, V. N.
Senyuk, T. F. See Mozli, Ya. V.
Sera, Taizo See Katayama, Heita
Serbin, V. P. See Pashchenko, A. A.
Serdsova, L. S.
Blue glass. 59-00283P
Serebrennikov, S. S.; and Izhorin, M. N. (Editors)
Refractory Lining for Industrial Furnaces (Ogneupornaya Kladka Promyshlennyykh Pechei). 3rd rev. ed. 59-01999B
Serebrennikov, V. V.; Senova, R. N.; and Kukhno, G. V.
X-ray diffraction study of europium metathiosilicate. 59-05117A
Serebrennikova, T. S. See Dem'yanenko, I. Z.
Serebryakova, T. I. See Samsonov, G. V.
Seregin, N. N. See Novopashin, A. A.
Seregin, P. P. See Nasredinov, F. S.
Seregin, L. N. See Archakov, Yu. I.
Serfas, Ronald (Editor)
Porcelain—The Elite of Ceramics. 59-01993B
Sergeenkov, V. M.; Murzin, A. V.; and Listovnichii, V. E.
Use of neutron activation analysis for studying diffusion processes in the system glass-sin. 59-01269A
Sergeeva, M. V.; Tikhon, S. V.; and Shandrikova, I. D.
Paste for metallizing piezoelectric ceramic articles. 59-04647P
Sergeeva, V. M. See Shubin, V. I.
Seroa, I. A. See Prokof'eva, L. A.
Serry, Mohamed A. See Hanna, S. B.
Service, T. See Jakus, Karl
Setaka, Nobuo; and Sekikawa, Yoshizo
Chaotite, a new allotropic form of carbon, produced by shock compression. 59-01782A
Setchell, Robert E.
Index of refraction of shock-compressed fused silica and sapphire. 59-04966A
Seina, J.; Sedmale, G.; and Sedmalis, U.
Enamel. 59-01078P
Setoguchi, Masahiro See Yamaguchi, Hiroshi
Seuter, A. M. J. H. See Van den Boom, P. F. J.
Severson, R. C.; and Gough, L. P.
Environmental implications of element emissions from phosphate-processing operations in southeastern Idaho. 59-00733A
Seward, Thomas P., III See Hares, George B.; Kingsbury, Paul I., Jr.
Sevried, W. E., Jr.; Gordon, Peter C.; and Dickson, Frank W.
New reaction cell for hydrothermal solution equipment. 59-01655A
Seymour, James E.
Process for manufacturing potassium polyphosphate. 59-01720P
Seymour, Samuel L.
Controlling glass sheet buffeting during quenching. 59-04286P; Glass sheet alignment means and method of using. 59-04307P
Sha, Ching-shung See Li, Shi-shan
Shablakov, A. A. See Kozlovskii, L. V.
Shablovskaya, L. B. See Ostapenko, M. Ya.
Shabrova, E. A.; Akulova, G. I.; and Es'kov, A. S.
Enamel. 59-00128P
Shabrova, E. A.; Akulova, G. I.; and Yurchenko, N. N.
Enamel [with SnO₂ added for increased heat resistance]. 59-04158P
Shabunina, G. G. See Eliseev, A. A.
Shabunina, G. G.; Luzhnyaya, N. P.; and Kalinnikov, V. T.
System CdCl₂-CrCl₃. 59-05073A
Shackelford, James F. See Skinner, Harry B.
Shackelford, James F.; and Brown, Brian D.
Gas-probe analysis of structure in silicate glasses. 59-04200A

- Shafagatova, G. G. See Nasibov, I. O.
- Shafagatova, G. G.; Nasibov, I. O.; and Sultanov, T. I. System Sm,Se-PbSe. 59-05084A
- Shafer, Robert V. Automatic monitoring of oxygen in combustion gases. 59-01631A
- Shaffer, Robert C. Coating for fibrous carbon material in boron containing composites. 59-00124P
- Shafranovskii, I. I. Symmetrization-desymmetrization phenomena in mineral crystals. 59-05060A
- Shainskii, V. M. See Sheikh-Zade, R. M.
- Shakh, G. E.; and Gavrilin, A. A. Application of a high-temperature X-ray camera for investigation of the systems $M(Nb,Ta)-C$ in a wide range of temperatures up to 2870 K. 59-04879A
- Shakirova, D. M. See Burmistrova, N. P.
- Shandrikova, I. D. See Sergeeva, M. V.
- Shanks, H. R. See Owen, James Frederick
- Shannon, J. L., Jr. See Munz, Dietrich
- Shannon, R. D. See Foris, C. M.; Tranqui, D. Shannon, Richard F. Method of producing structural insulation materials containing at least 50 percent xonotlite. 59-02357P
- Shapiro, V. I.; and Friedenberg, A. Phase-sensitive detection of electron-beam-induced desorption from ZnO. 59-05022A
- Shapiro, E. Ya. See Gushchin, V. Ya.
- Shapiro, G. M. See Puzryev, E. I.
- Shapiro, G. M.; Metelkin, I. I.; and Puzryev, E. I. Frit for corundum ceramics. 59-00452P
- Shapiro, Howard E. See Merz, Kenneth M.
- Shapiro, R. G.; Björck, G. L.; and Simmons, G. A. Blank mold swabbing. 59-02207A
- Shapiro, Ya. Z. See Bakalnik, A. P.
- Shaplygin, I. S. See Lazarev, V. B.; Prosychev, I. I.
- Shaplygin, I. S.; Kakhun, B. G.; and Lazarev, V. B. Synthesis and properties of the compounds Ln_2CuO_4 ($Ln = La, Pr, Nd, Sm, Eu, Gd$) and some of their solid solutions. 59-05062A
- Sharaf, N. A. See Ahmed, Ahmed A.
- Sharankov, Khar. See Sakhno, K.
- Sharikov, S. Yu. See Klimenko, V. S.
- Sharma, Kapil Dev. See Mukerji, Joydeb
- Sharma, Krishna K. Resin-bonded EN-type grinding wheels—an economical and high-quality replacement for natural sandstone used for glass polishing. 59-03151A
- Sharma, N. K.; Ward, I. D.; and Fraser, H. L. STEM analysis of grain boundaries in cemented carbides. 59-01902A
- Sharma, T. N. Khurja [Uttar Pradesh] pottery industry—its growth and development. 59-02589A
- Shashkin, V. S. See Koryavin, A. A.
- Shater, Magda A. See El-Didamony, Hamdy
- Shaulov, A.; Bell, M. L.; and Smith, W. A. Direct measurement of pyroelectric figures of merit of proper and improper ferroelectrics. 59-00551A
- Shaw, T. M. See Krievanek, O. L.
- Shay, George C. Manufacture of flat glass. 59-04327P
- Shay, George C.; and Simon, Raphael A. Forming laminated sheet glass. 59-04296P
- Shechavale, O. S. See Molev, V. I.
- Shechedrin, B. M. See Ivanov, S. A.
- Shecheglova, M. D.; Berkovskii, E. Ya.; and Ermakova, M. T. Glass for metallization pastes. 59-01306P
- Shecheglova, M. D.; Dvornichenko, I. N.; and Zaiko, V. P. Aventurine glass. 59-01284P
- Shecheglova, M. D.; Vinarskii, V. L.; and Maksimovich, S. I. Glass with a high chemical resistance. 59-00307P
- Shecheglova, N. N. See Bartenev, G. M.
- Shecheglova, O. V. See Sobolev, E. V.
- Shecheglova, Z. N. See Petrovskii, G. T.
- Shechegolev, B. F. See Lazarev, A. N.
- Shechegolev, B. F.; Grunin, V. S.; and Abbronin, I. A. Model of structural defects in SiO_2 . 59-01214A
- Shechegrov, L. N. See Goryaev, V. M.
- Shechekotikhina, N. M. See Solomin, N. V.
- Shchelokov, A. I. See Avdeenko, B. K.
- Shcherbakova, I. M. See Bartenev, G. M.
- Shcherban, N. I. See Radomysel'skii, I. D.
- Shcherbina, O. D. See Sleptsov, V. M.
- Shcherbina, R. O. See Davydov, I. P.
- Shcherbinina, V. V. See Bakulin, E. A.
- Shchetinkin, V. A. See Abzgil'din, F. Yu.
- Shchetnev, Yu. F. See Degen, M. G.
- Shchegureva, L. F. See Dem'yankin, I. Z.
- Shchukina, N. E.; Orlova, G. M.; and Chalabany, G. A. Viscosity and elastic properties of glasses in the system $As-S-Tl$. 59-00274A
- Sheaffer, John A. Rotary vacuum disk filter. 59-04703P
- Shearer, John A.; Johnson, Irving; and Turner, Clarence H. Interaction of NaCl with limestones during calcination. 59-02082A
- Sheehan, Gerard M. See Blake, David W.; Knapp, Donald E.
- Sheffield, G. S.; Hare, T. M.; and McGaughey, G. S. Single thermocouple DTA with application to quantitative low level detection of free crystalline quartz. 59-01664A
- Sheikh-Zade, R. M.; Shainskii, V. M.; and Kirdyashkin, V. A. Binder for the manufacture of extruded glass articles. 59-04280P
- Shelby, J. E. Effect of morphology on the properties of alkaline earth silicate glasses. 59-04184A
- Shelby, J. E.; Matern, P. L.; and Ottesen, D. K. Radiation-induced isotope exchange in vitreous silica. 59-00246A
- Shelomentseva, V. F. See Kochetkova, G. V.
- Shelton, John E. Sulfur. 59-01713A
- Shelyubskii, V. I. See Ananich, N. I.
- Shen, Yang-shing. Increasing the durability of glass fibers in cement matrices. 59-03189A
- Shenoy, G. K. See Dunlap, B. D.
- Shepard, Joseph F. See Garbarino, Paul L.
- Shepilov, I. A. See Skidan, B. S.
- Shepitkii, S. P. See Gerasimov, V. V.
- Sheer, A.; Odin, I. N.; and Novoselova, A. V. Physicochemical investigation of equilibria in the system $Cd-Bi-Se$. 59-05025A
- Sheliker, Francis R. See Barlow, William A.
- Sheronova, O. A. See Kharitonov, F. Ya.
- Sherrard, M. R. See Harris, M. R.
- Shetty, Dinesh Kumar; Bansal, Girraj K.; and Rosenfield, Alan R. Criterion for fracture-mirror boundary formation in ceramics. 59-01800A
- Shetty, Dinesh Kumar; Rosenfield, A. R.; and Duckworth, Winston H. Static fatigue limit in the thermal activation approach to subcritical crack growth. 59-00927A
- Shevchenko, A. S. See Andrievskii, R. A.
- Shevchenko, T. A. See Belyi, Ya. I.
- Shevchenko, V. A. See Efimov, G. V.
- Shevchenko, V. V. Determination of the chemical resistance of molded glass surfaces. 59-01292P; See also Yashchishin, I. N.
- Shevchenko, V. Ya. See Danilenko, G. N.
- Shevrina, Z. A.; Novikova, E. V.; and Kochergin, V. P. Interaction of copper sulfide(l) with molten polyphosphates of sodium and potassium. 59-04972A
- Shewchun, J.; Burk, D.; and Singh, R. Semiconductor-insulator-semiconductor (indium tin oxide on silicon) solar cell—characteristics and loss mechanisms. 59-01532A
- Shiiba, Koreyuki. See Ugajin, Mitsuhiro
- Shibagaki, Masahiro. See Niwa, Kazuo
- Shibalov, M. V.; Belkin, E. Ya.; and Zhelebovtsova, G. A. Paste for metallization of ceramics. 59-02546P
- Shibata, Noriyoshi. See Kawachi, Masao
- Shibata, Shuichi. See Kanamori, Terutoshi; Takahashi, Shiro
- Shibata, Shuichi; Kanamori, Terutoshi; and Mitachi, Seiko. New binary PbF_2-AlF_3 glasses. 59-04229A
- Shibata, Shuichi; Mitachi, Seiko; and Takahashi, Shiro. High numerical aperture multicomponent glass fiber. 59-04208A
- Shibuno, Masao. See Hayashi, Takeshi
- Shibuya, Kiyoshi. See Kojima, Takeshi
- Shields, George B.; and Starr, Eugene W. Method of heat treating moving glass sheets on a modified glass bed. 59-04349P
- Shiers, Loren E. See Wirkus, C. D.
- Shiever, J. W. See Fleming, J. W., Jr.
- Shih, T. T.; and Opoku, J. Application of fracture mechanics to ceramic materials—a state of the art review. 59-01726A
- Shikano, Hiroshi. See Furumi, Koichi
- Shilov, V. I. See Kundo, Yu. A.
- Shimada, Masahiko. See Yamada, Tetsuo
- Shimada, Masahiko; Ogawa, Noriyuki; and Koizumi, Mitsue. High-pressure sintering of nonoxide materials. 59-03867A
- Shimizu, Kiyoshi. See Yamaguchi, Osamu
- Shimizu, M. See Sasazawa, Koji
- Shimizu, Satoshi. See Ueda, Atsushi
- Shimizu, Tadao. See Yanagida, Hiroaki
- Shimizu, Tadao; Yanagida, Hiroaki; and Hashimoto, Koshiro. Glass fiber for GRG. 59-02075A
- Shimoda, Susumu. See Sudo, Toshio
- Shimohira, Takajiro. Sintering of ionic crystals. 59-04010A
- Shimono, Kazuaki. See Naka, Shigeharu
- Shin, Hack-Gi. See Kim, Tae-Ok
- Shin, Shigemitsu; Yonemura, Michiko; and Ikawa, Hiroyuki. Order-disorder transition of Sr_2FeO_4 from brownmillerite to perovskite structure at an elevated temperature. 59-03035A
- Shindo, Isamu. See Ii, Nobuo; Kitamura, Kenji
- Shindo, Isamu; Ii, Nobuo; and Kitamura, Kenji. Single crystal growth of substituted yttrium iron garnets $Y_3Fe_5(Ga,Al)_2O_{12}$ by the floating zone method. 59-05047A
- Shinkai, Norihiko. See Ishikawa, H.
- Shinkareva, K. A. See Akhmechet, Zh. N.
- Shinohara, Tadashi. See Iimura, Tsutomu
- Shinohara, Tadashi; Murakami, Shiro; and Iimura, Tsutomu. Hot-isostatically-pressed high-density ferrites: I. 59-03868A
- Shinozaki, Kazuo. See Kuroda, Koji
- Shinozaki, Kazuo; Ishikura, Y.; and Uematsu, Keizo. Vickers microhardness of solid solution in the system $Cr_2O_3-Al_2O_3$. 59-05114A
- Shinozaki, Kazuo; Mlyachuk, Masahiro; and Kuroda, Koji. Oxygen-ion conduction in the $Sm_2Zr_2O_7$ pyrochlore phase. 59-00891A
- Shintani, Ryuichi. See Fukushima, Masamitsu
- Shippy, Gordon. Reclamation of scrap frit. 59-02172A; See also Hansen, Lloyd
- Shiraishi, Kunihiko. See Hosaka, Takuo
- Shirashi, Satoshi; Fujiwara, Kunio; and Kurosaki, Shiro. Process for producing optical transmission fiber. 59-00363P
- Shiraki, Yoshio; Haraoka, Hiroshi; and Arai, Hiromichi. Process of refining solid hexafluorosilicate. 59-00365P
- Shirasawa, Toshikatsu. See Tanaka, Tomoyuki
- Shiratori, Yusuke. See Katayama, Heita
- Shirato, Mompel; Aragaki, Tsutomu; and Manabe, Akira. Electroforced sedimentation of thick clay suspensions in consolidation region. 59-01465A
- Shiratori, T. See Ugajin, Mitsuhiro
- Shirley, C. G.; and Paulson, W. M. Pulse-degradation characteristic of ZnO varistors. 59-00571A
- Shiryaev, P. P. See Potapov, L. P.
- Shishkin, V. A. See Shul'zhenko, A. A.
- Shives, T. Robert; and Willard, William A. (Editors). Advanced Composites—Design and Applications. (NBS Spec. Publ. (U.S.) No. 563.) 59-00956B
- Shkhiyan, T. G. See Koshkin, Yu. N.
- Shkirman, S. F. See Vasil'ev, V. S.
- Shklyar, F. R.; Lekomtseva, E. D.; and Kanunnikova, L. M. Aerodynamics and temperature fields in checkerwork of blast furnace hot-blast stoves. 59-03489A
- Shkol'nikov, E. V. See Smirnov, V. D.
- Shlevin, D. N.; Kapinosov, V. P.; and Andreev, M. I. Large ceramic facing tiles. 59-00510A
- Shlyakhina, L. P. See Kolacheva, N. M.
- Shmatok, L. K. See Gutkina, N. G.
- Shmitt-Fogelovich, S. P. See Sokolov, A. N.
- Shoffner, James E. See Moores, Peter R.
- Shoji, Shigeo. See Watanabe, H.
- Shokotova, B. G. See Kryzhanovskaya, I. A.
- Shono, Hiroaki. See Noji, Toshio
- Shono, Hiroaki; Ishikawa, Shinzo; and Wakasa, Isao. Air nozzle assembly for use in apparatus for producing glass fibers. 59-00280P; Bushing for apparatus for spinning glass fibers. 59-02313P
- Shono, Hiroaki; Nakazawa, Koji; and Ishikawa, Shinzo. Molten glass separating device in glass fiber forming apparatus. 59-01340P
- Shook, William B. Ceramic-metal interface. (A. I. Andrews memorial lecture.) 59-02130A
- Shpil'rain, E. E.; Kagan, D. N.; and Barkhatov, L. S. Electrical conductivity of yttrium and scandium oxides. 59-04934A
- Shreiber, Juergen. See Rozhanskii, V. N.
- Shrout, T. R. See Schulze, Walter A.
- Shtanov, V. I.; Ziomonov, V. P.; and Novoselova, A. V. Vapor pressure in the system $Pb-Sn-Se$. 59-04037A
- Shteinberg, S. A. See Ermilova, N. V.
- Shteinberg, Yu. G. (Editor). Vitreous Coatings for Ceramics (Steklovodnye Pokrytiya dlya Keramiki). 59-02010B
- Shter, G. E. See Posypaiko, V. I.; Trunin, A. S.
- Shternberg, A. R.; Dobre, A.; and Bruevser, I. Transparent ferroelectric ceramic material. 59-01603P
- Shtin, A. P.; Dolinskii, A. N.; and Slepukhin, V. K. Glass formation and properties of glasses in the system $K_2O-Al_2O_3-P_2O_5-TiO_2$. 59-04201A
- Shtin, A. P.; and Slepukhin, V. K. Structural role of Ti in K aluminophosphate glasses based on the kinetics of chemical dissociation. 59-00262A
- Shtrikman, S. See Gorodetsky, G.
- Shuart, Harry Wilson. Mark of Mazda. 59-01010A
- Shubin, V. I.; Kainarskii, I. S.; and Sergeeva, V. M. Charge for magnesia-spinellite refractories for use in cement rotary kilns. 59-02508P
- Shubin, V. N.; Leko, V. K.; and Sivko, A. P. Quartz glass. 59-04372P
- Shue, Jun-kan. Protection against corrosion of glass fiber in hardening cement paste. 59-03202A
- Shults, I. A. See Lagzdons, J.
- Shul'ts, M. M. Electrode properties of glasses. 59-00183A; See also Bobrov, V. S.
- Shul'ts, M. M.; Sedmalis, U.; and Buka, Yu. A. Region of glass formation and the chemical stability of glasses in the systems $WO_3-P_2O_5-SiO_2$ and $WO_3-P_2O_5-SiO_2-RO$ ($MgO, CaO, SrO, ZnO, CdO, BaO$). 59-00251A
- Shul'ts, M. M.; Stolyarova, V. L.; and Semenov, G. A. Thermodynamic functions in the system Na_2O-CeO_2 at 1330–1540 K. 59-02298A
- Shultz, Richard L. Attack of aluminosilicate refractories by high manganese steel. 59-00402A; See also Brezny, Bohus

- Shul'zhenko, A. A.; Zhilnetskii, V. I.; and Shishkin, V. A.
Refractory coating for containers of high-pressure and high-temperature units. 59-02199P
- Shumilkin, N. S. See Mozhaev, A. P.
- Shurrov, A. F. See Sorochkin, M. A.
- Shurygina, I. V. See Sokolov, A. N.
- Shushanashvili, A. I.; Kharashevili, D. L.; and Varazashvili, L. V.
Ceramic pigment. 59-00526P
- Shushanashvili, A. I.; Tsanava, Ts. P.; and Varazashvili, L. V.
Ceramic pigment. 59-02607P
- Shutova, R. F. See Petrova, V. Z.
- Shuvaeva, I. P. See Borgman, V. A.
- Shvaika, D. I. See Krasil'nikova, Z. S.
- Shvaritsman, M. Z.; Taibin, I. P.; and Ketslakh, G. A.
Uniform firing and fuel economy in tunnel kilns. 59-02813A
- Shveikin, G. P. See Bazuev, G. V.
- Shvetsova, G. A. See Kiparisov, S. S.
- Sibley, W. A.; Martin, J. J.; and Wintersgill, M. C.
Effect of radiation on the OH⁻ infrared absorption of quartz crystals. 59-00834A
- Sichka, M. Yu. See Migolins, I. M.
- Sidorenko, G. A. See Dubinchuk, V. T.
- Sidorov, T. A.
Structure of Na silicate glasses based on neutron diffraction data. 59-02290A
- Sidorovskii, E. L. See Kryukhin, G. S.
- Siebel, Johann. See Langer, Manfred
- Siebel, Johann. See Lindner, Hans A.
- Siegel, Hartmut. See Ambrosius, Stefan
- Siegel, L. A.
Spinel form of cadmium stannate. 59-03079A
- Siegmund, Walter P.
Method for making fiber optics fused arrays with improved blemish quality. 59-02350P
- Siemonsen, Hans P. See Roth, Mario
- Sigaev, V. N. See Khodakovskaya, R. Ya.
- Sigmund, H. David. See Schmidt, Beuther L.
- Silber, Herbert B. See McCarthy, Gregory J.
- Silich, L. M. See Bobkova, N. M.
- Silin, A. R.; Skuya, L. N.; and Lapenas, A. A.
Effect of neutron irradiation on the luminescence of vitreous SiO₂. 59-00833A
- Silver, M. See Schaffman, M.
- Silversmith, Ann J. See Blank, Richard E.
- Sil'vestrovich, S. I.; Plisko, T. A.; and Petrova, L. V.
Oxide-metallic coatings on glass for the control of spectral transmittance in industrial light filters. 59-03324A
- Sil'vestrovich, T. S. See Popov, O. N.
- Simashko, S. G.; Bezhn, N. P.; and Martynov, V. D.
Some mechanical properties of indium phosphide. 59-00923A
- Simenonov, K.
Stability of posisors made from a BaTiO₃ ceramic. 59-03699A
- Simenonov, Y. T.; and Djabarov, N. B.
Additive for obtaining rapid hardening portland cement and a method by which it is to be performed. 59-04120P
- Method of accelerating the hardening and increasing the strength of portland cement. 59-04138P
- Simkin, E. S. See Bronshteyn, D. Kh.
- Simmat, Fritz. See Rau, Karlheinz
- Simmingskoed, B. K. W. See Lakatos, Tibor
- Simmons, Catherine J.; and Simmons, Joseph H.
Conductivity behavior of high-silica glasses with varied concentrations of sodium ions. 59-00154A
- Simmons, G. A. See Shapiro, R. G.
- Simmons, Joseph H. See Macedo, Pedro B.; Simmons, Catherine J.
- Simmons, Joseph H.; Franklin, A. D.; and Young, K. F.
Internal friction and sodium transport in beta alumina. 59-01850A
- Simon, A. F. See Bauhofer, W.
- Simon, Raphael A.
Photochromic sheet glass process. 59-04365P; See also Shay, George C.
- Simoni, R. See Marinangeli, Annamaria
- Simonov, K. V. See Bocharov, L. D.; Strelou, K. K.
- Simonov, K. V.; Bocharov, L. D.; and Ustyantsev, V. M.
Formation and deposition of alkali and alkaline earth metal sulfates and MgF₂ in Cottrell filters during the roasting of magnesite in rotary furnaces. 59-00410A
- Simonov, K. V.; Mezentsev, E. F.; and Luzin, A. G.
Changes in the structure and properties of magnesium refractories during firing in industrial kilns. 59-04394A
- Simonov, K. V.; Ravochkin, S. I.; and Korte, A. A.
Thermal loading of periclase bricks in valve gates of steel-casting ladles. 59-02494A
- Simonov, M. A. See Kazanskaya, E. V.
- Simonov, M. A.; Egorov-Tismenko, Yu. K.; and Belov, N. V.
Crystal structure refinement of Na₂Cd₂[Si₂O₇]. 59-03941A
- Simons, Hubert. See Roentgen, Paul
- Simpson, Dale R.
Subsolidus relations between CaAl₂Si₂O₇ and Ca₂P₂O₇. 59-01919A
- Simpson, Howard D.
Cobalt-molybdenum-alumina desulfurization catalyst. 59-02889P
- Simuni, K. M. See Drozhzhin, A. Kh.
- Sinelnikova, V. S.; and Gurin, V. N.
Monocrystals of refractory compounds of the transition metals. 59-00414A
- Sines, George. See Baidor, S. B.; Giovan, M. N.
- Sinevich, A. K. See Gerasimovich, N. F.; Rusak, V. I.
- Sing, Kenneth S. W. See Ragai, Jehane
- Singer, Emil
North Bavarian porcelain sands—occurrence, treatment, application. 59-02839A
- Singh, Durga P. See Joshi, Y. P.
- Singh, Jitendra P. See Hasselman, D. P. H.; Saitamurthy, K.
- Singh, Jitendra P.; Thomas, J. R., Jr.; and Hasselman, D. P. H.
Analysis of effect of heat-transfer variables on thermal stress resistance of brittle ceramics measured by quenching experiments. 59-01770A
- Singh, Jag J.; Holt, William H.; and Mock, Willis, Jr.
Positron annihilation studies of moisture in graphite-reinforced composites. 59-04816A
- Singh, R. See Shewchun, J.
- Singh, Vipin Kant
Sintering of alumina in the presence of liquid phase. 59-03075A
- Sintsova, I. T. See Kozlovskii, L. V.
- Sinz, Dagmar
Ceramics under ashes. 59-02028A
- Sloui, Richard H.; and Carver, Edgar B.
Magnetic cores for diamond or cubic boron nitride grinding wheels. 59-02019P
- Siqueira, M. A. A.; Ghizoni, C. C.; and Vargas, J. I.
Use of the photoacoustic effect for investigating phase-transitions in solids. 59-05109A
- Sirzhiddinov, N. A. See Arifov, P. A.
- Sirbu, Dolma. See Surdeanu, Tudor
- Sircar, N. R. See Das, Saroj Kanti; Roy, A. K.
- Sirez, Janos
Environmental control in the Hungarian silicate industries. 59-04040A
- Sirotnitskii, A. A. See Karlsons, K.
- Sirotnitskii, A. A.; Prokofiev, V. I.; and Timonin, V. I.
Apparatus for continuous enameling of tubes. 59-04154P
- Sittig, Marshall (Editor)
Carbon and Graphite Fibers—Manufacture and Applications. 59-05127B
- Sivash, V. G.; and Kuznetsov, E. A.
Use of secondary energy resources in tunnel kilns of refractory plants. 59-02497A
- Sivko, A. P. See Shubin, V. N.
- Sivova, R. See Kukushva, M.
- Sizonenko, A. P.; Chekhovskii, V. G.; and Zhuravlev, G. I.
High-temperature infrared spectroscopic study of Li borosilicate glasses. 59-02256A
- Sizova, R. G.; Blinov, V. A.; and Kuznetsov, V. A.
Crystal structure of Na₂Zr₂Ge₂O₁₀. 59-03940A
- Skachkov, M. M. See Dvorski, A. A.; Zhuzheva, A. P.
- Skadin, V. G. See Klimenko, V. S.
- Skaggs, S. R.
Zero and low coefficient of thermal expansion polycrystalline oxides. 59-04039A
- Skalny, Jan. See Jawed, Inam; Struble, Leslie
- Sked, William L. See Caution, Martin
- Skidan, B. S.; Fomina, G. A.; and Shepilov, I. A.
Effect of processing factors on the properties of alumina-molybdenum cermets. 59-00759A
- Skinner, Harry B.; Davis, Carl M.; and Shackelford, James F.
Evaluation of a commercial refractory as a prosthetic implant material. 59-03861A
- Sklaver, E. R. See Flamm, D. L.
- Sklokina, N. F. See Panasenko, E. B.
- Skogman, Richard A. See Moravec, Thomas J.
- Skomorovskaya, L. A. See Nemets, I. I.
- Skorikov, V. M. See Rykova, G. A.
- Skorikov, V. N. See Sazonov, A. I.
- Skorokhodov, V. A. See Rozanova, V. S.
- Skorospelova, V. I.; and Stepanov, S. A.
Magneto-optical glass. 59-00331P
- Skovajsa, Ladislav
Programming and optimization of the gunning process for refractory applications. 59-01398A
- Skrimshire, C. P.; Longworth, G.; and Dearnaley, G.
Ion implantation phenomena related to hard bubble suppression in magnetic bubble YIG. 59-04979A
- Skripnikov, V. A.; Samin, V. N.; and Balashov, Yu. S.
Interrelation between temperature and modulus of elasticity in quartz glass. 59-02259A
- Skrovanek, Stephen D.; and Herron, Robert H.
High temperature mechanical properties of stainless-steel fiber-reinforced castables. 59-03537A
- Skuya, L. N. See Silin, A. R.
- Skvara, Frantisek. See Kolar, Karel
- Skvorec, Tibor. See Baint, Paul
- Slade, Marilyn Myers
How to repair damaged porcelain. 59-02039A
- Sladek, R. J.
Interpretation of lattice-parameter changes accompanying the electrical transition caused by alloying V₂O₅ into Ti₂O₃. 59-02997A; See also Chen, H. L. S.; Rimai, D. S.
- Sleptsov, V. M. See Isenko, A. I.
- Sleptsov, V. M.; Shcherbina, O. D.; and Stignayev, V. A.
Microstructure and strength of silicon nitride with additions of rare-earth oxides. 59-00872A
- Slepukhin, V. K. See Shina, A. P.
- Slivka, V. Yu. See Buturlakin, A. P.
- Slobodin, B. V.; Fotiev, A. A.; and Bilnova, S. F.
System CaO-Fe₂O₃-V₂O₅. 59-05070A
- Slobodin, B. V.; Tugova, N. P.; and Fotiev, A. A.
Topology of the solidus surface in the phase diagrams of the systems Na₂O-MO-V₂O₅ (M = Mg, Ca, Ni). 59-05107A
- Slovikovskii, V. V. See Kononenko, G. V.
- Slovianskikh, V. K. See Kuznetsov, N. T.
- Slovianskikh, V. K.; Kuznetsov, N. T.; and Gracheva, N. V.
System Pr-U-S. 59-05083A
- Sluice, Stanislaw
Behavior of metal recuperators for glassmelting tank furnaces. 59-02206A
- Smallman, R. E. See Hornmeyer, I. A.
- Smariyeva, I. S. See Markova, T. P.
- Smedley, S. I.; and Angell, C. A.
Fast Li⁺ conduction in fluoroborate glasses. 59-04196A
- Smelley, Annie G. See May, Alexander
- Smeronov, Stauros
Filler for a glass-ceramic material comprising CaF₂ granules overcoated with a silicon dioxide film. 59-02319P
- Smetanova, A. N.; and Orlik, V. A.
New mastic for producing ornamental ceramic facing tiles. 59-04526A
- Smirnov, V. D.; and Shkol'nikov, E. V.
Effect of an ac electric field on the crystallization of chalcogenide glasses. 59-00170A
- Smirnov, V. F. See Gulyan, V. A.
- Smirnova, T. V. See Polukhin, V. N.
- Smirnyagin, N. E.
Mechanization of the loading of magnesium refractory articles onto kiln cars. 59-04425A
- Smiser, Laurence W. See Helman, Donald D.
- Smit, Willem; Holten, C. L. M.; and Stein, Hans Nikolaus
Radiotracer determination of the sorption of sodium ions by microporous silica films. 59-03805A
- Smit, Willem; and Stein, Hans Nikolaus
Interdiffusion of hydrogen and alkali ions in glass surfaces. 59-04214A
- Smith, C. L.
SiC-silicon product reactions in HTGR TRISO UC, and UC₂O₂ fissile fuel: I, Kinetics of reactions in a thermal gradient. 59-00647A; SiC-silicon product reactions in HTGR TRISO UC, and UC₂O₂ fissile fuel: II, Reactions under isothermal conditions. 59-00648A
- Smith, Catherine A. See Komarneni, Sridhar
- Smith, David John. See Gaskell, P. H.; Jepps, N. W.; Stobbs, William Michael
- Smith, Deane K.; and Smith, Kingsley L.
X-ray diffraction. 59-04746A
- Smith, Eugene L., Jr. See Wang, Samuel S.
- Smith, G. P.
Some light on glass. 59-02284A
- Smith, Howard J.; and Moss, Richard I.
Test programs to evaluate porcelain enamel and other materials used in solar collectors. 59-00120A
- Smith, J. Thomas. See Quackenbush, Carr Lane
- Smith, J. Thomas; and Quackenbush, Carr Lane
Phase effects in Si₃N₄ containing Y₂O₃ or CeO₂: I, Strength. 59-02880A
- Smith, Joseph V. See Pluth, Joseph J.
- Smith, Kingsley L. See Smith, Deane K.
- Smith, Marnell. See Goldstein, Howard E.; Katvala, Victor
- Smith, Norman. See Fisher, Ronald
- Smith, R. Harvey. See Crilly, Patrick J.
- Smith, Richard C.
Determination of uranium content in material. 59-00716P
- Smith, Russell D.; and Bushong, R. James
Refractory material. 59-00490P
- Smith, Ulf K. H.; Lindstrom, Jan N.; and Mantle, Harold
Coated cemented carbide body and method of making such a body. 59-02519P
- Smith, W. A. See Shaulov, A.
- Smith-Johannsen, Robert. See Moyer, Wendell W., Jr.
- Smook, Richard H.
Pressureless sintering beryllium containing silicon carbide pressure composition. 59-01757P
- Smol'skii, I. L. See Milevskii, L. S.
- Smol'skii, A. V. See Morozova, L. P.
- Smorquanyenko, N. S.; and Utkov, V. A.
Plant tests for the utilization of red mud. 59-04106A
- Smyth, Jay R. See Bray, Donald J.
- Sneegier, A. I. See Kuz'min, L. I.
- Snijders, M. See De Coninck, R.; Eckhardt, D.
- Snook, R. D. See Kirkbrigh, G. F.
- Snover, John A.; and Caines, R. Scott
Method of applying vermicular expanded graphite composite material. 59-04861P
- Snow, Gary S.; and Cooper, Ray A.
Hot press with flat plate heaters and its application to the fabrication of large varistor slugs. 59-02656A
- Snow, Gary S.; White, Sharon Spencer; and Cooper, Ray A.
Characterization of high field varistors in the system ZnO-CoO-PbO-Bi₂O₃. 59-02631A
- Snow, Robert E. See Lawver, James E.
- Snyder, Joseph E. See Indelicato, Bernard A.
- Snyder, M. L. See Burdo, R. A.
- Sobierajski, Isabelle M. See Buescher, William E.
- Sobolev, B. P. See Fedorov, P. P.
- Sobolev, E. V. See Botvinkin, O. K.
- Sobolev, E. V.; Shcheglova, O. V.; and Orlov, D. I.
Strengthening of glass. 59-01358P

- Sobue, Hideo. See Banno, Hisao
- Soeda, Naohiko. See Nakazato, Yoshio
- Soga, Naohiro. See Hirao, Kazuyuki; Komatsu, T.
- Sohngen, Peter
Potter's notes on thermal expansion. 59-01020A
- Sokolov, A. I. See Strugach, L. S.
- Sokol, V. A.; Rukhlenko, D. A.; and Kononova, L. I.
Possible use of commercial ZnSe in the production of optical-grade ceramics. 59-02272A
- Sokolov, A. N. See Gavrilin, D. I.
- Sokolov, A. N.; Shurygina, I. V.; and Shmiti-Fogelievich, S. P.
Variable-composition mullite produced by induction melting in a cold crucible. 59-04459A
- Sokolov, V. A.; and Mirkina, L. V.
Evaluation of the particle-size distribution in raw materials for fused badeleyite-corundum refractories. 59-01384A
- Sokolov, V. A.; and Vilkov, A. F.
Wide selection and improved quality of acid-resistant ceramics. 59-00523A
- Sokolovskaya, E. M. See Zhdanov, T. S.
- Sokolovskii, B. M. See Evdokimov, A. A.
- Sokolowski, Mieczyslaw
Deposition of wurtzite-type boron nitride layers by reactive pulse plasma crystallization. 59-02958A
- Sol, Nicole; and Merenda, Pierre
Bridgman and Czochralski growth of β -phase $\text{Na}_2\text{V}_2\text{O}_7$. 59-04855A
- Soli, R. A.; and Soompan, H. H.
Evaluation of the Shamir-Greif method for measuring optical constants of thin films. 59-00188A
- Solin, S. A. See Nemanich, R. J.
- Solynskhina, T. N. See Malikov, A. I.
- Solomin, N. V.; Shchekotikhina, N. M.; and Verlotskii, A. A.
Electrically melted Al_2O_3 -based refractory (Betakor). 59-01382A
- Solomon, A. A.; and Hsu, F.
Swelling and gas release in ZnO . 59-04023A
- Solov'ev, N. P. See Kozlovskii, L. V.
- Soma, T.; Matsui, M.; and Oda, Isao
Applicability of crack propagation data to failure prediction in porcelain. 59-01461A
- Somiya, Shigeyuki. See Yoshimura, Masahiro
- Somiya, Shigeyuki; Hirano, Shinichi; and Ishizuka, Masatoshi
Decomposition of zircon by alumina: II. 59-02422A
- Somiya, Shigeyuki; and Kimura, Shusichi
Refractories in the People's Republic of China. 59-03567A
- Somiya, Shigeyuki; and Saito, Shiroku (Editors)
Factors in Densification and Sintering of Oxide and Nonoxide Ceramics. 59-01353B
- Somiya, Shigeyuki; Sudoh, Gichi; and Tanaka, Mitsuo
Reaction products of Si_3N_4 in ammonia solution at high temperature under high pressure. 59-03065A
- Somiya, Shigeyuki; Yoshimura, Masahiro; and Suzuki, Tomonobu
Hot isostatic pressing of Si_3N_4 with ZrSiO_4 or ZrO_2 and SiO_2 added. 59-04810A
- Somodi, Zsuzsanna
Influence of organic additives on wet pressing. 59-01471A
- Sonder, E. See Weeks, Robert A.
- Sondergeld, Carl H.; and Schreiber, Edward
Elasticity of hot-pressed MgO . 59-01822A
- Song, Chong-Tak. See Kondo, Renichi
- Song, H. S. See Park, K. H.
- Song, K. S. See Leung, C. H.
- Song, Tse-ung. See Han, Ki-Sung
- Soni, N. C.; and Moorthy, V. K.
Kinetics of sintering of uranium dioxide. 59-02747A; Sintering kinetics of flash heated UO_2 powders. 59-02751A
- Sonin, A. S. See Vasilevskaya, A. S.
- Sonntag, Pedro. See Reynen, Piet
- Soompan, H. H. See Soli, R. A.
- Supori, B. L.; Phillips, C. M.; and Chang, W. S. C.
Efficient optical waveguide coupler. 59-03279A
- Sordo, Bruno. See Costa, Bruno
- Sorensen, Darwin L.; Kneib, Walter A.; and Porcella, Daniel B.
Determination of sulfide in pyritic soils and minerals with a sulfide ion electrode. 59-01640A
- Sorochkin, M. A.; Lipkind, M. B.; and Shurov, A. F.
Periodicity in the hydration of portland cement, under nonequilibrium conditions, during changes in the pH value of the mortars. 59-02099A
- Sorokin, V. S. See Kuznetsov, V. V.
- Surrell, Charles A. See Urwongse, Ladawan
- Sotiriopoulos, J.; and Riolis, M.
Hall effect in electrically switched memory state of $\text{Te}_2\text{Ge}_2\text{As}_2$. 59-04566A
- Soules, T. F.
Molecular dynamic calculation of the structure of sodium silicate glasses. 59-00223A
- Soures, J. See Seka, W.
- Sovetova, L. K. See Pavlov, D. E.
- Sovetova, L. K.; and Cherepanov, B. S.
Glass for a foamed glass-ceramic material. 59-02328P
- Sowerby, M. G. See Haste, T. J.
- Spainhour, Carroll D. See Pack, U. C.
- Spallanzani, Marco
Porcelain ware in the collection of Cardinal Ferdinando de Medici. 59-01019A
- Spatz, R.; Lieser, K. H.; and Breitwieser, E.
Nondestructive X-ray fluorescence analysis of ceramics and glasses. 59-03803A
- Spear, Walter E. See Kalbitzer, Siegfried
- Speer, Kenneth
Ceramic ferrule. 59-02815P
- Spencer, D. R. F. See Peatfield, M.
- Spener, Gerhard. See Hrovat, Milan
- Speri, H.
Repair of BOF linings in the Soviet Union by flame spraying. 59-04444A
- Spennau, M.
Production and processing of quicklime in Riyadh, Saudi Arabia. 59-00064A
- Speronello, Barry K.
Beta alumina manufacture. 59-03836P
- Spierings, G. A. C. M.
Extraction of water from alkali germanosilicate glasses for optical fibers. 59-01162A; Optical absorption of transition metals in alkali lime germanosilicate glasses. 59-00226A
- Spillman, James Shadel
Commensurate and souvenir glassware. 59-02030A
- Spinici, Antoneta. See Glodanu, F.
- Spiridonov, E. G. See Gordon, V. G.
- Spiridonova, R. F. See Bondar, Yu. D.
- Spirina, N. A.; Budov, V. M.; and Dymov, A. T.
Glass [with B₂O₃ added for increased translucency and refractory resistance]. 59-02322P
- Spirina, N. A.; Budov, V. M.; and Katkova, K. S.
Glass based on blast furnace slag. 59-01298P
- Spivak, I. I. See Belikov, V. N.
- Splettstoser, Jaime, Jr. See Cortes, G. W. Kerr de P.
- Spriggs, Richard M. See Dutta, Sunil K.; Notis, Michael R.
- Springer, George S. See Loos, Alfred C.
- Springer, George S.; Mashitizadeh, Safer A.; and Keller, Robert B.
Electrical hazards posed by graphite fibers. 59-02866A
- Springthorpe, Anthony J.; and Dymont, John C.
Double heterostructure laser for direct coupling to an optical fiber. 59-00591P
- Sproule, Richard T. See Chirino, Agustin M.
- Spruling, J. Jeffrey
Glass-forming [multiple ply] apparatus. 59-04312P
- Srinivasan, R. See Krishnan, R. S.
- Srivastava, A.; and Chakravorty, D.
Glass fibers from blast furnace slag composition. 59-01174A
- Srivastava, K. K. See Kumar, Ashok
- Sruka, Jozef
Material engineering problems in the field of electronic detail production. 59-02666A
- Sroussi, Roland; Nicolas, Jean; and Claudon, Jacques
Dielectric and nonmagnetic ceramic for high frequency applications. 59-00589P
- Stacy, William T. See Franken, P. E. C.
- Stacy, William T.; Voermans, Antonius B.; and Logmans, Hans
Magnetic structure. 59-01565P
- Staedtler, Ludwig
Image formation on synthetic silicates and natural stone by means of intensive radiation. 59-01188A
- Stafford, Eugene C. (Editor)
Modern Industrial Ceramics. 59-01981B
- Stahl, R. See Porz, Franz
- Stalter, Thomas L.
Metal preparation requirements for "no-pickle, no-nickel" enamel systems. 59-00103A; See also Hoffmann, Hans; Hughes, Ernest W.
- Stalter, Thomas L.; Dickson, Douglas R.; and Nedeljkovic, Arsenije I.
Porcelain enamel powder coatings—a status report. 59-00113A
- Stamires, Dennis. See Alafandi, Hamid; Lim, John
- Stampa, Carlo; and Ranuzzi, Filippo
Environmental protection in the ceramic industry. 59-03123A
- Stanczak, John S. See Rao, G. R. Mohan
- Stanley, D. A. See Messelt, C. D.
- Stanton, P. L.; and Graham, R. A.
Shock-wave compression of lithium niobate from 2.4 to 44 GPa. 59-01905A
- Stapelbroek, M. See Evans, Bruce D.
- Starling, M. K. See Dessy, R. E.
- Starostin, N. V.; Ganin, V. A.; and Gerasysky, A. K.
Trivalent cerium in LaF₃ crystals. 59-04036A
- Starostina, G. A. See Kolobkov, V. P.
- Starovich, Yu. M. See Khromenkov, N. I.
- Starr, Eugene W. See Shields, George B.
- Startsev, Yu. K. See Mazurin, O. V.
- Stasevich, V. A. See Zinevich, V. G.
- Stasovskaya, V. V. See Anokhin, V. I.
- Stearns, Frederick S. See Glass, Howard L.
- Stecker, Paul G. (Editor)
New Dental Materials. 59-01982B
- Steel, Eric B. See Campbell, William J.
- Steele, A. Preston, Jr.
Soft and stiff extrusion—a comparison. 59-00394A
- Stefanov, St.
Ceramic glazes—state-of-the-art in Eastern Europe: I, The most important properties in the molten and solid condition. 59-03631A
- Stegeman, G. I. See Goruk, W. S.
- Stehle, Manfred; and Brueckner, Rolf
Simultaneous rheological and thermal analysis of glass fiber drawing: I, Solution of the coupled differential equations. 59-01239A; Simultaneous rheological and thermal analysis of glass fiber drawing: II, Numerical results and comparison with experiments. 59-01240A
- Stein, Christian. See Mazzuchelli, Michael
- Stein, H. J.; Wells, V. A.; and Hampy, R. E.
Properties of plasma-deposited silicon nitride. 59-01889A
- Stein, Hans Nikolaus. See Smii, Willem
- Stein, Joseph L.; Russell, George A., Jr.; and Morill, Gunther L.
Refractory compositions. 59-04503P
- Stein, R. C.
Refractory material. 59-03622P
- Steinberg, J.; and Lord, A. E., Jr.
Acoustic emissions generated at the glass transition in silicate glasses. 59-01102A
- Steinbois, E.
Experience with precalcining with due regard to substitute fuels. 59-02071A
- Stelitz, William R.; and Hibscher, Carl W.
Design considerations for all-electric glassmelters: I. 59-02219A
- Stendenbach, Karl-Heinz. See Scholz, Manfred
- Stentford, M. J. See Michell, D.
- Stepanek, Premek. See Baron, Dietmar
- Stepanov, S. A. See Skorsopelova, V. I.
- Stepanov, S. A.; Zarubina, T. V.; and Ignat'ev, E. G.
Interaction of iron and chromium ions in glasses. 59-01196A
- Stepanov, V. G. See Garifullina, R. T.
- Stepanov, V. G. See El'bert, E. L.
- Stephan, Patrick M. See Bansal, Ben
- Stephenson, J. B. See McDonald, H. O.
- Stephenson, R. F. See Brozel, M. R.
- Sterling, Henley F.; and Irven, John
Method of manufacturing a continuous optical preform. 59-03420P
- Stetter, Joseph R. See Helms, William R.
- Steuer, Walter; Rogl, Peter; and Nowotny, Hans
New borides with the NbCoB₂ structure. 59-00880A
- Stevens, James
Insulating for savings. 59-00100A
- Stevenson, J. R. See Wall, William E.
- Stevenson, John. See George, Raymond D.
- Stevenson, John L. See Dyott, Richard B.
- Stewart, R. L.; and Bradt, R. C.
Fracture of single crystal MgAl_2O_4 . 59-01832A
- Stewart, William J.
Coupling of optical glass fibers. 59-00289P
- Steyer, William A., Jr.
High specific heat superconducting composite. 59-01088P
- Stiedl, H.
Technique of multicolored enameling for hollow ware. 59-02175A
- Stignyak, V. A. See Sleptsov, V. M.
- Stinton, D. P.; Tiegis, See M.; and Lackey, W. J.
Rate-controlling factors in the carbothermic preparation of UO_2 - UC_2 -C microspheres. 59-00664A
- Stobbs, William Michael. See Matthews, John W.
- Stobbs, William Michael; and Smith, David John
High resolution imaging of amorphous materials. 59-03801A
- Stoehr, J.; Johannsson, L.; and Lindau, I.
Extended-X-ray-absorption-line-structure studies of low-Z atoms in solids and on surfaces—studies of Si_3N_4 , SiO_2 , and oxygen on Si(111). 59-02978A
- Stoen, Roger C.; and Root, Thomas F.
Structural clay products in China. 59-04388A
- Stoher, Guenter. See Krael, Guenter
- Stoilova, L. See Popov, M.
- Stojanovic, B. See Ristic, M. M.
- Stolen, R. H. See Ramaswamy, V.
- Stolen, R. H.; and Turner, E. H.
Faraday rotation in highly birefringent optical fibers. 59-04195A
- Stoll, Andrew J., III. See Uhlig, Albert R.
- Stolyarova, V. L. See Shul's, M. M.
- Storey, Clyde H. See Lemker, Richard S.
- Stork, Willem H. J. See Kouwenhoven, Herman W.
- Storozh, B. D. See Egorov, F. F.
- Stover, William A. See Chester, Arthur W.
- Stowell, Donald E. See Bendig, Larry L.
- Stowell, Donald E.; Jackson, R. Tom; and Bendig, Larry L.
Production of high strength alumina spheres by hydrogelling corresponding slurries. 59-03918P
- Strachan, Denis M.; and Schulz, Wallace W.
Characterization of pollicite as a material for long-term storage of cesium-137. 59-00642A
- Strackee, L. See Van der Meulen, A.
- Stram, George H.
Mobile refractory apparatus for repairing interior furnace walls. 59-04489P
- Strange, P. C.; and Bryant, A. H.
Role of aggregate in the fracture of concrete. 59-00070A
- Stratford, R. R.
Building reheat furnace doors of stacked ceramic fiber refractory. 59-04391A
- Strauch, Arnold
Experiences with chrome-nickel steels and nickel alloys for tooling in continuous furnaces. 59-02804A
- Streb, G. See Heinrich, Juergen
- Streit, Robert A.; and Lucovsky, G.
Ionicity effects on defects in chalcogenide alloys. 59-03300A
- Sirekoti, V. V. See Selyanin, P. A.
- Strelkov, V. V. See Fotiev, A. A.
- Strelou, K. K. See Gavrilin, D. I.
- Strelou, K. K.; Ivanova, A. V.; and Permkina, N. M.
Material for a sintered refractory material. 59-00462P

- Strelow, K. K.; and Mamyan, P. S. (Editors)
Refractories Technology (Tekhnologiya Ogneuporov), 3rd ed. 59-01998B
- Strelow, K. K.; Simonov, K. V.; and Bocharov, L. D.
Effect of porous filler grains on the physicochemical properties of magnesite refractories. 59-03520A
- Stribuk, P. V. See Viktorovich, Yu. I.
- Strie, Lothar See Scholz, Manfred
- Strobach, Carl G.
Glassing hot water tanks with cobalt-free materials. 59-02149A
- Strojn, Edwin J.; Friedl, Hans R.; and Wing, Milton S.
Catalyst for producing maleic anhydride. 59-04844P
- Strom, U. See Klein, Paul Barry
- Strom, U.; and Taylor, P. C.
Contact-free conductivity of layered materials: Na β -alumina. 59-00804A
- Strong, Herbert M.; Chrenko, Richard M.; and Tuft, Roy E.
Annealing synthetic diamond type Ib. 59-01752P
- Stroz, K. See Badurski, Marek
- Struble, Leslie; and Skalny, Jan
Review of the cement-aggregate bond. 59-04112A
- Struwa, T. M. See Kiselev, V. N.
- Strugach, L. S.; Sokolov, A. I.; and Kuz'menkov, M. I.
X-ray diffraction study of glass-forming Sr and Ba metaphosphates. 59-03356A
- Stukalina, K. A.; and Tarasova, T. I.
Glasses. 59-01492P
- Sturgill, D. T. See Nycz, J. A.
- Sturm, Joseph E.
Evaluation and comparison of peaches, pinks, and maroons for competitive color matching. 59-02582A
- Stypula, Andrzej
Influence of chemical treatment on the mechanical properties of glass. 59-01190A
- Su, K. C. See Hsieh, Chung Kuo
- Suarez, J. A.
Design and fabrication of stabilized organic matrix composites. 59-04802A
- Subbanna, Somanahalli N.; Morgan, Thomas R.; and Frick, Douglas G.
Method for production of alkali metal chromates from chrome ores. 59-00741P
- Subbarao, E. C. See Venkataramani, S.
- Subbochev, I. G. See Gaodu, A. N.
- Subrahmanyam, A. V.; Altekar, V. A.; and Narasimhan, M. D.
Alkali attack by molten salts on aluminosilicate refractory compositions: I. Preparation and properties of sintered refractory samples. 59-02408A
- Subramanian, R. Shankar See Weinberg, Michael C.
- Suchtel, C. T. G. See Castro, J. H. C.
- Sudakas, L. G.; Zozulya, R. A.; and Kokurkina, A. V.
Alkaline microstructure, and activity of industrial clinkers. 59-03167A
- Sudarkina, T. E. See Karaulov, A. G.
- Suder, Czeslaw See Baranski, Jozef
- Sudo, Shoji See Kawachi, Masao
- Sudo, Toshio; and Shimoda, Susumu (Editors)
Clays and Clay Minerals of Japan. (Developments in Sedimentology, 26.) 59-00963B
- Sudoh, Gichi See Somyia, Shigeyuki
- Suematsu, Yasuharu See Furuya, Kazuhiro
- Suen, W. M.; Wong, S. F.; and Young, K.
Lattice model of heat conduction in a composite material. 59-01735A
- Suey, Nancy Y.
Ribbon machine—a half century later. 59-03340A
- Suga, Shigeru
Testing apparatus for determining abrasion resistance of a surface. 59-03816P
- Sugama, Toshifumi; Kukaeka, L. E.; and Horn, W.
Hydrothermal stability of vinyl-type polymer concrete containing tricalcium silicate (C₃S). 59-01041A
- Suganuma, Tsuneo; Ishida, Koji; and Satoh, Shin
Method of producing optical fiber. 59-04357P
- Suganuma, Tsuneo; Toda, Gyozo; and Ishida, Koji
Optical fiber and method for producing it. 59-04362P
- Sugawara, Katsuro; Nakazawa, Yukiyo; and Itoh, Katsuhiko
Method for monitoring thickness of epitaxial growth layer on substrate. 59-04630P
- Sugawara, M. See Semba, Kimio
- Sugawara, Yasuyuki See Tateda, Mitsuhiro
- Suglietti, Robert M. See Estes, John H.
- Sugi, Kiyomasa See Kondo, Susumu
- Sugi, Kiyomasa; and Kondo, Susumu
Direct measurement of temperature dependence of lattice mismatches between LPE-grown Li(Nb,Ta)O₃ film and LiTaO₃ substrate. 59-04918A
- Sugimoto, Yoshiaki See Sawa, Yoshiko
- Sugimura, Takashi; Otsu, Hiroshi; and Yamaguchi, Hiroshi
Chemical composition, morphology, optical properties, and thermal change of bronze crystallized from 3NaF·AlF₃·TiO₂ melt. 59-03852A
- Sugita, Tadaaki; Suzuki, Kazuo
Interfacial reaction in the wear of MgO single crystals on a steel disk. 59-00978A
- Sugita, Tadaaki; Suzuki, Kazuo; and Kinoshita, Shigeji
Wear behavior of MgO single crystals on steel—wear characteristics. 59-00979A
- Sugita, Tadaaki; Suzuki, Kazuo; and Nakata, Yoshiyasu
Impact wear of MgO single crystals: I. Wear characteristics. 59-04964A; Impact wear of MgO single crystals: II. Impact and wear damage. 59-04965A
- Sugiyama, Toshifumi; Tanaka, Akira; and Sukegawa, Tokuzo
Low temperature growth of GaP LPE layers from indium solvent. 59-04572A
- Sugiyama, Kohzo See Motojima, Seiji
- Sugiyama, Kohzo; Mizuno, Hiroshi; and Motojima, Seiji
Single crystal growth of titanium carbide from the vapor by a modified hot wire method. 59-05048A
- Sugiyama, Nobuaki; Namekishi, Naoyuki; and Tamehiro, Tatsu
Gunning repair of RH degassing equipment. 59-03534A
- Suikovsky, N. G. See Kuznetsov, A. I.
- Suikovskaya, N. G.; Medvedeva, G. V.; and Lysenok, L. N.
Synthesis of electrical-insulating glass in the system B₂O₃-ZnO-BaO-SiO₂. 59-01257A
- Suito, Kaichi See Onodera, Akifumi
- Sukegawa, Tokuzo See Sugiyama, Toshifumi
- Sukharev, V. V. See Boricheva, V. N.
- Sukhorukov, V. I. See Erkin, L. I.
- Suleimenov, S. T. See Abduvaliev, T. A.
- Sultanov, T. I. See Nasibov, I. O.; Shafagatova, G. G.
- Sumarokov, V. N. See Murashko, R. E.
- Sumi, Masao See Onoda, Seichi
- Sumino, Koji; Harada, Hirofumi; and Yonenaga, Ichiro
Origin of the difference in the mechanical strengths of Czochralski-grown silicon and float-zone-grown silicon. 59-05003A
- Summers, G. P. See Draeger, B. G.
- Sumner, Barbara E.
Method for making epitaxial silicon crystals with uniform doping levels. 59-04628P
- Sun, Kuan H. See Goldstein, Norman P.
- Sun, T. S. See Mentrerie, D.
- Sunagawa, Ichiro; and Benneke, P.
Modes of vibrations in step trains—rhythmical bunching. 59-04994A
- Sundgren, J. E. See Nath, P.
- Suplinskas, R. See Wawner, F. E.
- Surat, L. L. See Fotiev, A. A.
- Surdanu, Tudor; Sirbu, Dolina; and Ardelean, Ioan
Dielectric characteristics of high-alumina clay bodies. 59-03671A
- Suresh, Dev D. See Brazil, James F.
- Surina, Z. A. See Kuznetsova, V. L.
- Sushko, R. V. See Vykhovats, A. F.
- Suskii, E. P. See Kundo, Yu. A.
- Sussman, Lynne
Changes in pearlware dinnerware, 1780-1830. 59-03158A
- Sutanto, D.
Operating experience with modern cement clinker production line with Pyroclon preheater. 59-00058A
- Sutton, Kenneth D.
Cold pickling now a reality at Kilgore. 59-02135A; Consistency increases sanitary ware production efficiency. 59-02577A; Decorated china firing time reduced 80%. 59-02578A; Ferrite production nearly doubles in new plant. 59-02647A; Ferrites for critical electronics. 59-02648A; Fresh design concept in dinnerware. 59-02587A; Full scale production planned from briquetted batch. 59-02242A; Growing with change. 59-02652A; Handcrafted glass lenses. 59-02255A; High speed automatic pickler produces cleaner metal. 59-02152A; Modern equipment the key to ceramic part production. 59-02670A; Northwestern [Glass] completes largest electric melting application. 59-02266A; World's largest porcelain enamel sign. 59-02178A
- Savareva, V. S.; Lysina, V. F.; and Timonina, G. P.
Glass. 59-01322P
- Savovor, S. A. See Goryacheva, Z. E.
- Savovor, S. A.; Kulakov, V. M.; and Kabanov, V. S.
Elastic refractory material. 59-02524P
- Sawa, Yoshiko; Sugimoto, Yoshiaki; and Naka, Shigeharu
Preparation of compounds in the system BaO-TiO₂ by coprecipitation from alkoxides. 59-03873A
- Suyama, Yoko See Tokunaga, Fumihiro
- Suzuki, Hideo; and Osami, Hiroshi
Effect of secondary coating technique of low-loss optical fibers on transmission loss. 59-01150A
- Suzuki, Hiroshige See Iseki, Takayoshi
- Suzuki, Hiroshige; and Hase, Teizo
Boron transport and change of lattice parameter during sintering of β -SiC. 59-02924A
- Suzuki, Hiroyuki
Refractory releasing agent. 59-02557P
- Suzuki, Hirosaki; Hayashi, Koji; and Terada, Osamu
Effects of carbide additions on the strength of TiC-Mo₂C-Ni(Co) alloys. 59-03524A
- Suzuki, Hirosaki; Hayashi, Koji; and Yamamoto, Tsutomu
Effects of a small amount of additional carbides on high-temperature strength of TiC-Mo₂C-Ni cermets. 59-03523A; High-temperature transverse-rupture strength of TiC-base cermets. 59-03539A
- Suzuki, Iao; and Kamazawa, Mineo
Anomalous thermal expansion in spinel MgAl₂O₄. 59-04878A
- Suzuki, Kazuo See Sugita, Tadaaki
- Suzuki, Kazutaka See Ito, Suketoshi
- Suzuki, Kenji See Misawa, M.
- Suzuki, Mikio See Hayashi, Hisato
- Suzuki, Minoru; Murakami, Toshiki; and Inamuro, Takahiro
Superconductivity in Ba_{1-x}Sr_xPb_{1-x}Bi_{1-x}O₃. 59-04021A
- Suzuki, Narishige See Miyai, Kozo
- Suzuki, Shigeo See Akaba, Noriyuki
- Suzuki, Tatsuro See Yamanaka, Shigeru
- Suzuki, Tomonobu See Somyia, Shigeyuki
- Suzuki, Yoshihiro See Aoki, Shigeaki
- Svec, J. J.
Capacitors from 0.10 ounce to 50 pounds. 59-02630A; Mansfield streamlines casting. 59-02590A; Potential of glass roof tile. 59-03475A
- Svejd, Heinrich
Oxidimetric determination of iron in silicate materials. 59-04732A
- Svensson, C. See Abrahams, S. C.
- Svensson, C.; Abrahams, S. C.; and Bernstein, J. L.
Levorotatory Bi₂GeO₅—remeasurement of the structure. 59-03005A
- Sventitskiy, A. S. See Nudelman, B. I.
- Swin, Michael V.
Microfracture about scratches in brittle solids. 59-03982A; Also see Hagan, J. T.
- Swamy, R. K. See Sampath, S.
- Swan, Davis; Clague, John J.; and Luternauer, John L.
Grain-size statistics: II. Evaluation of grouped moment measures. 59-03800A
- Swanson, Samuel E.
Effect of CO₂ on phase equilibria and crystal growth in the system KAlSi₃O₈-NaAlSi₃O₈-CaAl₂Si₂O₇-SiO₂-H₂O-CO₂ to 1000 bars. 59-01816A
- Swaroop, Robert B. See Bonar, John A.
- Swarenren, J. C. See Hasselman, D. P. H.
- Svenson, C. A. See Lyon, Keith Geoffrey
- Svenson, Ric
Inexpensive studio sink trap. 59-00509A
- Swiatek, Henry J.
Method for producing coated abrasives. 59-00009P
- Swiecki, Zbigniew See Zygadlo, Maria
- Swinkels, F. B.; and Ashby, M. F.
Role of surface redistribution in sintering by grain boundary transport. 59-05039A
- Sych, A. M.; and Garbuz, V. V.
Lead-containing titanate-ionomates of trivalent p- and d-elements of composition PbAl₂Ti₂Si₂O₁₂. 59-03977A
- Sylvester, Nicholas D. See Hotovy, John D.
- Symborski, Alex P.; Fulmer, Ray M.; and Thomas, David W.
Method and apparatus for forming and collecting discrete fibers and/or strands. 59-00333P; Method and apparatus for forming glass filaments. 59-03398P
- Symes, W. R.
Alumina fiber linings of furnaces. 59-03817A
- Syrtskaya, Z. M. See Zhukova, T. S.
- Syrkin, Ya. M. See Verich, E. D.
- Szabo, Attila; Schellen, Klaus; and Schulten, Zan
First passage time approach to diffusion controlled reactions. 59-04946A
- Szabo, Gabor
Blending bed prehomogenization technology in the cement industry. 59-04083A
- Szala, Lawrence E. See Lee, Minyoung
- Szalavitz, Miklos
Cementitious compositions. 59-04125P
- Sezura, Laszlo
Examination of autoclave-cured cement-quartz and cement-pulvic systems. 59-03185A
- Seiji, F.; and Bocsi, K.
Reduction of heat use of glassmelting tanks by structural changes and thermal insulation. 59-03338A
- Szymanski, Andrzej; and Bakon, Andrzej
Antioxidizing coating of diamond and the strengthening of ceramic grinding tools with a glass-ceramic layer as a part of the bonding material. 59-03149A
- Szymanski, Andrzej; and Szymanski, Janusz Mikolaj
Hardness investigation of minerals, rocks, and mineral industry products. 59-01646A
- Szymanski, Janusz Mikolaj
Cause of initial faulty castings from new plaster molds. 59-04098A; 59-04512A; Measurement of surface hardness of plaster molds. 59-02591A; See also Szymanski, Andrzej
- Tada, Naotsugu See Ninomiya, Hisato
- Tada, Shinsaku See Yoshida, Kazuo
- Tadano, Yosaburo See Arai, Hisao
- Tadzhiev, F. Kh. See Degiyar, E. P.
- Taft, Lisa F.
Ross C. Purdy Ceramic Museum plans announced. 59-00028A
- Tagunov, E. I. See Korkin, V. I.
- Taig'dina, E. P. See Tsibin, I. P.
- Talrov, Yu. M.; and Tsvetkov, V. F.
Kinetics and thermal considerations of silicon carbide epitaxial layer growth from the vapor phase. 59-04982A
- Talrov, Yu. M.; Tsvetkov, V. F.; and Lauche, J.
Oxidation of single crystals as a method for studying polypyrism. 59-00889A
- Tairova, M. Kh. See Irkakhodzhaeva, A. P.
- Tais'eva, V. A. See Turik, A. V.
- Takagi, Hiroyoshi; Machida, M.; and Ogiso, S.
Hydrostatic pressure vessel for laboratory use. 59-02767A
- Takagi, Miko See Akaba, Noriyuki
- Takaguchi, Kazunori See Asai, Kiyotsugu
- Takahashi, Hirokuni See Nishikawa, Yasuo
- Takahashi, Hiroshi See Chon, Min Che

- Takahashi, Junichi** See Kato, Eisuro
Takahashi, Katsuki See Miura, Yoshinari
Takahashi, Kazuhiko See Kamei, Shiro
Takahashi, Koji See Tanaka, Yoichi
Takahashi, Shiro See Shibata, Shuichi
Takahashi, Shiro; Shibata, Shuichi; and Yasu, M.
 Preparation of low loss multicomponent glass fiber. 59-0331A
Takahashi, Sumiko See Wakasa, Isao
Takahashi, Tadaaki; Danjo, Hiroyuki; and Mori, Masashi
 Dry vibration application process for blast furnace trough. 59-02425A
Takahashi, Taro See Weaver, J. Scott
Takama, Eizo
 Densification of manganese-zinc ferrites by hot isostatic pressing. 59-03669A
Takamori, Takeshi See Tomozawa, Minoru
Takamori, Takeshi; and Tomozawa, Minoru
 Morphology of creep fracture of phase-separated borosilicate glass. 59-01216A
Takanaga, Shigeyuki See Nishikawa, Yasuo
Takano, Mikito See Nakanishi, Norihiko
Takase, Mitsuhiro; and Sata, Toshiyuki
 Change in particle size and structure of amorphous aluminum hydroxide in vacuum decomposition process. 59-02930A
Takane, Nobuyuki See Yasuda, Eiichi
Takashima, Yoshimasa See Nishida, Tetsuaki
Takata, Mitsuhiro
 Densification of piezoelectric ceramics by hot isostatic pressing. 59-03670A
Takayama, Suguru See Adachi, Shichiro
Takeda, Kenzo See Granitzki, Karl-Ernst
Takeda, Ryuchiro See Ootani, Toshihiro
Takeda, Yasuo See Naka, Shigeharu
Takenaka, Susumu; Ishii, Hideo; and Katooka, Masao
 Artificial porcelain tooth manufacturing. 59-04538P
Takenaka, Tadashi; and Sakata, Koichiro
 Grain orientation and electrical properties of hot-pressed Bi,TiO₂ ceramics. 59-04564A
Takenouchi, T. See Hara, Sadao
Takeoka, Isamu See Nishida, Shinji
Takeoka, Kiyoshi See Yamaguchi, Osamu
Takeuchi, Hiroshi See Ito, Yukio
Takiguchi, Kiyoshi See Kato, Hajime; Kato, Hajime
Takita, Masanaki See Ishikawa, Masaru
Taktakishvili, D. C. See Verulashvili, R. D.
Takyu, Toshiyuki See Hashimoto, Mitsuo
Tallon, Roger W. See Fraess, Ronald G.
Tamari, Nobuyuki; and Kato, Akio
 Catalytic effects of various metals and refractory oxides on the growth of TiC whiskers by chemical vapor deposition. 59-02926A
Tamas, Ferenc See Horovitz, Janos
Tamehiro, Taizo See Sugiyama, Nobuaki
Tan, Joao Kenkiti; and Ferreira, Heber Carlos
 Influence of thermal cycling on permeability of mortars impermeabilized with montmorillonite clays. 59-01043A
Tanabashi, Isao
 Method for producing a ceramic honeycomb structure having no cracks. 59-00466P
Tanaka, Akira See Sugiyama, Toshifumi
Tanaka, Hidehiko See Inoue, Zenzaburo
Tanaka, Hiroshi See Yamamoto, Yoshihiro
Tanaka, Hiroshi; and Sakurai, Kenji
 Ceramic cutting tip. 59-04847P
Tanaka, Hiroshi; and Yamamoto, Yoshihiro
 Aluminum nitride sintered body coated with alumina. 59-04836P
Tanaka, Kazuhiko See Uwamino, Yoshinori
Tanaka, Keihachiro See Ohsato, Nobuyoshi
Tanaka, Kiyonki See Egami, Koji
Tanaka, Makoto See Moriya, Yoshiro
Tanaka, Masumi See Tohge, Noboru
Tanaka, Mitsuo See Soma, Shigeyuki
Tanaka, Shigeru See Tateda, Mitsuhiro
Tanaka, T. See Naruse, Y.
Tanaka, Tomoyuki; Okamura, Masahiro; and Shirasawa, Toshikatsu
 Method of simultaneously controlling the lifetimes and leakage currents in semiconductor devices by hot electron irradiation through passivating glass layers. 59-04640P
Tanaka, Toshiaki See Onoda, Seiichi
Tanaka, Yoichi; Tsuruta, Masamichi; and Takahashi, Koji
 Ferromagnetic piezoelectric ceramic composition. 59-01533P
Tanemura, Fumikazu; Nabeta, Tsuneyuki; and Honda, Toru
 Use of magnesia-carbon bricks for an electric arc furnace wall. 59-03581A
Tanenhaus, Ruth Amund
 Rookwood—Cincinnati art pottery. 59-04079A; Salt-glazed stoneware of North America. 59-00030A
Tangney, Sean See Hicks, James C.
Tangy, P.; and Haussonne, J. M.
 Nickel based cermets. 59-01741A
Tani, Mitoshi See Iwasa, Uichi
Tani, Toshiro See Hanaoka, Tamotsu
Tanai, Taiji See Nakamura, Yoshikazu
Tanikawa, Eiki See Kudo, Daiziro
Tanner, D. B. See Cummings, K. D.
Tao, Heng S.
 Indocement Group—Indonesia's fastest growing cement company. 59-02080A
Tapplin, Gillian See Davidge, R. W.
Taraseva, T. I. See Stukalina, K. A.
Tarantul, N. P. See Gal'perina, M. K.
Tarascon, J. M.; Elouarnes, J.; and Dordor, P.
 Magnetic and transport properties of pure and carbon-doped divalent RE hexaboride single crystals. 59-04988A
Tarasov, A. F.; Zotova, M. T.; and Kuznetsov, G. I.
 Use of fibrous materials for lining stack-annealing furnaces. 59-04457A
Tarasov, B. V. (Editor)
 Physics of Glass (Problemy Fiziki Stekla). 2nd rev. ed. 59-01989B; See also Artamonova, G. I.
Tarasov, B. V.; Kaplina, E. N.; and Artamonova, G. I.
 Glass. 59-01320P
Tarasova, L. K. See Prikhod'ko, G. L.
Tarcea, Walter H. See Lu, Kun-Er; Pierson, Joseph E.
Tariakov, Yu. P. See Pronkin, A. A.
Tarnavskii, A. P. See Danyushevskii, V. S.
Tarpinian, Arum See Burke, John J.
Tashiro, Masaharu See Sasaki, Yutaka
Tashiro, Megumi See Arioka, Masayuki; Ito, Setsuro
Tashiro, Takami See Fujimaru, Takatori
Tashker, E. M.; and Tsyanov, E. M.
 Peculiarities of impurity capture by quartz crystals in the process of modeling natural crystal formation. 59-05008A
Tatada, Mitsuhiro; Seikai, Shigeyuki; and Uchida, Naoya
 Frequency characteristics of graded-index fibers. 59-04199A
Tatarenko, L. N.; Protsenko, N. I.; and Popovkin, B. A.
 Increasing the ferroelectric phase transformation temperature of SbSI in the two-phase melt SbSI-Sb₂S₃. 59-02661A
Tate, Paul
 Future of coal in the clay industry. 59-00726A
Tateda, Mitsuhiro; Tanaka, Shigeru; and Sugawara, Yasuyuki
 Thermal characteristics of phase shift in jacketed optical fibers. 59-04265A
Tatsumi, Toshio; Otani, Tadashi; and Yamazi, Masami
 Ceramic trimmer capacitor. 59-02695P
Tauber, E. See Bowman, R.
Taubin, M. L. See Deryavko, I. I.
Taylor, Alwyn H.
 Stabilized glass-to-metal seals in lithium cell environments. 59-01599P
Taylor, D. See Norris, A. W.
Taylor, D.; Nijharan, K. K.; and Norris, A. W.
 Replacing bone ash in bone china. 59-01480A
Taylor, David Martin; and Mehdi, Q. H.
 Electron-beam-induced conduction in SiO₂ thin films. 59-04936A
Taylor, George W. See Burfoot, Jack C.
Taylor, H. F. W. See Gard, J. A.; Lachowski, Eric E.
Taylor, Lynn J. See Lenard, William M.
Taylor, M. G. See Parrott, L. J.
Taylor, Mark Peter
 Quasi-crystalline model for interpretation of radial distribution functions—theory and experimental confirmation. 59-02274A
Taylor, Mark Peter; and Brown, Gordon E., Jr.
 Structure of mineral glasses: II, SiO₂-NaAlSiO₃ join. 59-03348A
Taylor, P. B.
 Energy audit [of the] brick and refractory industries. 59-00383A
Taylor, P. C. See Strom, U. J.; Treacy, Donald J.
Taylor, William L. See Varshneya, Arun K.
Teegarden, K. J. See Owen, James Frederick
Teller, J. See Robertson, Daniel Stewart
Tellier, C.; Risse, M.; and Vouillemet, M.
 Water migration in a fine ceramic body during drying. 59-01484A
Temirkulov, T. T. See Vakhitov, A. A.
Temlik, Otakar; and Horak, Oldrich
 Instrument for measuring the level of cement in railroad tank cars. 59-02081A
Temple, Ralph E.; and Gooding, William T., Jr.
 Lightweight silicate aggregate. 59-04786P
Tendolkar, G. S. See Sebastian, K. V.
Teng, Pai
 Decorative art of pottery and porcelain in ancient China. 59-00017A
Tennison, D. G. See Karapetyan, G. O.
Teoreanu, Ion; and Ciocrea, Nicolae
 Influence of SiO₂ and Fe₂O₃ contents on high alumina cements. 59-03541A
Teplov, M. A. See Konov, I. S.
Terada, Kiyoshi See Ueda, Atsushi
Terada, Osamu See Suzuki, Hisashi
Terada, Ziro See Nitta, Tsuneharu
Terai, Ryohel See Kinoshita, Makoto
Terai, Ryohel; Hori, Masakatsu; and Yamanaka, Hiroshi
 Thermal conductivity of mixed-alkali glasses. 59-00267A
Teratani, Hironaga See Fujita, Toshio
Terenkova, E. M. See Kondakova, L. V.
Termon, V. B. See Popov, O. N.
Termer, Leslie L. See Noakes, Jack E.
Tertyshnikov, S. A. See Beskov, V. S.
Teshima, Yoshio See Kunibata, Kenji
Tetzner, A.
 Art enameling. 59-02022A
Teuchert, Karl
 Ceramic casting slips. 59-04513A
Tezlevan, V. E. See Merkulov, A. I.
Theisen, J. P.
 Algorithm simplified for forehearth control. 59-02201A; Evolution of glass forehearth temperature controls. 59-02240A
Theobald, G.; and Gagnepain, J. J.
 Frequency variations in quartz crystal resonators due to internal dissipation. 59-01518A
Thiagarajan, K.; and Moorthy, V. K.
 Sintering of barium titanate derived from BaTiO₃(C₂O₃)·4H₂O—correlation between powder characteristics, sintering, and dielectric properties. 59-02686A
Thiele, Dietrich
 Method and apparatus for encapsulating radioactively contaminated lumps or granular material in metal. 59-04693P
Thiele, Hartwig See Jacob, Siegfried
Thomas, David W. See Symborski, Alex P.
Thomas, G. Lee See Komoriya, G.
Thomas, Gareth See Krivanek, O. L.
Thomas, J. R., Jr. See Hasselman, D. P. H.; Singh, Jitendra P.
Thomas, John Meurig See Jefferson, David A.
Thomas, Mathew B.; Doremus, Robert H.; and Jarcho, Michael
 Dense hydroxylapatite—fatigue and fracture strength after various treatments, from diametral tests. 59-04913A
Thomas, Philippe G. J. See Bailly-Lacresse, J. F. G.
Thomassin, Jean Hugues See Regourd, Micheline
Thomassin, Jean Hugues; Scherrer, Stanislas; and Baillif, Patrick
 Behavior of aluminum during the interaction between water and glass—X-ray photoelectron spectroscopic, and secondary mass ion spectrometric data. 59-02205A
Thomassin, Jean Hugues; and Touray, Jean Claude
 Early stages of reaction between basaltic glass and water—X-ray photoelectron spectroscopy and scanning electron microscopy data. 59-02225A
Thomaz, M. F.; and Davies, Gordon
 Decay time of N₃ luminescence in natural diamond. 59-02949A
Thompson, Alan Bruce; and Wennemer, Mechthild
 Heat capacities and inversions in tridymite, cristobalite, and tridymite-cristobalite mixed phases. 59-01837A
Thompson, George H. B.; and Lovelace, David F.
 Fabrication of injection lasers utilizing epitaxial growth and selective diffusion. 59-04614P; Injection lasers. 59-00602P
Thompson, James M. See Haase, Jerome B.
Thompson, Philip; and Huitt, Jerry L.
 Bench-scale flotation of insoluble slimes from potash ore. 59-01700A
Thompson, Thomas K.
 Fluid flow apparatus in combination with glass fiber forming apparatus. 59-04291P; Fluid flow method and apparatus used in manufacture of glass fibers. 59-03380P
Thomson, Robb
 Theory of chemically assisted fracture: I, General reaction rate theory and thermodynamics. 59-05094A; See also Fuller, E. R., Jr.
Thorn, Gernot See Schiewe, Horst
Thorn, R. J. See Howng, Wei-Yean
Thornton, P. H.
 Energy absorption in composite structures. 59-02867A
Thorpe, G. See Waddington, J. S.
Thorpe, I. See Norris, A. W.
Thorselius, Rolf
 Use of Kanthal-Super elements in glass furnaces. 59-02300A
Thuenmiller, Fritz See Porz, Franz
Tichy, Jan See Bertagnoli, Emmerich
Tick, Paul A. See Araujo, Roger J.
Tidy, David C. See Bertenshaw, Barry W.
Tiefenbacher, Eberhard See Lohrmann, Walter
Tieghi, G.; and Forzatti, P.
 Crystal data for MnTeMoO₄, CoTeMoO₄, and ZnTeMoO₄. 59-02936A
Tiegs, Sue M. See Stinton, D. P.
Tien, Tseng-Ying See Gauckler, L. J.; Naik, I. K.; Tuohig, W. D.; Weiss, Johannes
Tighe, Nancy J. See Heuer, A. H.
Tikhomirov, Yu. N. See Kulikova, N. V.
Tikhonov, P. A. See Kravchinskaya, M. V.
Tiku, S. K.; and Kroeger, F. A.
 Effects of space charge, grain-boundary segregation, and mobility differences between grain boundary and bulk on the conductivity of polycrystalline Al₂O₃. 59-01820A; Energy levels of donor and acceptor dopants and electron and hole mobilities in α-Al₂O₃. 59-01825A
Til'kin, S. V. See Sergeeva, M. V.
Timan, Dirk A. See Bretts, Gerald R.
Timashev, V. V. See Gribkov, V. F.
Timashev, V. V.; Albats, B. S.; and Osokin, A. P.
 Sintering of silicate systems in the presence of liquid phase. 59-03076A
Timasheva, E. V. See Vlasov, A. S.
Timmerhaus, K. D.; and Barber, M. S. (Editors)
 High Pressure Science and Technology: Vol. 1, Physical Properties and Material Synthesis. (Proceedings of the 6th AIRAPT Conference, University of Colorado, July 25-29, 1977.) 59-00965B; High Pressure Science and Technology: Vol. 2, Applications and Mechanical Properties. (Proceedings of the 6th AIRAPT Conference, University of Colorado, July 25-29, 1977.) 59-00966B
Timmermans, W. See De Voight, D.
Timmer, Andreas See Lorenz, Wolfgang

- Timofeev, N. V.; Morozova, E. M.; and Mal'tsev, N. I.
Glaze for lining tiles. 59-02614P
- Timofeeva, N. V. See Maisashvili, N. G.
- Timonin, V. I. See Sirotnitskii, A. A.
- Timonina, G. P. See Suvareva, V. S.
- Timonov, A. S. See Orlova, G. M.
- Timossi, P.; Assandri, F.; and Maestrelli, G.
Production processes and control of sheet steel for vitreous enameling. 59-02170A
- Tindall, J. A.
Ceramics. 59-02574A
- Tipton, Barbara
Byron Temple (New Jersey studio potter). 59-00991A
- Titov, A. P. See Golubkov, V. V.
- Titova, S. P. See Yakhkind, A. K.
- Titz, Burkhard
Influence of particle distribution during casting of ceramic bodies. 59-02588A
- Tizhovka, Zh. S. See Bobkova, N. M.
- Tkachenko, E. V. See Neiman, A. Ya.
- Tkachenko, L. A. See Ruban, F. G.
- Tkachenko, V. F.; and Kogan, Yu. I.
Structural characteristics and mechanical properties of sintered Fe-B-C materials. 59-00775A
- Tkachenko, Yu. G.; Klimentov, V. N.; and Gorbatov, I. N.
Friction and wear of chromium-carbide-nickel alloys at temperatures of 20–1000°C. 59-00761A
- Tkachenko, Yu. G.; Ordan'yan, S. S.; and Yulyugin, V. K.
Composition dependence of the friction characteristics of Ti and Zr carboboride alloys in a wide temperature range. 59-00757A
- Tkacec, Emilija; and Bezjak, Aleksandar
New method of quantitative X-ray diffraction analysis of TiO₂-opacified enamel panels. 59-02161A
- Tobin, Adrian M. See Haase, Jerome B.
- Tochlikin, V. I.; D'yakonov, N. P.; and Uteshev, V. A.
Optical glass filter for the protection of eyes. 59-00354P
- Toda, Gyoze See Suganuma, Tsuneo
- Toda, Masaki See Wakabayashi, Kazutoshi
- Toda, Masumi See Iemura, Iwao
- Todd, Lee T., Jr.; and Badrinarayan, M. K.
Enhancement of coloration sensitivity of sodalite by vacuum annealing. 59-00186A
- Toenniskoetter, Richard H. See Gardikes, John J.
- Tolpe, Noboru; Minami, Tsutomu; and Tanaka, Masami
Electrical transport in *n*-type semiconducting Ge₂Bi₂Se₁₂-Te₂ glasses. 59-04190A
- Tohma, Teruo; Yoshino, Toshikazu; and Tsukagoshi, Tsunehiro
Surface hardening [of a substrate by diffusion] method. 59-03754P
- Tohmana, Yasuo See Ebata, Yoshihiro
- Toiseva, M. P. See Tyutikov, A. M.
- Tokuanga, Fumihito; Suyama, Yoko; and Kato, Akio
Zn ferrite powders produced by the flame-spraying technique—effects of reaction conditions on their properties. 59-03704A
- Toland, Donald A.; and Bruckner, Kenneth G.
New specialty steel for porcelain enameled bathtubs. 59-00105A
- Tolkachev, M. P.; Manevich, V. E.; and Reznikov, A. N.
Current planning in the production of windowpane glass. 59-00160A
- Tolkudorf, W. See Andlauer, B.
- Tolochko, V. S.; Vecher, A. A.; and Kononyuk, I. F.
Variation of the electrical resistivity of sintered materials of the Ni-Cr-alloy/magnesia system with temperature. 59-00779A
- Tolstoi, M. N. See Kangro, A.; Trukhin, A. N.
- Tomaja, David L.
Uranium oxide production. 59-00658P
- Tomandi, Gerhard
New method for calculating particle size distributions from chord and area distributions. 59-01654A
- Tomasetti, Charles M.; and McDermott, Arthur F.
Red sensitive photocathode having an aluminum oxide barrier layer. 59-00626P
- Tomas, Roberto; Trench de Freitas, Clauer; and Imakuma, Kengo
Sintering and formation of the solid solution (Th,UO₂). 59-04688A
- Tomie, Ernst A.
High-early-strength phosphate grouting system for use in anchoring a bolt in a hole. 59-01433P
- Tomilin, Yu. I. See Bykov, A. N.
- Tomita, Eiichi See Motoki, Hideo
- Tomizawa, Shiro See Yoneyama, Tetsuhito
- Tommasini, Giuseppe See Giachello, Angelo
- Tomova, El. See Ivanova, Ts.
- Tomozawa, Minoru See Kelly, J. E., III; Oka, Yoshio; Takamori, Takeshi
- Tomozawa, Minoru; and Doremus, Robert H. (Editors)
Treatise on Materials Science and Technology: Vol. 17, Glass II. 59-02009B
- Tomozawa, Minoru; and Takamori, Takeshi
Scattering study of microstructurally birefringent glasses. 59-02281A
- Tompas, Endre See Boehm, Jozsef
- Tonami, Hiroshi See Yamaguchi, Osamu
- Tongjorgi, Lian
Pisa depicted in the history of ceramics: III. 59-04075A; Pisa depicted in the history of ceramics: III. [continued] 59-04076A
- Toninato, T.; Cogoni, G.; and Gottardi, Vittorio
Density profile of small glass drops chilled from the liquid state and subsequently thermally treated. 59-01131A
- Toninato, T.; Salvagno, L.; and Scarinci, G.
Influence of surface condition of glass on microcracking by indentation. 59-02258A
- Topic, M.
Pyroelectric temperature analysis as a method for study of ferroelectric transitions in polycrystalline materials. 59-03057A
- Topor, N. D. See Kiseleva, I. A.
- Toporenskaya, T. A. See Varfolomeev, M. B.
- Topping, John A.; and Mayer, Peter
Method of forming corrosion-resistant glass-ceramic-to-metal seals. 59-03416P
- Topping, John A.; and Murthy, M. Krishna
Substitution of AlPO₄ for SiO₂ in synthetic cordierite, and in cordierite glass, and glass-ceramics. 59-03349A
- Torgashov, V. V. See Sazonov, A. I.
- Toril, Yukio; and Nakamura, Takao
Thermal shock resistant ceramic honeycomb structures. 59-02564P
- Tormala, Pertti See Rautavuori, Jorma K.
- Toropov, Yu. S.; Pilner, S. Yu.; and Rutman, D. S.
Multicomponent solid solutions based on ZrO₂. 59-02456A
- Tosaki, Hiromi See Ikegami, Akira
- Tosi, M. P. See Groul, P. J.
- Toth, Kalman
Manufacture, properties, and application of glass fiber mat. 59-04223A
- Toth, Kalman; and Varju, Gyula
Geologic conditions of pumice and possibilities of its use: II. 59-04778A
- Toth, L. E. See Lucas, J. P.
- Touborg, Jörn
Method of firing a rotary kiln and apparatus therefor. 59-03222P
- Tougaard, S.
Surface relaxation of zinc blende (110). 59-03092A
- Touray, Jean Claude See Thomassin, Jean Hugues
- Touze, Francois
Heat exchange devices for cooling the wall and refractory of a blast furnace. 59-04770P
- Towers, Russell S. See Hayati, Hossein
- Toyma, Minoru See Matsushita, Kazuo
- Toyota, Chuzo See Kinoshita, Makoto
- Tran Danh Cong See Moynihan, Cornelius T.
- Tranqui, D.; Shannon, R. D.; and Chen, H. Y.
Crystal structure of ordered Li₂SiO₄. 59-02944A
- Trantita, Gerald G.
Ceramics for fusion reactors—design methodology and analysis. 59-04675A; Design techniques for ceramics in fusion reactors. 59-03758A; See also Matheny, R. A.
- Trapp, Kenneth R. (Editor)
Ode to Nature: Flowers and Landscapes of the Rookwood Pottery, 1880–1940. 59-01984B
- Traub, Jules S. (Editor)
The Glass of Desire Christian—Ghost for Galle. 59-03148B
- Trautz, Volker See Mahnke, Harald
- Treacy, Donald J.; Taylor, P. C.; and Klein, Paul Barry
Photodarkening and photostructural effects in glassy As₂Se₃. 59-03328A
- Trefilov, V. I.; Borisenko, V. A.; and Gnesin, G. G.
Phase transitions in SiC under high pressure. 59-03048A
- Treilinger, Ludwig See Pink, Hans
- Trembath, Lowell T. See Cherry, Michael E.
- Trench de Freitas, Clauer See Paulin Filho, P. I.; Tomasi, Roberto
- Trench de Freitas, Clauer; and Correa Braga, F. J.
Refractory linings for bombs used to reduce UF₆ to uranium. 59-01400A
- Tressler, Richard E. See Bourne, William C.; Kotchick, David M.; McHenry, Kelly D.
- Treusch, Albert L., Jr.; and Bradl, R. C.
Panel spalling weight loss and R'' of fireclay refractories. 59-03557A
- Trevorrow, Thomas R.; Gagne, Robert; and Gulotta, Joseph A.
Method and apparatus for asymmetric cooling in a glass sheet forming chamber. 59-03396P
- Trickett, Elizabeth A. See McKinzie, Howard
- Triebel, Wolfgang; Hurl, Siegfried; and Koert, Hubert
Impact resistant safety glass panel. 59-04319P
- Trigg, M. B.; and McCartney, E. R.
Reactions in the system Si-Ti-O-N. 59-01895A
- Triki, Andre
Alumina, a method for its preparation, and said alumina as carrier containing catalysts. 59-01751P
- Tripathi, A. K.
Electrical transport in NdCrO₃. 59-03959A
- Tripathi, U. C.; Agrawal, G. N.; and Joshi, V. C.
Effect of additives on the physical properties of stearite bodies. 59-02965A
- Trishchenkov, A. A.; Ostrovskaya, E. A.; and Esakova, L. V.
Polishing paste, containing graphite, for Ni alloys. 59-02021P
- Trishkina, E. S. See Maslinskii, A. S.
- Trnkal, Ctirad
Mechanical and physical properties of agloporite and possible ways to modify them. 59-02087A
- Troczak, M. See Cavalier, J. P.
- Troemel, M.; Maetz, J.; and Muellner, M.
Crystal structure of Li₂PbO₄. 59-00809A
- Troitskii, V. V. (Editor)
Washing of Raw Materials (Promyivka Polcnykh Iskopaemykh). 59-02011B
- Trumson-Carl, Annie See Leroux, Mathieu
- Trout, Harry E.
Function and application of pyrometers. 59-04705A
- Trubach, N. A. See Gerasimovich, N. F.
- Truc-chi Thi Huynh See Lewis, David, III
- Trucano, P. See Chang, Tzuen-Shi
- Trufanov, A. G.; Briedis, V.; and Firsov, V. G.
Suspension for manufacturing ceramic investment-casting molds. 59-01459P
- Trukhin, A. N.; Boganov, A. G.; and Praulins, A.
Nature of the 396 and 280 nm luminescence centers in quartz glass. 59-01219A
- Trukhin, A. N.; Savel'ev, V. L.; and Tolstoi, M. N.
Photoelectric properties of Na silicate glasses in the fundamental absorption region. 59-02271A
- Trunin, A. S. See Gasanaliev, A. M.; Vasil'chenko, L. M.
- Trunin, A. S.; Gasanaliev, A. M.; and Shier, G. E.
System BaF₂/Cl₂/MoO₃. 59-04025A
- Trunov, V. K. See Evdokimov, A. A.
- Trunov, V. K.; Evdokimov, A. A.; and Rybakova, T. P.
Double tungstates and molybdates of Li and Na and the rare-earth elements with the scheelite structure. 59-03950A
- Trunov, V. K.; Velikodny, Ya. A.; and Makarevich, L. G.
System BaO-Nb₂O₅. 59-05069A
- Trusova, E. M. See Leonov, A. I.
- Tsai, Min H.
Gold alloys for fusion to porcelain. 59-03657P
- Tsai, R. L.; and Raj, R.
Role of grain-boundary sliding in fracture of hot-pressed Si₃N₄ at high temperatures. 59-05038A
- Tsanava, Ts. P. See Shushanashvili, A. I.
- Tsaneva, K.; and Boncheva-Mladenova, Z.
Vitreous phases in the system Se-S-As. 59-00277A
- Tsapuk, A. K.; Podobeda, L. G.; and Kovalevskii, N. N.
Oxidation of materials based on boron nitride. 59-00888A
- Tsarisani, M. A. See Kravchenko, L. D.
- Tsedrik, M. S.; Chobot, M. A.; and Savchuk, V. K.
Piezoelectric ceramic material. 59-00617P
- Tshekhomskii, V. A. See Dorofeeva, N. P.; Gracheva, L. V.
- Tseng, T. Y. See Roland, J. P.
- Tshiba, I. P. See Selyanin, P. A.; Shvartsman, M. Z.
- Tshin, I. P.; and Taigil'dina, E. P.
Resistance of refractories and concretes to carbon monoxide. 59-01403A
- Tshul'skaya, S. G. See Buzynkin, M. V.
- Tshuber, L. I. See Belov, N. V.
- Tshishkivili, M. P.
Glaze [with decreased firing temperature]. 59-02612P; See also Gaprindashvili, G. G.
- Tso, Stephen T.; and Pask, Joseph A.
Wetting and adherence of Na borate glass on gold. 59-00122A
- Tsuchinari, Akihiro See Nameishi, Naoyuki
- Tsujide, T.; Nojiri, M.; and Kitagawa, H.
Formation of silicon nitride compound layers by high-dose nitrogen implantation. 59-04806A
- Tsujino, Takeshi; Nishimura, Mitsuhiro; and Yamazaki, Kazunobu
Method for purifying plutonium hexafluoride. 59-01616P
- Tsukada, Toshihisa
Liquid phase epitaxy method of forming a filamentary laser device. 59-04619P
- Tsukagoshi, Tsunehiro See Tohma, Teruo
- Tsuru, Tatsuro See Chon, Min Che
- Tsurupa, V. K.; Pavlushkin, N. M.; and Popovich, N. V.
Modification of [glass-forming] processes during heating in the system Na₂O-CaO-SiO₂. 59-03316A
- Tsuruta, Masamichi See Tanaka, Yoichi
- Tsutsumi, Masayuki See Kijima, Tsuyoshi
- Tsvetlinskaya, N. E. See El'bert, E. T.
- Tsvetkov, V. F. See Tairor, Yu. M.
- Tsyganov, A. D. See Gorbachev, V. V.
- Tsyganov, E. M. See Tashker, E. M.
- Tsypl, N. V. See Bronshteyn, D. Kh.
- Tueck, Arnout
Factors influencing properties of lime. 59-02072A
- Tueck, L'ubomir See Richter, Stefan
- Tucker, M. O.; and White, R. J.
Release of unstable fission products from UO₂ during irradiation. 59-03770A
- Tudjarova, F. D. See Grancharov, I. N.
- Tudorovskaya, N. A.
Movement of currents during the homogenization of mixable viscous liquids. 59-00224A
- Tuft, Roy E. See Strong, Herbert M.
- Tugova, N. P. See Slododin, B. V.
- Tugucheva, I. Ya. See Kalinina, A. M.
- Tulinov, B. M. See Bartenev, G. M.; Tulinova, V. V.
- Tulinova, V. V.; Tulinov, B. M.; and Bartenev, G. M.
Distribution function of defects in plate glass. 59-02223A
- Tumelty, Paul F. See Dionne, Gerald F.
- Tung, Chi F.; and Laird, James A.
Ultrahigh-index glass microspheres and products made therefrom. 59-03456P

- Tunik, T. A.; Bezukladnikova, L. A.; and Grigor'ev, E. G.**
Fields of primary crystallization of phases in the system $\text{CaO-Nd}_2\text{O}_3\text{-WO}_3$. 59-04945A
- Tunik, T. M.**
Production of ceramic facing tiles at the Ryazan plant of acid-resistant bodies. 59-00515A
- Tseng, W. D.; and Tien, Tseng-Yung**
Subsolidus phase equilibria in the system $\text{ZrO}_2\text{-Y}_2\text{O}_3\text{-Al}_2\text{O}_3$. 59-05057A
- Turik, A. V.; Tais'eva, V. A.; and Raevskii, I. P.**
Dielectric properties of hot-pressed ceramic $(\text{K},\text{Na})\text{NbO}_3$. 59-02636A
- Turk, Gunter** See Achenbach, Karl
- Turk, Rudy**
Viewpoint—ceramics (1978). 59-01031A
- Turkdogan, E. T. (Editor)**
Physical Chemistry of High Temperature Technology. 59-05142B
- Turkina, E. Yu.; Kozhina, I. I.; and Orlova, G. M.**
System $\text{TiSe}_2\text{-GeSe}_2$. 59-05086A
- Turly, Alfred P.** See McCann, David H.
- Turner, A. P. L.** See Roubton, J. L.
- Turner, Clarence B.** See Shearer, John A.
- Turner, E. H.** See Stolen, R. H.
- Turner, Noel Hinton** See Ramaker, D. E.
- Turner, Thomas J.** See Williams, Richard Taylor
- Turov, Yu. V.** See Viktorovich, Yu. I.
- Tsuryanitsa, I. D.** See Kutsenko, Ya. P.; Migolinet, I. M.
- Tsuryanitsa, I. D.; and Kutsenko, Ya. P.**
Vitrification in the system $\text{SiO}_2\text{-X}$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$). 59-00278A
- Tuschek, E.** See Hiebel, Kurt
- Tutsek, Alexander** See Bartha, Peter
- Tver'yanovich, Yu. S.** See Ananichev, V. A.
- Tyagi, B. S.** See Bhaduri, S. K.
- Tyan, Yuan-Sheng**
Polycrystalline thin film CdS/CdTe photovoltaic cell. 59-04653P
- Tyko, Jozef K.**
Production of hydraulic cements and cement-forming materials. 59-04148P
- Tyumenova, N. A. (Editor)**
Inspection of Ceramic and Glass Wares According to Quality (Priemka Keramicheskikh i Steklyannykh Tovarov po Kachestvu). 59-04045B
- Tyutikov, A. M.; Lobanova, N. V.; and Tolseva, M. N.**
Relations between the emission properties of Pb silicate glasses and their composition and structure. 59-02278A
- Uchida, Masato** See Yonezawa, Toshio
- Uchida, Naoya** See Tadata, Mitsuhiko
- Uchida, Yozo** See Nishikawa, Tomozo
- Uchimura, Ryoji** See Kishidaka, Hisashi; Kumagai, Masato
- Uchimura, Ryoji; Kumagai, Masato; and Morimoto, Tadashi**
Testing method for spalling resistance of refractories and its application to Q-BOP refractories. 59-03576A
- Uchino, Kenji** See Kuwata, Jun
- Uchino, Kenji; Nomura, Shoichiro; and Cross, Leslie E.**
Electrostrictive effect in lead magnesium niobate single crystals. 59-04937A
- Udagawa, S.; Urabe, K.; and Natsume, M.**
Refinement of the crystal structure of $\gamma\text{-Ca}_2\text{SiO}_5$. 59-04111A
- Udakov, Yu. P.; Appen, Z. S.; and Parshina, V. V.**
System $\text{CaO-Y}_2\text{O}_3\text{-Al}_2\text{O}_3$. 59-05071A
- Ueda, Atsushi; Shimizu, Satoshi; and Terada, Kiyoshi**
Kinetic study of the reaction between lime and gases. 59-02084A
- Ueda, Fumihiko** See Fujiwara, Yoshio
- Ueda, Hiroshi**
Liner [stagger joint] in grinding mill. 59-03790P
- Ueda, Yoshihiko** See Fukuda, Yoshiharu
- Uekura, Akira; and Nakane, Hisashi**
Apparatus for the treatment of a wafer by plasma reaction. 59-04598P
- Uelitz, Herbert F. G.; Dashineu, Melvin A.; and Pino, James J.**
Fused alumina-zirconia abrasive material formed by an immersion process. 59-03155P
- Uematsu, Keizo** See Kuroda, Koji; Shinozaki, Kazuo
- Ueno, Seiichi** See Monma, Hideki
- Ueno, Takuya**
Artificial spinel. 59-03496A
- Ueno, Tsutomu** See Ebata, Yoshihiro
- Uetsuki, Tsuneo** See Ebata, Yoshihiro
- Ugajin, Mitsuhiko; Shiratori, T.; and Shiba, Koreyuki**
Chemical form of the solid fission products in $(\text{Th},\text{U})\text{O}_2$ simulating high burnup. 59-03757A
- Uher, Joseph F.; and Loane, Charles M., Jr.**
Effect of rate of temperature change on stress in porcelain enamel. 59-02140A
- Uhlig, Albert R.; and Stoll, Andrew J., III**
Method for blow molding hollow article with integrally bonded attachment. 59-04335P
- Uhlmann, Donald R.** See Weinberg, Michael C.
- Uhlmann, Donald R.; and Kreidl, Norbert J. (Editors)**
Elasticity and Strength in Glasses. 59-05133B
- Ukhova, M. S.** See Novikova, M. N.
- Ullner, Christian; Wagner, Gerhard; and Haehnert, Manfred**
Assured strength of ion-exchanged glasses. 59-01107A
- Ullmer, James A.**
Remodeling lehrs for fuel savings. 59-03339A
- Umehayashi, Seiki; Kobayashi, Kazuo; and Morimizu, Huzumi**
Heat loss in the reaction between siliceous sand and Al in N₂ in the presence of carbon on the route of gas flow. 59-03885A
- Umeda, Saburo** See Matsunaga, Takehiko
- Umegaki, Takao; and Kanazawa, Takafumi**
Phosphate bonding of magnesia materials. 59-02102A
- Upreti, M. C.** See Borthakur, P. C.
- Urabe, K.** See Udagawa, S.
- Urban, Heinz** See Aschoff, Hermann
- Ursic, Joze** See Barbic, Leon
- Ursovskaya, L. N.** See Galant, V. E.; Polukhin, V. N.
- Urwongse, Ladawan; and Sorrell, Charles A.**
Phase relations in magnesium oxysulfate cements. 59-04105A; System $\text{MgO-MgCl}_2\text{-H}_2\text{O}$ at 23°C. 59-04118A
- Uryumov, V. Ya.; Verbitskaya, A. V.; and Kharchenko, V. M.**
Ceramic flux containing fluorite, ferrochromium, graphite, and ferro titanium. 59-01073P
- Usatkov, I. F.; Kravchenko, V. P.; and Baranova, S. V.**
Charge for manufacturing Dinas refractory bricks. 59-00440P
- Usatkov, I. F.; Mikhailova, K. A.; and Pitak, N. V.**
Composition containing high-alumina materials for the manufacture of refractory articles. 59-02521P
- Ushakov, D. F.** See Ioffe, V. Ya.
- Ushakova, L. K.** See Mel'nik, M. T.
- Ushijima, Kiyoto**
Continuous casting of steel and its refractories. 59-04397A
- Ustalova, O. N.** See Rykova, G. A.
- Ustikov, I. F.; Kravchenko, V. P.; and Verba, L. I.**
Refractory articles. 59-01447P
- Ust'yanov, V. B.; Kuz'movich, V. V.; and Lobanov, B. V.**
Rapid method for determining some drying and firing characteristics of structural ceramics. 59-02400A
- Ust'yantsev, V. M.** See Simonov, K. V.
- Usvitskii, M. B.**
Computer-aided calculation of the batch composition in glassmelting. 59-00152A
- Usvitskii, M. B.; Beda, L. L.; and Markelov, Yu. N.**
Statistical analysis of the distribution of defects in plate glass and an outfit for the automatic control of defects. 59-00258A
- Uteshev, V. A.** See Tochilkin, V. I.
- Utkov, V. A.** See Smogunov, N. S.
- Utsugi, Yasushi; and Mizushima, Yoshihiko**
Photostructural change in the Urbach tail in chalcogenide glasses. 59-04236A
- Uvarov, R. V.** See Malkov, B. A.
- Uwamino, Yoshinori; Tanaka, Kazuhiko; and Ishihara, Yutaka**
Flocculation of clay suspension by line mixing. 59-02583A
- Vaas, J. P.**
Development and modernization of the Zahana cement works, Algeria. 59-00043A
- Vaccari, John A.**
Using materials to muffle noise. 59-00272A
- Vadia, Jostein J.; and Wilder, Harold J.**
Electrolytic cell bottom barrier formed from expanded graphite. 59-02525P
- Vaher, Eo** See Kestigan, Michael
- Vail, John M.; and Harker, A. H.**
Theory of F_A -center optical absorption in alkali halides—symmetry-adapted wave functions. 59-03099A
- Vainberg, A. M.** See Beskov, V. S.
- Vaitkus, J.; and Jurasiuskas, K.**
Properties and possible uses of light-induced diffraction gratings in semiconductors. 59-02681A
- Vaivads, J.** See Lagzdina, S.
- Vaivads, J.; Lagzdina, S.; and Sedmalis, U.**
Effect of SiO_2 on the crystallization of vitreous Ba metaphosphate. 59-00169A
- Vaivads, P.; Voronov, V. V.; and Ivleva, L. I.**
Dielectric and electrooptical properties of $\text{Ba}_{1-x}\text{Sr}_x\text{Nb}_2\text{O}_6$ ferroelectric doped with Y, La, Tm. 59-00823A
- Vajpei, A. C.** See Saraswat, I. P.
- Vakhitov, A. A.; Puzhanov, G. T.; and Temirkulov, T. T.**
Black glaze. 59-02606P
- Vakhrameev, V. I.**
Glass for insulated cast microwires. 59-02329P; See also Burkov, V. I.; Khalilov, V. D.
- Vakhyla, Ya. I.** See Yashchinskii, I. N.
- Val'dman, O. A.** See Borisov, V. G.
- Valencia, Flavio A.** See Newkirk, Lawrence R.
- Valentine, T. J.**
Tool surface analysis with the SEM. 59-02014A
- Valle, F. J.** See Rincon, J. M.
- Valore, Rudolph C.**
Methods of preparing iron oxide mortars or cements with admixtures and the resulting products. 59-03223P
- Van Bokland, P. H. G. M.; and Overbeek, J. T. G.**
Dispersion forces between objects of fused silica. 59-03269A
- Van Cangel, L.** See Debras, G.
- Van Doveren, H.** See Gossink, Robert G.
- Van Erk, W.**
Solubility model for rare-earth iron garnets in a $\text{PbO/B}_2\text{O}_3$ solution. 59-05049A
- Van Laethem, Robert; Leclercq, Robert; and Capouillet, Phileas**
Metal compound coating on a face of a continuously longitudinally moving glass ribbon and apparatus for use in forming such coating. 59-03395P
- Van Langeveld, A. D.; Van der Gaast, S. J.; and Elmsa, D.**
Comparison of the effectiveness of eight methods for the removal of organic matter from clay. 59-01702A
- Van Mierlo, Jo K.**
Modern method for the fabrication of electrical porcelain. 59-03647A
- Van Patten, Joan**
Rediscovering Nippon porcelain. 59-01021A
- Van Tienen, A. J. M.** See Morelissen, H. W.
- Van Ulteri, L. G.**
Relations between melting point, glass transition temperature, and thermal expansion for inorganic crystals and glasses. 59-04251A; See also Grodkiewicz, William H.; O'Bryan, H. M., Jr.
- Van Vlack, Lawrence H. (Editor)**
Elements of Materials Science and Engineering. 4th ed. 59-01957B; See also Leung, Chi-Hung
- Van de Poll, H. W.** See McMullin, B. R.
- Van de Spijker, W. H. M.** See Konijnendijk, W. L.
- Van den Boom, H.** See Verweij, Henk
- Van den Boom, P. F. J.; and Seuter, A. M. J. H.**
Luminescent bivalent europium-activated barium borophosphate and discharge lamp containing it. 59-02342P
- Van der Beck, Roland R.; and Chapman, James W.**
Sight glass assembly and method [glass seal] for its production. 59-00370P
- Van der Gaast, S. J.** See Van Langeveld, A. D.
- Van der Kruijs, F. N. G. R.** See Boonstra, Alexander H.
- Van der Linden, W. H.** See Arends, J.
- Van der Meulen, A.; and Strackee, L.**
Accurate determination of fiber radii in the hypermicrometer range by multiwavelength laser light scattering. 59-01100A
- Van der Velden, A.; and Kreijger, P. J.**
Basic oxygen steel improvement program achieves objectives. 59-004043A
- Van Oosterwyck-Gastuche, M. C.** See La Iglesia, A.
- Van Oosterwyck-Gastuche, M. C.; and La Iglesia, A.**
Kaolinite synthesis: II. Review and discussion of the factors influencing the rate process. 59-01857A
- Vancouwenbergh, G. R.**
Method for expanding perlite. 59-02854P
- Vanyushin, A. V.; Levenfeld, G. Yu.; and Petrov, V. A.**
Spectral absorption coefficient of KV and KSG quartz glasses at temperatures 1300–1700 K in the spectral region 0.25–1.25 μm . 59-01245A
- Varazashvili, L. V.** See Shushanashvili, A. I.
- Vardelle, M.** See Besson, J. L.
- Varela, Jose Arana** See Whittemore, O. J., Jr.
- Varfolomeev, M. B.; Toporenskaya, T. A.; and Narnov, B. A.**
Synthesis and properties of lanthanum antimonate, LaSbO_3 . 59-04024A
- Vargas, J. I.** See Siqueira, M. A. A.
- Vargin, V. V.; Pekerman, F. M.; and Khodikel, E. P.**
Primary enamel especially suited for capacitors with electroluminescent layers. 59-00620P
- Varju, Gyula** See Juhasz, Zoltan; Toth, Kalman
- Varker, Charles J.** See Liaw, H. Ming
- Varlamov, V. P.** See Ivashchenko, P. A.
- Varma, B. P.** See Ghosh, C.
- Varshavskaya, I. G.** See Fedoseev, D. V.
- Varshavskii, T. P.** See Erkin, L. I.
- Varshneya, Arun K.**
Comment on "Least-squares analysis of the thick-film solution to the diffusion equation." 59-00799A; Set point of glass in glass-to-metal sealing. 59-02282A
- Varshneya, Arun K.; and Taylor, William L.**
Alumina, calcia, baria, strontia sealing composition and article of manufacture. 59-03358P
- Varzhenevskii, N. S.; Mel'iser, P. A.; and Belkina, M. M.**
 TiO_2 -based semiconductor ceramic for the manufacture of moisture sensors. 59-02742P
- Vasil'chenko, L. M.; and Trunin, A. S.**
Investigation of the quaternary reciprocal system $\text{Na}_2\text{K}_2\text{F}_2\text{Cl}_2\text{WO}_6$ by conversion and projection-thermographic methods. 59-04977A
- Vasil'ev, A. I.** See Lisenkov, A. A.
- Vasil'ev, L. N.** See Archakov, Yu. I.; Nasredinov, F. S.
- Vasil'ev, V. S.; Pinaeva, M. M.; and Shkirman, S. F.**
Subsolidus phase equilibria in the system $\text{Y}_2\text{O}_3\text{-Ta}_2\text{O}_5$. 59-04020A
- Vasil'eva, I. A.; and Maiorova, A. F.**
Thermodynamic properties of the oxides of Pr, Ce, and Tb at high temperatures. 59-04033A
- Vasil'eva, L. E.** See Mel'nikova, I. G.
- Vasilevskaya, A. S.; Grodnenskii, I. M.; and Sonin, A. S.**
Controlled light scattering in transparent polycrystalline ferroelectrics. 59-00547A
- Vasilevska, T. N.** See Golubkov, V. V.
- Vasilevska, T. N.; Golubkov, V. V.; and Porai-Koshits, E. A.**
Liquation and submicroheterogeneous structure in glasses of the system $\text{B}_2\text{O}_3\text{-SiO}_2$. 59-04218A
- Vasiliuskauskas, V.; Selazner, M. E.; and Litvinov, A. P.**
Mineral wool. 59-04488P
- Vasilik, G. Yu.** See Kishko, B. S.
- Vasilos, Thomas**
Method for manufacture of a substantially mechanically isotropic ceramic composite structure. 59-00132P

- Vasina, N. A. See Posypaiko, V. I.
- Vasina, N. A.; Lyzhina, I. D.; and Posypaiko, V. I.
Prediction of crystallization surfaces of ternary systems by the matrix method. 59-03999A
- Vas'kovskii, V. O.; Kandaurova, G. S.; and Balbashov, A. M.
Oblique cylindrical domains in YFeO₃ crystals. 59-00882A
- Vasserman, A. A.; and Kreizemva, A. Ya.
Optimization of the number of coefficients in the equation of state. 59-01878A
- Vasyutinskii, N. A.
Reaction of Cr₂O₃ with Ti, TiO₂, and Ti₂O₃. 59-03063A
- Vaughan, David E. W. See Edwards, Grant C.
- Vaux, Walter G. See Yang, Wen-Ching
- Vecher, A. A. See Tolochko, S. P.
- Ved, V. E.; Pronenko, S. I.; and Gusev, Yu. A.
Heat-resistant coating for metals. 59-01086P
- Vedishcheva, N. M. See Bobrov, V. S.
- Veerabhadra Rao, K. See Dakshinamurti, P.
- Veledinskaya, M. A. See Rozhanskii, V. N.
- Veleva, M.
Problems in the production of heat-insulating facing tiles from foamed glass. 59-02273A
- Velikodnyi, Yu. A. See Trunov, V. K.
- Vel'sovskaya, E. S.
Increasing the quality of acid-resistant bodies in the Shekchinsk "Kislotoupor" plant. 59-00508A
- Veltri, Richard D. See Galasso, Francis S.
- Venable, William H., Jr.; and Eckert, Kenneth L.
Didymum glass filters for calibrating the wavelength scale of spectrophotometers—SRM 2009, 2010, 2013, and 2014. 59-00691A
- Vendil, Alfred
Crystal structure of the complex nitride NbMoN₃ for x ≤ 0.1. 59-00812A
- Venetsvet, Yu. N. See Belous, A. G.
- Venkataramani, N. See Multani, M. S.
- Venkataramani, S.; and Biggers, James V.
Reactivity of zirconia in calcining of lead zirconate-lead titanate compositions prepared from mixed oxides. 59-01530A
- Venkataramani, S.; and Subbarao, E. C.
Sintered mullite from china clay-alumina mixtures. 59-03074A
- Venkatarao, A. B. See Dakshinamurti, P.
- Venkateswaran, A. See Chakravorty, D.
- Vennik, J. See De Brouckere, L.
- Venturi, V.
Composita majolica and its practical applications. 59-02576A
- Verba, L. I. See Usikov, I. F.
- Vershinskaya, A. A. See Uryumov, V. Ya.
- Vershchagin, V. I.; Romanov, B. P.; and Konovakova, Z. S.
BeO- or SrO-containing charge for the production of diopside ceramics. 59-01285P
- Verhoeven, J. A. T. See Gossink, Robert G.
- Verich, E. D.; Syrkina, Ya. M.; and Bernshtein, V. L.
Process control of initial raw-material preparation at the Navolinsk plant. 59-03199A
- Vering, Antonius See Wurr, Juergen
- Verrita, M. See Hreglich, S.
- Verlijsdonk, J. G. See Konijnendijk, W. L.
- Vetrovskii, A. A. See Solomin, N. V.
- Vermilyea, David A. See Huggins, Robert A.
- Vernaz, E.; and Larche, F.
Effect of a microheterogeneous structure on the fracture toughness of glasses. 59-02226A
- Veronelli, Dante J. E.
Durability of concrete—aggregate-alkali reaction. 59-03177A
- Verspul, Gerrit See Knippenberg, Wilhelmus F.
- Verushchill, R. D.; Butskhridze, G. V.; and Taktakishvili, D. C.
Sintered glass for manufacturing synthetic stone-like castings. 59-02377P
- Verushchill, R. D.; Gabuniya, N. V.; and Kharishvili, L. S.
Glass for glass fibers. 59-01305P
- Verushchill, R. D.; Kharishvili, L. S.; and Dzakhva, N. G.
Glass [red with black streaks]. 59-02321P
- Verweij, Henk
Raman study of the reactions in a glass-forming mixture with molar composition: 30K₂CO₃-70SiO₂-1As₂O₃. 59-00248A
- Verweij, Henk; Van den Boom, H.; and Breemer, R. E.
Raman study of the reactions in a 30K₂CO₃-70SiO₂-1As₂O₃ glass-forming batch. 59-0335A
- Verweij, J. F. See Hillen, M. W.
- Vervorn, Otto
Basic refractories in glass tank furnaces. 59-01372A
- Vest, Robert W. See Willard, J. P.
- Veyssiere, P.; Rabier, J.; and Caren, H.
Transmission electron microscope observation of the [001] <110> glide system in spinel nickel ferrite at room temperature. 59-00947A
- Vezralini, Giovanna See Alberti, Antonio
- Vezzoli, Gary C.
Recovery curve for threshold-switching NbO₃. 59-01897A; Sustaining and decaying of the on state of niobium dioxide. 59-03093A
- Vich, Milan See Novotny, Vladimir
- Vidal, Jean Pierre See Vidal-Valat, Genevieve
- Vidal-Valat, Genevieve, Vidal, Jean Pierre; and Zeyen, Claude M. E.
Neutron diffraction study of magnesium fluoride single crystals. 59-00878A
- Viechnicki, Dennis See Caslavsky, Jaroslav L.
- Viechnicki, Dennis; and Caslavsky, Jaroslav L.
Solid-state formation of Nd:YAlO₃ (Nd:YAG). 59-00774A
- Vierling, Hermann See Ochorodnik, Alexander
- Viktorovich, Yu. I.; Turov, Yu. V.; and Stribuk, P. V.
Polishing composition for glass. 59-01347P
- Vil'k, Yu. N.
Character of microhardness variation in the homogeneity field of titanium carbonitride. 59-00795A
- Vilkov, A. F. See Sokolov, V. A.
- Villani, F. (Editor)
Rare Earth Technology and Applications. 59-01997B
- Villard, Michel See De Panafieu, Arnaud
- Vinarskii, V. L. See Shcheglova, M. D.
- Vincent, M. G.; and Jeffery, J. W.
Relation between the structures proposed for parawollastonite, β-CaO-SiO₂. 59-03069A
- Vincenzini, P. (Editor)
Energy and Ceramics. (Materials Science Monographs, Vol. 6.) Proceedings—4th International Meeting on Modern Ceramics Technologies (CIMTEC), Saint-Vincent, Italy, May 28-31, 1979. 59-01958B
- Vinnik, A. Ya. (Editor)
Slavyansk Ceramic Combine (Slavyanskii Keramicheskii Kombinat). 59-02002B
- Vinogradova, G. S. See Dembovskii, S. A.
- Vinogradova, G. Z.; and Maisashvili, N. G.
Glass formation regions in phosphorus-containing chalcogenide systems. 59-03293A; Phase equilibria in the system Ge-P-S in the glass formation region. 59-03992A
- Vinogradovich, V. N. See Belov, V. V.
- Virgoe, J. M.
Glass. 59-02254A
- Virkar, Anil V.
Electrical-mechanical analog applied to crack growth in glass-glass-ceramic composites. 59-01158A
- Virkar, Anil V.; and Viswanathan, L.
Sodium penetration in rapid ion conductors. 59-00574A
- Virkar, Anil V.; Viswanathan, L.; and Biswas, Dipak R.
Deterioration of β'-alumina ceramics under electrolytic conditions. 59-02960A
- Virta, Robert L. See Campbell, William J.
- Vishnevskii, I. I. See Aksel'rod, E. I.
- Vishnyakov, A. V. See Dvoretzky, G. A.
- Visoczek, R. See Bourgoign, Jacques C.
- Visser, J. W.; Johnson, G. G., Jr.; and Ruh, Robert
Reply to "Comment on the structures of Ce₂Si₂O₇N₂, La₂Si₂O₇N₂, "CeO₂·2Si₃N₄, and "La₂O₃·2Si₃N₄." 59-00914A
- Visser, Wiekert; and Koster van Groos, A. F.
Effects of P₂O₅ and TiO₂ on liquid-liquid equilibria in the system K₂O-FeO-Al₂O₃-SiO₂. 59-04929A
- Viswanadham, Puligandla See Hageman, Lynn Robert
- Viswanathan, L. See Virkar, Anil V.
- Vitalis, Gyorgy See Hegyi-Pako, Julia
- Vite, Lutz See Pink, Hans
- Vitina, I. See Lagzdons, J.
- Vitina, I.; Sedmalis, U.; and Igaune, S. A.
Decrease in the crystallization capacity of glasses in the system LiPO₂-Al₂(PO₃)₃-R₂PO₃. 59-00161A
- Vitol, I. K. See Kangro, A.
- Vitsenya, M. M.
Refractory material for lining thermal units. 59-01450P
- Vittadini, Giovanni
Seger cones in firing tests. 59-02793A
- Vittel, Claude (Editor)
Ceramic (Bodies and Glass-Ceramics) (Ceramica [Pastas y Vidriados]). 59-01944B
- Vivian, H. E.
Experimental results on a new high efficiency mill—the slant mill. 59-02762A
- Vladimirov, V. I.; and Gorobei, N. N.
Role of relaxation processes in the structural breakdown of glasses. 59-00254A
- Vlasenko, I. S. See Bargaev, N. V.
- Vlasov, A. S.; Timasheva, E. V.; and Kulenko, E. N.
Effect of the addition of ZrC on the electrical resistance of Y₂O₃-stabilized ZrO₂ ceramics. 59-03521A
- Vlasov, K. P. See Andrievskii, R. A.
- Vlasiuk, T. (Editor)
Polycrystalline Extremely Hard [Abrasive] Materials. (Polikristallicheskie Vysokotverdye [Abrasive] Materialy). 59-01992B
- Voelkenle, Horst See Baumgartner, Oswald; Plattner, Edmund
- Voermans, Antonius B. See Stacy, William T.
- Voerodina, B. N. See Gavrilch, D. I.
- Vogt, Georg See Schwetz, Karl A.
- Volgi, B.
Glass formation and properties of chalcogenide systems: XVII. Chemistry of glassy germanium disulfide. 59-00202A
- Voltochov, R. F.; and Golovko, E. I.
Oxidation of titanium carbide at various oxygen pressures. 59-00890A
- Vojtasak, I.
Effect of additions on the crystallization of borosilicate glasses. 59-03275A
- Vokac, James See McMullen, James
- Volchanskaya, V. V. See Litvinov, Yu. G.
- Volchanskaya, V. V.; and Il'yasov, I. I.
Systems Rb₂I-CdI₂-PbI₂ and Cs₂I-CdI₂-PbI₂. 59-04027A
- Volchenko, N. G. See Kobel'kov, G. P.
- Voldan, J.
Crystallization of a ternary compound in the system K₂O-B₂O₃-SiO₂. 59-03266A
- Volf, Frankisek
Application of value analysis in production of building materials. 59-02390A
- Volkoniskii, B. V. See Butt, Yu. M.
- Volkov, O. S. See Kelina, R. P.
- Volkov, V. L.
Phase diagram and thermodynamic characteristics of the vanadate system Fe₂O₃-V₂O₅-VO₂. 59-05011A; Phase diagram and thermodynamics of oxidation-reduction processes in the system MgO-V₂O₅-VO₂. 59-03989A; Thermodynamics of vanadium oxide bronzes Ag₂V₂O₇. 59-05106A
- Volkova, L. V. See Revzin, G. E.
- Volkova, L. V.; Sennikov, S. G.; and Revzin, G. E.
Ir spectroscopic investigation of the thermal decomposition of MgCrO₃·5H₂O. 59-04980A
- Volke, A.
Etringite-like phases in old cements and concretes which are high in chlorides. 59-04093A
- Voll, Gerhard W. See Weiher, Richard L.
- Vollrath, K. See Bauer, F.
- Voloshin, Arkady; and Arcan, L. J.
Failure of glass-epoxy lamina—fractographic study. 59-02871A
- Volosov, D. S.
Potential developments in optical glass. 59-00238A
- Vol'skii, E. P.; Gapotchenko, A. G.; and Itskovich, E. S.
Effect of pressure on the Fermi surfaces in Mo and W dioxides. 59-02967A
- Volzhenskii, A. V. (Editor)
Mineral Binders. Production Technology and Properties (Mineral'nye V'yazhushchie Veshchestva. Tekhnologiya i Svoystva). 59-04051B
- Von Alpen, U.; Bell, M. F.; and Wichelhaus, W.
Phase transition in nasicon (Na₂Zr₂Si₂PO₁₂). 59-00900A
- Von Alten, Theodor See Brandt, Ivan L.
- Von Boch Galhas, L. G.
Ceramic industry of the 80's and the new imperatives. 59-02928A
- Von Chini, Bernd See Schuster, Peter
- Von Freyhold, Helmut; and Persh, Wolfgang
Binders based on alkali metal sulfates and potassium metaborate. 59-01058P
- Von Kampitz, Henning T.; and Zagar, Ludvik
Frozen-in elastomechanically induced optical anisotropies in soda-lime-silica glasses. 59-01170A
- Voorhees, Francis W. See Bachman, David L.
- Vora, Madhukar B.; and Powell, C. Michael
Method for forming oxide isolated integrated injection logic semiconductor structures having minimal encroachment utilizing special masking techniques. 59-01568P
- Vorobichikov, L. T.; Fedorykina, B. F.; and Panchenko, G. K.
Apparatus for removing heat from cylinders of the rotary kiln recuperator cooler. 59-04763P
- Vorob'ev, A. A.; and Evseev, V. D.
Nature of energy loss during the breakdown of glass. 59-01218A
- Vorob'ev, B. A. See Popov, I. V.
- Vorobiev, Y. K.; Badaev, B. N.; and Lyubushko, G. I.
Method of preparing granulated activated alumina. 59-00745P
- Voronkova, Z. P. See Gol'denberg, G. L.
- Voronov, V. V. See Vaivads, P.
- Vorontsov, A. M.; Galant, E. I.; and Kanev, A. S.
Luminescent quartz glass. 59-02343P
- Voroshilova, V. A. See Gabbyazova, Z. G.
- Voskresenskaya, N. A. See Brailovskii, V. B.
- Voss, Richard E. See Brandt, Ivan L.
- Votava, Paul
Pressure sensors—techniques and materials. 59-02680A
- Vouilleme, M. See Teller, C.
- Vutskik, K. A. See Raevskii, I. P.
- Vulkov, V.
Effect of Mn₂O on clinker formation and mineralogy of portland cement clinker. 59-02065A
- Vurzel, F. B. See Dubrovskii, R. I.
- Vyanova, N. G. See Kryukova, V. N.
- Vykhnovets, A. F.; Sazonets, N. V.; and Sushko, R. V.
Enamel slips. 59-02189P; Slip composition for obtaining white enamel. 59-01094P
- Vysotskii, B. I.; and Guzman, I. Ya.
Refractory material. 59-01452P
- Wachtman, John B., Jr. See Lindemer, Terrence B.
- Wada, Masatoshi See Moritsu, Yukikazu
- Wada, T. See Yoshimura, J.
- Wada, Toyoji
Nuclear fuel pellet with oppositely bottomed holes. 59-02758P
- Waddington, J. S.; Raven, L. F.; and Thorpe, G.
Development of fuel elements for the AGR [advanced gas-cooled reactor]. 59-04677A
- Wagner, Gerhard See Ullner, Christian

- Wagner, Helmut; and Hess, Fritz
Preparation of hardenable binding agents based on cement and bituminous emulsions. 59-04142P
- Wagner, Herman B.; and Ellis, Jeffrey R.
Dry-set mortars and method for improving the water retentivity thereof. 59-04128P
- Wagner, Sigurd See Mohapatra, Sarat K.
- Wagner, Zsófia See Revay, Miklos
- Wahlers, Richard L.; and Merz, Kenneth M.
Electrical resistor material, resistor made therefrom, and method of making it. 59-04612P
- Waisaia, Franz See Baumgartner, Friedrich
- Wakabayashi, Kazutoshi; Ishizuka, Masatoshi; and Toda, Masaki
Results obtained on lining refractory used for tundish ladle. 59-04447A
- Wakasa, Isao See Noji, Toshio; Shono, Hiroaki
- Wakasa, Isao; Noji, Toshio; and Takahashi, Sumiko
Method of making a nozzle plate for spinning glass fibers Method of special alloy and resulting nozzle plate. 59-00341P
- Wakke, D. G. See Moharil, S. V.
- Wakino, Kikuo See Kogawa, Toshio; Ogawa, Toshio
- Waldrop, Roy See Waldrop, Walter I.
- Waldrop, Walter I.; Waldrop, Roy; and Paul, Cyrus
Method of forming a composite rod. 59-00469P
- Walker, Davis C.; and Graham, Jaime
Solid solution—"Firing with pulverized coal"—methods, materials, and equipment. 59-01682A
- Walker, K. L.; Geyling, F. T.; and Nagel, Suzanne R.
Thermophoretic deposition of small particles in the modified chemical vapor deposition (MCDV) process. 59-04267A
- Walker, K. L.; Harvey, Joann Waldman; and Geyling, F. T.
Consolidation of particulate layers in the fabrication of optical fiber preforms. 59-01123A
- Walker, Michael M. See Hench, Larry L.
- Walker, Peter Jonathan
Crystal growth of K_2CuF_6 and some solid solutions of K_2CuF_6 - K_2ZnF_6 . 59-04906A
- Wall, William E.; Ribarsky, M. W.; and Stevenson, J. R.
Optical properties of titanium and titanium oxide surfaces. 59-05000A
- Wall, William F. See O'Neill, Guy
- Wallace, Terry C.; Sr. See Riley, Robert E.
- Walls-Muyelo, Jose
Porous, lightweight, particulate aggregates and process of manufacture. 59-00088P
- Walpole, James N. See Holloway, H.
- Walrafen, G. E. See Abebe, M.
- Walser, Douglas M.
Glass fibers having a reduced tendency to give gumming products, forming size. 59-03383P
- Walter, Manfred See Zoercher, Heinz
- Walters, Ian R.; and Emblem, Harold G.
Method for making refractory articles. 59-04483P; Method for producing rigid articles of refractory fibers. 59-04484P
- Walton, Jesse D.
Utilization of solar energy in the U.S. 59-00729A
- Walton, Richard L. See Frock, Harold N.
- Wan, Guo-zhong; Meng, Xian-liang; and Yu, Chin-kwui
Porcelain industry in Jingdezhen. 59-04528A
- Wang, Christine A. See Nassau, Kurt
- Wang, Franklin F. V. (Editor)
Introduction to Solid State Electronics. 59-01973B
- Wang, J. C. See Bates, John B.; Kaneda, T.
- Wang, Man-hin See Chu, Jauh-chun
- Wang, Samuel S.; and Smith, Eugene L., Jr.
Process for beneficiation of phosphate and iron ores. 59-04790P
- Wang, Yan-sheng; Yao, Bao-kun; and Zhang, Gui-qing
Properties of aluminite expanding cement and its hydration and hardening. 59-03200A
- Wanklyn, Barbara M. See Garrard, B. J.; Maqsood, A.
- Warble, C. E. See Lynch, D. F.
- Ward, I. D. See Gottschall, R. J.; Sharma, N. K.
- Ward, Peter; and Bollard, Geoffrey M.
Thermal toughening of glass. 59-04381P
- Ward, Rodney L. See Mundy, Philip A.
- Warden, J. T. See Rawal, B. S.
- Warner, M. See Edwards, S. F.
- Wasserman, Rene See Flugcker, Jean L.
- Wassermann, Martin; Nowack, Klaus; and Meyer, Arnold
Method for manufacturing a high porous alumina having a large surface area and a low bulk density. 59-02855P
- Wasylak, Jan; Cecotka, Ryszard; and Chalkiewicz, Wladimir
Viscosity and the energy parameters of rheological properties of the glasses in the systems $Ba(PO_3)_2$ - MgF_2 - $0.4AlF_3$ - $0.6CaF_2$. 59-02302A
- Watanabe, Akiteru See Sakai, Tosikazu
- Watanabe, H.
Method for producing a composite consisting of continuous silicon carbide fibers and elemental silicon. 59-03901P; Method for producing metal nitride sintered moldings. 59-04859P; Method for producing organosilicon high molecular weight compounds having silicon and carbon as main skeleton components and said organosilicon high molecular weight compounds. 59-01755P; Method of producing silicon carbide fibers. 59-01756P; Silicon carbide sintered moldings and a method for producing. 59-03912P
- Watanabe, H.; and Kao, Kwan C.
Structure and properties of $Se_{1-x}Te_x$ films. 59-03346A
- Watanabe, H.; Shoji, Shigeo; and Sato, Akimune
Blast-furnace tuyere [ceramic coated]. 59-03587P
- Watanabe, Mamoru See Bando, Yoshio
- Watanabe, Masayuki; Komeya, Katsutoshi; and Nakajima, Masahiro
Apparatus for making a single crystal of III-V compound semiconductive material. 59-03705P
- Watanabe, Minoru; Nishimura, Toshio; and Omi, Tadao
Fluorescent lamp containing a green emitting rare earth silicate coactivated phosphor. 59-04292P
- Watanabe, Muneco
Method of strengthening chemically a glass container. 59-04358P; Strengthening of thin-walled, light glass containers. 59-00373P
- Watanabe, Shigeki See Yamashita, Kunio
- Watanabe, Shizuo See Katsuki, Kosuke
- Watanabe, Tadahiko
Ni-P binder for TiB₂-based cermets. 59-01740A
- Watanabe, Tadahiko; and Nakazono, Katsushige
Thermal distribution of TiB₂-Ni-P by direct current sintering. 59-03880A
- Watanabe, Takashi See Iwai, Shinichi
- Watanabe, Takeshi See Ishikawa, Masaru
- Watanabe, Toshiyuki A.; and Zanotto, Edgar Dutra
Obtaining glass-ceramics and a comparative study of compressive strength compared with sintered materials. 59-01223A
- Watanabe, Y. See Yasuda, Eiichi
- Watkins, L. S.
Effect of noncircular cross section on the forward scattering pattern of side-illuminated unclad fibers. 59-01148A
- Watson, E. B.
Calcium diffusion in a simple silicate melt to 30 kbars. 59-03934A
- Watson, I.
Quartz crystal—natural quartz and the growth of a culture. 59-02842A
- Watson, R. Bruce
Furnace design trends. 59-02148A
- Watson, Robert N.; and Fleener, Frank D.
Experiences with liquid cleaners and neutralizers. 59-02146A
- Watson, Robert N.; and Williams, Floyd J.
Plant experiences with pickle-free ground coat for sanitary ware. 59-00111A
- Watts, Julian K.; and Yarker, Colin A.
Method of and apparatus for producing a glass fiber bundle for use in optical communications systems. 59-04347P
- Watts, L. A. See Pellicori, S. F.
- Wawner, F. E.; De Bolt, H. E.; and Suplinskas, R.
CVD-produced boron filaments. 59-04799A
- Wawner, F. E.; Eason, J. W.; and De Bolt, H. E.
Some aspects of boron filament elongation. 59-04827A
- Way, Terrance See Reed, James R.
- Weatherill, William T. See Seibold, Robert W.
- Weaver, D. L.
Nonequilibrium decay effects in diffusion-controlled processes. 59-04998A
- Weaver, Harold D., Jr. See Goudreau, Deborah
- Weaver, J. Scott; Chipman, David W.; and Takahashi, Taro
Comparison between thermochemical and phase stability data for the quartz-coesite-stishovite transformations. 59-01793A
- Webb, David K., Jr.
Clay and shale resources of Washington County, [Ohio, USA]. 59-03830A
- Webb, J. B.; Sayer, M.; and Mansingh, A.
Bulk conductivity measurements on sintered lanthanum strontium chromite. 59-03933A
- Weber, Gary W. See Holcombe, Cressie E., Jr.
- Weber, Michael D.
Raw materials strategic planning in the glass industry. 59-02275A
- Weber, Willis W.; Caglione, Alexander J.; and Frost, Albert C.
Process for producing alumina. 59-04792P
- Weekman, Vern W., Jr. See Chen, Nai Y.
- Weeks, Robert A.; and Sonder, E.
Electrical conductivity of pure and Fe-doped magnesium-aluminum spinel. 59-01513A
- Weertman, J.
Fracture stress obtained from the elastic crack tip enclave model. 59-04950A; See also Ansell, G. E.
- Welhing, Karl
Ciments Lafarge France's energy conservation program at Haubourdin results in conversion to semidry process. 59-02056A
- Wehrenberg, Thomas M.
Criticality of stages in manufacture of fusion casting refractories. 59-04401A; See also Maloney, C. J.
- Weichselgartner, Horst; and Koether, Manfred
Apparatus for producing plutonium fuel rods for nuclear power plants. 59-01614P
- Weidman, James K. See Morris, John C.
- Weidner, Ruth Irwin
Majolica wares of Griffen, Smith, & Co.: I, History and manufacture. 59-00023A; Majolica wares of Griffen, Smith, & Co.: II, The designs and their sources. 59-01009A
- Weiler, Richard L.; Voll, Gerhard W.; and Hagemark, Kjell I.
High fluorescent efficiency zinc oxide crystals and method of making. 59-02852P
- Weill, G. See Desfours, J. P.
- Weinberg, Michael C. See Neilson, G. F.
- Weinberg, Michael C.; Onorato, Paulette I. K.; and Uhlmann, Donald R.
Behavior of bubbles in glassmelts: I, Dissolution of a stationary bubble containing a single gas. 59-01111A; Behavior of bubbles in glassmelts: II, Dissolution of a stationary bubble containing a diffusing and a nondiffusing gas. 59-03255A
- Weinberg, Michael C.; and Subramanian, R. Shankar
Dissolution of multicomponent bubbles. 59-04179A
- Weinberg, Z. A.; Young, D. R.; and Di Maria, D. J.
Exciton or hydrogen diffusion in SiO_2 ? 59-00843A
- Weinckoetter, B.
First dry-process cement works at Badoosh, Iraq, with two production lines. 59-00049A
- Weise, Charles H. See Kantrio, David L.
- Weisheiner, G.
Dust collection system with regenerative heat exchanger for cleaning exhaust air from a clinker cooler. 59-00046A
- Weiss, Armin K.; and Clarke, John Ross
Plasma plating. 59-01588P
- Weiss, Herbert
Materials behavior in low gravity environment. 59-03012A
- Weiss, Johannes; Gauckler, L. J.; and Tien, Tseng-Ying
System Si_3N_4 - SiO_2 - ZrN - ZrO_2 . 59-00940A
- Weiss, R. See Rostasy, F. S.
- Weiss, R. J.
Glass decoration in the U.S. 59-03292A
- Weiss, Volker See Burke, John J.
- Weissbard, W. B. See Chung, Yip-Wah
- Weitzel, Artur See Chakrabarty, Nareish
- Welling, John R.
Hermetic glass encapsulation for semiconductor die and method. 59-02707P
- Wells, J. K. See Chaudhri, M. M.
- Wells, Michael Ronald See Beaney, B.
- Wells, V. A. See Stein, H. J.
- Welte, Rainer; Markusch, Peter; and Dieterich, Dieter
Process for the production of mineral fiber mats. 59-03620P
- Wemple, Stuart H. See Grodziewicz, William H.
- Weninger, Manfred
High intensity magnetic separation of kaolin. 59-01706A; High intensity magnetic field separation of kaolin. 59-02834A; Te^{4+} methods for kaolin fillers and pigments. 59-02794A
- Wenk, H. R. See Rinaldi, R.
- Wenemer, Mechthild See Thompson, Alan Bruce
- Wens, Johannes C.
System for sealing the rotary tube of a rotary tubular kiln. 59-04775P
- Wentorf, Robert H., Jr. See De Vries, Robert C.
- Wenz, William
Tong head assembly. 59-03454P
- Werner, C.; Berni, H.; and Eder, A.
Inhomogeneities of surface potential in the thermally grown $Si-SiO_2$ interface. 59-01849A
- Werner, H. W. See Gossink, Robert G.
- Werner, Per-Erik; and Ekstrom, Tommy
Quantitative analysis of small samples with a Guinier-Hagg-type focusing camera in powder X-ray diffraction. 59-04735A
- West, Anthony R. See Izquierdo, Georgina
- West, E. J. See Burns, W. K.
- West, Gordon B.; and Peters, Ralph H.
Nuclear reactors. 59-03781P
- Weslin, Urban See Lundgren, Bert K. G.
- Westrum, Edgar F., Jr. See Perkins, Dexter, III
- Westwood, A. R. C. See Mularie, W. M.
- Wetherhold, Robert C. See Pipes, R. Bryon
- Whalley, E. See Engellhardt, H.; Wu, A. Y.
- Wharmore, R. W.; O'Hare, C.; and Cockayne, B. C.
 Al_2O_3 —a new piezoelectric material. 59-00545A
- Wheat, T. A.
Techniques for producing reactive and homogeneous ceramic powders. 59-03835A
- Wheatley, John See Krause, H. Brigitte
- Wheeler, B. D. See Gedcke, D. A.
- Wheelock, Kenneth S. See Gladrow, Elroy M.
- Whelan, M. J. See Rossouw, C. J.
- Whiffen, D. H. (Editor)
Manual of Symbols and Terminology for Physicochemical Quantities and Units. 59-03136B
- White, D. See Salamah, Mohammad A.; Xidakis, G. S.
- White, H. W. See Blacklock, K.
- White, James See Baptista, J. L.
- White, John Sampson
Boehmite exsolution in corundum. 59-01774A
- White, Marvin See McCann, David H.
- White, Philip D.
Method and apparatus [kiln] for producing ceramic ware. 59-04772P
- White, R. J. See Tucker, M. O.
- White, Sharon Spencer See Snow, Gary S.
- White, William B. See Schetz, Barry E.
- Whitehouse, R. G.
Low thermal mass furnaces. 59-03239A
- Whitlock, K. E. See Goodwin, J. W.
- Whitney, E. Dow See Reed, Walter J.
- Whittam, Thomas V.
Silica-containing material FU-1. 59-04871P
- Whittemore, O. J., Jr. See Castro, J. H. C.
- Whittemore, O. J., Jr.; and Varela, Jose Arana
Form and density of kaolin chamotte particles. 59-04522A; Shape and density of kaolin grog particles. 59-01405A

- Wichelhaus, W. See Von Alpen, U.
- Wichers, Edward See Saylor, Charles Proffer
- Wicker, Alain See Desplanches, Gerard
- Wickham, C. S. See Barrett, R. B.
- Wicks, F. J. (Editor)
- Serpentine mineralogy, petrology, and paragenesis. 59-0406A
- Wickowski, Jan; and Drozinski, Andrzej
- Packing of high temperature ceramic materials in a resistance furnace. 59-02462A
- Wiedemann, G. See Rostasy, F. S.
- Wiederhorn, Sheldon M. See Lawn, Brian R.
- Wiederhorn, Sheldon M.; Lawn, Brian R.; and Hockey, Bernard J.
- Effect of particle impact angle on strength degradation of glass. 59-00176A
- Wiegmann, Joachim; Horte, Carl Heinz; and Graul, Joachim
- Method and charge for manufacturing ceramic wares. 59-01440P
- Wieland, Guenther See Bade, Werner
- Wilce, B. J.
- Prefabricated refractory section. 59-00476P
- Wild, Walter; and Wilney, Kalman
- Contributions of multiple reflections to thermal runaway in germanium. 59-01796A
- Wilder, Harold J. See Vadla, Jostein J.
- Wilder, James A., Jr.
- Glassy composition for hermetic seals. 59-04315P
- Wilkinson, D. S.; and Ashby, M. F.
- Mechanism mapping of sintering under an applied pressure. 59-03980A
- Wilks, Paul A., Jr.
- The developing quality control laboratory instrument market. 59-02795A
- Will, G. See Kirfel, A.
- Willadsen, Per See Drostholm, Frede H.
- Willard, William A. See Shives, T. Robert
- Williams, Charles E.
- Dry containment of radioactive materials. 59-03777P
- Williams, D. B. See Bender, B. A.
- Williams, Floyd J. See Watson, Robert N.
- Williams, James Wallace See Williams, Richard Taylor
- Williams, Jerry
- Tips on nuclear gaging. 59-01673A
- Williams, John A. See Mills, Alfred L.
- Williams, Richard Taylor; Williams, James Wallace; and Turner, Thomas J.
- Kinetics of radiative recombination in magnesium oxide. 59-03001A
- Williams, Robert M.
- Coal grinding apparatus for direct fired burners. 59-02816P
- Williams, Robert Mantoll
- Linear thermal expansion of hot-pressed Si_3N_4 . 59-01865A
- Williams, Wendell S. See Gottschall, R. J.
- Williamson, James E., Jr. See Fitzpatrick, Thomas H.
- Williamson, J. P. H.; and Evans, A. M.
- Characteristics and some potential industrial applications of plasma dissociated zircon: I. Physical and chemical characteristics. 59-01728A; Characteristics and some potential industrial applications of plasma dissociated zircon: II. Industrial applications. 59-01729A
- Williamson, Michael
- Electrical furnace, zones balanced with a symmetrically tapped transformer. 59-04767P
- Willis, R. P.; and Doremus, Robert H.
- Diffusion of aluminum during sealing of glass to alumina. 59-02221A
- Wills, Roger R.
- Sintered Si_3N_4 -based ceramics—processing and engineering properties. 59-04825A; See also Sekercioglu, Ibrahim
- Wills, Roger R.; Sekercioglu, Ibrahim; and Niesz, Dale E.
- Interaction of molten silicon with silicon aluminum oxynitrides. 59-03684A
- Wills, Roger R.; Sekercioglu, Ibrahim; and Ogden, Julius S.
- Comparative resistance of $\beta\text{-Si}_3\text{N}_4$ solid solutions to molten silicon attack. 59-00756A
- Wilner, Kalman See Wild, Walter
- Wilshire, B. See Dixon-Stubb, P. J.
- Wilshire, F. W. See Lambert, J. P. F.
- Wilson, Alan D.; and Crisp, Stephen
- Dental cement containing poly(carboxylic acid), chelating agent, and glass cement powder. 59-04542P
- Wilson, Eddie K., Sr.
- Process for producing portland and other hydraulic cements. 59-04145P
- Wilson, Geoffrey R.; and Kayamoto, Masami
- Process for forming alumina pellets containing titania and process for producing hydrodesulfurization catalyst containing the pellets. 59-03912P
- Wilson, John I. B. See McGill, J.
- Wilson, Lynn O.
- Analysis of microsegregation in crystals. 59-03931A; Effect of fluctuating growth rates on segregation in crystals grown from the melt: I. No backmelting. 59-04923A; Effect of fluctuating growth rates on segregation in crystals grown from the melt: II. Backmelting. 59-04924A
- Wilweger, Ferenc See Wilweger, Mrs. Ferenc
- Wilweger, Mrs. Ferenc; and Wilweger, Ferenc
- Properties of Hungarian carbonate rocks at 300–600°C. 59-04783A
- Winchester, G. L., Jr.
- Semiconducting and method of making. 59-03626P
- Wing, Milton S. See Strojny, Edwin J.
- Winger, L. A.; Bradi, R. C.; and Hoke, J. H.
- Transformational superplasticity of Bi_2WO_6 and Bi_2MoO_6 . 59-03105A
- Winger, P. See Notis, Michael R.
- Winnard, James R. See Keller, John H.
- Winter, Adam (Editor)
- Antique Glazed Clay Ceramics—Practical Research (Die antike Glanztonkeramik—praktische Versuche). 59-03129B
- Winter, Bernd
- Influence of granular solid state dust on heat transmission in rotary coolers. 59-01042A
- Winter, John K.; and Ghose, Subrata
- Thermal expansion and high-temperature crystal chemistry of the Al_2SiO_5 polymorphs. 59-01928A
- Winter, John K.; Okamura, Fujio P.; and Ghose, Subrata
- High-temperature structural study of high albite, monalbite, and the analbite—monalbite phase transition. 59-01844A
- Winters, R. M. See Avison, N. L.
- Wintersgill, M. C. See Sibley, W. A.
- Wintersgill, Mary; Fontanella, John; and Andeen, Carl G.
- Temperature variation of the dielectric constant of "pure" CaF_2 , SrF_2 , BaF_2 , and MgO . 59-05091A
- Wintzer, Manfred See Mazzuchelli, Michael
- Wirkus, C. D.; Berard, Michael F.; and Shiers, Loren E.
- Self-diffusion of Gd in polycrystalline Gd_2O_3 . 59-00918A
- Wirsching, Franz
- Calcium sensitivity, a peculiarity of hydration of phosphoric acid plaster. 59-01036A
- Wirth, Friedhelm See Gelsdorf, Guenther
- Withers, R. L. See Bursill, L. A.
- Wittmann, Julius
- Switch for light-conducting fibers. 59-04380P
- Woegerbauer, Rupert See Lindemann, Willi
- Wohlleben, Karl See Grewen, Ortwin
- Wojnarovits-Hrapka, Ilona
- Crystallization of synthetic inorganic fibers used for thermal insulation: I. Crystallization of basalt wool. 59-03506A; Crystallization of synthetic inorganic fibers used for thermal insulation: II. Radial crystallization of silicate fibers. 59-03507A; Crystallization of synthetic inorganic fibers used for thermal insulation: III. Effect of furnace atmosphere on the crystallization of basalt wool. 59-03508A; See also Hegyi-Pako, Julia
- Wolatz, Fredrick E. See Omlinsky, Barry A.
- Wolter, William G.
- Materials considerations in the development of automotive sensors. 59-02668A; Overview—the 8th annual automotive materials conference. 59-02674A
- Wolf, Erich See Reichelt, Werner
- Wolf, Imela See Koenig, Geri
- Wolfe, Raymond See Gyorgy, Ernst M.
- Wolfram, T. See Ellialtioglu, Sinasi S.
- Wolska, Zofia See Kubinski, Ignacy
- Wolska-Kotanska, Czeslawa See Paprocki, Antoni
- Won, Ye Yen See Kukolev, G. V.
- Wong, C. F.
- Birefringence measurement using a photoelastic modulator. 59-01633A
- Wong, M. M. See Gomes, J. M.
- Wong, S. P. See Sun, W. M.
- Wood, Charles L. See Lining, Kurt
- Wood, D. L.; Kometani, T. Y.; and Luongo, J. P.
- Incorporation of OH in glass in the MCVD process. 59-00206A
- Wood, Russell K.
- Sanitary ware—the effect of first-fire kiln cooling on ware properties. 59-00518A
- Woodcock, Leslie V. See Cape, J. Neil
- Woodgate, Bruce E. See Benedicto, John S. J.
- Woodmansee, Walter C.; and Wyche, Charles
- Mineral industries of Canada, Australia, and Oceania. 59-01707A
- Woods, George W.
- Quality assurance cost and return on investment. 59-01938A
- Woods, J. See Russell, Graham John
- Woolley, Graham E. See Berrie, John S.
- Wooten, John R.; Carpenter, Harry W.; and Cain, Edwin F. C.
- Method of sintering ceramics. 59-04641P
- Worboys, John C. See Absolon, Victor J.
- Worth, Veryl Marie
- Why collect willow ware? 59-00034A
- Wozniak, Francis S. See Caution, Martin
- Wright, Donald See Doohar, John
- Wright, Franklin J. See Amick, James A.
- Wright, John C. See Gustafson, Frederick J.
- Wrobel, Zygmunt
- Electrical conductivity and Seebeck's coefficient in $\text{Pb}(\text{Zr,Ti}_{1-x}\text{O})_2$ solid solution near the morphotropic phase boundary $0.46 \leq x \leq 0.60$. 59-02865A
- Wu, A. Y.; and Whalley, E.
- Phase diagram of antimony pentachloride to 43 kbars. 59-01881A
- Wu, Che-Kuang
- Method of making photosensitive colored glasses exhibiting alterable photo-anisotropic effects. 59-03419P; Nature of incorporated water in hydrated silicate glasses. 59-03317A; See also Bartholomew, Roger F.
- Wu, L. C.; and Greene, J. E.
- Mechanisms of the reactive- and chemical-sputter deposition of TiO_2 from Ti and TiC targets in mixed Ar + O₂ discharges. 59-00870A
- Wu, Shy-Hsien
- Method of forming thin thermoplastic elements of complex curvature. 59-04348P
- Wuenning, J.
- Process and apparatus for making bodies from sinterable granular material. 59-02780P
- Wuensch, Bernhardt J. See Reed, David J.
- Wuestfeld, Claus
- Method for the manufacture of foamed glass. 59-02351P
- Wunderer, Armin See Hesky, Hans
- Wurr, Juergen; and Korting, Reinhard
- Drive for rotary kilns and mills. 59-04127P
- Wurr, Juergen; Verling, Antonius; and Ermer, Bodo
- Rotary kiln with a plurality of planetary cooling tubes. 59-03828P
- Wurst, John C.
- High temperature coatings research and development in China. 59-04152A; See also Rhodes, William H.
- Wurster, Ewald
- Halogen cycle [hard glass] incandescent lamp. 59-00322P
- Wusirika, Raja R. See Chyung, Kenneth; Schultz, Peter C.
- Wyatt, Lesley J. See Hunter, Donald N.
- Wyche, Charles See Woodmansee, Walter C.
- Wygant, Gary E. See Frahm, Carl E.
- Wyllie, Peter J. See Ellis, David E.
- Xidakis, G. S.; and White, D.
- Mechanism of aggregation in smectites. 59-02874A
- Yachmenev, V. E.; Movchan, N. P.; and Dudnik, E. M.
- Apparatus for measuring the specific heat of powders at 4.3–300 K. 59-00576A
- Yagi, Kenji See Kojima, Takeshi
- Yagi, Takeshiko See Finger, Larry W.
- Yagiz, Faruk
- Review of the Turkish cement industry. 59-02108A
- Yajima, Seishi See Hasegawa, Yasutoshi
- Yajima, Seishi; Hayashi, Josaburo; and Omori, Mamoru
- Method for producing heat-resistant composite materials reinforced with continuous silicon carbide fibers. 59-00467P
- Yaker, Charles See Robb, Ronald R.
- Yakhkind, A. K. See Ovcharenko, N. V.
- Yakhkind, A. K.; and Khar'yuzov, V. A.
- Atomic and electron polarizability and structure of tellurites glasses. 59-01108A
- Yakhkind, A. K.; Ovcharenko, N. V.; and Titova, S. P.
- Synthesis and some physicochemical properties of arsenite glasses. 59-00264A
- Yakimovich, V. I. See Zolkin, P. I.
- Yakobchuk, L. M. See P'yanykh, E. G.
- Yalanskaya, V. A. See Kucherenko, T. S.
- Yamada, Hiromi See Yamamoto, Osamu
- Yamada, Jun See Ikegami, Akira
- Yamada, Koji See Moritsu, Yukikazu
- Yamada, Shigetaka
- Light-transmitting, polycrystalline alumina body and method for producing it. 59-04323P
- Yamada, Tetsuo; Shimada, Masahiko; and Koizumi, Mitsue
- Fabrication and characterization of titanium nitride by high pressure hot-pressing. 59-02869A
- Yamada, Tomoaki See Nakano, Junichi
- Yamadera, Minoru See Yamaguchi, Osamu
- Yamagata, Kezo See Okada, Kichiji
- Yamagishi, Hiroshi; Sakamaki, Shozo; and Nakagawa, Koji
- Cement retarder and rapid hardening cement containing it. 59-03214P
- Yamaguchi, S. See Ikeda, Masaichi
- Yamaguchi, H.
- Operation of an annular shaft kiln for quicklime in Japan. 59-02096A
- Yamaguchi, Hiroshi See Sugimura, Takashi
- Yamaguchi, Hiroshi; Akatsuka, Kyube; and Setoguchi, Masahiro
- Structure of cobalt dithionite silicate $\beta\text{-Li}_2\text{CoSiO}_4$. 59-03087A; Structure of dithionite zinc silicate $\gamma\text{-Li}_2\text{ZnSiO}_4$. 59-03088A
- Yamaguchi, Osamu; Kaji, Akiyasu; and Takekura, Kiyoshi
- Sintering of spinel (MgAl_2O_4) prepared by the alkoxo method. 59-03876A
- Yamaguchi, Osamu; Nakano, Hirohisa; and Matsumoto, Kenzo
- Formation of forsterite ($2\text{MgO} \cdot \text{SiO}_2$) and enstatite ($\text{MgO} \cdot \text{SiO}_2$) from a mixture prepared by the alkoxo method. 59-03865A
- Yamaguchi, Osamu; Tonami, Hitoshi; and Hayashi, Tadashi
- Initial sintering and grain-growth kinetics of MgO prepared by the alkoxo method. 59-03871A
- Yamaguchi, Osamu; Yamadera, Minoru; and Hikita, Tadashi
- Transformation of alkoxo-derived PbO by heating and grinding. 59-03883A
- Yamaguchi, Osamu; Yasuhara, Tadashi; and Shimizu, Kiyoshi
- Effect of particle size on the sintering of PbTiO_3 containing $\text{PbO} \cdot \text{TiO}_2 \cdot \text{Al}_2\text{O}_3 \cdot \text{SiO}_2$ glass. 59-03858A
- Yamaguchi, Takashi See Kimura, Toshio; Nomura, Takeshi; Saito, Soichiro
- Yamaguchi, Tetsuro; Ishii, Tamotsu; and Mochizuki, Akira
- Effect of additives on magnetostrictive properties of magnetite. 59-03675A
- Yamaguchi, Tomohiro See Yoshida, Mitsuo
- Yamai, Iwao See Oota, Toshiaki
- Yamamoto, Hirokazu See Kira, Kinichi

- Yamamoto, Hiroshi; Kawaguchi, Toranosuke; and Nagakura, Mitsuru**
Effect of SrO substitution on magnetic properties of anisotropic Ca ferrite magnets. 59-03674A; Properties of isotropic Ca ferrite magnets. 59-03696A
- Yamamoto, K.** See Kumata, K.
- Yamamoto, Noboru** See Kaneno, Masayuki; Oda, Isao
- Yamamoto, Noboru; and Iga, Kenichi**
Evaluation of gradient-index rod lenses by imaging. 59-04192A
- Yamamoto, Osamu; Matsumoto, Yoshiaki; and Yamada, Hiromi**
Process for producing glass fiber-reinforced resin molded sheets. 59-04371P
- Yamamoto, Tsutomu** See Ninomiya, Hisato; Suzuki, Hisashi
- Yamamoto, Yoshihiro** See Tanaka, Hiroshi
- Yamamoto, Yoshihiro; Sakurai, Kenji; and Tanaka, Hiroshi**
Sintered ceramic body for cutting tools. 59-04873P
- Yamashita, Hiroshi** See Terai, Ryohei
- Yamashita, Shigeru; Saiga, Noriaki; and Suzuki, Tatsuro**
Response of ceramic transducer for spatially bounded ultrasonic waves. 59-04585A
- Yamane, Masaji** See Matsuya, Shigeaki
- Yamashita, Shinobu** See Fukunaga, Osamu; Kuzuba, Takashi
- Yamashita, Tomotsu** See Hino, Mitsuo
- Yamashita, Ken** See Hino, Taro
- Yamashita, Kunio; Miyachi, Katsuki; and Watanabe, Shigeaki**
Homogeneity of large-scale PLZT ceramics. 59-03683A
- Yamato, Tsugio** See Fujimoto, Shoichiro
- Yamazaki, Kazuo** See Tsujino, Takeshi
- Yamazaki, Yoshinobu** See Negishi, Hiroshi
- Yamazaki, Masami** See Tsumami, Toshio
- Yan, Dong-sheng** See Huang, Zhen-kun
- Yan, Man F.**
Grain growth in FeO. 59-03965A
- Yanada, Tetsumosuke** See Kawado, Seiji
- Yanagi, Yoshio** See Koga, Minoru
- Yanagida, Hiroaki** See Koumoto, Kunihito; Shimizu, Tadao
- Yanagida, Hiroaki; Nagai, Masayuki; and Shimizu, Tadao**
Process for preparing a film of densely packed structure. 59-04656P
- Yanagida, Hiroaki; Shimizu, Tadao; and Nishikawa, Yasuo**
Fibrous crystalline potassium titanate and processes for preparing fibrous potassium titanates. 59-02526P
- Yanagisawa, K.** See Garrard, B. J.
- Yana, Toshiharu** See Okino, Seiki
- Yang, Kuei-Hsiung** See Cizek, Theodore Frank
- Yang, Wen-Ching; Vaux, Walter G.; and Kearns, Dale L.**
High-temperature pneumatic transport line test facility. 59-01388A
- Yanushkevich, M. V.** See Kul'kov, A. I.
- Yariv, Amnon**
Guided-wave optics. 59-01521A
- Yarker, Colin A.** See Warts, Julian K.
- Yaroshenko, V. P.** See Gnesin, G. G.
- Yarovets, V. I.** See Bodak, O. I.
- Yashchishin, I. N.; and Shevchenko, V. V.**
Gaseous reagent for increasing the chemical resistance of glass. 59-00299P
- Yashchishin, I. N.; and Vakhya, Ya. I.**
Reaction of SiO₂ with the surface of Fe-containing glasses. 59-02276A
- Yashenkov, A. G.** See Kostin, D. T.
- Yasu, M.** See Takahashi, Shiro
- Yasuda, Eiichi; Kimura, Shuichi; and Watanabe, Y.**
High temperature creep of magnesia with minor additives. 59-03966A
- Yasuda, Eiichi; and Schlichting, Juergen**
Sintering behavior of Al₂O₃/SiO₂ materials derived from metal alkoxides. 59-04008A
- Yasuda, Eiichi; Takase, Nobuyuki; and Kimura, Shuichi**
Graphitization of matrix in the composite of PhCF/PhC. 59-03866A
- Yasuda, K.; and Kato, N.**
Enhancement of the Bragg reflection from quartz crystals due to X-ray irradiation under high electric field. 59-02976A
- Yasuda, Naohiko; Fujimoto, Sanji; and Minamii, Yoshifumi**
Switching behavior in the pressure-induced antiferroelectric phase of CsH₂PO₄. 59-01921A
- Yasue, Tamotsu; Matsumoto, Kazuhiro; and Arai, Yasuo**
Water resistance of urea-melamine polymer impregnated gypsum. 59-02114A
- Yashihara, Tadashi** See Yamaguchi, Osamu
- Yates, Derek N.; and Rezin, David B.**
Carbon fiber reinforced composite drive shaft. 59-01072P
- Yates, Douglas A.**
Control of capillary die shaped crystal growth of silicon and germanium crystals. 59-02696P; See also Hatch, Arthur E.
- Yatomi, C.** See Gurin, M. E.
- Yatsenko, O. B.** See Glushkov, E. A.
- Yaverbaum, L. H.** (Editor)
Synthetic Gems—Production Techniques. 59-02008B
- Yavgel, E. V.; Pozin, M. E.; and Guller, B. D.**
Effect of some additives on the hydration of CaSO₃·0.5H₂O. 59-02067A
- Yazu, Shuji** See Hara, Akio
- Yearick, Daniel R.**
Furnace conversions for energy savings. 59-02147A
- Yee, Kim S.**
Coated structural component for a high temperature nuclear reactor. 59-03776P
- Yeh, Hun C.** See Herbell, Thomas P.
- Yeh, Lung-geng** See Chu, Jauh-chun
- Yin, Ching-Feng** See Heyn, Fred M.
- Yip, G. L.** See Safaai-Jazi, A.
- Yoder, H. S., Jr.** (Editor)
Evolution of the Igneous Rocks—50th Anniversary Perspectives. 59-01960B
- Yokoyama, Kazuo; Nishiyama, Ryuji; and Yonezawa, Taketoshi**
Magnetic head and method for preparing. 59-01563P
- Yokoyama, Takao** See Enomoto, Ryo
- Yoldas, Bulent E.**
Method of making a glass encapsulated diode. 59-01573P; Microstructure of monolithic materials formed by heat treatment of chemically polymerized precursors in the Al₂O₃-SiO₂ binary. 59-01738A; Porous oxides as an antireflective coating for glass surfaces. 59-04240A; See also Parusov, Deborah M.
- Yoldas, Bulent E.; and Partlow, Deborah P.**
Formation of continuous beta alumina films and coatings at low temperatures. 59-02651A
- Yoneda, Noboru; Ito, Shigeru; and Katoh, Ikuro**
Effect of binder materials (PVA and starch) on the formation of duplex structure in sintered Mn₂Zn₂Fe₂O₄. 59-02639A
- Yonemura, Michiko** See Shin, Shigemitsu
- Yonenaga, Ichiro** See Sumino, Koji
- Yoneyama, Tetsuhito; Tomizawa, Shiro; and Hori, Tetsuo**
R.Co.-type rare-earth-cobalt, permanent magnet material and process for producing it. 59-04659P
- Yonezawa, Taketoshi** See Yokoyama, Kazuo
- Yonezawa, Toshio; Ajima, Takashi; and Uchida, Masato**
Semiconductor device with silicon carbide-glass-silicon carbide passivating overcoat. 59-00629P
- Yoshida, Kazuetsu; Seki, Michiharu; and Kanehori, Keiichi**
Process for removing sulfur oxides and nitrogen oxides from flue gases. 59-01695P
- Yoshida, Kazuo; Tada, Shinsaku; and Kitamura, Atsushi**
Porous carbon fiber material with a thin metal film covering each fiber. 59-01090P
- Yoshida, Mitsuo; and Ohishi, Izumi**
Progress with clay-bonded castables. 59-03562A
- Yoshida, Mitsuo; and Yamaguchi, Tomohiro**
Repair of tundish inner lining. 59-04445A
- Yoshida, Tetsuro; Matsumoto, Kazutoshi; and Hirashima, Hirosaki**
Electrical conduction and switching in glasses of the system Cu₂O-V₂O₅-P₂O₅. 59-03280A
- Yoshii, Mineshi** See Kunibata, Kenji
- Yoshikata, Tetsuo** See Kishimoto, J.
- Yoshimura, J.; Miyazaki, Toshiyuki; and Wada, T.**
Measurement of local variations in spacing and orientation of lattice plane of synthetic quartz. 59-03979A
- Yoshimura, Masahiro** See Nakamura, Tetsuro; Somiya, Shigeaki
- Yoshimura, Masahiro; and Somiya, Shigeaki**
Synthesis of dense, nonstabilized ZrO₂ ceramics by hydrothermal reaction sintering. 59-01732A
- Yoshino, Akira; and Iwami, Isamu**
Inorganic foam and preparation thereof. 59-04481P
- Yoshino, Shigeo** See Danjo, Hiroyuki; Niimi, Tamotsu
- Yoshino, Shigeo; Kyoden, Hiroshi; and Namba, Yasutoshi**
Refractories for the tundish in continuous casting. 59-04441A
- Yoshino, Shigeo; Nishio, Hideaki; and Iwado, H.**
Crushing methods and crushed grain shape. 59-04402A
- Yoshino, Toshikazu** See Tohma, Tetsuo
- Yoshino, Yasuo; and Nishio, Hideaki**
Characteristics of Chinese magnesite clinker at high temperature. 59-03502A
- Yoshioka, Mitihito** See Enomoto, Ryo
- Yon, Bao-kun** See Wang, Yan-sheng
- Young, D. R.** See Weinberg, Z. A.
- Young, D. R.; Irene, E. A.; and Di Maria, D. J.**
Electron trapping in SiO₂ at 295 and 77 K. 59-01823A
- Young, Donald L.** See Moynihan, Philip I.
- Young, I. M.**
Central region of the calcium oxide-gallium oxide system. 59-01777A; See also Robertson, Daniel Stewart
- Young, J. Francis** (Editor)
Cement Research Progress—1978. 59-00959B; See also Goodbrake, Chris J.
- Young, K.** See Suen, W. M.
- Young, Kenneth F.** See Simmons, Joseph H.
- Young, Richard A.**
Model for electronic contribution to the thermal and transport properties of ThO₂, UO₂, and PuO₂ in the solid and liquid phases. 59-04687A
- Young, William C.**
Technique of growing thin silicon oxide films utilizing argon in the contact gas. 59-04668P
- Youngblood, G. E.** See Powell, Bob R., Jr.
- Youssefi, A.; and Paul, Amaleud**
Chemical durability of glasses of the system Na₂O-CaO-SiO₂. 59-03258A
- Yu, Chin-kwui** See Wan, Guo-zhong
- Yu, Kuo-cheng**
Divacancies in MgO: I. The solid solution (MgO,Fe₂O₃). 59-03948A; Divacancies in MgO: II. The solid solution (MgO,H₂O). 59-03949A
- Yu, Shan-qing; Li, Bao-zhen; and Chen, Yao-cheng**
Oxidation-resistant coatings of nonoxide compounds sintered on molybdenum. 59-03872A
- Yudina, T. V.** See Kulikova, N. V.
- Yudintsev, V. I.** See Malakhov, A. I.
- Yuhns, Donald** See Kupperman, David S.
- Yukon, Stanford P.; and Bendow, Bernard**
Design of waveguides with prescribed propagation constants. 59-02220A
- Yulyugin, V. K.** See Tkachenko, Yu. G.
- Yunusov, M. Yu.** See Ismatov, A. A.
- Yuravlev, G. A.** See Cherny, Vladimir V.
- Yurchenko, N. N.** See Shabrova, E. A.
- Yurkov, L. F.** See Nikulin, V. Kh.
- Yutina, A. S.; Elysheva, A. A.; and Bulakh, V. L.**
Charge for manufacturing Dinas refractories. 59-01416P
- Yutina, A. S.; Plank, N. V.; and Zhukova, Z. D.**
Causes for refractory failure in a tunnel-type kiln for firing lightweight corundum bodies. 59-02414A
- Zabolotskaya, O. S.** See Khalakhor, T. K.
- Zabrod'ko, A. I.; Petrenko, Yu. P.; and Nikonenko, V. A.**
Ceramic solder for ceramic-to-metal bonding. 59-00585P
- Zadokhin, B. S.** See Barta, Cestmir
- Zador, S.; and Pekarsky, A.**
Mixed cation stabilization of zirconia. 59-03983A
- Zagar, Ludvik**
Surface and porosity. 59-03809A; See also Von Kamptz, Henning T.
- Zagladchenko, N. I.** See Pananenko, E. B.
- Zagloska, V. T.** See Semchenko, G. D.
- Zagural'skii, M. T.** See Kovner, M. I.
- Zagural'skii, M. T.; and Kovner, M. I.**
Enamel. 59-01079P
- Zagural'skii, M. T.; Kovner, M. I.; and Glushenitskaya, M. D.**
Enamel. 59-01083P
- Zagural'skii, M. T.; Kovner, M. I.; and Iordanov, V. Ya.**
Heat-resistant enamel. 59-01087P; Primer enamel. 59-02196P
- Zagural'skii, M. T.; Kovner, M. I.; and Mogilevskaya, N. I.**
Enamel [for environment protection and increased luster]. 59-02182P
- Zahradnik, C.** See Garland, C. W.
- Zaichenko, M. V.** See Pirogov, Yu. A.
- Zaiko, V. P.** See Shcheglova, M. D.
- Zaimulin, Yu. G.; D'yachkova, T. V.; and Alyamovskii, S. I.**
Thermal expansion of niobium oxyacarbides. 59-05100A
- Zaitsev, A. A.; Lebedev, G. D.; and Novak, V. A.**
Enamel slips. 59-02190P
- Zaitsev, I. S.; Marin, I. B.; and Kolbushkov, V. V.**
Filler for an abrasive tool. 59-00982P
- Zaitsev, P. I.** See Popov, I. V.
- Zakharov, V. K.** See Dotsenko, A. V.
- Zakin, Mikhail**
Throwing layered forms. 59-00033A
- Zakis, Yu.** (Editor)
Physics and Chemistry of Glass-Forming Systems (Fizika i Khimiya Stekloobrazuyushchik System). 59-04053B
- Zakolod'yazhnaya, O. V.** See Magunov, R. L.
- Zakrevskii, V. A.** See Pesina, T. I.
- Zaliba, Patricia E.** See Iniguez, Adrian Mario
- Zaldat, G. I.; Glukhovskii, L. I.; and Kamysnikov, V. V.**
Charge for manufacturing molten refractory material. 59-01419P
- Zamin, Mohammed; and Murthy, M. Krishna**
Effect of Al₂O₃ on the chemical durability of PbO-SiO₂ glass in 0.5M HCl. 59-00168A
- Zampello, Pamela**
Method for color television picture tube aperture mask production employing PVA and removing the PVA by partial carmelizing and washing. 59-04623P
- Zamyatin, S. R.; Pirumyan, G. I.; and Pisarenko, N. K.**
Refractory composition for the production of uncalcined bodies and monolithic linings. 59-00488P
- Zangvil, A.; Gauckler, L. J.; and Ruehle, M.**
Indexed X-ray diffraction data for the sialon X-phase. 59-04967A
- Zanotto, Edgar Dutra** See Watanabe, Toshiyuki A.
- Zanotto, Edgar Dutra; and Craievich, Aldo F.**
Separation of amorphous phases and their role in the formation of glass-ceramic materials. 59-04253A
- Zarka, A.** See Scandale, E.
- Zarubina, T. V.** See Stepanov, S. A.
- Zdaniewski, Wieslaw A.** See Hasselman, D. P. H.
- Zdanowicz, L.** See Miotkowska, S.
- Zdorov, A. I.; Senderov, A. A.; and Grodzinskii, Yu. Ya.**
Computer evaluation of cement raw material deposits. 59-03173A
- Zebrowski, Jeanne-Marie**
Tiffany glass—price de resistance. 59-01027A
- Zecchin, Luigi**
D'Angelos, glassmakers at Murano between the 14th and 17th centuries. 59-02032A; Glass decorators of Murano between A.D. 1470-1520. 59-02037A
- Zednick, Walter** See Deilmann, Wilfried
- Zegler, Sylvester T.** See Mordarski, Walter J.
- Zeh, Horst** See Finsterwalder, Lorenz
- Zelalov, S. A.** See Aliev, M. I.
- Zelss, James F.**
New concepts in powder systems. 59-02160A
- Zelentsova, S. A.** See Abuzin, Yu. M.
- Zenbutsu, Tadashi** See Danjo, Hiroyuki
- Zenina, L. E.** See Kulikova, N. V.
- Zenov, S. P.** See Pavlinova, N. E.

- Zerbst, Manfred**
Apparatus for pulling monocrystalline ribbon-like bodies out of a molten crystalline film. 59-04597P
- Zeto, Robert J.** See Marshall, Sidney
- Zevin, I. M.** See Zevin, I. S.
- Zevin, I. S.; and Zevin, I. M.**
Orientation of asbestos in asbestos cement. 59-02097A
- Zeyen, Claude M. E.** See Vidal-Valat, Genevieve
- Zhang, Gui-qing** See Wang, Yan-sheng
- Zharkov, V. A.**
Effectiveness of additional kiln feed with blast furnace slag. 59-03184A
- Zharov, E. F.; Satarin, A. V.; and Ryadinskaya, G. A.**
Gypsum-based binder. 59-01063P
- Zhdanov, S. P.** See Baki-Borodov, E. L.
- Zhdanov, T. S.; Sokolovskaya, E. M.; and Katsnel'son, A. A. (Editors)**
Solid State Physics and Chemistry (Fizika i Khimiya Tverdogo Tela). 59-05148B
- Zhdanova, T. D.** See Chemerko, L. G.
- Zhelobitsova, G. A.** See Shibalov, M. V.
- Zhemela, N. A.** See Min'ko, N. I.
- Zhidenko, G. L.** See Gan'kevich, A. B.
- Zhinkin, D. Y.** See Khmelev, Yu. G.
- Zhitnitskii, V. I.** See Shul'zhenko, A. A.
- Zhukov, E. G.** See Agamirova, L. M.
- Zhukova, T. S.; Syritskaya, Z. M.; and Artamonova, G. I.**
Uv light-transmitting glass. 59-00376P
- Zhukova, Z. D.** See Yutina, A. S.
- Zhukovskaya, A. E.** See Kortel, A. A.
- Zhukovskii, V. I.** See Andreeva, N. A.
- Zhukovskii, V. M.** See Neiman, A. Ya.
- Zhuravlev, A. K.**
Glass for microsphere optics. 59-01307P; 59-01308P
- Zhuravlev, G. I.** See Sizonenko, A. P.
- Zhurba, V. N.** See Grebenshchikov, R. G.
- Zhuzhneva, A. P.; Maslov, V. P.; and Skachkov, M. M.**
Etching solution for treating optical glass. 59-02317P
- Ziegler, B. Randall** See Bondoc, Alfredo A.
- Ziegler, Guenter** See Hasselman, D. P. H.
- Ziegler, Guenter; and Munz, Dietrich**
Fracture resistance of Al_2O_3 and Si_3N_4 using the Knoop indentation method. 59-03963A
- Ziemer, Burkhard; and Jost, Karlheinz**
Reaction CaO/SiO_2 with additives of $Ca_3(PO_4)_2$ or BaO . 59-01891A
- Zil'bershtein, A. Kh.**
Effect of pressure on the reflecting power of monocrystals. 59-04927A
- Zil'bershtein, A. Kh.; and Khotina, M. I.**
Influence of monoaxial pressure on the optical properties of quartz crystals. 59-04968A
- Zimina, L. I.** See Barysheva, G. K.
- Zimmer, Erich**
Method of making metallic oxide [U_2O_5] or carbide particles. 59-02756P; See also Morschl, Paul
- Zimmermann, H.**
Hydraulic presses for ceramic tile production. 59-03787A
- Zinevich, V. G.; and Stasevich, V. A.**
Frit for glazing ceramic articles. 59-02611P
- Zinkovskii, I. V.** See Semkina, N. V.
- Zipin, Richard B.**
Peak counting for ceramic surface characterization—a quality control criterion. 59-01658A
- Zirinsky, Stanley** See Crowder, Billy L.
- Zivkov, Z. D.; and Dobovisek, B.**
Determination of reaction kinetics based on a part of a DTA or TG curve. 59-01639A
- Zlobik, Alvin B.**
Mica. 59-03833A
- Zlobinsky, B. A.**
Cold-setting mixture for the production of casting molds and cores. 59-02520P
- Zlomanov, V. P.** See Glushkov, E. A.; Shianov, V. I.
- Zobina, L. D.** See Semchenko, G. D.
- Zoercher, Heinz; and Walter, Manfred**
Lining of ladles for vacuum refining of high chromium melts produced using the VOD process. 59-01393A
- Zogimeyr, Guenter**
Pitch-bonded and burned, pitch-impregnated magnesite for long converter life. 59-04431A
- Zolchenko, M. I.** See Makarova, L. A.
- Zolkin, P. I.; Kuteinikov, A. F.; and Yakimovich, V. I.**
Packed carbonaceous [refractory] mass for lining metallurgical furnaces. 59-04430A
- Zolner, I.** See Cernoch, Svatopluk F.
- Zolotarev, A. I.; Larionov, M. T.; and Gel'bart, E. P.**
Raw material mixture for manufacturing friable gypsum. 59-00089P
- Zotova, M. T.** See Tarasov, A. F.
- Zozulya, R. A.** See Sudakas, L. G.
- Zumsteg, F. C.** See Foris, C. M.
- Zur Strassen, Heinrich; and Rauschenfels, Eberhard**
Method for the production of synthetic wollastonite material. 59-00742P
- Zuzak, Tomas** See Borer, Werner J.
- Zverdin, A. K.** See Belov, K. P.
- Zvonik, V. A.** See Didkovskaya, O. S.
- Zvonilkin, Yu. N.**
Developments in the production of acid-resistant ceramic bodies. 59-00502A
- Zyatkovich, D. P.** See Kosolapova, T. Ya.
- Zygnadio, Maria; and Swiecki, Zbigniew**
Synthesis and structure of a pink pigment in the system ZrO_2 - TiO_2 - SnO_2 - Cr_2O_3 . 59-02604A
- Zyubina, T. S.** See Charkin, O. P.

SUBJECT INDEX TO CERAMIC ABSTRACTS FOR 1980

Cross references are included with the main headings. The abstract number appears at the end of each citation. The letters A, B, or P following the abstract number indicate an abstract of (A) a periodical, (B) a book, bulletin, or separate publication, or (P) a patent. Abstracts are numbered continuously through an entire volume. Subject entries are not in strict alphabetical order. Entries were computer sorted and numbers and capital letters appear before lower case letters.

Abrading apparatus. See *Grinding apparatus.*

Abrasion

resistance, of refractories, British Standard for determining. 59-02491A
of surfaces, apparatus for testing. 59-03816P
resistant, composite, with release properties. 59-04837P
enamels. 59-02124A
glazes. 59-05056A

Abrasives. See also *Carbides; Diamonds; Grinding apparatus; Polishing apparatus; Silicon, carbide.*

59-04061P
Al₂O₃-ZrO₂, fused, formed by immersion process. 59-03155P
SiC, polishing, increasing strength of. 59-00007P
TIC. 59-00011P
brake disk, C, with oxidation limiting coating. 59-00003P
carbide, coated cemented elements, mfg. 59-00004P
carbides, prepared by HIP, mechanical properties. 59-03150A
chips. 59-04062P
coated, mfg. 59-00009P
diamond, Si-bonded body, process for preparing. 59-00984P
antioxidation coating of. 59-03149A
diamonds. 59-00002P
Syndite, thermal conductivity of. 59-04060A
ferromagnetic, method of making. 59-03154P
grains, with Si-base alloy coating. 59-02018P
grinding, use in Czechoslovakian cement works. 59-02073A
grit, fine. 59-04063P
industry, forming in. 59-02012A
method of making. 59-04065P
oxide-based, Al, compositions for. 59-03152P
particles, BN. 59-04064P
coated diamond and cubic BN. 59-03153P
transition metal carbide and boride. 59-00012P
pastes, diamond. 59-02017P
lapping, corundum-containing. 59-02016P
polycrystalline. 59-01992B
tools, binder for. 59-00005P; 59-00006P
material for mfg. 59-00008P

Absorption. See also *Sorption.*

OH⁻ ir, of quartz crystals, effect of radiation on. 59-00834A
of Ra and Th, from Wyoming and Utah U mill tailings solutions. 59-01698A
atomic, Pb determinations, interference study for. 59-00687A
band, neutral, thermosensitive glass with. 59-04299P
edge, of TiO₂, fine structure. 59-02981A
exponential, in amorphous Ge-Se compounds. 59-03285A
secondary, in type Ia diamonds, optical study. 59-03984A
energy, in composites. 59-02867A
loss, in crystals and waveguides, Ti:LiNbO₃. 59-01099A
in microanalysis, STEM, of ceramic oxides, effects of. 59-01767A
moisture, of graphite-epoxy composites immersed in liquids and humid air. 59-04815A
optical, of Ag in photochromic glasses. 59-02268A
of Fe, Ti silicate glasses. 59-04232A
in alkali halides, theory of. 59-03099A
in glow discharge Si films. 59-03688A
of transition metals in alkali lime germanosilicate glasses. 59-00226A
photoinduced, of Sm³⁺ in quartz glass. 59-03329A
spectra, formulas for expressing dispersion of refractive indexes of glass through. 59-02202A
spectral, in quartz glass in region of semitransparency. 59-03344A
spectral coeff. of KV and KSG quartz glasses. 59-01245A
of water, in binary borosilicate optical waveguide glasses. 59-01215A
wavelength, in Na₂O-CaO-SiO₂ glasses. 59-03312A

Acids. See also specific types.

H₂SO₄, effect on pore structure of kaolin. 59-01779A
effect on surface properties of kaolin, in dealumination process. 59-01780A
HCl, aqueous, solubility and activity of AlCl₃ in. 59-01711A

HNO₃, attack on glasses in chalcogenide system Se-Ge-As. 59-01117A

acrylic, catalyst for making. 59-04842P
attack on Al minerals, production of pure Al₂O₃ by. 59-02856P
citric, method of preparing controlled pore vol Al₂O₃ with. 59-02899P
dissolution of MgO crystals in. 59-01868A
orthophosphoric, reaction with Al₂O₃. 59-03565A
resistance, of E glass. 59-01101A
of alkali silicate glasses, improved by treatment with MgCl₂. 59-01189A
silicic, precipitation from metallic dusts containing SiO₂. 59-03792P
tiles resistant to, facing, produced at Ryazan plant. 59-00515A
unsaturated, catalysts for. 59-04841P
whiteware resistant to. 59-00502A; 59-00507A
from Slavyansk plant. 59-00519A
increasing quality of, in Shchekinsk "Krisloupor" plant. 59-00508A
new designs. 59-00511A
wide selection with improved quality. 59-00523A
Acoustics. See also *Insulation, acoustical; Sound.*
emission test, for embrittlement of inorganic materials by H. 59-01824A
of glasses, mixed-alkali silicate. 59-03249A
microscopy, techniques for structural ceramics. 59-03795A
photo, study of phase-transitions in solids. 59-05109A
surface wave measurements, of surface cracks in ceramics. 59-01768A
wave devices, surface, piezoelectric material for. 59-01583P

Actinide.

oxides, kinetics of sintering. 59-02746A

Activation,
thermal, of cements, correction. 59-03209A

Additives

Ca₃(PO₄)₂ or BaO, reaction of CaO/SiO₂ with. 59-01891A
to CaSO₄·0.5H₂O, effect on hydration. 59-02067A
CoO and Al₂O₃, effect on magnetic properties of Mn-Zn ferrites. 59-03956A
Cu, effect on optical properties of TiO₂. 59-00564A
Na₂CO₃, to red clay, effect on plasticity. 59-04519A
P-containing, effect on compressive strength of cement stone. 59-03195A
Zr diboride, Si, and V, graphite with, mfg. 59-00763A
carbide, in TiC-Mo₂C-Ni cermets, effect on high-temp. strength. 59-03523A
in TiC-Mo₂C-Ni(CO), effect on strength. 59-03524A
for cements, grinding aid and set retarder. 59-04124P
hydraulic, for fixing wastes. 59-04135P
rapid hardening portland. 59-04120P
for cements and mortars, developments since 1977. 59-05128B
core wash. 59-03600P
effect on magnetostrictive properties, of magnetite. 59-03675A
fluxes, synthesis of anorthite by. 59-03654A
fly ash, effect on heat of hydration of portland cement. 59-03180A; 59-03181A
in forsterite, effect on synthesis and properties. 59-02966A
in glasses, borosilicate, effect on crystallization. 59-03275A
for grouts. 59-01057P
hardeners, for water-glass cement compositions. 59-03218P
joint doping, of porous glasses, to produce high modifier concentrations. 59-03390P
mineral, to slags, effect on corrosiveness of ladle linings. 59-01381A
to mortars, masonry, effect on strength. 59-00385A
organic, in whiteware, effect on wet pressing. 59-01471A
plastic, for heavy clay industry, sand washing wastes, evaluation of. 59-01366A
plasticizers, effect on rheology and hardening of concrete. 59-03183A
rheological, to whiteware, use of hectorite clays as. 59-01483A

role of, in ceramic industry. 59-02772A
sawdust, to shale body. 59-00393A
in steatite, effect on physical properties. 59-02965A
water-reducing, for concretes. 59-04126P
to zircon, effect on sintering. 59-00832A

Adherence. See *Enamels.*

Adhesion

of Al powder, to glass surfaces. 59-03250A
of enamels, on decarburized steel with different Cu levels. 59-03235A
of particulate materials, apparatus for measuring. 59-00717P

Adsorption. See also *Diffusion; Sorption.*

Agglomerates,
of Al₂O₃, porous, process for preparing. 59-00750P

Agglomeration,
of perlite, particulate. 59-02849P

Aggregates

aluminous, refractory, phosphate bonding of, and characteristics of monoliths. 59-02467A
from bottom ash, process and apparatus for making. 59-04143P
cement-, bond, review of. 59-04112A
in concretes, role in fracture. 59-00070A
lightweight. 59-04132P
limestone, for high-strength concretes. 59-04100A
nitrogen, in diamond, high temp.-high pressure dissociation of. 59-03040A
porous, lightweight, mfg. 59-00088P
refractory, lightweight, raw material mix for. 59-04499P
raw material mix for. 59-02550P
screening of, without water. 59-01048A
silicate, lightweight. 59-04786P
in smectites, mechanism of. 59-02874A

Aging

of ramming materials, refractory. 59-02406A
strain, in stoichiometric rutile crystals. 59-04922A

Agloporite

mechanical and physical properties, ways to modify. 59-02087A

production and application. 59-02104A

Air

quality control, options in. 59-04707A

Air, pollution. See *Pollution, air.*

Aircraft ceramics. See *Cermets; Spacecraft.*

Akermanite

crystals, growth of, by floating zone method. 59-05045A

Albite

structural study of, high-temp. 59-01844A

Alite

pastes, hardened, of various porosities. 59-02076A

Alkaline earths. See also specific types.

chlorides, crystal growth in reactive atm. 59-03746P

oxides, effect of quantity and ratio on production properties of glass. 59-01153A

Alkalis. See also specific types.

in cements, calcined, method for lowering content. 59-00084P

in concrete, concentration by moisture migration. 59-01037A

effect on cationic release from glazes. 59-01467A

effect on glasses, Ca-rich aluminosilicate. 59-02227A

exchange of, between hornblende and melt. 59-01769A

in glasses, oxide, effect of, positron annihilation and spectroscopic study. 59-01229A

resistance to, of glass fibers, process for creating. 59-03441P

of silicate glasses, effect of decomposing solution on determination. 59-02231A

salts, molten, attack on aluminosilicate refractories. 59-02408A

Alkanes

cracking and hydrocycloizing of, with Mn and Re oxides as catalysts. 59-00524P

Alloys

Ag-free, low-Au, for firing dental porcelain. 59-02624P

Au, for fusion to porcelain. 59-03657P

Co, slags. 59-02058A

- Cr-carbide-Ni, friction and wear at 20–1000°C. 59-00761A
Cu-Mn, molten, reaction with cemented WC. 59-03242A
MoSi₂, SiC body containing. 59-02559P
Ni, graphite polishing paste for. 59-02021P
periclase crucibles for smelting. 59-02466A
Ni-based, reaction with SiC at high temps. 59-00411A
of Si and Ga arsenide. 59-01539P
Si₃N₄, method of protecting during heating. 59-02901P
Si₃N₄/MgO, compressive creep of. 59-04897A; 59-04898A; 59-04899A
TiC-Mo₂C-Ni(CO), effect of carbide additions on strength. 59-03524A
based on WC, hot-pressed, properties of. 59-00766A
bronze, Ag₂V₂O₇, thermodynamics of. 59-05106A
Na-W, optical properties. 59-03034A
crystallized from 3NaF·AlF₃·TiO₂ melt, physicochemical properties. 59-03852A
carbide, cemented. 59-00781P
cemented, TiC base powder for, process for making. 59-04867P
carbaboride, Ti and Zr, friction characteristics, composition dependence of. 59-00757A
ceramic, substrate. 59-04539P
chalcogenide, ionicity effects on defects in. 59-03300A
eutectic, Ni-based, directionally solidifying, incompatibility of nitrides for. 59-01786A
glass-forming, preparation under metal oxide/B₂O₃ slag. 59-02371P
high-temp., substitution of ceramics for. 59-01747A
metallic, glass-forming melts, containing P. 59-02372P
polytype, 12H Mg-Si-Al-O-N, microstructure. 59-01871A
powders coated with. 59-03089P
spinner, for glass fiberization. 59-04303P
- Alumina.** See *Aluminum oxide*.
- Aluminates.**
SrAl₂O₇, powder diffraction data for. 59-03118A
alkaline-earth metal, solid solubilities in. 59-04826A
- Aluminosilicates.**
stabilized, hydrocracking catalysts. 59-03924P
- Aluminum.**
Al₂Cl₃, gaseous, reaction of quartz glass with. 59-00249A
Al₂SiO₅, polymorphs, crystal structure and thermal expansion. 59-01928A
Al(OH)₃, amorphous, change in particle size and structure during vacuum decomposition. 59-02930A
Al-Al₂O₃, interface, spectroscopic study. 59-02918A
AlCl₃, solubility and activity in aqueous HCl. 59-01711A
AlCl₃·6H₂O, decomposition of. 59-02851P
AlN, with Al₂O₃, hot-pressed, flexural strength. 59-03863A
effect of gas medium on sintering and properties. 59-03857A
electrons in, K-shell cross section. 59-01855A
sintered body, coated with Al₂O₃. 59-04836P
synthesis of. 59-01764P
synthesized in low-temp. plasma, sintering behavior. 59-00771A
AlPO₄, alpha-beta cristobalite transition, Raman study. 59-03059A
synthetic berillite, radiation effects in. 59-05030A
AlSb, growth on substrates, by vapor deposition. 59-04565A
Si, and glass, compositions for electrical conductors. 59-04604P
alpha-Al₂SiC₂ and Al₂SiC₃, X-ray crystallographic data. 59-05116A
behavior of, during interaction between water and glass. 59-02205A
diffusion of, during sealing of glass to Al₂O₃. 59-02221A
powder, adhesion to glass surfaces. 59-03250A
salts, basic, production of Al₂O₃ from, by homogeneous precipitation. 59-00735A
structural, in quartz, as indicator of physicochemical conditions of crystallization. 59-05053A
systems, AlN-Al₂O₃, thermal expansion of sintered oxynitrides in. 59-03881A
titanates, in spectra. 59-03973A
temp. stable. 59-00580P
- Aluminum oxide.**
Al₂O₃/SiO₂, derived from metal alkoxides, sintering behavior. 59-04008A
MgO-doped, grain-boundary segregation. 59-02985A
Ni-, thermally stable catalysts, for methanation. 59-03926P
and SiC, reaction of clay and C to form and separate. 59-03064A
and Si₃N₄, fracture resistance, using Knoop indentation method. 59-0363A
-SiO₂, binary, monolithic materials formed from, microstructure. 59-01738A
extrudates, catalyst support, process for making. 59-01759P
refractories with low mass. 59-03606P
-ZrO₂, abrasive material, formed by immersion process. 59-03155P
activated, granulated, method of preparing. 59-00745P
alpha- and MgO, powders, effects of shock compression on. 59-03957A
energy levels of donor and acceptor dopants and hole mobilities. 59-01825A
pure and doped, semiconducting properties. 59-02684A
ultrastable, high surface area, process for making. 59-01721P
unirradiated, defects in. 59-02956A
barrier layer, red sensitive photocathode with. 59-00626P
-based abrasives, compositions for. 59-03152P
-based refractories, electrically melted. 59-01382A
beta-, deterioration under electrolytic conditions. 59-02960A
electrical conductors containing, method of making. 59-01576P
plasma sintering of. 59-01742A
pressing powders, preparation by spray drying. 59-00570A
stability in system Na-Al-Fe-O. 59-00926A
beta-, Li, Na, K and Ag, dielectric susceptibility of. 59-03007A
Na, Ca-containing, microstructure and ionic conductivity. 59-00764A
Na, Raman scattering from ammonium ions in. 59-03006A
Na, effect of water on ionic conductivity. 59-00836A
Na, ionic conductivity. 59-00804A
Na, method for forming. 59-04862P
alkaline, parts, method for making. 59-04636P
articles, method of making. 59-03908P
bonding to metals, field-assisted. 59-00558A
films and coatings, formation at low temps. 59-02651A
and glass, conduction and dielectric loss mechanisms. 59-02214A
internal friction and Na transport. 59-01850A
ionic superconductors. 59-03685A
metal, method of making. 59-00743P
mfg. 59-01578P; 59-03836P
mixed, pair modes in vibrational spectra. 59-02927A
polycrystalline, with grains oriented for Na ion conduction. 59-00908A
reaction between Na and oxide components in. 59-04030A
stoichiometric and nonstoichiometric, structure of, X-ray diffraction study. 59-04893A
strength and delayed fracture behavior. 59-00575A
surface with adsorbed Na atom, electronic structure of. 59-04561A
bonding to metals. 59-03666A
catalyst supports, preparing. 59-02906P; 59-04863P
coating for. 59-04856P
catalysts, for purification of automobile exhaust gases. 59-02887P
cements. 59-00077P
from alunite. 59-00035A
from alunite, physical properties. 59-03168A
commercial, evaluation of. 59-04411A
refractory. 59-02529P
refractory, effect of SiO₂ and Fe₂O₃ content on. 59-03541A
refractory, production in Semiluksk plant. 59-04433A
refractory, raw mixture for. 59-04500P
-china clay mixtures, sintered mullite from. 59-03074A
clay bodies, dielectric properties. 59-03671A
clay-, mixtures, role of Mg compounds in mullitization of. 59-02485A
coating, on AlN sintered body. 59-04836P
coking capacity, relation to phase composition. 59-02415A
controlled pore vol., method of preparing with citric acid. 59-02899P
cores, with high porosity and crushability. 59-00430P; 59-02500P
crack growth in, from small flaws in larger grains. 59-04903A
subcritical, fractographic criteria. 59-01830A
crystalline, optical properties of F⁺ center in. 59-03033A
decomposition of zircon by. 59-02422A
dense, subcritical crack growth in. 59-04019A
dispersions, in borosilicate glasses, effect on conductivity and thermal stress. 59-02228A
extrudates, for exhaust catalysts, mfg. 59-00541P
fibers, for fast firing tunnel kiln sledges. 59-02799A
linings of furnaces. 59-03817A
porous insulation made from, thermal conductivity of. 59-04453A
fine-grained, plastic deformation. 59-01887A; 59-01888A
in glasses, PbO-SiO₂, effect on chemical durability. 59-00168A
high pore volume, from dilute injection alkoxide feed. 59-02853P
high-, cement clinkers, composition of pleochroite in. 59-04087A
refractories, performance in burning zone linings of kilns. 59-02098A
refractory articles, charge for. 59-02521P
high-purity, from Korean alunite and sulfate salts, properties of. 59-03640A
hot-pressed, crack growth boundaries, criterion for. 59-00847A
fracture stress-reflecting spot relations in. 59-04951A
single-crystal boundary migration in. 59-00920A
-to-metal, bonding. 59-00543A
metal-, porous composites. 59-03909P
microstructure, and extrusion behavior. 59-00760A
-mullite, multilayer substrates. 59-00544A
systems, evidence of miscibility gap. 59-01827A
particles, consolidation of. 59-04791P
spheroidal, method of making. 59-02907P
pellets, containing TiO₂, hydrodesulfurization catalyst with. 59-03912P
physical properties, and morphologies, preliminary study. 59-05027A
polycrystalline, ballistically damaged, fractographic studies. 59-00848A
conductivity of, effect of differences between grain boundary and bulk. 59-01820A
dynamic deformation of. 59-01814A
fatigue behavior of. 59-01843A
fracture toughness and acoustic emission, temp. dependence of. 59-01925A
light-transmitting. 59-04323P
tubular body, method of making. 59-01577P
porous, agglomerates, preparation of. 59-00750P
with large surface area and low density, method of making. 59-02855P
preparation of, from precipitation of basic Al salts. 59-00735A
and use as carrier containing catalysts. 59-01571P
production of. 59-04784P; 59-04785P; 59-04792P
pure, preparation by acid attack on Al minerals. 59-02856P
reaction of orthophosphoric acid with. 59-03565A
reactions with Zn. 59-00767A
refractories, boehmite-bonded. 59-03499A
charge for. 59-01418P
high-strength, method for forming. 59-02530P
ramming, compactibility test for. 59-04396A
rehydratable, preparation of shaped refractory particles from. 59-01758P; 59-03618P
removal of, from alkali metal chromate solutions. 59-01722P
-silicate, Cr₂O₃, stabilized fibers, high temp. 59-03536A
single-crystal, O self-diffusion in, in-probe analysis. 59-01851A
sintered, H permeability. 59-00860A
crushing and sizing process. 59-02421A
sintering behavior, effect of calcining conditions on. 59-03952A; 59-03953A
sintering of, eutectic. 59-02433A
in presence of liquid phase. 59-03075A; 59-04009A
role of MgO—comment. 59-01791A
role of MgO—reply. 59-01900A
slabs, refractory, for power plants. 59-02440A
spheres, high strength, production by hydrogelling slurries. 59-03918P
strength, fracture, notched bend tests. 59-02983A
substrates, metal-film deposition on. 59-00548A
thermoluminescence of, effect of transition metal ion impurities on. 59-02969A
translucent, development of, in China. 59-04804A
transparent, vapor discharge lamp using. 59-04382P
- Alunite.**
Al₂O₃ cement from. 59-00035A
physical properties. 59-03168A
Korean, properties of high-purity Al₂O₃ from. 59-03640A
Na-, in flint clays, Makhtesh Ramon, Israel. 59-01703A
mullitization of, effect of Fe₂O₃, MnO₂, CaF₂, and TiO₂ as mineralizers. 59-00862A
- Amethyst.**
crystals, synthetic, peculiarities in optical spectra. 59-05007A
- Ammonium.**
NH₄Br·Cl₂, crystals, order-disorder transitions in. 59-00887A
NH₄HCO₃, cost of producing U₂O₈ from, by ion-exchange system. 59-00732A
halide, crystals, H bonding and order-disorder. 59-00859A
solution, reaction products of Si₃N₄ in. 59-03065A
- Analysis.** See *Chromatography*; *Colorimetry*; *Electron diffraction*; *Microscopy*; *Particles*; *Photometry*; *Quality control*; *Screens and sieves*; *Spectroscopy*; *Spectrometry*; *Spectrophotometry*; *Spectroscopy*; *Testing*; *Thermal analysis*; *Thermodynamics*; *Thermogravimetry*; *Titration*; *X rays*.
- Auger, of charge and reduction mechanisms of SiO₂, surfaces under electron bombardment. 59-03932A
of glasses, decrease of alkali signal during. 59-04171A
DTA, of crystallization kinetics in glass. 59-0127A
high temp. quantitative. 59-04720A
of irradiated materials. 59-01812A
single thermocouple, of free crystalline quartz. 59-01664A
EPMA, of particles, conversion of X-ray ratios to composition ratios. 59-01797A
of Portland cement clinkers. 59-02070A
EPR, of Pb coating doped with chromophorous cations. 59-02581A
ESCA and SEM, of early C/S hydration. 59-01040A
of F, in cements. 59-04101A
Gauss-Weibull. 59-01644A
Moessbauer, of high-Al₂O₃ cement. 59-04098A
SEM, of surface of diamond grinding tools. 59-02014A
SIMS, of Na depth profiles in glasses. 59-03251A
STEM, of ceramic oxides, absorption effects. 59-01767A
of grain boundaries in cemented carbides. 59-01902A
X-ray, of 11-Å tobermorite crystallization process. 59-03886A
loss correction for materials which oxidize during. 59-00678A
XRD, of clays, preparation of samples on ceramic slides. 59-01668A
computer-aided, of minerals in mixtures. 59-01636A
glass-forming Sr and Ba metaphosphates. 59-03356A
preparing clay samples for. 59-01659A
quantitative, of TiO₂-opacified enamel panels. 59-02161A
quantitative, of quartz in clays from Buenos Aires province. 59-03804A
of ZrO₂, in ZrO₂ concentrations, bodies, and glazes. 59-03806A

- of bricks, MgO-C, tested in arc furnace. 59-03492A
of cellular materials. 59-01730A
in cement industry. 59-04081A
chemical, of gas and crystalline deposits in glass bubbles.
59-01266A
of silicates. 59-01946B
chronopotentiometric, of electrode reactions of metal ions
in molten Na borate. 59-03261A
derivatographic, of strength of high Al₂O₃ cement
concrete. 59-00042A
dimensional, of grain-size dependence of strength.
59-01813A
of effect of heat-transfer variables, on thermal stress
resistance of brittle ceramics. 59-01770A
electron microscope and gas reaction cell, of micro-
structure of wet portland cement. 59-01056A
electron microscopic, of asbestos fibers and clay
minerals. 59-01662A
of cement pastes. 59-02051A; 59-03169A
of glasses at high temp. 59-04225A
of phase-separated aluminosilicate glass. 59-00151A
of structure of Na₂Ti₂O₇. 59-01916A
elemental, of coal and fly ash. 59-04729A
of thick obsidian, by X-ray emission spectrometry.
59-04719A
of ferrites and ferroelectric substances. 59-01961B
fluorescence, nondestructive X-ray, of ceramics and
glasses. 59-03803A
fractographic, of delayed failure in soda-lime glass.
59-00195A
gas-probe, of structure in silicate glasses. 59-04200A
of gases, from geological samples. 59-01661A
good practices. 59-01645A
interfacial, of composites, bioglass-vitallium and
bioglass-stainless steel. 59-04812A
interferometric, of stress-optical coeffs. of
transparent solid plates. 59-00189A
ion microprobe, ion implantation for. 59-02786A
ir reflection, of oxidation of Si₃N₄. 59-04811A
least-squares, of thick-film solution to diffusion
equation—comment. 59-00799A
of materials, inorganic and geological. 59-00697A
methodology, developments in ceramic industry. 59-03124A
micro-, of N dissolved in glass. 59-03319A
electroprobe, of thin coatings, fluorescence
correction for. 59-01783A
microprobe, Raman, use in cement industry. 59-04116A
of corroded surface of silicate glass. 59-00221A
of microsegregation, in crystals. 59-03931A
microstructural, of reaction-bonded Si₃N₄. 59-00422A
semiautomatic. 59-03807A
multielement, of glass fragments, by AES. 59-00255A
of natural gas. 59-03818A
neutron activation, of diffusion processes in system
glass-Sn. 59-01269A
of trace elements collected on filters. 59-00700A
nuclear reaction, use in detecting moisture in composites.
59-02876A
optical, of secondary absorption edge in Ia diamonds.
59-03984A
particle size, by pressure measurement in suspension.
59-00702A
particulate, electron beam. 59-04718A
phase, automated quantitative, of bauxite. 59-02782A
physicochemical, of chalcogenide glass-forming systems.
59-04239A
of interactions of glasses in system CaAl₂O₃-SiO₂ and
CaGa₂O₃-SiO₂. 59-04238A
pyroelectric temp., of ferroelectric transitions in
polycrystalline materials. 59-03057A
quantitative, of cement and water content in fresh
concrete, method and apparatus. 59-03226P
of powders, by X-ray diffraction, use of Guinier-Hagg-
type camera. 59-04735A
of silicates, instruments for. 59-01660A
rational, whiteware body calculations, problems with.
59-02595A
reflection, ir, of effect of heat treatment on oxidation
of Si₃N₄. 59-04805A
of refractory samples, from People's Republic of China.
59-03575A
rheological and thermal, of glass fiber drawing. 59-01239A;
59-01240A
of sediments, use of programmable calculators. 59-02796A
silicate, of glasses, current methods. 59-00259A
of silicate mixtures, by molybdate complexing method.
59-01039A
of silicates, by distillation and gravimetry. 59-02781A
sixth ceramic chemists' conference on. 59-00974B
spectral, of composition of talc. 59-03797A
spectrophotometric, ir, of crystallinity and particle size
of minerals. 59-01785A
statistical, of Hertzian fracture of Pyrex glass. 59-04259A
stress, thermal, of brittle materials. 59-05101A
thermal, of partially absorbing brittle materials
subjected to radiation heating. 59-01929A
structural, of transition phases in kaolinite-mullite
thermal sequence—comment. 59-00800A
thermal. 59-04741A
of Na-A molecular sieve degeneration. 59-03878A
applications in raw material quality control. 59-04727A
of large samples. 59-04742A
standards for. 59-04731A
- of thermal stress resistance, of microcracked brittle
materials. 59-00752A
thermo-, determination of kinetic parameters by. 59-04717A
thermogravimetric, of hydration of expansive cement
pastes. 59-04082A
of hydroxyapatite prepared by hydration of C.P.
59-04834A
trace, of heavy metals. 59-04743A
of lanthanides, by laser excitation of precipitates.
59-01675A
ultrasonic, of dressability of quartz glass sands.
59-01715A
value, application in production of clay building
materials. 59-02390A
- Analyses.**
automated, for sediments. 59-02792A
bright field, testing of glass containers with. 59-01260A
moisture, piezoelectric. 59-00719P
particle size. 59-04750P
- Anatase,**
pigment, from ilmenite. 59-02850P
- Andalusite,**
South African. 59-02844A
crystals, Raman effect on. 59-04003A
powder, shock-induced transformations of. 59-01904A
- Anions.** See *Ions*.
- Anisotropy.** See also *Crystals*.
cubic, in (111)-oriented garnet films, measuring. 59-04574A
of force constants, of BN, pressure effects on, Raman
study. 59-03060A
of grinding damage, polishing, and etching, in MgO
crystals. 59-01771A
growth induced, magnetic oxide films with. 59-04599P
magnetic, in Y-Sm ferrite garnets. 59-00867A
microhardness, of SiC. 59-04992A
optical, frozen-in, in Na₂O-CaO-SiO₂ glasses. 59-01170A
optically induced, in photochromic glasses. 59-00230A
of polarization, in glasses. 59-03252A
thermal expansion, cracks resulting from, grain-size
dependence of. 59-00851A
- Annealing,**
of MgO, effect on physical properties. 59-04038A
of Sm-YIGG, epitaxial, short-term effects. 59-01906A
diamonds, synthetic type Ib. 59-01752P
effect on magnetic susceptibility, of binary glasses.
59-03304A
experimental, of natural dunite. 59-02831A
of films, As-Se, composition ratio change caused by.
59-04164A
formation of ZnO-containing ceramics by. 59-02716P
preoxidation, effect on stacking fault generation due to
damage on Si surfaces. 59-04969A
vacuum, enhancement of coloration sensitivity of sodalite.
59-00186A
- Anodes.** See also *Electrodes*.
- Anorthite,**
-diopside, system, dielectric and insulating properties.
59-03672A
glass-ceramics. 59-03359P
heat capacity. 59-01841A
melting of, thermodynamics, phase equilibrium studies.
59-01930A
synthesis of, by addition of flux. 59-03654A
- Antiferromagnetism.** See *Ferromagnetism*, *anti-*.
- Antimony,**
CdSb and ZnSb, thermodynamic properties. 59-02687A
-Fe, oxide, catalysts containing, process for regenerating.
59-04868P
GaSb, trace concentrations of Gd and Yb, electrical
activity of. 59-02641A
LaSbO₃, synthesis and properties of. 59-04024A
Sb³⁺, in silicate glasses, EPR spectra. 59-01143A
Sb₂O₃, electrical conduction in silicate glasses
containing. 59-04189A
Sb₂O₄, structure of, nuclear K-radiation study. 59-04978A
Sb₂S₃, amorphous and crystalline films, optical
properties. 59-04579A
films, optical properties. 59-03689A
SbCl₃, phase diagram. 59-01881A
SbSi₃, in melt SbSi-Sb₂S₃, increasing the ferroelectric
phase transformation temp. 59-02661A
selenoantimonides, of alkali metals, A'SbSe, (A' = Li, Na,
K, Rb, Cs). 59-05024A
titanoantimonates, of trivalent p- and d-elements
of composition PbA₃TiSbO₆. 59-03977A
- Apatite,**
crystals, in bone, orientation of. 59-03036A
hydroxy-, prepared by hydration of tricalcium phosphate,
thermogravimetric analysis of. 59-04834A
pure crystals, preparation by hydrothermal
recrystallization. 59-03053A
hydroxyl-, dense, fatigue and fracture strength. 59-04913A
isotopic isotope exchange with, and dilution effect.
59-01854A
oxyhydroxy-, polycrystalline, preparation and thermal
properties. 59-00909A
sintered. 59-00788P
- Apparatus.** See *Instruments; Machinery and Equipment*;
Testing; and specific types.
- Aqueous.** See *Colloids*.
- Archeology,**
Au-glass, fragmentary Christian, at Newark museum.
59-00999A
- Komini diatretum, from Roman cemetery. 59-01005A
antique pottery, found by Marseille fishermen. 59-02027A
bowl, Roman glass, from Komorowo, Poland, A.D.
250-350. 59-01022A
ceramics, from Greek Isles, at Louvre, Paris. 59-02028A
pre-Columbian. 59-03162A; 59-03163A; 59-04077A
glass, cast blue, head of Egyptian king at Corning Museum.
59-01028A
glass blowing, discovery and distribution, Augustan era.
59-00997A
glasshouse, Philadelphia, 1794-1797, built by John
Nicholson. 59-01018A
glassmaking, Venetian. 59-01011A
gold cup, openwork, from Late Antique period. 59-01015A
mortars, calcareous, from Middle Ages. 59-04069A
pendants, glass core, from Mediterranean. 59-01000A
pottery, unearthed at Homudu, China. 59-04080A
urns, funeral, prehistoric, S. American. 59-04072A
value of impressed brands on brick. 59-03157A
- Architecture,**
bricks, Swedish colonial yellow. 59-03164A
glass, stained. 59-01939B
structural ceramics, technology, formation
and properties. 59-05149B
- Argillites,**
argillaceous, raw material, rapid firing of. 59-02592A
- Argon,**
contact gas, use in growing Si oxide films. 59-04668P
plasma, volatilization of refractory elements for
introduction into. 59-01677A
- Arsenic,**
As chalcogenides, spectroscopic study. 59-03078A
As₂O₃(claudetite), refinement of crystal structure.
59-00912A
vitreous, Raman and ir spectra. 59-03058A
As₂O₃, crystal structure. 59-00806A
As₂Se₃, glassy, photodarkening and photostructural
effects in. 59-03328A
As-Se, films, annealing effect of density of upper valence
band states. 59-03253A
compounds, alloy of Si and Ga arsenide. 59-01539P
- Art and warfare.** See also *Archeology; Decoration; Design*;
Majolica; Porcelain; Pottery; Tile.
Chinese, blue-and-white ware and its blue pigment.
59-02029A
Komini diatretum, from Roman cemetery. 59-01005A
Moravian Works, Doylestown, Pa. 59-00026A
Pisa depicted in history of ceramics. 59-04075A; 59-04076A
ancient Chinese, pottery and porcelain. 59-00017A
awards, citations for Viktor Schreckengost, Karen Karnes,
and Michael Cardew. 59-03159A
bottles, barber. 59-00989A
bowl, Roman glass, from Komorowo, Poland, A.D.
250-350. 59-01022A
box, gold and enamel, in form of glass furnace. 59-01002A
ceramics, 19th century, from Imola, Italy, marks and
dating of. 59-02041A
from Greek Isles, at Louvre, Paris. 59-02028A
in the Pacific Northwest, history of. 59-03131B
antique glazed clay. 59-03129B
using polyester and nylon fibers. 59-02035A
ceramics and glass, from Chicago area, 1871-1933.
59-00992A
ceramics in the U.S., century of. 59-01943B
color theory, application of. 59-01950B
contemporary. 59-01031A
cookware, stove-top. 59-00031A
decorative wares, materials science and production
technology of. 59-04049B
design, in China. 59-04071A
enameling. 59-02022A
on Cu. 59-03156A
faience, paintings, by Bodo Mans. 59-02042A
glass, of Christian, Desire. 59-03148B
at Corning Museum. 59-02038A
by Galle, Emile. 59-03161A
Libbey, since 1818. 59-01975B
by Stiegel. 59-02033A
Tiffany, price of. 59-01027A
cast blue, head of Egyptian king at Corning Museum.
59-01028A
from catalog (1879) of Gillinder & Sons. 59-02036A
commemorative and souvenir. 59-02030A
decoration of, in U.S. 59-03292A
lamp-blown, by C. H. F. Mueller, Hamburg, Ger.
59-01003A
medieval, from York Minster, weathering behavior.
59-01032A
produced by Lewis Comfort Tiffany. 59-01007A
stained, photographic essay. 59-03146B
glassmaking, Venetian. 59-01011A
glassware, Heisey. 59-01971B
glazes, Fe. 59-00022A
Lung-Chuan. 59-00025A
ash, Chinese, formulas for. 59-03641A
blue Chun. 59-00019A
phase separation in. 59-04073A
and slips, salt. 59-01023A
gold cup, openwork, from Late Antique period. 59-01015A
health hazards. 59-00960B
jewelry, metal, enamels for. 59-01075P
kilns, design of stack for. 59-01025A

- lamps, Duffner & Kimberly. 59-00998A
lithophanes, 19th century. 59-00021A
majolica, archaic Italian. 59-00986A
bowl, by Domenico, at Correr Museum, Venice.
59-01014A
marbled ware, nerieage (wheel-formed) and nerikomi
(hand-built). 59-01012A
materials, handcraft, apparatus for mixing. 59-01034P
miniatures, creating. 59-01951B
museums, Ross C. Purdy, plans announced. 59-00028A
neoclassic Italian, collection of complete works of
Filippo Comerio. 59-01029A
paperweights, glass, by Paul Joseph Stankard. 59-01017A
parian, American, collecting. 59-00993A
pearlware, dinnerware, 1780-1830, changes in. 59-03158A
pendants, glass core, from Mediterranean. 59-01000A
porcelain. 59-01993B
Meissen. 59-04068A
Nippon. 59-01021A
Royal Crown Derby. 59-01004A
Royal Vienna. 59-02047A
in ancient China, emergence of. 59-03160A
collection of Cardinal Ferdinando de Medici. 59-01019A
damaged, repair of. 59-02039A
portraits, clay slab, making of. 59-00024A
pottery, American, 1875-1930. 59-03128B
Bizen-yaki, of Imbe, Japan. 59-02024A
Dedham, Revere pitcher mystery. 59-00996A
Fiesta Ware. 59-01962B
Frankoma, collector's guide to. 59-01949B
Fulper. 59-01964B
Mexican market. 59-03137B
North German folk, of 17-20th centuries. 59-03138B
Odell & Booth Brothers, of Tarrytown, N.Y. 59-02043A
Quimper, French folk art faience. 59-01030A
from Redlands area of S. Calif. 59-00027A
Rookwood. 59-01984B; 59-04056B; 59-04079A
by Snyder, Lewis. 59-01006A
from Union Pottery, Point Marion, Pa. 59-02050A
antique, found by Marcella fishermen. 59-02027A
banko, Japanese. 59-00988A
casseroles, production of, casting, and use of lid bat.
59-02025A
early, of Maine. 59-01955B
majolica of Griffen, Smith, & Co. 59-00023A; 59-01009A
majolica, exhibit of 18th century Neopolitan. 59-01008A
pierced. 59-04074A
unearthed at Homudu, China. 59-04080A
pottery and porcelain, from E. Liverpool, Oh. 59-02045A
sculpture, clay, use of fiber glass to strengthen.
59-00995A
stoneware, from Norton Potteries, Bennington, Vt.
59-02048A
Rhein, from 12th-17th centuries. 59-04078A
salt-glazed, of N. America. 59-00030A
washbasin, method of making. 59-02049A
teapots, Chinese, I-hsing. 59-00014A
tiles, from New York subway. 1904. 59-00987A
urns, funeral, prehistoric, S. American. 59-04072A
verre églomisé, terminology of. 59-01026A
willow ware, collecting. 59-00034A
- Artists,**
Tiffany, Lewis Comfort. 59-01007A
ceramists, of Berlin. 59-02023A
Viktor Schreckengost, Karen Karnes, and Michael
Cardew, citations for. 59-03159A
glass decorators, of Murano between A.D. 1470-1520.
59-02037A
glassmakers, Desire Christian. 59-03148B
D'Angelos, at Murano during 14th-17th centuries.
59-02032A
Stiegel, Heinrich Wilhelm, early American
industrialist. 59-02033A
legal advice for. 59-01976B
potters, Chicago, Judy. 59-02040A
DeLarios, Dora. 59-00018A
Hiersoux, Catharine. 59-02026A
Lewenstein, Eileen. 59-02034A
Mercer, Henry Chapman, and Moravian Tile Works.
59-00020A
Rhodes, Daniel, conversation with. 59-00995A
Scholz-Schaefer, Karin. 59-02046A
Sforza di Marcantonio, from 16th century Pesaro, Italy.
59-01024A
Snyder, Lewis. 59-01006A
Soldner, Paul. 59-02044A
Tanzer, Betsy. 59-00015A
Temple, Byron. 59-00991A
of Tonalá, Jalisco, Mex. 59-00032A
of Western U.S. 59-01033A
early, of Maine. 59-01955B
sculptors, contemporary, folk, of Ocumichu, Michoacan,
Mex. 59-00016A
- Asbestos,**
59-01699A
cements, technology of. 59-04054B
chrysotile, fibers, heat treatment of. 59-03601P
fibers, production. 59-02121P
fibers, preparation of cements containing. 59-03215P
in insulation, evaluation of. 59-01383A
orientation of, in asbestos cement. 59-02097A
- Ash,**
bone, replacing in bone china. 59-01480A
- bottom, process and apparatus for making aggregates
from. 59-04143P
coal, reaction with CaO, thermodynamic calculations.
59-01748A
filter, lignite, hardening behavior, ir spectroscopic
study. 59-01044A
fluidized bed, building materials from. 59-00381A
fly, multielemental analysis of. 59-04729A
hot, from fuel oils, corrosion of high temp. equipment.
59-04755A
- Atmosphere,**
effect of, on high-temp. strength of basic refractories.
59-04407A
effect on sintering, of Fe₂O₃ and Fe₃O₄ powders
at low temp. 59-03951A
gaseous, effect on electrode potential of Pt in alkali
silicate (borate) glassmelts. 59-03273A
for sealing, glass to metal. 59-00298P
Atomization. See *Spraying*.
- Atoms,**
fluorine, reaction with SiO₂. 59-01892A
low-Z atoms, in solids and on surfaces, X-ray absorption-
fine-structure studies. 59-02978A
- Attrition.** See *Crushing; Grinding*.
- Augers.** See *Extrusion*.
- Automation,**
of flue liner production. 59-00380A
of glassware production. 59-00140A
in industry, general considerations. 59-04041A
- Baddeleyite,**
-containing charge, for refractories. 59-01412P
-corundum, refractories, raw materials for, particle-size
distribution in. 59-01384A
- Balances.** See *Weighing and weights*.
- Ball mills.** See *Mills*.
- Barite.** See *Barium, sulfate*.
- Barium,**
Ba_{0.8}Sr_{0.2}Pb_{0.1}Bi_{0.1}O₃, superconductivity in. 59-04021A
BaTiO₃, crystals, preparation and unit-cell
parameters. 59-02677A
Ba₂Nb₂O₇, polymorphic transformations. 59-03998A
BaAl₂O₆, crystal structure. 59-00807A
BaF₂, effect on nitridation of commercial Si. 59-01815A
BaFe₂Al₂O₇, crystal structure. 59-00808A
BaNb₂O₇, polymorphic modifications of. 59-03997A
BaO-TiO₂, system, preparation of compounds in,
coprecipitation from alkoxides. 59-03873A
BaTiO₃, Mn-doped, polycrystalline. 59-00565A
TiO₂ aggregation and sintering of. 59-01537A
degradation in ac field. 59-01510A
ferroelectric-paraelectric interface, structure of.
59-00933A; 59-00934A
polycrystalline, width of X-ray profiles. 59-03970A
semiconducting, PTC action of grain boundaries.
59-03673A
semiconductor compositions. 59-03708P
stability of positors made from. 59-03699A
BaTiO₃-CeO₂, liquid immiscibility in. 59-00865A
and Ru-containing perovskites, catalysts. 59-03889P
alpha-, dichromate, structure. 59-03064A
hexaferrite, presintering of. 59-02872A
oxide, energy storage using reversible oxidation of.
59-02644A
- Barium, titanate.** See *Dielectrics*.
- Basalt,**
quarrying, in southern Bakony Mts. of Hungary, geological
factors. 59-04779A
- Base exchange.** See *Ions*.
- Batch,**
Pb crystal, pelletization of. 59-01226A
glass, briquetted, full scale production from. 59-02242A
compacted, effect on energy consumption. 59-01120A
cost reduction, computer-based. 59-01121A
isokinetic sampling of carryover. 59-02262A
pelletizing and preheating. 59-01110A
storable. 59-04378P
slag-containing, firing. 59-00190A
- Batteries,**
Na-S. 59-00632P; 59-01597P
S electrode for. 59-01601P
Na/S, SiC as electrode and container material in.
59-01515A
Pb-acid, with Pb-Cd-Zn-Sn plate straps. 59-01560P
alkali metal-S. 59-00579P
alkaline, separator for. 59-02739P
barrier bottom, formed from expanded graphite. 59-02525P
electric. 59-03713P
high specific energy. 59-00600P
membranes used in, glass, properties of. 59-03343A
seals for, glass-to-metal. 59-00599P; 59-02349P
using reversible oxidation of Ba oxide. 59-02644A
- Bauxite,**
from Rajhauan, fired properties, effect of process
variables on. 59-02429A
analysis of, phase, automated quantitative. 59-02782A
of different ages and origins, SEM study. 59-01903A
- Bending.** See *Deformation*.
- Beneficiation.** See also *Classification; Classifiers*;
Crushing; Grinding; Filters; Flotation; Screens and
sieves; Separation; Separators.
brightening, of natural calcite ores. 59-00739P
magnetic. 59-00738P
- of oxidized taconites. 59-01716A
of ores, phosphate and Fe. 59-04790P
phosphate, method for. 59-03843P
- Berillite,**
structure and behavior, effect of grinding on. 59-01817A
- Beryl,**
crystals, natural, defects in. 59-02954A; 59-02955A
- Beryllium,**
BeF₂, glass transition of. 59-04205A
BeO or SrO, charge containing, for production of diopside.
59-01285P
ceramics, paste for metallizing. 59-04646P
-containing SiC powder. 59-03890P
sintering. 59-01757P
- Binders,**
Al phosphate, cured with ammonia and amines. 59-04463P
Ni-P, for TiB₂-based cermets. 59-01740A
PVA and starch, effect on structure in sintered
Mn₂, Zn₂, Fe₂O₃. 59-02639A
alkali metal silicate. 59-03211P
for cements. 59-00076P
based on cement clinker. 59-01059P
based on silicates, alkali metal, and K metaborate.
59-01058P
cement clinker, effect of additives on hydration and
physicochemical properties. 59-02068A
ceramic, for abrasive tools. 59-00005P; 59-00006P;
59-00980P; 59-00981P
glass, for mfg. tools from Elbor. 59-00300P
for glass articles, extruded. 59-04280P
gypsum-based. 59-01063P
hardenable, based on cement and bituminous emulsions.
59-04142P
hexametaphosphate, improves adhesion of gunning
materials. 59-03540A
hydraulic, from glassy pyrogenic rocks. 59-03228P
inorganic, physicochemical bases for. 59-01988B
liquid, for refractory molding powders. 59-02533P
mineral. 59-04051B
for mineral wool. 59-00480P
for refractories. 59-02503P
refractory, hydraulic, Ca aluminate-based. 59-00436P
for shells used in lost wax process. 59-00434P
thixotropic, based on Al phosphate SiO₂ sols.
59-04509P
systems, in ferrites. 59-02629A
tar-phosphate, unroasted magnesite refractories with.
59-03580A
used in ceramic industry. 59-02570A
water-soluble, slip based on, for production of ceramic
films. 59-01596P
- Binding,**
of refractories. 59-01413P
- Biottle.** See *Mica*.
- Birefringence.** See *Refraction*.
- Biorth,**
Bi₂SiO₅, levorotatory, crystal structure and
piezoelectric coeff. 59-01801A
Bi₂MoO₆, ferroelectricity in. 59-04563A
and Bi₂WO₆, transformational superplasticity of.
59-03105A
- Bisque,**
ceramic, quality of, as function of raw materials and
their preparation. 59-04531A
- Blending.** See *Mixing; Mixers*.
- Bodies, ceramic.** See also *Dielectrics* and specific
types.
- Boehmier,**
bonded, Al₂O₃ refractories. 59-03499A
exsolution, in corundum. 59-01774A
structure of, crystal. 59-01805A
- Bonding.** See also *Seals and sealing*.
59-04839P
Ag to nitrides, method for. 59-00604P
Al₂O₃ to metals. 59-00543A; 59-03666A
adhesive, of metallic glass fabric. 59-00123P
of beta-Al₂O₃, to metals. 59-00558A
of bioglass to metal. 59-00338P
of bone, to porous SiO₂-rich surface. 59-01485P
ceramic-to-metal, ceramic solder for. 59-00585P
chemical, in B₂C₃. 59-03022A; 59-03023A
of electrolytes, solid. 59-03750P
to ferrites, glass for. 59-01304P
glass, Na borosilicate, for abrasive wheels. 59-04059A
and sapphire, method for. 59-02722P
glass-to-metal. 59-02334P
hydrogen, in NH₃, halide crystals. 59-00859A
ionic, contribution to thermal stability of SiC polytypes.
59-00805A
of metallic support to glass surface, process for.
59-01348P
metals, to ceramics. 59-02180P
to ceramics and metals. 59-03709P
phosphate, of MgO materials. 59-02102A
of aluminous aggregates for refractory monolithics.
59-02467A
pitch, of refractories. 59-02547P; 59-02548P
quartz glass to metal. 59-02311P
refractories, chemically. 59-04395A
- Bonds,**
Si-O, correlation between force constant and
electronic structure. 59-04902A
cement-aggregate, review of. 59-04112A

- chemical, effect on elastic-optical properties of Li- and Pb-containing glasses. 59-03277A
for refractories. 59-04464P
- Berries.**
LiCdBO₃, crystals, structure of. 59-03939A
Na[B₁₂O₁₂(OH)₄], new borate polyanion in. 59-03025A
alkali, of metals. 59-00790A; 59-00791A; 59-00792A
two-component glass-forming systems, calculation of liquidus curves. 59-01113A
- Berries.**
LaB₆-EuB₆, solid solutions, thermal conductivity. 59-05998A
with NbCoB₆, structure. 59-00880A
carbo-, Ti and Zr, alloys, friction characteristics. 59-00757A
classification of. 59-00798A
refractory, electronic applications for. 59-03687A
transition metal, abrasive particles. 59-00012P
- Boron.**
B₁₂C₃, chemical bonding in. 59-03022A; 59-03023A
B₂O₃, enameling frit containing. 59-01071P
B₂O₃, H₂BO₃, and BN, chemical bonding and electronic structure. 59-04891A
B₂C, dense polycrystalline, produced by pressureless sintering. 59-03915P
method for making. 59-04858P
physical and chemical interactions with energetic tritium. 59-03767A
structure and properties. 59-04451A
BN, abrasive particles. 59-03153P; 59-04064P
-based materials, oxidation of. 59-00888A
crystals, precipitated from gas phase, orientation of. 59-05002A
cubic. 59-04801A
cubic, conversion from pyrolytic BN. 59-03894P
cubic, grinding wheels, magnetic cores for. 59-02019P
cubic, synthesis of, solvent effects of fluorides. 59-01911A
/elastomeric polymer, coating for steel casting dies. 59-04465P
high-pressure effects on anisotropy of force constants, Raman study. 59-03060A
superhard composite material. 59-03925P
wurtzite-type films, deposition by plasma crystallization. 59-02958A
RE hexaboride, crystals, magnetic and transport properties. 59-04988A
filaments, CVD-produced. 59-04799A
elongation of. 59-04827A
in glass, determination by dc plasma emission spectrometry. 59-00162A
in raw materials, spectrometric test for. 59-02783A
self-diffusion, in Fe₂Ni₁₀B₁₂ glass, spectrometric measurement. 59-04178A
transport, during sintering of beta-SiC. 59-02924A
vacancies, in garnets. 59-04882A
- Brazing.** See *Soldering*.
- Brick industry.** See also *Structural clay industry*.
Acme plant at Edmond, Okla. 59-01367A
Czechoslovakian, development of prefabrication. 59-02391A
in Denmark. 59-03464A
in Europe and USA, overview. 59-00395A
in E. Germany, testing methods. 59-03481A
Si oxide, single crystals, growth of. 59-03720P
in W. Europe. 59-03465A; 59-03466A
advances in rapid firing. 59-00388A
automated plant near Toulouse, France. 59-03462A
automated production, of SiO₂ bricks in Kalinin Combine. 59-02410A
biomass fuel, new source of energy. 59-03463A
coal firing cuts cost. 59-03467A
dry press equipment. 59-01364A
energy, conservation. 59-04753A
energy audit. 59-00383A
land reclamation by Broad River Brick Co. 59-00386A
new Watsontown, Pa., plant. 59-00387A
portakilns for. 59-02398A
sawdust firing, at Pine Hill. 59-03474A
at largest tunnel kiln in U.S. 59-03468A
wet scrubbers reduce flue emissions at Globe Refractories. 59-03545A
- Brick.** See also *Masonry*; *Refractories*.
for Anatole Hotel, Dallas, Tex. 59-01369A
BaTiO₃, containing PbO-TiO₂-Al₂O₃-SiO₂ glass, effect of particle size on sintering. 59-03858A
Ca silicate, compressive strength, effect of particle size of sand. 59-00047A
SiO₂, method for making. 59-02558P
clays, thermal study of. 59-02401A
construction, with impressed brands, value to archaeologists. 59-03157A
cutting of. 59-04389P
from dehydrated clay, effect of grain size on quality. 59-00382A
electrofused, dense, for vacuum O decarburization furnace. 59-04464A
facing, antique colonial, mfg. 59-01365A
finishing, runner. 59-01457P
fire-, insulating, use in rotary cement kilns. 59-00074A
glass, compound for. 59-04313P
hand-formed, apparatus for making moldings for. 59-00399P
- high-Al₂O₃ and fireclay, use in rotary cement kilns, selection criteria. 59-02111A
inorganic, elastic properties, measurement and calculation of. 59-03306A
magnesian-chrome, rebonded, use in R-H degassing vessel lining. 59-04484A
masonry, for sound insulation and fire protection. 59-00390A
mfg. 59-00398P
panels, customized on assembly line. 59-00379A
periclase, thermal loading in valve gates of ladles. 59-02494A
portakilns for. 59-02398A
refractory, C-bonded. 59-04467P
Dinas, charge for. 59-00440P
MgO-C, tested in arc furnace, analysis of. 59-03492A
MgO-C, unburned, use in ladle slag line. 59-02498A
MgO-C, use in walls of arc furnace. 59-03581A
MgO-chrome, in RH degassing vessels, altering. 59-03490A
MgO-chrome, using metallurgical chrome ores. 59-03550A
MgO-spinel, development of. 59-03512A
MgO-spinel, for rotary cement kilns. 59-03551A
basic, wear at high temp. in vacuum. 59-03583A
high-Al₂O₃, performance in steel furnaces in India. 59-02464A
insulating. 59-02505P
for ladle linings. 59-03500A; 59-03501A
linings, removal of. 59-03624P
linings, for tubular structure, method of laying. 59-00471P
metal encased. 59-01439P
method for straightening deformation zone in wall. 59-03611P
mullite and sintered corundum, study of. 59-02449A; 59-02450A
silicate, with specific strength, batch composition. 59-02411A
study of breakage and improved toughness. 59-03544A
tuyere bottoms lined with. 59-00486P
tuyere plates lined with, methods and apparatus for constructing. 59-02540P
used in Indian steel plants, constitution and microstructure. 59-02416A
silicate, production of, projected. 59-02469A
structure, composite wall. 59-03486P
yellow, Swedish colonial. 59-03164A
- Brickmaking equipment.** See also *Dryers*; *Kilns*; *Materials handling*; *Presses*.
for blending. 59-00396P
for hacking and stacking. 59-01370P
for handling, and forming voids in layers. 59-02401A
for making moldings for hand-formed bricks. 59-00399P
for mfg. facing brick, with antique colonial texture. 59-01365A
presses. 59-00397P; 59-01364A; 59-03485P
- Briques.**
from dust, cement. 59-00079P
- Brittle materials.**
composites, fracture of. 59-01733A
cracks in, atomically sharp. 59-04883A
in elastic-plastic regime, impact damage in. 59-02992A
fatigue of, dynamic, effect of flaw characteristics. 59-04197A
fracture. 59-01963B
Weibull's statistical theory. 59-00879A
chemically assisted, theory of. 59-05094A; 59-05095A
limitations and misconceptions suggest new approach. 59-01846A
mechanics. 59-01979B
multibarrier kinetics. 59-00789A; 59-00876A
honeycomb structures of. 59-04853P
microcracked, thermal stress resistance of. 59-00752A
partially absorbing, subjected to radiation heating, thermal stress analysis. 59-01929A
scatter of strength, effect of crack growth on. 59-03954A
solids, microfracture about scratches in. 59-03982A
strength of, statistical comparison, biaxial and uniaxial data. 59-00794A
stress analysis of, thermal. 59-05101A
stress resistance, thermal, analysis of effect of heat-transfer variables on. 59-01770A
subjected to convective heating, effect of thermal conductivity on stress in. 59-03955A
- Bromides.**
of Cd and alkali metals, formation in nonequilibrium mixtures of. 59-04894A
- Brookite.**
formation, by oxidation of Ti under hydrothermal conditions. 59-04798A
role in increasing whiteness, of TiO₂-opacified enamels. 59-03243A
- Bubbles.**
He, in B₂C, effect of irradiation temp. on growth. 59-03761A
in enamels, porcelain, structure of. 59-04151A
gas, movement in circulation flows of glassmelt. 59-04228A
in glass, effect of size and distribution on Bernoulli and Berkens forces. 59-01146A
gas and crystalline deposits in, chemical analysis. 59-01266A
- in glass bodies, dissolution of, role in purification. 59-00253A
size distribution during clarification of. 59-00256A
in glassmelts, behavior of. 59-01111A; 59-03255A
hard, in magnetic bubble devices, process for suppressing. 59-01594P
suppression mechanism in magnetic YIG. 59-04979A
magnetic, domain devices, garnet film for. 59-02704P
submicron, in (Y₂Sm₂Lu₂)(FeGaSe₂)₂O₁₁. 59-04593A
multicomponent, dissolution in glassmelts. 59-04179A
- Building materials.** See also *Bricks*; *Enamels*; *Insulation, thermal*; *Structural clay products*.
from ashes, hot-pressed fluidized bed. 59-00381A
brick, facing, antique colonial, mfg. 59-01365A
for sound insulation and fire protection. 59-00390A
ceramic, production of. 59-01995B
clay, application of value analysis in production of. 59-02390A
coated, producing. 59-02405P
composite wall structure. 59-03486P
from foamed ceramics, mfg. 59-01371P
glass and glass-ceramic, strength of. 59-05130B
gypsum board, process for making. 59-04144P
lime-silica bonded, method of making. 59-00086P
panels, porcelain. 59-01069A
wall, prefabricating. 59-00400P
plates, pavement, of conglomerated granite. 59-02394A
plink, new facing material. 59-00389A
porous, perfluent sintering of. 59-04708A; 59-04709A
prefabricated, in Czechoslovakia. 59-02391A
technology, formation, and properties. 59-05149B
walls, improving quality of. 59-04044B
- Bulbs.** See *Glass*.
- Burners.** See also *Flames*.
59-04466P
SiC. 59-04616P
direct fired, coal grinding apparatus for. 59-02816P
flat-flame. 59-00695A
glass-ceramic, method of making. 59-04309P
ignitor, for boilers, cold start using pulverized coal. 59-01685P
for kilns. 59-04765P
- Burning.** See also *Calcination*; *Combustion*; *Firing*; *Lime*.
cement, clinkers, new method. 59-03194A
clinkers, statistical review. 59-04084A
of cement mixes, raw. 59-02053A
portland cement clinkers. 59-00060A; 59-00061A
discussion. 59-02100A
reply. 59-02101A
- Cadmium.**
Cd₂Ge₂O₈, crystal structure. 59-01803A
CdAs₂, homogeneity region. 59-02655A
CdCr₂Se₄, crystals, electrical properties. 59-03958A; 59-04935A
CdGa₂Se₄-CdIn₂Se₄, solid solutions, order-disorder transitions in. 59-03985A
CdS crystals, growth in SiO₂, capsules. 59-04955A
method for epitaxially depositing. 59-04632P
semiconductors, method for polishing. 59-02719P
CdS/CdTe, photovoltaic cells. 59-04653P
CdSe crystals, intrinsic defects in. 59-02999A
CdWO₄, crystals, growth from Cd oxide-W oxide system. 59-01775A
chemicals. 59-01941B
stannate, mono- and di-, preparation and electrical properties. 59-03692A
spinel form of. 59-03079A
- Calc.** See *Calcium, oxide*.
- Calcination.** See also *Firing*.
59-03837P
of MgO, effect on physical properties. 59-04038A
of NaCl with limestones, interaction during. 59-02082A
of lime, method for. 59-04137P
of limestone, industrial oven for. 59-02117P
kinetics of. 59-04099A
multistep, of cement clinkers, method for. 59-02118P
of pellets, physicochemical process in refractory linings of machinery used for. 59-02468A
pre-, of clinkers, in shaft kiln. 59-03194A
- Calciners.**
59-04789P
- Calcining.**
of Al₂O₃, effect on sintering behavior. 59-03952A; 59-03953A
of PZT, reactivity of ZrO₂, during. 59-01530A
cement raw materials, finely divided including combustibles, method and apparatus for. 59-03225P
equipment. 59-04789P
kettle for. 59-00668P
automatic. 59-03213P
nuclear wastes, containing Zr and halides. 59-00651P
pre-, of cements, method for treating finely grained materials. 59-03221P
use of substitute fuels. 59-02071A
reductive, of MgSO₄. 59-02858P
by secondary firing, in ZAB preheater. 59-02054A
- Calcium.**
Ca₂MnO₄-F₂, magnetic and electrical properties. 59-04987A
Ca₂SiO₄, effect of furnace atm on reaction with CaO. 59-04097A
gamma-, refinement of crystal structure. 59-04111A

- phase modifications in steelmaking slags at 1600°C.
59-04104A
Ca,Ti₂O₇, formation on thermolysis of Ti and Ca hydroxides. 59-04948A
Ca₂SiO₄, early hydration of, spectrometric study. 59-04117A
Ca(OH)₂ and H₂O, reactions of silicates with. 59-00067A
CaCO₃, decomposition in vibratory furnaces, output and process data. 59-01050A
solid state reaction with Fe₂O₃. 59-04971A
CaF₂, entropy of formation of Frenkel defect in. 59-04941A
mineralization, effects on silicates and melt formation in portland cement clinker. 59-02069A
phonon resonances associated with vacancy in. 59-05023A
CaO, effect of CO₂ pressure on reaction with. 59-00829A
effect of quantity and ratio on production properties of glass. 59-01153A
interaction with coal ash, thermodynamic calculations. 59-01748A
melting temp. 59-01869A
porous particles formed by decomposition of CaCO₃ and Ca(OH)₂, characterization of. 59-03935A
produced by calcite decomposition in vacuum and CO₂. 59-00877A
12CaO·7Al₂O₃, crystals, growth of. 59-05044A
CaO/SiO₂, reaction with additives of Ca₃(PO₄)₂ or BaO. 59-01891A
CaSO₄, mfg. from brine mud. 59-04787P
structure, crystal chemistry, and reactivity. 59-02884A
CaSO₄·2H₂O, precipitation by Ca ion electrode. 59-02103A
CaWO₄, crystal growth from LiCl and Na₂WO₄, kinetics and thermodynamics. 59-01859A
deposition on glass, to inhibit alkaline attack. 59-00142A
diffusion, in silicate melts. 59-03934A
ores, method for brightening. 59-00739P
sensitivity, peculiarity of hydration of H₃PO₄, plaster. 59-01036A
sulfate hemihydrate, crystallochemical characteristics. 59-03174A
Calcium, oxide. See also *Lime*.
Calorimetry,
differential scanning, use in determination of thermal conductivity. 59-01641A
isothermal, study of system CaSO₄·H₂O. 59-02083A
Capacitors
59-02693P
from 0.10 oz. to 50 lbs. 59-02630A
Vitromon company, growth of. 59-02652A
ceramic. 59-00583P
assembly process for. 59-03722P
charge for mfg. 59-01544P
material for. 59-01540P
refractory supports for firing. 59-01456P
with electroluminescent layers, primary enamel for. 59-00620P
glass-enamel, glass for. 59-04298P
large, used by Navy TACAM program. 59-02672A
monolithic, ferroelectric materials for. 59-01552P
with fuse link. 59-03736P
power, for high frequencies. 59-00586P
thin films. 59-00636P
trimmer. 59-02695P
Carbides. See also specific types.
Al Si, new phase of. 59-01874A
B₁₂C₃, chemical bonding in. 59-03022A; 59-03023A
B₄C, method for making. 59-04858P
Cr, sintered material based on. 59-00783P
M(Nb,Ta)-C, X-ray camera study of. 59-04879A
Nb, nonstoichiometric powders, sintering kinetics. 59-00921A
and V, nonstoichiometric, crystals, Vickers microhardness. 59-05113A
NbC and ZrC, physicochemical properties, effect of reactor irradiation on. 59-02743A
SiC, beta-crystalline, apparatus for making. 59-00478P
hot-pressed, erosion rate of. 59-04877A
hot-pressed, oxidation of. 59-00416A
new polypeptide, study of. 59-01877A
reaction-bonded, microstructure. 59-00407A
sintered body. 59-02913P
TiC, abrasives. 59-00011P
refractory. 59-00479P
U-Pu, process for making. 59-04700P
WC, cemented, reaction with molten Cu-Mn alloys. 59-03242A
electrochemical recycling of, using rotating drum anode. 59-03859A
Zr, Nb, and Ta, heat capacity, by pulsed method. 59-01838A
ZrC, microcrystalline fabric. 59-00449P
alloys, cemented. 59-00781P
alpha-Al₂SiC₃ and Al₂Si₂C₃, X-ray crystallographic data. 59-05116A
cemented, coated. 59-00004P; 59-02519P; 59-03891P
grain boundaries, STEM analysis of. 59-01902A
hot-deformed, microstructural study of. 59-04814A
prepared by HIP, mechanical properties. 59-03150A
-graphite, fiber-reinforced composites, hot-pressed, method for making. 59-02896P
metal, refractory particles. 59-00483P
oxy-, Nb, thermal expansion of. 59-05100A
property data, engineering. 59-01959B
refractory, electronic applications for. 59-03687A
transition metal, abrasive particles. 59-00012P
Carbon, fibers. See *Fibers, carbon*.
Carbon. See also *Graphite*.
¹⁴C, self-diffusion in high-purity and N-doped alpha-SiC. 59-05041A
self-diffusion in polycrystalline beta-SiC. 59-00916A
C/C, composites, method for making. 59-04860P
CO, resistance of refractories and concretes to. 59-01403A
CO₂, effect of pressure on reaction with CaO. 59-00829A
and SiO₂, residues, formation of SiC from. 59-00734A
active, carriers or catalysts, abrasion-resistant, production of. 59-04870P
bonded, refractory bricks. 59-04467P
chaoite, new allotropic form of C, produced by shock compression. 59-01782A
coatings, on glass fibers, method for applying. 59-04342P
on nuclear fuel particles, minimizing cracking. 59-00655P
for optical waveguide starting member. 59-04283P
coke, refractories formed by reaction with kaolinites. 59-00423A
composites, method of forming. 59-03904P
-containing articles, glazes for. 59-00320P
-containing glass, electrically-conducting. 59-04289P
crucibles, production of solar-grade Si using. 59-04919A
deposition of, from CO, in refractory linings of torpedo ladles. 59-03509A
-fiber-C-matrix composites, thermophysical properties of. 59-04835A
fiber-reinforced articles, method for making. 59-02890P
fibers, drive shaft composite reinforced with. 59-01072P
mfg. 59-03607P
mfg. and applications. 59-05127B
porous, with metallic coatings. 59-01090P
process for making. 59-01760P; 59-03913P
refractory. 59-03589P
refractory, with improved oxidation resistance. 59-03588P
glassy, formation of diamonds from. 59-03864A
-graphite, materials. 59-01942B
pyrolytic, method of coating with. 59-00133P
refractories, O-resistant electroconductive. 59-04492P
vitreous, method for making. 59-03612P
total and free, in refractories, rapid determination of, using analyzer AN-29. 59-02476A
transitional forms, graphitization of. 59-05108A
use in furnace linings. 59-03494A
Carbonaceous materials,
refractory, for lining metallurgical furnaces. 59-04430A
Carbonates,
poly, method for applying glass layers to. 59-03732P
Carbonation,
of ettringite, synthetic. 59-04085A
Carriers,
in semiconductors, optical measurement of concentration. 59-03738P
Cast iron. See *Enameling metals; Iron*.
Castables,
clay-bonded, progress with. 59-03562A
for inductor refractory, application of. 59-02409A
refractory. 59-03590P
cement-bonded, observation of micropore distribution. 59-04428A
dense high-strength. 59-04404A
ladle lining and repair. 59-03546A; 59-03547A; 59-03548A
quality control in application of. 59-04436A
thermal shock resistance. 59-04454A
use for electric furnace roof. 59-02417A
used in concrete pump, properties of. 59-03564A
reinforced, with stainless steel fibers, mechanical properties at high temp. 59-03537A
superduty, permeability/dehydration behavior. 59-03558A
Casting. See also *Molding; Refractories; Slip casting*.
Cu, method using TiO₂ release method. 59-02522P
automatic, of sanitary ware. 59-02569A
calcined gypsum and portland cement compositions. 59-04122P
centrifugal, of Cu, linings for. 59-00477P
of refractory concretes. 59-01374A
continuous, of steel, refractories for. 59-04397A
flow, refractory composition for. 59-01448P
of lid bat, for production of castoroles. 59-02025A
metals, continuous mold for. 59-00125P
using gas-permeable molds. 59-02535P
mill ingots, refractories for. 59-03591P
molds, investment, apparatus for drying. 59-00463P
refractories, fusion, critical stages in mfg. 59-04401A
sand, green. 59-04475P
of sanitary ware, streamlined operation at Mansfield plant. 59-02590A
stone. 59-00495P; 59-02563P
stone-like, synthetic, sintered glass for. 59-02377P
whiteware, effect of particle distribution. 59-02588A
slips for. 59-04513A
Castings,
metal, hollow, preparation of. 59-00465P
hollow, refractory cores for making. 59-03593P
single crystal, directionally solidified, mold for, method for making. 59-02542P
superalloy, fabrication of composite shell molds for. 59-00464P
Catalysts.
59-04403P
Al₂O₃, for purification of automobile exhaust gases. 59-02887P
Fe-Sb oxide containing, process for regenerating. 59-04868P
Ni-Al₂O₃, thermally stable, for methanation. 59-03926P
WC, production by carburization of W oxides. 59-01762P
Ziegler. 59-03929P
carbon, active, abrasion-resistant, production of. 59-04870P
carrier, Al₂O₃ as. 59-01751P
cracking, hydrocarbon. 59-02893P
hydro-, stabilized aluminosilicate for. 59-03924P
with improved resistance to poisoning by metals. 59-03892P
desulfurization, Co-Mo-Al. 59-02889P
for exhaust gases, method of making. 59-03907P
production of Al₂O₃, extrudates used as. 59-00541P
faujasite zeolite, exchanged, method for making. 59-04851P
hardening, and alkali metal silicates, for foundry molds. 59-04478P
hydrodesulfurization, with Al₂O₃, pellets containing TiO₂. 59-03912P
for making acids, acrylic, from acrolein or propylene. 59-04842P
unsaturated. 59-04841P
for making maleic anhydride. 59-04844P
mordenite. 59-02903P
oxides, Mn and Re, for cracking and dehydrocyclizing of alkanes. 59-00524P
multicomponent, process for forming. 59-04866P
for ozone decomposition. 59-04843P
perovskite, Ba- and Ru-containing. 59-03889P
Ru-containing. 59-02910P
physical properties, method for. 59-03900P
process for making. 59-04869P
with substrates, metallic. 59-04845P
support for. 59-04865P
whiteware. 59-00525P
supported, containing V₂O₅ and TiO₂. 59-02914P
supports, Al₂O₃, coating for. 59-04856P
Al₂O₃, method of making. 59-02906P; 59-04863P
SiO₂, Al₂O₃. 59-01759P
apparatus for coating. 59-03887P
refractory, low porosity, application of wash coats to. 59-03899P
treating, hydrocarbon. 59-02894P
zeolite, alpha-, shape selective, preparation of. 59-03910P
crystalline. 59-03893P
zeolitic, with SiO₂, Al₂O₃, matrix, method of making. 59-03906P
Cathode-ray screens. See *Screens, fluorescent*.
Cathode-ray tubes. See *Tubes*.
Cathodes,
photo-, red sensitive, with Al₂O₃, barrier layer. 59-00626P
Cathodoluminescence. See *Luminescence*.
Cations. See *Ions*.
Celastine. See *Strontium, sulfate*.
Cells,
Li, stabilized glass-to-metal seals in. 59-01599P
Na-S. 59-00632P; 59-01597P
Na/SiC as electrode and container material in. 59-01515A
O concentration, thermodynamic data from. 59-04031A
electrochemical, glass-to-metal seal for. 59-00599P; 59-02349P
electrolytic, bottom barrier formed from expanded graphite. 59-02525P
fuel, nuclear, electrolyte reservoir layer, method for making. 59-02753P
liquid crystal, with insulating layer of SiC base. 59-04618P
metal-S, alkali. 59-00579P
photoelectric, Se, glass filters for. 59-00199A
photovoltaic, thin film CdS/CdTe. 59-04653P
reaction, for hydrothermal solution equipment. 59-01655A
solar, GaAs-GaAlAs. 59-00597P
In Sn oxide on Si, loss mechanisms. 59-01532A
Si for, from rice hulls. 59-04788P
amorphous Si, cermet layer for. 59-01543P
conducting oxide-Si, using electron beam sublimation, method for making. 59-02721P
electron-beam-deposited SnO₂/n-Si, structure and properties. 59-04018A
sputtered In-Sn oxide/CdTe junctions and CdTe surfaces. 59-04592A
transparent modules. 59-00271A
thermal conductivity, with thick film seal. 59-01602P
Cement industry,
Anglo Alpha plant at Dudfield, S. Africa. 59-00036A
at Badoosh, Iraq, dry-process works. 59-00049A
Ciments Lafarge France's conservation program, results in conversion to semidry process. 59-02056A
in Czechoslovakia, use of abrasion-resistant grinding materials. 59-02073A
Indocement Group, Indonesia's fastest growing company. 59-02080A
in Saudi Arabia. 59-00069A
development of. 59-04090A
Syrian plant uses shaft-type preheater. 59-02113A
Turkish. 59-02108A
U.S., challenges. 59-00039A
Zahana works, Algeria. 59-00043A
analytical procedures in. 59-04081A
Raman microprobe. 59-04116A
automatic control, of fine-grinding of raw meal. 59-03192A

- of mill plate feeds. 59-03171A
system in Ufyanovsk plant. 59-03165A
blending bed technology, for prehomogenization.
59-04081A
clinker production, with Pyroclon preheater. 59-00058A
coolers, clinker, dust collection system with heat
exchanger for. 59-00046A
drives, for rotary kilns and mills. 59-04127P
dust, recycling by compacting. 59-01049A
dust catch, process for treating. 59-01067P
electrical protective measures and earth fault signaling
systems. 59-00048A
energy consumption, method and apparatus for reducing.
59-03219P
trends. 59-01055A
filter installations, electro-, development and trends.
59-00044A
fuel conservation, at Karachaev-Cherkessk plant.
59-03204A
at Novorostomest combine. 59-03186A
in U.S.S.R. 59-03206A
grinding, machines and methods for. 59-00045A
grinding aids. 59-00977B
irregular shapes, cause of. 59-02110A
kilns, rotary, MgO-spinel bricks for. 59-03551A
rotary, charge for MgO-spinel refractories for.
59-02508P
rotary, effect of deformation on refractory
linings. 59-02060A; 59-02061A; 59-02062A; 59-03175A
rotary, failures in, caused by thermal dilation.
59-04095A
rotary, firing with solid fuels. 59-02095A
rotary, measuring and evaluating jacket temp. 59-02052A
rotary, and mills, drive for. 59-04127P
rotary, selecting heat exchangers for. 59-03203A
rotary, use of high-Al₂O₃ and fireclay bricks in,
selection criteria. 59-02111A
rotary, use of insulating firebrick. 59-00074A
manufacturer's handbook. 59-03130B
measuring level of cement in railroad tank cars,
instrument for. 59-02081A
mfg. process technology. 59-00971B
mill linings, rubber, advantages of. 59-03166A
monitoring and control. 59-00062A
need for reverberatory crushers, in U.S.S.R. 59-03172A
optimum plant size. 59-00059A
pellet bed precalciner, new method of clinker burning.
59-03194A
precalciner-kiln plants, SF-type, with 45 million ton/yr
capacity. 59-00056A
process control systems. 59-00063A
production process, fluidized bed. 59-04146P
prospects for production of hydrotechnical cement in
Siberia. 59-03201A
quality control, by materials management. 59-01046A
raw material deposits, computer evaluation of. 59-03173A
raw material preparation, at Navoiisk plant, process
control of. 59-03199A
raw mixes, key to profitability. 59-02107A
reinforced suspension preheater system, pulverized coal
combustion in. 59-00065A
safety, in solid fuel milling and storage. 59-04115A
sealing system, for feed end of dry process kiln. 59-03207A
utilization of red mud, plant tests for. 59-04106A
water, recycled, use and purification of. 59-03188A
wet-process kiln, reconstructed, prediction of
productivity and fuel consumption in. 59-03197A
Cements. See also *Concrete; Kilns; Mills; Mortars; Plasters; Refractories.*
Al₂O₃. 59-00077P
from alutite. 59-00035A
from alutite, physical properties. 59-03168A
commercial, evaluation of. 59-04111A
effect of SiO₂ and Fe₂O₃ contents on. 59-03541A
C₂S, in steelmaking slags, phase modifications of.
59-04104A
C₂S, and beta-C₂S, kinetics of reaction with CO₂
and water vapor. 59-01045A; 59-01052A
early hydration of—comments. 59-03178A
early hydration of—reply. 59-03179A
early hydration, spectrometric study of. 59-04117A
hydration, of ESCA and SEM studies. 59-01040A
hydration, mathematical model of. 59-02085A
vinyl-type polymer concrete with, hydrothermal stability.
59-01041A
C₂A₂F, hydration in presence of lime and gypsum. 59-01054A
Ca silicates, hydrates, solubility of. 59-00071A
hydraulic, reaction with CO₂ and H₂O. 59-00066A
Ca sulfate dihydrate, shaped products from. 59-03229P
Ca sulfate hemihydrate, crystallochemical characteristics.
59-03174A
Fe oxide, method of preparing with admixtures. 59-03223P
Mg oxy sulfate, phase relations in. 59-04105A
MgO, foamed, fire doors from. 59-03597P
activation of, thermal, correction. 59-03209A
additive, grinding aid and set retarder. 59-04124P
-aggregate, bond, review of. 59-04112A
allite, hardened, of various porosities. 59-02076A
alkali- and Mg-containing, neutralizing effect of
P-containing additives on. 59-03195A
alutite, expanding hydration and hardening of. 59-03200A
asbestos, orientation of asbestos in. 59-02097A
technology of. 59-04054B
beta-C₂S, hydration of. 59-00052A
binders for, alkali-metal silicate. 59-00076P
from glassy pyrogenic rocks. 59-03228P
and bituminous emulsions, hardenable binders based on.
59-04142P
calcined, method for lowering alkali content. 59-00084P
chemistry of, handbook. 59-03136B
clinkering reactions, role of sulfates. 59-02109A
clinkers, apparatus for treating. 59-04121P
binding agents based on. 59-01059P
burnability and modulus of composition, statistical review.
59-04084A
high-Al₂O₃, composition of pleochroite in. 59-04087A
industrial, alkalis, microstructure, and activity of.
59-03167A
low in alkali, method of making. 59-04133P
method for multistep calcination. 59-02118P
precalcination in shaft kiln. 59-03194A
production line with Pyroclon preheater. 59-00058A
raw mixture for. 59-02123P
coloring composition for. 59-041231P
compositions. 59-03216P; 59-04125P
in concrete, refractory, effect of quantity on properties.
59-03543A
containing asbestos fibers, preparation of, using
surfactant. 59-03215P
dental, containing polycarboxylic acid, chelating agent,
and glass powder. 59-04542P
dispersions for, polymer, new types. 59-02092A
equilibrium, CaO-CO₂, effect on cement-bonded materials.
59-00038A
expanding. 59-00081P
expansive, and agent for. 59-04129P
fiber-, composites. 59-03862A
fluorine in, rapid determination of. 59-04110A
in fresh concrete, determination of content. 59-03193A
quantitative analysis of. 59-03226P
glass-, charge for. 59-00285P
granulated, process for making. 59-04130P
grinding, dry, in open-circuit ball mill, mathematical
model. 59-03190A
use of computers to reduce power consumption by.
59-01051A
gypsum, friable, raw material for. 59-00089P
gypsum for, quality. 59-02105A
hardening, rapid. 59-02106A
rapid, retarder for. 59-03214P
high-Al₂O₃, Moessbauer analysis of. 59-04098A
refractory, production in Semiluksk plant. 59-04433A
refractory, raw mix for. 59-04500P
high-chloride, old, ettringite-like phases in. 59-04093A
hydrated, porosity measurement, by Hg intrusion.
59-04108A
hydration and strengths of, NMR studies. 59-02094A
hydraulic, from by-product of geothermal water
desilication. 59-02078A
for fixing wastes, additive for. 59-04135P
method for increasing compressive strength. 59-04139P
mixes and process for improving. 59-01064P
process for making. 59-04145P
production of. 59-04148P
retarded aqueous slurry. 59-04149P
lignosulfonate-alkali carbonate system, hydration of.
59-00050A
matrix, increasing durability of glass fibers in.
59-03189A
miniaggregate Fe ore in. 59-03224P
method of molding. 59-00346P
mixes, rheological properties. 59-04113A; 59-04114A
nonshrinking. 59-04140P
pastes, celsian-based, color of. 59-02575A
content in hardened concrete, measurement using image
analyzer. 59-02086A
electron microscopic analysis of. 59-02051A; 59-03169A
expansive, hydration of, thermogravimetric study.
59-04082A
hardened slag, effect of entrainment on anodic
polarization of steel reinforcement in. 59-04092A
hydrated, pore structure of. 59-03196A
for metallization of ceramics. 59-00613P; 59-02546P
59-01581P; 59-01582P
for metallization of unfired ceramics. 59-02621P
metallization, glass for. 59-01306P
for metallizing glass-ceramics. 59-01346P
metallizing, use of. 59-03928P
protection against corrosion of glass fibers in.
59-03202A
for refractory bricks. 59-02463A
pellets, raw and calcined, mfg. from Iranian iron ores.
59-00054A
polymer, fabrication of. 59-00784P
pore-size distribution, determination by L. Zagar's
method. 59-03176A
portland, H₂S corrosion, nature of. 59-02091A
Indian, determination of U content by nuclear particle
etch technique. 59-01038A
and calcined gypsum compositions, casting. 59-04122P
with chemical by-product gypsum, early hydration
behavior. 59-02064A
clinkers, EPMA. 59-02070A
clinkers, doped with ZnO, structure and properties.
59-01053A
clinkers, effects of CaF₂ mineralization on silicates
and melt formation in. 59-02069A
clinkers, effects of Mn₂O₃ on formation and mineralogy.
59-02065A
clinkers, mechanism of glass formation in. 59-02089A
clinkers, physicochemical properties. 59-00060A;
59-00061A; 59-02100A; 59-02101A
clinkers, resin impregnation and etching. 59-02079A
containing boron-, citro-, and desulfogypsum, early
hydration behavior. 59-04091A
early high-strength. 59-00080P
effect of cooling aim on whiteness. 59-00053A
effect of fly ash additions on heat of hydration.
59-03180A; 59-03181A
flame photometric determination of Na and K, sources of
error. 59-00072A
hydration. 59-02077A
hydration, periodicity under nonequilibrium, during
changes in pH of mortars. 59-02099A
matrix, stability of glass fiber reinforcements in.
59-02286A
method of accelerating hardening and increasing strength.
59-04138P
pastes, morphology of evaporation product from liquid
phase. 59-04102A
process for converting coal ash slag to. 59-02120P
process for making. 59-04145P
rapid hardening, admixture for. 59-04120P
relations between chemistry, phase content, and strength.
59-00068A
use of wastes in mfg. 59-00075A
wet, microstructure, electron microscope and gas
reaction cell study. 59-01056A
pozzolana, clay, fluidized bed production. 59-02840A
precalcining, method for treating finely grained
material. 59-03221P
process for making. 59-00078P
production, in fluidized beds. 59-04146P
quartz- and pumice-, systems, autoclave-cured, examina-
tion of. 59-03185A
raw materials, deposits, computer evaluation of. 59-03173A
finely divided including combustibles, process for
calcining. 59-03225P
mixtures, action of mineralizers and clinker formation
in. 59-01980B
mixtures, burnability of. 59-02053A
pulverized, alkali-containing, apparatus for thermally
treating. 59-04134P
reactivity, raw meal, model for determining. 59-00055A
refractory, aluminous, hydration kinetics, effect on
concrete properties. 59-02444A
high-Al₂O₃. 59-02529P
steel-fiber-reinforced. 59-02482A
reinforced, with fiber glass, apparatus for spraying.
59-04377P
fiber, hydraulically hardenable objects from. 59-03217P
fiber, process for continuously preparing. 59-03227P
glass-fiber, inhibitors for alkali-glass reactions in.
59-01065P
research progress, 1978. 59-00959B
self-stressing, (type M), expansion of. 59-03205A
silicates, reactivity with Ca(OH)₂ and H₂O. 59-00067A
slag, supersulfated, effect of lime on hydration. 59-03182A
slag-gypsum system, hydration. 59-00051A
slurries, reclamation. 59-03231P
special, chemistry and technology of. 59-01948B
strength of, flexural, method for increasing. 59-03220P
sulfoaluminate, hydration and hardening of. 59-03187A
surgical, containing aluminoborate glass. 59-01763P
systems, MgO-MgCl₂-H₂O. 59-04118A
technology, developments since 1977. 59-05128B
water-glass, hardeners for. 59-03218P
Ceramic industry,
of the 80's, new imperatives. 59-02928A
American scientists visit People's Republic of China.
59-05120A
in Argentina. 59-05121A
Hocking Technical College trains technicians. 59-01937A
Slavyansk combine, U.S.S.R. 59-02002B
in Spain. 59-02247A
additives, role of. 59-02772A
analytical methodology, development of. 59-03124A
applications of geological surveys. 59-00731A
automation in, general considerations. 59-04041A
binders used in. 59-02570A
chemical and technical calculations for. 59-00679A;
59-00680A; 59-00681A; 59-00682A; 59-00683A;
59-00684A; 59-00685A
chemical and technical tables for ceramists. 59-03132B
decorative wares, materials science and production
technology of. 59-04049B
education, in China. 59-05122A
two universities in China. 59-05125A
energy, consumption of. 59-01958B
energy conservation, with industrial equipment. 59-03819A
in ventilation. 59-00953A
environmental protection. 59-03123A
firing, with coal, cost. 59-00724A
rapid. 59-05137B
fuels, natural gas, availability. 59-02811A
furnaces, energy management for. 59-05134B
health hazards, for artists and craftsmen. 59-00960B
health, safety, and environmental protection, impact of
federal regulations. 59-00969B
instruments for, particle size. 59-02791A

- kilns, tunnel, improved performance of. 59-02808A
lists, of Bureau of Mines publications and articles, Jan.-Dec. 1978. 59-04047B
machines and equipment for. 59-04048B
minerals, technology and economics, meeting national needs. 59-02836A
processing. 59-00753A
quality control. 59-01996B; 59-03126A; 59-04045B
cost and return on investment. 59-01938A
raw materials, washing of. 59-02011B
research institutes, in China. 59-05123A
social needs, and technology. 59-03127A
tal, quality control of. 59-02841A
technological processes, economic factors affecting. 59-03122A
in the U.S. 59-01981B
thermal processes, automated systems for controlling. 59-01940B
wall materials, improving quality of. 59-04044B
weighing, automatic, current techniques. 59-01621A
- Ceramic materials.** See also *Bodies, ceramic*;
Materials, raw; and specific types.
Ceramic-metal systems. See also *Enamels*.
Na borate glass on Au, wetting and adherence. 59-00122A
WC and molten Cu-Mn alloys, reaction between. 59-03242A
composites, bonded. 59-01089P
mechanically isotropic, mfg. 59-00132P
preconsolidated metal matrix, forming. 59-00130P
fluxes, containing fluoride, ferromanganese, graphite, and ferrotitanium. 59-01073P
interfaces. 59-02130A
porcelain-on-Al, low-absorbance. 59-00101A
reactors, interfacial, during sealing. 59-03237A
superconducting, high specific heat. 59-01088P
surface treatment. 59-00135P
- Ceramics.**
59-01944B; 59-02574A
Si₃N₄-based, sintered, properties of. 59-04825A
Y₂O₃, transparent, containing MgO or Mg aluminate. 59-02626P
ZrO₂, strong and tough. 59-03083A
acoustical, chemical method for embossing. 59-02518P
analysis of, nondestructive X-ray fluorescence. 59-03803A
artware, in Pacific Northwest, history of. 59-03131B
in the U.S., century of. 59-01943B
contemporary. 59-01031A
biaxial flexure test for. 59-02785A
bonding, to metals. 59-03709P
cavity formation, suppression of, prospects for superplasticity. 59-04022A
coatings for, vitreous. 59-02010B
densification and sintering. 59-05135B
ferrule. 59-02815P
fusion cast, crystallization of. 59-01808A
industrial, modern. 59-01981B
lightweight, firing of, calculation of thermal parameters. 59-02800A
method of coating. 59-03093P
molded, method for making. 59-03411P
nonoxide, hot-pressing of. 59-03860A
plastic, method and apparatus for molding. 59-02778P
porous. 59-02959P
for reactors, fusion. 59-04674A; 59-04675A; 59-04676A
selected, engineering property data on. 59-01959B
shaping of, electrophoretic. 59-02771A
shock resistance, thermal. 59-02885A
sintering, method of. 59-04641P
strengthening. 59-02004B
structural, production of. 59-01995B
technology, formation, and properties. 59-05149B
surface contamination, Vol. 1. 59-02006B; Vol. 2. 59-02007B
toughening, by martensitic transformations. 59-03070A
wares, from blast-furnace slags. 59-02399A
- Ceria.** See *Cerium, oxide*.
- Cerium.**
Ce₂O₃, Nb₂O₅, and La₂O₃, thermal properties. 59-04943A
Ce₂SiO₅, N₂, crystals, structure of. 59-01806A
CeO₂, CaO-doped, tubes for O sensors. 59-00546A
deposition of crystals from plasmas of. 59-01811A
thermodynamic properties. 59-04033A
trihydroxide. 59-02929A
trivalent, in LaF₃ crystals. 59-04036A
- Cermets.** See also *Composite materials*.
59-02888P
60% YCrO₃-40% Cr, properties, effect of oxidation of Cr on. 59-02864A
Ag-SiO₂, films, optical properties. 59-03032A
Al₂O₃-Mo, effect of processing on properties. 59-00759A
Fe-glass, porous, nonlubricated wear resistance. 59-00780A
Ni-based. 59-01741A
Ni-Cr-alloy/MgO, sintered, variation of electrical resistivity with temp. 59-00779A
TiB₂-based, Ni-P binder for. 59-01740A
TiC-Mo₂C-Ni, effect of carbide additives on high-temp. strength. 59-03523A
TiC-based, transverse-rupture strength, high-temp. 59-03539A
in enameling industry. 59-02131A
films, of system Cu-Al₂O₃, relation between temp. and electrical conductivity. 59-02882A
high-temp.-resistant, compositions. 59-03897P
oxide and carbide, use for electrical contacts. 59-04590A
- for solar cells, amorphous Si. 59-01543P
- Cesium.**
¹³⁷Cs, use of pollucite for long-term storage of. 59-00642A
CsH₂PO₄, antiferroelectric phase, switching behavior. 59-01921A
and Rb, oxides, with high metal content, electrical resistance. 59-00554A
radioactive, use of Cs(g, *h*)-SiO₂-Al₂O₃ as fixatives for. 59-04683A
- Chabazite.**
dehydrated H, crystal structure. 59-00815A
- Chalcogenides.**
As, spectroscopic. 59-03078A
P-containing, glass formation regions in. 59-03293A
binary (Ca,Mn), solubility limits. 59-00922A
defects in, ionicity effects. 59-03300A
di-, pyrite-type, Moessbauer study of ¹¹⁹In. 59-00875A
glass-forming, physicochemical analysis of. 59-04239A
glasses, correlations between properties. 59-00157A; 59-00158A
dielectric relaxation study. 59-04176A
effect of ac field on crystallization. 59-00170A
formation of, based on theory of vitrification. 59-02291A
with organic components. 59-00147A; 59-00148A; 59-00149A; 59-00150A
photostructural change in Urbach tail in. 59-04236A
solutions. 59-00284P
rare-earth, crystal chemistry of. 59-04881A
of refractory metals, application of. 59-00419A
systems, Se-Ge-As, chemical attack of glasses in. 59-01117A
glass formation and properties of. 59-00200A; 59-00201A; 59-00202A
glass-formation regions in, theory for calculating boundaries. 59-02920A
melts in, cooling rate during glass formation. 59-04169A
- Charge.**
baddeleyite-containing, for refractories. 59-01412P
for diopside, containing BeO or SrO. 59-01285P
for quartz-based ceramics. 59-01287P
for refractories. 59-01417P; 59-01420P; 59-01421P; 59-01422P
Dinas. 59-01416P
heat-insulating, based on SiC. 59-01423P
high-Al₂O₃. 59-01418P
molten. 59-01419P
- Checker-brick.** See *Refractories*.
Chemical analysis. See *Analysis*.
Chemical properties.
durability, of glass. 59-01945B
of glasses in system Na₂O-CaO-SiO₂. 59-03258A
of pharmaceutical glass containers. 59-03259A
electro-, of ceramic electrodes. 59-03680A
of glasses, in system kaolinite-water-water glass. 59-02212A
of rare-earth elements, periodicity of. 59-05010A
of refractory compounds. 59-00404A
- Chemistry.** See also *Electrochemistry*; *Geochemistry*;
Thermodynamics.
of SiO₂. 59-05129B
of cements, handbook. 59-05136B
special. 59-01948B
crystal, of CaSO₄. 59-02884A
of Mg- and Fe-cordierites. 59-01842A
of rare-earth chalcogenides. 59-04881A
of synthetic cordierite. 59-04904A
of glass-forming systems. 59-04053B
periodic system, of ionic and atomic radii of elements. 59-05009A
physical, of high temp. technology. 59-05142B
solid state. 59-05148B
- China clay.** See *Kaolin*.
- Chinaware.** See also *Art and artware*; *Dinnerware*;
Porcelain.
bone, effects of Al₂O₃ addition on mechanical and thermal properties. 59-03639A
replacing bone ash in. 59-01480A
decorated, firing time reduced 80%. 59-02578A
- Chlorides.**
ABCl₃-type, optical properties. 59-00884A
Na and K, crystals, stress-birefringence in. 59-05052A
alkaline earth, crystal growth in reactive atm. 59-03746P
- Chromates.**
Ag Bi, crystal structure, diffraction study of. 59-03104A
K₂CrO₄, Rb₂CrO₄, and Cs₂CrO₄ as new ferroelastics. 59-00864A
LaCrO₃ and YCrO₃, eutectics of. 59-02977A
alkali metal, production from chrome ores. 59-00741P
solutions, removal of Al₂O₃ from. 59-01722P
alpha-BaCrO₄, structure. 59-03084A
- Chromatography.**
gel-, of molecular-mass distribution of polyphosphates of alkali metals. 59-02246A
- Chrome.** See *Chromium*; *Refractories*.
Chromia. See *Chromium, oxide*.
Chromites. See *Refractories*.
Chromium.
/Au, metallizations, for electronic devices. 59-00559A
Cr₂O₃, crystals, growth by decomposition of K₂Cr₂O₇ melt. 59-04956A
reaction with Ti, TiO₂, and Ti₂O₃. 59-03063A
- refractories, firing of. 59-03304A
and zircon, suspensions, atomization. 59-03497A
Cr(III), in two-component glasses, effect of composition on symmetries, EPR study. 59-00166A
CrCl₃, refractory linings for reactors used to produce. 59-02553P
CrO₂, ferromagnetic, preparation of. 59-03743P
magnetic pigments, stabilizing. 59-02741P
stabilized, process for making. 59-01598P
CrO₃, MoO₃, and WO₃, optical properties. 59-02269A
CrPr₂S₃ and CrPr₂Se₃, crystals, synthesis and physicochemical properties. 59-03094A
-carbide based sintered material. 59-00783P
films, adherence to Al₂O₃, quartz, and glass. 59-01507A
in glasses, Vermet-synthesized ruby, effect of certain factors on content. 59-02230A
magnetite-, refractories. 59-01435P
melts, lining of ladles for vacuum refining of. 59-01393A
ores, production of alkali metal chromates from. 59-00741P
oxidation of, effect on properties of cermet 60% YCrO₃-40% Cr. 59-02864A
- Chrysotile.**
asbestos, fibers, production of. 59-02121P
- Circuits.**
electronic, substrates for. 59-00622P
integrated, hybrid, with Al plating, use of insulating glass in. 59-01268A
semiconductor, with resistor element implanted in Si layer. 59-04662P
microelectric, porcelain enamel in. 59-00112A
- Classification.** See also *Separation*; *Separators*.
of borides. 59-00798A
centrifugal air, for production of fine powders. 59-03796A
of oxides, metal, simple and mixed. 59-03936A
- Classifiers.** See also *Beneficiation*.
Clays. See also specific types.
59-01701A; 59-01788A
-Al₂O₃ mixtures, effect of preparation conditions on formation of mullite from. 59-02994A
from Buenos Aires province, XRD analysis of quartz in. 59-03804A
and C, reactions of, to form and separate Al₂O₃ and SiC. 59-03064A
from Cordoba Province, Argentina. 59-04892A
Fe(II) in, determination of. 59-01638A
Florida phosphatic, wastes, effect of electrolytes on mobilities. 59-02830A
Khlebnikovskoe, facing tiles from. 59-00522A
Klisritsa, in faience facing tiles, substitution of. 59-02594A
of Nepal, in spectroscopic studies. 59-02995A
Nikolaev deposit, facing tiles from. 59-02605A
from West Bengal, physicochemical properties. 59-03049A
analysis of, electron microscopic. 59-01662A
ball, for sanitary ware, production of. 59-03651A
bentonite, activated, effect in production of porcelain wares. 59-03637A
brick, thermal investigations of. 59-02401A
cation exchange capacity, in spectrometric determination. 59-01637A
characterization, by thermal methods. 59-01671A
china. -Al₂O₃ mixtures, sintered mullite from. 59-03074A
columns, extruded, freezing test for. 59-02586A
combining with glass. 59-00994A
dehydrated, effect of grain size composition on brick quality. 59-00382A
flint, from Makhtesh Ramon, Israel, Na-alunite in. 59-01703A
formations, method of stabilizing. 59-00746P
hectorite, use as rheological additives in whiteware. 59-01483A
high-Al₂O₃, bodies, dielectric characteristics. 59-03671A
isotherms, desorption, during drying. 59-02579A
desorption, importance in drying. 59-03644A
kaolin, magnetic separation of. 59-02834A
pelletized, process for producing. 59-00749P
kaolinitic, Australian, use of. 59-01476A
at high solids, processing of. 59-03847P
liquid stream, device for sampling. 59-01678P
in mineralogical samples, with Ni(II) ammine complexes, chemical determination of. 59-01635A
minerals, of Japan. 59-00963B
organic matter in, comparison of methods for removal. 59-01702A
polyminal red burnt, improving quality of whiteware made from. 59-01499P
pozzolana, production by fluidized bed technique. 59-02840A
prospecting for. 59-03831A
red, from Jacupiranga region, Sao Paulo, effects of Na₂CO₃ addition on plasticity. 59-04519A
resources of Washington County, [Ohio, U.S.]. 59-03830A
rheology of, method for improving. 59-02616P
samples, on ceramic slides, preparing for XRD analysis. 59-01668A
preparation for XRD. 59-01659A
sandstone, absorption, shrinkage, grindability, and forming pressure, relations between. 59-02602A
sediments, technique for making thin sections from. 59-02790A

- sericite, cordierite and cordierite-mullite bodies from.
59-02418A
use in whiteware. 59-01481A
- sericite, high strength aluminous porcelain made from.
59-02566A
- shurry, process for improving rheology. 59-02857P
for whiteware, preparation, shipping, and use. 59-03650A
- smectite, of Boa Vista, Campina Grande, Paraíba, TEM study. 59-01932A
- suspensions, in consolidation region, electroforced sedimentation of. 59-01465A
- floculation by line mixing. 59-02583A
- synthesis of. 59-03850P
- third European conference on, 1977, Oslo, Norway, proceedings. 59-00970B
- zeolite from, Na-A, crystallization. 59-04822A
Na-A, preparation of. 59-04819A
molecular sieve Na-X, preparation. 59-04820A
- Cleaners.**
alkaline, for porcelain enameling. 59-00121A
cold solvent, for enameling. 59-00096A
for enameling, modifications save energy. 59-00093A;
59-02132A
liquid, and neutralizers, use in enameling industry.
59-02146A
- Cleaning.**
cold, prior to porcelain enameling. 59-02134A
metals, for no-pickle, no-Ni system. 59-00103A
substrates, microelectronic, new method. 59-04577A
of surfaces. 59-02006B; 59-02007B
- Clinkers.** See *Cement; Dolomite; Forsterite; Magnesite.*
- Coagulation.** See *Agglomeration.*
- Coal.** See *Fuels.*
- Coatings.** See also *Electrostatic processes; Enamels; Films; Glazes; Resins.*
Al silicate, on glass fibers, organosilane coupling overcoated on. 59-03434P
Al₂O₃, on AlN sintered body. 59-04836P
beta-, formation at low temps. 59-02651A
for catalyst supports. 59-04856P
BN/elastomeric polymer, for steel casting dies. 59-04465P
Cu₂O, electrolessly deposited, heat treatment of.
59-01558P
Cu-B, electrically conductive, on nonmetallic substrates.
59-00594P
Fe, self-lubricating, containing oxides, carbides, and borides. 59-00768A
In oxide, low resistance. 59-04620P
Pb, doped with chromophorous cations, EPR analysis.
59-02581A
Si₃N₄ or Si oxynitride, for porous refractories.
59-03621P
Si-based alloy, abrasive grains with. 59-02018P
SiC, on filaments and ribbons. 59-03920P
SnO₂, for supports. 59-04284P
TiO₂, effect on tensile strength of fused SiO₂ fiber.
59-03274A
analysis of, EPMA, fluorescence correction for.
59-01783A
antioxidation, for diamond tools. 59-03149A
antireflective, on optical acrylic glasses, method of producing. 59-03348P
porous oxides, for glass surfaces. 59-04240A
on bottles, glass. 59-01289P
glass, pulverulent copolymers for. 59-01352P
glass, urethane for. 59-00339P
on carbides, cemented. 59-03891P
carbon, on glass fibers, method for applying. 59-04342P
on nuclear fuel particles, minimizing cracking of.
59-00655P
for optical waveguide starting member. 59-04283P
pyrolytic, method of applying. 59-00133P
on catalyst supports, apparatus for applying. 59-03887P
low porosity, application of a wash. 59-03899P
composite, refractory. 59-04043B
dielectric. 59-03711P
enamel, B₂O₃-containing frit for. 59-01071P
glass-ceramic. 59-02333P
to protect metals from oxidizing. 59-01074P
for steel articles. 59-03245P
on fibers, glass. 59-01290P
glass, filament bundles, for elastomeric articles.
59-00301P
optical. 59-03368P
for fibrous C material, in B-containing composites.
59-00124P
for filaments. 59-04290P
on glass. 59-00286P
deposition of. 59-04606P
on metallic covered plastic substrate produces chromatic effect. 59-00375P
method for applying. 59-04338P; 59-04344P
method for producing. 59-03413P
glass-ceramic, for optical waveguides. 59-04310P
on glassware, method for applying. 59-04337P
on graphite or ceramics, method of applying. 59-03903P
heat-resistant. 59-01087P
for metals. 59-01086P
high strength, light waveguides with. 59-04322P
high temp., research and development in China. 59-04152A
internal, for glass tubing. 59-02339P
for lamps, incandescent. 59-04320P
low-melting, glass for. 59-00305P
- magnetic, Fe oxide magnetic pigments for. 59-01559P
metal compound, on moving glass ribbon, apparatus for making. 59-03935P
metal or alloy, on powders. 59-03898P
metal oxide. 59-02713P
metallic. 59-02905P
on metals, nonferrous, process for applying. 59-03664P
nonglare, for glass. 59-01342P
oxidation limiting, on C brake disk. 59-00003P
oxidation-resistant, of nonoxide sintered on Mo. 59-03872A
oxide-metallic, on glass for control of spectral transmittance in light filters. 59-03324A
passivating, SiC-glass-SiC, semiconductor with. 59-00629P
plasma. 59-01588P
plastic, glass fibers with. 59-01301P
porcelain-on-Al, low-absorbance. 59-00101A
powder, on glass containers, method for applying.
59-04354P
porcelain enamel. 59-00113A; 59-02138A; 59-02166A
porcelain enamel, electrostatic. 59-03240A
on prosthetic parts, process for applying. 59-03911P
protective, for corundum and mullite-silicate refractories.
59-01444P
for glass substrates. 59-00366P
optical waveguide with. 59-01345P
radiation-resistant, glass-ceramic. 59-01085P
refractory. 59-00405A; 59-04087P
for high-pressure containers and high-temp. units.
59-02199P
for lining open-hearth furnace spouts. 59-04501P
resin, refractory foundry sands with. 59-03619P
self-sealing, for high-temp. surfaces. 59-03233A
spray, rotatable fixture for. 59-02773A
on structural component, for nuclear reactor. 59-03776P
tensioning, on electrical steel strip, solution for applying. 59-04155P
vener, ceramic, for electronic applications. 59-04602P
vitreous, for ceramics. 59-02010B
on waveguides, optical, assembly for applying. 59-03433P
- Cobalt.**
CoO, IR spectra, vibrational. 59-01933A
R₂Co₃-type rare-earth-Co, permanent magnets, method for making. 59-04659P
alloy, slags. 59-02058A
cobalto-cobaltic oxide, decomposition characteristics.
59-03944A
dithium silicate, structure of. 59-03087A
- Coesite.** See also *Silicon dioxide.*
- Collectors.**
dust, for glass industry, comparison of jet and shaker-type bag. 59-01109A
solar. 59-02174A
dendritic surfaces for. 59-00549A
enameled, testing. 59-00120A
solar heat, porcelain enamels. 59-00114A
- Colloids.**
59-04874P
silica gels, use for protecting glass with crizzling.
59-01267A
- Color, measurement.** See *Colorimetry.*
- Color.** See also *Pigments; Stains.*
centers, in Na-K silicate glasses, formation during absorption of uv. 59-01166A
in alkali halides, nonradiative decay of. 59-02957A
induced, in Na₂O-CaO glasses, study of. 59-01199A
chart, for whiteware. 59-04550P
of enamels, importance of stability. 59-02153A
induced, in polychromatic glasses, interpretation of.
59-01198A
measurement, for quality control. 59-04740A
of pastes, celian-based. 59-02575A
peaches, pinks, and maroons, for whiteware, comparison of.
59-02582A
theory, application in art and design. 59-01950B
- Coloring.**
proton-induced, of multicomponent glasses. 59-00243A
- Columbium.** See *Niobium.*
- Combustion.** See also *Burners; Firing; Flames; Furnaces; Heat; Kilns.*
of coal, fluidized. 59-00725A
pulverized, in reinforced suspension preheater system.
59-00065A
guide to, in glass industry. 59-03262A
- Comminution.** See *Crushing; Grinding.*
- Compaction.** See also *Pressing.*
P/M isostatic, production of threads by. 59-01750A
of powders, with radial punch motion. 59-01743A
science of. 59-04710A
- Compacts.**
Si₃N₄, method for making. 59-04658P
- Compatibility.**
relations, in system Al₂O₃-P₂O₅-WO₃. 59-03937A
triangles, in refractory systems CaO-V₂O₅-SiO₂. 59-01376A
- Composites.** See also *Carbon; Graphite.*
Al₂O₃, beta-, substrates and glass coating. 59-01546P
Al₂O₃ matrix, in zeolite, with catalyst. 59-04838P
Au/TiC, prepared by rf sputtering, microhardness and electrical resistivity. 59-01526A
B-containing, coating for fibrous C material in. 59-00124P
C, Si₃N₄-coated. 59-04872P
method of forming. 59-03904P
C-fiber-Ta carbide, production of. 59-03917P
C-fiber-C-matrix, thermophysical properties of. 59-04835A
C/C, method for making. 59-04860P
Mo, with glass-ceramics in system BaO-Al₂O₃-SiO₂-Ta₂O₅.
59-01183A
Mo-based, with SiC fibers, method of making. 59-02902P
PhC/PhC, graphitization of matrix. 59-03866A
Si₃N₄-SiC. 59-02912P; 59-03922P
Si₃N₄-β-SiC, beta-, fracture toughness. 59-04952A
Si-based. 59-03923P
Si/SiC, properties and applications. 59-04824A
SiC fibers and Si, method for making. 59-03901P
W-Cu, liquid phase sintered, from coreduced oxide powders.
59-01839A
WSe₂-Ga/In, self-lubricating structure and properties.
59-00776A
ZrO₂, Ba-mica/Y₂O₃-stabilized, thermal diffusivity of. 59-04832A
abrasion resistant, with release properties. 59-04837P
absorption in, energy. 59-02867A
advanced, design and applications. 59-00956B
bioglass-vitallium and bioglass-stainless steel, interfacial analysis of. 59-04812A
bonded, method for making. 59-0089P
brittle, fracture of. 59-01733A
carbide-graphite, hot-pressed fiber-reinforced, method for making. 59-02896P
ceramic, thermal structure. 59-04833A
cerammed, surface characterization and environmental sensitivity. 59-04829A
coatings, refractory. 59-04043B
dental. 59-04541P
restorative. 59-00529P
diamond/SiC, substrate, process for preparing. 59-01091P
diamond/Si₃N₄, substrate, process for making. 59-01593P
diffusion in, two-phase, model for. 59-02875A
drive shaft, C fiber reinforced. 59-01072P
for electronics industry, new compositions. 59-00225A
fatigue, scale effect in. 59-02883A
ferrite/resin, radar absorptive. 59-04823A
fiber-cement. 59-03862A
fiber-reinforced, strength of, Monte Carlo study. 59-02877A
fiber-resin-C, method of making. 59-04852P
fibers, resin, C, and glass. 59-04848P
garnet, LPE growth from molybdate and Pb borate fluxes.
59-01523A
glass point of, method for determining. 59-04724A
glass-glass-ceramic, application of electrical-mechanical analog to crack growth in. 59-01158A
glass-Ni, effect of expansion mismatch on thermal diffusivity. 59-04186A
glass-Sn, diffusion processes in, neutron activation analysis. 59-01269A
glass-matrix, SiC fiber-reinforced. 59-04809A
reinforced, producing metal fibers for. 59-02879A
graphite or C fiber, low temp. cure for. 59-02892P
graphite-epoxy, A-10 slat, design and test of. 59-04803A
immersed in liquids and humid air, moisture absorption of. 59-04815A
nondestructive testing of. 59-04821A
graphite-reinforced, moisture in, positron annihilation studies. 59-04816A
growth of films on, M-type hexagonal ferrite. 59-03716P
heat conduction in, lattice model. 59-01735A
isotropic, mfg. 59-00132P
with layer of sealing glass, for electronic applications.
59-00621P
majolica, practical applications for. 59-02576A
matrix, stabilized organic, design and fabrication of.
59-04802A
metal matrix, reconsolidated, forming. 59-00130P
stresses in, due to fiber expansion mismatch. 59-04828A
metal-Al₂O₃, porous. 59-03909P
method for making. 59-01625P
moisture in, detection using nuclear reaction analysis.
59-02876A
molded, compression, thick section. 59-03927P
monoxide, turbine blades. 59-04864P
mullite-ZrO₂, sintered, mechanical properties.
59-01737A
plastic, advanced, predicting performance of. 59-04817A
polymer. 59-00786P
refractory, SiC-C brick, for blast furnaces. 59-04450A
fiber. 59-00468P
fibrous insulation. 59-00408A
reinforced with SiC fibers. 59-00467P
resin sheets, reinforced with glass and C strands.
59-01338P
rod, formation of. 59-00469P
strength of, notched. 59-02878A
structure and properties. 59-00967B
superconducting, high specific heat. 59-01088P
superhard materials, BN. 59-03925P
testing of, estimation of sample size. 59-02868A
nondestructive, and flaw criticality. 59-05141B
vermicular expanded graphite, method of applying.
59-04861P
whisker, gypsum. 59-00082P
- Compounds.**
A¹SbTe₂ (A¹=Li, Na, Rb, Cs), regularities in change of electrophysical properties. 59-05036A
AB-type, energy of forbidden zone. 59-04939A
Ln₂CuO₄ (Ln=La, Pr, Nd, Sm, Eu, Gd), synthesis and properties. 59-05062A
Ln₂Ti₂O₇ (Ln=La, Pr, Nd), structure of. 59-05055A

- of period II and III elements, XAB—ABX rearrangement and isomer stability. 59-05119A
with tetrahedral ions, of sixth group elements, degree of ionicity. 59-04912A
- Compression,**
of MgO, effect on stress-strain behavior at high temps. 59-00856A
shock, effects on alpha-Al₂O₃ and MgO powders. 59-03957A
production of chaotite by—new form of C. 59-01782A
shock-wave, of LiNbO₃. 59-01905A
- Computers,**
use in glass industry. 59-02245A
for production control. 59-01106A
use in lab data management. 59-00954A
use to reduce power consumption in cement grinding. 59-01051A
use in sedimentology. 59-02796A
use for speeding plant processes. 59-00661A
use for studying strength of refractories. 59-04458A
- Concentration,**
of ores, quartz-sillimanite. 59-02824A
- Concrete.** See also *Cements; Masonry; Mortars.*
Ca-hydroxylate-bonded, gyrolite occurrence in. 59-04096A
S. 59-02322P
additives for, water-reducing. 59-04126P
aggregate, method for calculating lateral pressure. 59-03170A
autoclaved, S-infiltrated, preparation and properties. 59-04109A
blocks, refractory, optimization of size. 59-02461A
cellular, corrosion resistance of Atmofix-type steel reinforcements in. 59-02059A
concentration of alkalis in, by moisture migration. 59-01037A
durability, relation to aggregate-alkali reaction. 59-03177A
with fine aggregates, vacuum-treated and pressed, preparation and properties. 59-03198A
fracture of, role of aggregate. 59-00070A
fresh, method and apparatus for analysis of cement and water content. 59-03226P
method for determining cement content. 59-03193A
hardened, measurement of paste content, using image analyzer. 59-02086A
hardening of, effect of plasticizing admixtures on. 59-03183A
high-Al₂O₃-cement, determination of strength loss by derivatography. 59-00042A
high-chloride, old, ettringite-like phases in. 59-04093A
high-strength, limestone aggregates for. 59-04100A
portland cement-fly ash-aggregate. 59-04141P
pump, properties of castable refractories used in. 59-03564A
refractory, 90 + % Al₂O₃, creep of. 59-03505A
alteration of properties by fiber reinforcement. 59-03491A
cast forsterite, for kiln cars. 59-01373A
centrifugal casting of. 59-01374A
effect of quantity of cement in. 59-03543A
in ladle linings, service of. 59-02488A
nonfibrous castable, with high compressive strength. 59-02545P
prefabricated element for industrial furnaces. 59-03615P
slag corrosion of. 59-01406A
reinforced, deterioration of, corrosion-induced. 59-04088A
resistance of, to CO. 59-01403A
rheology of, effect of plasticizing admixtures on. 59-03183A
sealant for, internal. 59-04131P
sprayed, fibers for. 59-00085P
steel reinforced, Ca nitrite inhibition of corrosion by chlorides. 59-01047A
structural, reaction with molten nuclear reactor core. 59-00645A
vinyl-type polymer, with C,S, hydrothermal stability. 59-01041A
- Condensers.** See *Capacitors.*
- Conductance,**
of insulators, tests for. 59-00698A
- Conduction, electronic,**
in beta-Al₂O₃, and glass. 59-02214A
electron-beam-induced, in SiO₂ films. 59-04936A
- Conduction, ionic,**
Na, in Na Al borate glasses. 59-03450P
Na Al phosphate glasses for. 59-02379P
beta-Al₂O₃, with grains oriented for. 59-00908A
fast, of Li⁺ in fluoroborate glasses. 59-04196A
in pyrochlore phase, Sm₂Zr₂O₇. 59-00891A
- Conductivity, electrical,**
of Al₂O₃, effect of differences between grain boundary and bulk. 59-01820A
of MgO, carbonaceous. 59-02642A
of SrMnO₃. 59-01880A
of UO₂, effect of Nb₂O₅ additions on. 59-04679A
bulk and surface effects on potential developed by dielectrics. 59-00552A
of crystals, graded-gap Al-Ga-As, effect of redistribution of electrons on. 59-02232A
in diamonds, B-doped. 59-03103A
of ferroelectrics, Pb₂GeO₆. 59-02640A
of films, Sb-doped SnO₂, effect of Fe, Cu, and S ion impurities on. 59-02637A
cermet, of system Cu-Al₂O₃, relation to temp. 59-02882A
of glasses, Ag-As-Se, in low Ag region. 59-02233A
K₂O-Na₂O-SiO₂. 59-03313A
W silicophosphate and W aluminosilicate-phosphate. 59-04248A
alkali-free fluoride. 59-00178A
high SiO₂, with varied Na ion concentrations. 59-00154A
silicate, containing Sb₂O₃. 59-04189A
of system CuO-V₂O₅-P₂O₅. 59-03280A
in system GeSe₂-As₂Se₃-Sb₂Se₃. 59-00180A; 59-02305A
in system Sb-Ge-Se, energy of activation. 59-02238A
in system SnSe₂-GeSe₂-As₂Se₃. 59-02248A
in system SnSe₂-GeSe₂-As₂Se₃. 59-02253A
in systems Ba(PO₃)₂-AlF₃-RF₃ (R = Mg,Ca). 59-00177A
glaze with, composition and method of forming. 59-02608P
humidity-sensitive, of MgCr₂O₄-TiO₂ porous ceramics. 59-02658A
instrument for measuring, using impedance. 59-02798P
in melts, CaO-SiO₂. 59-03353A
in system PbO-SiO₂. 59-00179A
of orthophosphates, of Ca and Ba, in process of dehydration. 59-04933A
of oxides, CrVO₄, CrNbO₄, CrUO₄, 6.14ZrO₂·Nb₂O₅, 4.26ZrO₂·Nb₂O₅. 59-02634A
of Y and Sc. 59-04934A
in solid solutions, Pb(Zr,Ti_{1-x})₂O₇, near phase boundary. 59-02865A
of solids, vitreous, polarization current technique for measuring. 59-00708A
of spinels, pure and Fe-doped Mg-Al. 59-01513A
super-, in Ba_{1-x}Sr_xPb_{1-x}Bi_xO₃. 59-04021A
thermostimulated, of Zn_{0.8}Cd_{0.2}S. 59-03081A
- Conductivity, electronic,**
bulk measurements, on sintered La Sr chromite. 59-03933A
glass with. 59-01300P; 59-02332P
- Conductivity, ionic,**
of Al₂O₃, Ca-containing Na beta-. 59-00764A
Na beta-. 59-00804A
Na beta-, effect of water on. 59-00836A
anionic, glass with. 59-01316P; 59-01317P
glass with, with respect to I. 59-01315P
of glasses, bi-alkali borosilicate. 59-01122A
in system NaZr₂(PO₄)₂-Na₂Y(PO₄)₃. 59-03972A
- Conductivity, thermal,**
of U chromite and niobate, at high temp. 59-03762A
of brittle materials, effect on magnitude of stresses in. 59-03955A
determination of, using differential scanning calorimetry. 59-01641A
of diamonds, Syndite. 59-04060A
of garnets, YIG, at low temps. 59-04029A
of glasses. 59-04266A
borosilicate, effect of Al₂O₃ dispersions on. 59-02228A
mixed-alkali. 59-00267A
molten. 59-01261A
improved, BOF refractories with. 59-03586P
of refractory insulation, method for determining. 59-02453A
of solid solutions, LaB₆-EuB₆. 59-05098A
in system TiN-CrN. 59-04028A
substrates with. 59-00601P
- Conductors, electrical.** See also *Semiconductors;*
Superconductors.
compositions, Ag. 59-04603P
Al, Si, and glass. 59-04604P
containing CuO and Bi₂O₃-based glass. 59-01547P
connectors, test equipment for. 59-04611P
containing β'-Al₂O₃, high strength, method of making. 59-01576P
films, for electric heaters. 59-02698P
metal oxide, for solar energy control. 59-04285P
glass, containing C. 59-04289P
glazes, ceramic. 59-03660P
photo-, ZnO, space-charge polarization in. 59-01533A
powders, oxide, Sr-doped La cobaltite, production by freeze drying. 59-03695A
oxide, production by citrate process. 59-03694A
refractory, O-resistant C. 59-04492P
- Conductors, ionic,**
Al₂O₃, beta-. 59-03685A
glass, Na borophosphate. 59-04376P
rapid, Na penetration in. 59-00574A
solid state, for energy storage and conversion. 59-04591A
- Conferences,**
3rd European Clay, 1977, Oslo, Norway, proceedings. 59-00970B
4th All-Union Symposium on Electrical Properties and Structure of Glass (U.S.S.R.). 59-03147B
4th Army Materials Technology, proceedings. 59-00957B
4th International Conf. on Sintering, proceedings. 59-00973B
6th Ceramic Chemists' Conf. on Silicate Analysis. 59-00974B
7th Symposium on Industrial Crystallization, Warsaw, 1978. 59-03134B
8th annual conference, automotive materials, electronic. 59-02674A
XIIth International Congress on Glass, proceedings. 59-05144B
31st Gen'l. Mtg. of Cement Assoc. of Japan, review of. 59-03143B
32nd Gen'l. Mtg., review of 59-03144B
33rd Gen'l. Mtg., review of 59-03145B
expanded, on new inorganic glasses, Riga, April, 1979. 59-05140B
- Conglomerates,**
granite, pavement plates. 59-02394A
- Contacts,**
Cu-CdS, Cu diffusion and photovoltaic mechanisms at. 59-04556A
electrical, sintered materials for. 59-04390A
layer, electrically conductive, method of making. 59-01575P
metal-sapphire, shear strength, effect of interfacial species on. 59-04559A
ohmic, of n-GaAs to conductive substrates. 59-04643P
sharp-particle, thermal effects on. 59-03101A
sintered, of Ag and embedded metal oxides. 59-04664P
- Containers.** See *Glass.*
- Controls.** See also *Feeding apparatus; Instrumentation;*
Temperature.
computerized, future use in glass industry. 59-02245A
by microprocessors, for glass industry, fundamentals of. 59-02243A
digital, for container furnaces, installation of. 59-03297A
for fiberization, rotation. 59-03370P
statistical, in porcelain industry. 59-03653A
temp., for glass furnace forehearth, evolution of. 59-02240A
- Conveyors.** See also *Materials handling.*
for particulate materials. 59-03789P
pneumatic, for bulk materials. 59-03141B
- Coolants,**
nuclear reactor, method and apparatus for removing I from. 59-04654P
- Coolers,**
air fin, for glass fiber forming apparatus. 59-04272P
clinker, dust collection system for. 59-00046A
grate, Folas, newly designed. 59-02093A
recuperator, of rotary kilns, apparatus for removing heat from cylinders. 59-04763P
rotary, effect of solid state dust on heat transmission. 59-01042A
- Cooling,**
apparatus, for rotary kilns. 59-04766P
of glasses, PbO-B₂O₃-Al₂O₃, spinodal decomposition during. 59-00257A
spontaneous breaking during. 59-01246A
kiln, first-fire, of sanitary ware, effect on properties. 59-00518A
- Copper,**
Cu²⁺, release of Pb²⁺ from Pb-ceramic glazes related to. 59-04527A
Cu₂O, Raman enhancement profiles, width of. 59-03112A
coatings, electrolessly deposited, heat treatment of. 59-01558P
Cu-CdS, contacts, Cu diffusion and photovoltaic mechanism at. 59-04556A
CuO compositions, containing Bi₂O₃-based glass, for electrical conductors. 59-01547P
casting of, centrifugal, lining for. 59-00477P
method using TiO₂ release method. 59-02522P
deposition, electroless, on ceramics, stabilization of sensitizer used. 59-03700A
-glass mixtures, sintering of. 59-03332A
in glasses, ruby. 59-00288P
sulfide(I), reaction with molten polyphosphates of Na and K. 59-04972A
- Cordierite,**
Mg- and Fe-, hydrous, crystal chemistry. 59-01842A
Mn, glass-ceramics. 59-03393P
bodies, from sericite clays. 59-02418A
in glasses based on quartz sand-dolomite-MgO-clay mixtures. 59-01124A
mullite-, refractories, production of. 59-03560A
semi-, refractories. 59-03626P
synthetic, crystal chemistry and physical properties. 59-04904A
glass and glass-ceramics, substitution of AlPO₄ for SiO₂. 59-03349A
- Cores,**
Al₂O₃, with high porosity and crushability. 59-00430P
black, in whiteware, cause of. 59-02571A
casting, cold-setting mixture for producing. 59-02520P
hollow metal, preparation of. 59-00465P
ferrite, Mn-Zn and Ni-Zn, fast sintering of. 59-02646A
foundry, composition for. 59-00451P
magnetic, for diamond or BN grinding wheels. 59-02019P
memory, temp. stable, low noise. 59-00577A
porous, crushable, with integral barrier layer, method for making. 59-03730P
refractory, Al₂O₃, with high porosity and crushability. 59-02500P
SiO₂, for shell molds. 59-00492P
for making hollow metal castings. 59-03593P
mfg. 59-01438P
sand for. 59-04490P
sediment, study of, using xeroradiography. 59-02797A
- Corrosion,**
H₂S, of portland cement, nature of. 59-02091A
of cement-bonded materials, effect of CaO-CO₂ equilibrium. 59-00038A
of concretes, steel reinforced, by chlorides, mechanism of nitrite inhibition. 59-01047A
of glass fibers, in cement matrices, protection against. 59-03189A
in cement pastes, protection against. 59-03202A
of glasses, Li₂O-SiO₂, in aqueous solutions of Al compounds. 59-00159A

- hot ash, of high temp. equipment. 59-04755A
 -induced deterioration, of reinforced concrete. 59-04088A
 properties, of nonmetals, 1979. 59-04050B
 of refractories, basic, mechanisms of. 59-04398A
 chrome-Al₂O₃, effect of glass redox conditions on. 59-03542A
 by coal-ash slags. 59-01375A
 resistance, of Atmos-type steel reinforcements in concretes. 59-02059A
 of C-containing MgO refractories in melts. 59-01377A
 slag, of ladle linings. 59-03571A
 of refractory concretes. 59-01406A
 of steels, structural, by plaster. 59-01035A
 stress, of optical fibers, measurement of constant *n*. 59-00217A
 surface, of silicate glass, microprobe analysis. 59-00221A
 of window glasses, K, in church of Saints Giovanni and Paul in Venice, electron microscopic study. 59-02236A
- Corundum.** See also *Aluminum oxide*; *Refractories*.
 -ZrO₂, refractories, effect of thermal treatment and fluoride and Na oxide contents on properties. 59-03522A
 -baddeleyite, refractories, raw materials for, particle-size distribution in. 59-01384A
 -based refractories. 59-01427P
 dense. 59-00447P
 exsolution in, boehmite. 59-01774A
 frit for. 59-00452P
 fused, electrically, method of making. 59-02538P
 granules. 59-01426P
 heat capacity. 59-01841A
 lapping paste. 59-02016P
 melting and crystallization. 59-03015A
 mullite-, refractories, hot-pressing. 59-02443A
 particles, method for preparing. 59-01718P; 59-03840P
 refractories, protective coating for. 59-01444P
 synthetic. 59-01460P
- Couplers.**
 for glass or metal. 59-02697P
 waveguide, optical. 59-03279A
- Coupling.**
 direct, to optical fibers, laser for. 59-00591P
 directional, low-loss, for optical fibers. 59-00329P
 for fibers, optical glass. 59-00289P
- Cracking.**
 in ceramics, grain-size dependence of. 59-00851A
 micro-, by indentation, effect of surface condition of glass on. 59-02258A
- Cracks.** See also *Defects*; *Fracture*.
 in Al₂O₃, growth from flaws in larger grains. 59-04903A
 in Si₃N₄, hot-pressed, crack growth at fracture origins. 59-01831A
 in SiC, growth of. 59-01834A
 annular, at spherical voids, stress intensity factor estimates. 59-03082A
 atomically sharp, in brittle solids. 59-04883A
 dye penetrant tests, dry developer composition for. 59-03813P
 edge and corner, in quench-test specimens, transient stress intensity factors for. 59-04034A
 elastic, fracture stress obtained from enclave model. 59-04950A
 fracture mechanics, probabilistic. 59-03875A
 in glass, adding static and dynamic fatigue effects to Weibull distribution. 59-01103A
 initial paths, effects of temp. and composition. 59-00207A
 micromechanics of nucleation during indentations. 59-01212A
 repairing. 59-00252A
 growth of, effect on scatter of strength of brittle materials. 59-03954A
 in glass-glass-ceramic composites, application of electrical-mechanical analog to. 59-01158A
 indentation, elastic/plastic, in ceramics. 59-04932A
 micro-, in ceramics, TEM study. 59-01876A
 effect of surface condition of glass on indentation-produced. 59-02258A
 treatment of inelastic deformation around. 59-04035A
 mirror/film-size relations, effect of residual contact stresses on. 59-02968A
 in porcelain, application of propagation data to failure prediction. 59-01461A
 propagation parameter *N*, in dynamic fatigue tests, statistical reproducibility of. 59-00928A
 sharp contact, residual stress effects in. 59-05037A
 stress intensity factor, estimates for—correction. 59-00929A
 subcritical, growth boundaries, in Al₂O₃, criterion for. 59-00847A
 growth boundaries, in 96% Al₂O₃, fractographic criteria. 59-01830A
 growth in dense Al₂O₃. 59-04019A
 thermal activation approach to growth, fatigue limit in. 59-00927A
 surface, in ceramics, acoustic wave measurement of. 59-01768A
 method and apparatus for recognition and evaluation. 59-04749P
- Creep.** See also *Fatigue*; *Plasticity*.
 of Si₃N₄, hot-pressed. 59-01799A
 compressive, of Si₃N₄/MgO alloys. 59-04897A; 59-04898A; 59-04899A
 high temp., of MgO with minor additives. 59-03966A
 of raw materials, MgO refractory, factors affecting. 59-04414A
 of refractories, 90+ % Al₂O₃, concrete. 59-03505A
 under compression. 59-04399A
 tensile, of improved Si₃N₄. 59-00777A
 thermal, of monoclinic Eu₂O₃. 59-03773A
- Crystallite.** See also *Silicon dioxide*.
 AlPO₄, and related solid solutions, thermal expansion of. 59-02922A
 beta-, energy bands of SiO₂ in. 59-03029A
 in fireclay calcines. 59-02420A
 heat capacities and inversions in. 59-01837A
- Crucibles.** See *Refractories*.
- Crushing apparatus.** See also *Mills*.
 reverberatory, need for, in cement industry in U.S.S.R. 59-03172A
- Crushing.** See also *Crushing apparatus*; *Mills*.
 refractories, with high abrasiveness. 59-04403A
 methods and crushed grain shape. 59-04402A
 and sizing, of sintered Al₂O₃ and synthetic mullite. 59-02421A
- Crystalline materials.**
 Al₂O₃, dynamic deformation of. 59-01814A
 AlN, epitaxial. 59-03715P
 As₂O₃, structure of. 59-00806A
 B₂C, dense, produced by pressureless sintering. 59-03915P
 BaNb₂O₉, polymorphic modifications. 59-03997A
 BaTiO₃, width of X-ray line profiles through Curie temp. 59-03970A
 LaSbO₃, synthesis and properties of. 59-04024A
 Si, Czochralski- and float-zone-grown, origin of difference in strength. 59-05003A
 SiC, growth from vapor phase, kinetics of. 59-04982A
 SmCl₂/2SmCl₃, X-ray study. 59-05118A
 Sr tetragermanate hydrate. 59-04017A
 aluminosilicate, precursor. 59-00737P
 disilicates, polymorphic rare-earth, flux growth of. 59-04947A
 garnets, LPE growth, liquidus temp. and dissolution kinetics. 59-04984A
 dielectric and nonmagnetic, for high-frequency applications. 59-04608P
 glass-, mfg. 59-00310P
 glazes. 59-02610P
 microparacrystals, world between crystalline and amorphous substances. 59-04993A
 oxides, process for producing. 59-04794P
 thermal expansion, zero and low coeffs. of. 59-04039A
 oxyhydroxyapatite, preparation and thermal properties. 59-00909A
 poly-, Mn-doped BaTiO₃. 59-00565A
 abrasives. 59-01992B
 ferroelectric transitions in, pyroelectric temp. analysis. 59-03057A
 melt-formed, and dopant hosts containing P. 59-02712P
 porous, strength of. 59-04016A
 quartz, single thermocouple DTA detection of. 59-01664A
 ribbon, Si, growth using scanned lasers. 59-04589A
 apparatus for pulling from molten film. 59-04597P
 silicates, XRD study of. 59-03114A
 process for making. 59-04849P
 spinel, dielectric and nonmagnetic, for high-frequency applications. 59-04609P
 vibrations, modes of, in step trains. 59-04994A
 zeolite, ZSM-43, synthesis of. 59-04850P
- Crystallinity.**
 of tobermorite, in autoclaved products, determination of. 59-04089A
- Crystallites.** See also *Crystals*; *Structure*.
- Crystallization.** See also *Crystals*, growth.
 of Mg-containing phases, in beta'-alloys. 59-02948A
 of ceramics and glass-ceramics, fusion cast. 59-01808A
 corundum. 59-03015A
 electro-, of NbO and hollow NbO₂, needles from molten salts. 59-02972A
 epitaxy, liquid phase, growth of filamentary lasers. 59-04619P
 molecular beam. 59-00611P
 molecular beam, fabrication of integrated optical devices by. 59-03298A
 molecular beam, growth of periodic monolayer semiconductors by. 59-04648P
 molecular beam, semiconductor superlattices deposited by, characteristics of. 59-04586A
 molecular beam, techniques for IV-VI optoelectronic devices. 59-03303A
 molecular beam, use in studying growth of GaAs. 59-04587A
 solid phase, fabrication of photovoltaic devices by. 59-00595P
 of fibers, inorganic, used for thermal insulation. 59-03506A; 59-03507A; 59-03508A
 of glasses, Ca(PO₃)₂, abnormal characteristics. 59-03248A
 Li aluminosilicate with ZrO₂ additions. 59-01126A
 Li₂O-2SiO₂, effect on AES decay. 59-00171A
 Na Fe silicate, ESR and Moessbauer study. 59-04182A
 Zn borosilicate simulated nuclear waste disposal. 59-04170A
 borosilicate, effect of additions on. 59-03275A
 chalcogenide, effect of acid field on. 59-00170A
 cordierite, in spectrophotometric study. 59-01194A
 effect of phase separation of liquid-liquid on. 59-00232A
 kinetics. 59-01127A
- plate, industrial. 59-01128A
 in system Li₂O-Al₂O₃-SiO₂-TiO₂, mathematical modeling for. 59-03305A
 in system LiPO₃-Al(PO₃)₃-R(PO₃)₃, decrease in capacity. 59-00161A
 in system MnO-Al₂O₃-SiO₂, effect of Sc subgroup oxides on. 59-02229A
 glasses with decreased capacity for. 59-01130A
 of glassmelts, composition 2PbO-SiO₂-xSO₂. 59-01125A
 of glazes, Zr, in glassy phase, relation to liquation. 59-01479A
 industrial, proceedings of 1978 Warsaw symposium. 59-03134B
 of kaolin, Hadong, treated with aqueous NaOH. 59-00816A
 re-, hydrothermal, preparation of hydroxyapatite crystals by. 59-03053A
 surfaces, of ternary systems, production by matrix method. 59-03999A
 of ternary compounds, in glass system K₂O-B₂O₃-SiO₂. 59-03266A
 of tobermorite, 11-Å, X-ray analysis of. 59-03886A
 of vitreous Ba metaphosphate, effect of SiO₂ on. 59-00169A
 of zeolous Ba metaphosphate, effect of SiO₂ on. 59-00169A
 of zeolite, Na-A, from clay. 59-04822A
- Crystallography.**
 of α-Ba dichromate. 59-03084A
 of K₂Ta₂F₁₀·O₁₁. 59-03090A
 NbO₂, sustaining and decaying of on state. 59-03093A
 of NiO. 59-03003A
 X-ray, computations using calculator. 59-04745A
 data, on alpha-Al₂SiC₂ and Al₂SiC₂. 59-05116A
 X-ray powder diffraction pattern, of beta-LiAlO₂, re-indexing of. 59-03062A
 X-ray reflection intensity, from a perfect crystal near absorption edge, temp. dependence of. 59-03097A
 high-temp., of Mg- and Fe-cordierites. 59-01842A
 lattice parameter, of ReO₃. 59-03002A
 ordering, short-range, in PbMg_{1-x}Nb_xO₃. 59-03072A
 phase relations, of K feldspar. 59-03111A
 of phurallumite. 59-00931A
 scattering, X-ray diffuse, from wurtzite-type compounds. 59-03116A
 of solid solutions, Pb(Fe/AlGa)₂O₁₀. 59-00817A
- Crystals.** See also specific types.
 ABCI-type, optical properties. 59-00884A
 Ag Bi chromate(VI), structure, neutron diffraction study of. 59-03104A
 Ag₂S₂SO₄, new data for. 59-03026A
 Al₂TiO₇, beta-, decomposition temp. 59-02950A
 Al-Ga-As, graded-gap, effect of redistribution of electrons on conductivity. 59-02232A
 AlSiB, growth on substrates, by vapor deposition. 59-04565A
 As₂O₃, claudetite, refinement of structure. 59-00912A
 BN, precipitated from gas phase, orientation of. 59-05002A
 Ba₂Ti₂O₇, preparation and unit-cell parameters. 59-02677A
 BaAl₂O₇, structure. 59-00807A
 BaFe₂Al₂O₇, structure. 59-00808A
 BaS₂O₇·H₂O, data for. 59-02940A
 Bi Si oxide, growth. 59-03720P
 Bi₂GeO₅, levorotatory, remeasurement of structure. 59-03005A
 6Bi₂O₃/SiO₂, gamma, stable, forming from supercooled melt. 59-02873A
 Ca₂SiO₃, gamma-, refinement of structure. 59-04111A
 12CaO·7Al₂O₃, growth of. 59-05044A
 CaWO₄, growth from LiCl and Na₂WO₄, kinetics and thermodynamic properties. 59-01859A
 Cd₂GeO₄, structure. 59-01803A
 Cd₃(PO₄)₂, structure. 59-04908A
 CdCr₂Se₄, electrical properties. 59-03958A; 59-04935A
 magnetic semiconductors, preparing. 59-02679A
 CdS, growth in sealed SiO₂ capsules. 59-04955A
 CdSe, intrinsic defects. 59-02999A
 CdWO₄, growth from Cd oxide-W oxide system. 59-01775A
 Ce₂SiO₅·N₂, structure of. 59-01806A
 Cr₂O₃, growth by decomposition of K₂Cr₂O₇, melt. 59-04956A
 CrPr₂S₂ and CrPr₂Se₂, synthesis and physicochemical properties. 59-03094A
 Cu₂O, Raman enhancement profiles, width of. 59-03112A
 GaAs, growth of, molecular beam epitaxy study. 59-04587A
 semi-insulating. 59-00628P
 GaP, LPE films, low temp. growth from In solvent. 59-04572A
 GeTe, effect of heat treatment on defect formation. 59-04925A
 Hg₂Br₂, in transition region, heat capacity. 59-00852A
 III-V compounds, semiconductive, apparatus for making. 59-03705P
 K dithioric orthovanadate, structure. 59-02945A
 K₂Ba(GeO₄)₂, structure. 59-00814A
 K₂CuF₆, growth. 59-04906A
 (K₂Na)₂NbO₆, growth and phase transitions. 59-02986A
 La₂NbO₇, synthesis and growth. 59-05061A
 LaF₃, trivalent Ce in. 59-04036A
 Li₂Zn₂(GeO₄)₂, structure. 59-00813A
 Li₂SO₄, ordered, structure. 59-02944A
 Li₂PbO₃, structure. 59-00809A
 LiCdBO₃, structure. 59-03939A
 Li₂(MoO₄)₂, growth. 59-04957A
 LiNbO₃, parametric phonon echo in. 59-03987A
 partially clamped, electrostatic measurements of secondary pyroelectricity in. 59-03961A; 59-03960A

- LiTaO₃, growth for SAW devices. 59-02653A
 Ln₂(MoO₄)₃-type rare earth molybdates, crystallographic data. 59-04905A
 MeNdP₂O₇ (Me = Li, Na, K), laser-emission cross sections of. 59-01860A
 MgAl₂O₃, fracture. 59-01832A
 MgF₂, neutron diffraction study. 59-00878A
 MgO, Ni-doped, defects in. 59-04889A
 anisotropy of grinding damage, polishing, and etching. 59-01711A
 disturbance of stoichiometry by plastic deformation. 59-00866A
 impact wear. 59-04964A; 59-04965A
 mechanism of dissolution in acids. 59-01868A
 thermal depolarization of defects. 59-05103A
 MgO and LiF, contact damage in, studied by cathodoluminescence. 59-04901A
 MnTeMoO₄, CoTeMoO₄, and ZnTeMoO₄, data for. 59-02936A
 MoO₃ and MoTe₂, vapor phase transport and growth. 59-03109A
 (MoO₃)₂P₂O₇, structure of. 59-00811A
 NH₄ halide, H bonding and order-disorder. 59-00859A
 NH₄BrCl₂, order-disorder transitions in. 59-00887A
 Na₂Al₂Li₂F₁₂, garnet, growth. 59-04958A
 Na₂Mg₂P₂O₇, data. 59-02937A
 Na₂Cd₂(Si₂O₇)₂, structure refinement. 59-03941A
 Na₂Mg₂Si₂O₇, data. 59-02938A
 Na₂Zr₂Ge₂O₇, structure. 59-03940A
 Na₂V₂O₇, beta-phase, Bridgman and Czochralski growth. 59-04885A
 NaCl-type, stress-birefringence effect in. 59-05052A
 Nb and V carbide, nonstoichiometric, Vickers microhardness. 59-05113A
 NbMoN_{1-x}, structure. 59-00812A
 Nd₂Y₂Al₂O₇, melt growth, using heat exchange. 59-04991A
 NdCrO₃, electrical transport in. 59-03959A
 NdYAG, solid-state formation of. 59-00774A
 NiO, grain-boundary diffusion of ⁶⁰Co and ⁶¹Cr. 59-04953A
 Pb Mg niobate, electrostrictive effect in. 59-04937A
 Pb₂GeO₇, antiferroelectric, structure. 59-02943A
 Pb₂GeO₇, data and growth. 59-02935A
 Pb₂Sb₂S₇, dielectric properties. 59-00824A; 59-00825A
 Pb(Sn_{0.5}Bi_{0.5})₂O₇, structure and electrical properties. 59-03855A
 PbGe[Ge₂O₇](h), data for. 59-02939A
 PbTiO₃, lattice parameters and birefringence. 59-03004A
 RE hexaboride, pure and C-doped, magnetic and transport properties. 59-04988A
 Se₂Te₂, relaxation and crystallization kinetics, DTA study. 59-05056A
 Si, Cu precipitates in, extinction of topographic images of. 59-04944A
 Czochralski, low O content, growth. 59-04985A
 Czochralski-grown, thermally induced microdefects in. 59-05102A
 epitaxial, with uniform doping, method for making. 59-04628P
 fracture of, in liquid environments. 59-01833A
 Si and Ge, capillary die shaped growth, control of. 59-02696P
 Si and SiC, microstructure of oxide scales on. 59-03017A
 Si₃N₄, beta-, growth of. 59-02987A
 Si₃N₄Y₂O₃, structure of, electron microscopic study. 59-01804A
 SiC, alpha-, N-doped, self-diffusion of ¹¹C in. 59-05041A
 hardness. 59-00857A
 twinned, fracture characteristics. 59-00849A
 SiO₂, Auger line shapes, calculated and measured. 59-02925A
 Compton-profile studies. 59-02933A
 Sn selenide, growth of. 59-05046A
 Sn₂P₂S₆, ferroelectric properties. 59-00844A
 optical properties. 59-00885A
 Sr Ba niobate, doped with Ce. 59-03453P
 Sr₂Fe₂O₇, transition from brownmillerite to perovskite structure. 59-03035A
 Te₂Ge₂As₂, Hall effect in electrically switched memory state. 59-04566A
 Ti₂O₃, elastic constants, pressure dependences of. 59-03055A
 TiC, deformation behavior. 59-00820A
 growth from vapor, by hot wire method. 59-05048A
 Ti:LiNbO₃, absorption loss and photorefractive-index changes. 59-01099A
 Y₂O₃, ferroelectric, mobility of dislocations in. 59-03967A
 Y₂Al₂O₇, molten, solidification behavior. 59-04895A
 Y₂Ge₂(OH₂F)₂, structure. 59-02942A
 of YAG and Al Mg spinel, attenuation of ultrasound in. 59-00793A
 YFeO₃, domains in, oblique cylindrical. 59-00882A
 YIG, growth by floating zone method. 59-05047A
 substituted, interface shape and horizontal variations of Al and Ga contents. 59-02663A
 Yb₂Ti₂O₇, crystal-field properties, Moessbauer spectroscopy. 59-02947A
 of Zn and Cd tungstates, structure. 59-03046A
 ZnO, with high fluorescence, method of making. 59-02852P
 akermanite and gehlenite, growth by floating zone method. 59-05045A
 alkali halide, F-center stabilization in first coloring stage. 59-02979A
 dielectric constant, calculation of pressure derivative. 59-03018A
 impurity ions, off-center displacements of. 59-03028A
 amethyst, synthetic, peculiarities in optical spectra. 59-05007A
 andalusite, Raman effect on. 59-04003A
 apatite, in bone, orientation of. 59-03036A
 apparatus for growing, double crucible. 59-03712P
 from melt. 59-04596P
 with bcc lattices, observation of stacking faults. 59-03947A
 beryl, natural, defects in. 59-02954A; 59-02955A
 boehmite, structure. 59-01805A
 chabazite, dehydrated H₂ structure. 59-00815A
 chlorides, alkaline earth, growth in reactive films. 59-03746P
 deposition of, from plasmas of ZrO₂, HfO₂, ThO₂, and CeO₂. 59-01811A
 with diamond structure, motion of dislocations in. 59-00869A
 dieuropium(III) germanate oxide. 59-02961A
 disordered, linearly, calculation of diffuse scattering in. 59-02921A
 disordered systems, EXAFS study of. 59-04739A
 electrooptic, holographic storage in. 59-04569A; 59-04962A
 measurement of high resistivities by. 59-04723A
 energy, of micas and related minerals. 59-01862A; 59-01863A
 expansion of, thermal. 59-05150B
 ferrites, Li-substituted with Co additions, domain structure. 59-00827A
 garnet, Gd Ga, growth and dissociation processes. 59-04920A
 Gd Ga, method for producing. 59-03731P
 YAG, high temp. growth using crucible rotation. 59-00853A
 device for detecting inclusions in. 59-00720P
 graphite, Raman scattering from. 59-02982A
 grown from melt, effect of fluctuating growth rates on segregation. 59-04923A; 59-04924A
 growth. 59-01952B; 59-04605P
 and sequential purification. 59-03747P
 growth patterns, spiral, periodicity in. 59-04994A
 hematite, mutual orientations in. 59-03021A
 hydroxyapatite, pure, preparation by hydrothermal recrystallization. 59-03053A
 inorganic, relation between melting point, transition temp., and thermal expansion. 59-04251A
 ionic, sintering of. 59-04010A
 lattice constants, of alpha-quartz. 59-01861A
 lattice parameters, of VO₂, X-ray determination. 59-02917A
 melting, dislocation theory. 59-01139A
 micropara-, world between crystalline and amorphous substances. 59-04993A
 microsegregation, analysis of. 59-03931A
 mineral, symmetrization-desymmetrization phenomena. 59-05060A
 molybdates, M₂R(MoO₄)₂, M = K, Rb; R = rare-earths, Y, and Al, synthesis of. 59-05064A
 mono-, reflecting power, effect of pressure on. 59-04927A
 of refractory compounds of transition metals. 59-00414A
 niobate, K and Na, photoconductivity and thermostimulated conductivity. 59-00902A
 perfect, temp. dependence of X-ray reflection near absorption edge. 59-03097A
 piezoelectric, type AII₂IV, periodic semiconductors based on. 59-00569A
 poly-, and dense glasses, difference in mirror-to-flaw size ratios. 59-00164A
 quartz. 59-02842A
 QH⁺ is absorption, effect of radiation on. 59-00834A
 enhancement of Bragg reflection by X-ray irradiation. 59-02976A
 impurity capture, peculiarities of. 59-05008A
 optical properties, effect of monoaxial pressure on. 59-04968A
 silicification and growth of. 59-04007A
 synthetic, dislocations in, tomographic study. 59-04999A
 synthetic, variations in spacing and orientation of lattice plane, measurement of. 59-03979A
 vibrator, method for forming. 59-02715P
 ribbons, Si and Ge, apparatus for controlled growth. 59-02691P
 rutile, stoichiometric, dynamic strain aging in. 59-04922A
 semiconductor, on crystal of insulating material. 59-02740P
 method for growing. 59-03729P
 spontaneous growth by controlled melt perturbation. 59-03752P
 single, apparatus for pulling from melt. 59-03706P
 cubic, determination of hardness by spherical indentation. 59-01836A
 doped, growth of. 59-03719P
 oxidation of, as method for studying polytypism. 59-00889A
 slicing, method and apparatus. 59-02714P
 superlattices, semiconducting, deposited by molecular beam epitaxy, characteristics of. 59-04586A
 trimetaphosphates, of La, Ce, and Pr, data for. 59-02941A
 whiskers, Si, formation of micro SiC tubes by carburization of. 59-01829A
 TiC, growth by CVD, catalytic effect of metals and oxides. 59-02926A
 alpha-Ag₂S, growth in VLS system. 59-04954A
 gypsum composites. 59-00082P
 in mullite-corundum matrix, strength. 59-02493A
 zeolite, dehydrated K-exchanged, structure. 59-00810A
 of zeolite A, small particles. 59-01766P
Currents.
 high-field dark, in CVD Si₃N₄. 59-04567A
 lifetime and leakage, in semiconductors, method for controlling by irradiation. 59-04640P
 polarization, use in measuring conductivity of vitreous solids. 59-00708A
Cutting.
 bricks. 59-04389P
 clay strips. 59-03487P
 fibers, glass, method for. 59-00340P
 optical, apparatus for. 59-04331P; 59-04332P
 glass, thermal process. 59-03412P
Cutting tools. See *Tools.*
Cyclones. See *Separators.*
Decay.
 of luminescence, in natural diamonds, time of. 59-02949A
 nonequilibrium, in diffusion-controlled processes. 59-04999A
 nonradiative, of color centers in alkali halides. 59-02957A
Decomposition.
 of AlCl₃·6H₂O. 59-02851P
 of Al(OH)₃, amorphous, change in particle size and structure during. 59-02930A
 of β-Al₂TiO₅, temp. 59-02950A
 of CaCO₃, in vibratory furnaces, output and process data. 59-01050A
 of CaCO₃ and Ca(OH)₂, characterization of porous CaO particles formed by. 59-03935A
 of calcite powders, in vacuum and CO₂, nature of CaO produced by. 59-00877A
 critical phase, of dolomite-zircon refractories. 59-04400A
 of mullite, by SiO₂ volatilization. 59-01809A
 nucleophilic, of Ba(P₂O₇), kinetics and mechanism. 59-04216A
 of oxides, cobalto-cobaltic. 59-03944A
 of ozone, catalysis for. 59-04843P
 phase, of Al₂O₃-SiO₂ glasses. 59-03041A
 spinodal, during continuous cooling of a PbO-B₂O₃-Al₂O₃ glass. 59-00257A
 thermal, of Mg sulfite. 59-04831A
 of MgCrO₃·5H₂O, is spectroscopic study. 59-04980A
 of Si oxynitride. 59-01927A
 kinetics of Na-K superoxides. 59-00942A; 59-00943A
 of microporous glasses, EPR study. 59-04180A
 of zircon, by Al₂O₃, 59-02422A
 by soda ash sintering. 59-02826A
Decoration. See also *Art and Artware; Color; Engobes; Glazes.*
 of cements, coloring composition. 59-04123P
 decals, heat releasable. 59-02615P
 heat release layer for. 59-03658P
 of glass, in U.S. 59-03292A
 safety. 59-01291P
 minerals, and rocks, using CO₂ laser. 59-01188A
 of glass-ceramics, stain. 59-03423P
 with uniform brown stain. 59-03422P
 multicolored enamel, of hollow ware, technique. 59-02175A
 printing, screen. 59-00542P
 of tile blanks, method and apparatus for. 59-03661P
 of whiteware, apparatus for. 59-04537P
 method and apparatus for. 59-01500P
 by pad transfer. 59-01475A
 by screen printing. 59-01506P
Defects. See also *Cracks; Crystals; Enameling; Enamels; Fracture; Glass; Structure.*
 in Al₂O₃, alpha-, unirradiated. 59-02956A
 Frenkel, in CaF₂, entropy of formation. 59-04941A
 Raman active, in vitreous SiO₂, thermal equilibration of. 59-05099A
 in SiC and Si₃N₄ components, detection using acoustical microscopy. 59-03795A
 in chalcogenide alloys, ionicity effects on. 59-03300A
 in composite materials, criticality of. 59-05141B
 cores, black, in ceramic products, cause. 59-02571A
 in crystals, GeTe, effect of heat treatment on formation. 59-04925A
 Ni-doped MgO. 59-04889A
 natural beryl. 59-02954A; 59-02955A
 dipolar, in MgO crystals, thermal depolarization of. 59-05103A
 dislocation lines, in glass. 59-01138A
 in fibers, glass generation by indentation. 59-01164A
 formation, in alkali halides, model of excitonic mechanism for. 59-03019A
 in oxides with garnet structure. 59-02951A
 in glass, plate, analysis and control. 59-00258A
 plate, distribution function of. 59-02223A
 strips, computer-controlled assembly for checking. 59-00153A
 intrinsic, in CdSe crystals. 59-02999A
 micro-, thermally induced, in Czochralski-grown Si crystals. 59-05102A
 processing, in partially stabilized ZrO₂. 59-01744A
 in quartz, synthetic. 59-04911A
 scratches, in brittle solids, microfracture about. 59-03982A
 in solids. 59-05132B
 structural, in SiO₂, model of. 59-01214A

- structure of, in VO_2 . 59-02952A; 59-02953A
valence-alternation-pair, in vitreous SiO_2 , spectroscopic evidence. 59-00924A
- Defluorination.** See *Dispersion*.
- Deformation.**
behavior, of TiC crystals. 59-00820A
of sapphire, via prismatic slip system. 59-03945A
charge, at MgO surface. 59-02931A
dynamic, of polycrystalline Al_2O_3 . 59-01814A
high-temp., of $^{100}\text{PuO}_2$. 59-01608A
inelastic, around microcracks, treatment of. 59-04035A
mechanisms, in silions, high temp. and diffusion. 59-02990A
of particles, glass, suspended in flame. 59-04172A
plastic, in CaO-stabilized ZrO_2 . 59-05026A
of MgO crystals, disturbance of stoichiometry by. 59-00866A
of fine-grained Al_2O_3 . 59-01887A; 59-01888A
profile, effect on fiber bandwidth. 59-01149A
of rotary kilns, effect on lining life. 59-02060A; 59-03175A
effect on refractory lining. 59-02061A; 59-02062A
tests, three- and four-point, strain rates for. 59-01666A
three-point, procedure for eliminating errors. 59-00675A
viscous, during heating and cooling of glass. 59-00276A
- Dehydration.**
of gypsum. 59-02063A
- Dehydroxylation.** See *Decomposition*, thermal.
- Densification.**
of Si_3N_4 , by small amounts of Be and O in solid solution. 59-04963A
of ceramics. 59-05135B
of clinkers, refractory, MgO and chrome-based, effect of thermal treatment and phases on. 59-02448A
of ferrites, Mn-Zn, by hot isostatic pressing. 59-03669A
mapping, for hot-pressing. 59-03946A
of oxides, metal, method for. 59-03414P
of piezoelectrics, by hot isostatic pressing. 59-03670A
- Density.**
of AlN, effect of gas medium on. 59-03857A
of P/M materials, method for measuring. 59-01736A
bulk, low, porous Al_2O_3 , with. 59-02855P
of chamottes, granular, measuring. 59-03552A
electron, of Ni and Fe silicate spinels. 59-01807A
of glasses, dependence on cooling rate. 59-01132A
in system SiO_2 - GeO_2 . 59-04249A
high, sintered Si_3N_4 . 59-02909P
of particles, kaolin chamotte. 59-01405A; 59-04522A
profile, of quenched glass drops. 59-01131A
of siliceous phase, in liquefying Na-Sr silicate glasses. 59-02218A
theoretical, of pore-free transparent PLZT. 59-03702A
of upper valence band states, of As-Se films, annealing effect of. 59-03253A
- Dental ceramics.**
bonding, of bone to porous, SiO_2 -rich surface. 59-01485P
cement, containing polycarboxylic acid, chelating agent, and glass powder. 59-04542P
composite. 59-04541P
restorative. 59-00529P
fillings. 59-04543P
firing of, Ag-free, low-Au noble metal alloys for. 59-02624P
kilns for, ir-heated. 59-04771P
metals, nonferrous, to be electrophoretically coated with ceramic, pretreatment of. 59-04552P
new. 59-01982B
porcelain, fluorescent. 59-00531P
restorations, glass-ceramic. 59-03895P
teeth, porcelain, mfg. 59-04538P
process for making. 59-01761P
- Deposition.**
of C, from CO, in refractory linings of ladles. 59-03509A
CVD, of B filaments. 59-04799A
of Ca, on glass, to inhibit alkaline attack. 59-00142A
of Cu, on ceramics, stabilization of sensitizer used. 59-03700A
MCVD, incorporation of OH in glass by. 59-00206A
thermophoretic deposition of small particles in. 59-04267A
of Si, on heated carriers. 59-00624P
chemical sputter, of TiO_2 from Ti and TiC targets in $\text{Ar} + \text{O}_2$ discharges. 59-00870A
of coatings, on glass. 59-04606P
of crystals, from plasmas of ZrO_2 , HfO_2 , ThO_2 , and CeO_2 . 59-01811A
detonation, of nonconducting powders, determination of temp. 59-00689A
electro-, of enamels, status and outlook. 59-02141A
electroimmersion, of enamels, application of. 59-02127A
epitaxial, of CdS. 59-04632P
of semiconductors for liquid phase, apparatus for. 59-00581P
of films, Si oxide. 59-01570P
 Si_3N_4 . 59-00630P
flame hydrolysis, of SiO_2 - GeO_2 particles for optical fibers. 59-04173A
heterogeneous, of Si , Si_3N_4 , and SiO_2 films, kinetics of. 59-03976A
of layers, conducting metal, on insulating support. 59-03744P
metal-film, on Al_2O_3 substrates. 59-00548A
of metals, on ceramic substrates. 59-04639P
plasma. 59-01567P
of wurtzite-type BN layers. 59-02958A
of semiconductors, solid. 59-04607P
vacuum vapor, apparatus for. 59-04672P
vapor, of AlSi on insulating substrates. 59-04565A
of Group IVB, VB, and VIB elements, literature review. 59-01947B
of Ta diboride. 59-01787A
of TiC whiskers, catalytic effect of metals and oxides. 59-02926A
of low temp. Si_3N_4 films. 59-02734P
of low-stress glass layers. 59-03733P
of materials, apparatus for. 59-03707P
of thin films. 59-02735P
- Design.** See also *Art and artwork*; *Decoration*.
of Anatole Hotel, Dallas, Tex. 59-01369A
of brickwork, for mixers. 59-03510A
ceramic, in China. 59-04071A
color theory, application of. 59-01950B
combining glass and clay. 59-00994A
of composites, advanced. 59-00956B
of furnaces, and methods of loading and sealing. 59-03824P
of glass furnaces, history. 59-03100A
of kilns, sintering, for mfg. electronic components. 59-03820A
stack for. 59-01025A
new concepts, in dinnerware. 59-02587A
of reactors, fusion. 59-03758A
sculpture, clay, use of fiber glass to strengthen. 59-00995A
thermal, of refractory and insulating systems. 59-04761A
of waste water treatment system, in refractories industry. 59-03511A
of whiteware, acid-resistant. 59-00511A
- Desorption.**
electron-beam-induced, from ZnO , phase-sensitive detection of. 59-05022A
isotherms, of clays during drying. 59-02579A
importance in drying of clays. 59-03644A
- Detectors.** See also *Tubes*, electron.
Si, and optical fibers, use for measuring solar irradiance. 59-00705A
dosimeters, radiothermoluminescent glass for. 59-01353P
hot gob, for glass-forming machine. 59-00326P
- Deuterium.**
positions, in $\text{Na}_2\text{CO}_3 \cdot 1.5\text{D}_2\text{O}$. 59-01873A
- Devitrification.**
of glasses, $\text{CaO-Al}_2\text{O}_3\text{-SiO}_2$ with $\text{SiO}_2/\text{Al}_2\text{O}_3 = 3$ molar ratio. 59-01134A
system $\text{Li}_2\text{O-Al}_2\text{O}_3\text{-SiO}_2\text{-TiO}_2$, phase separation during. 59-00231A
- Diamonds.** See also *Grinding apparatus*; *Grinding* (material removal).
B-doped, luminescence and conductivity in. 59-03103A
N aggregates in, high temp.-high pressure dissociation of. 59-03040A
N center, optical detection of magnetic resonance. 59-03030A
/ Si_3N_4 substrate composite, process for making. 59-01593P
/ SiC substrate composite, process for preparing. 59-01091P
abrasives. 59-00002P
Si-bonded, process for preparing. 59-00984P
method for work-hardening. 59-02020P
particles, coated. 59-01533P
pastes. 59-02017P
anvil cell, use in Raman studies of ice VI. 59-00910A
formation of, from glassy C. 59-03864A
grinding wheels, magnetic cores for. 59-02019P
melting of. 59-00826A
natural, decay time of luminescence in. 59-02949A
optical phonon of, zone-center, effect of uniaxial stress on. 59-02970A
piezobirefringence in. 59-03050A
polycrystalline, process for making. 59-01592P
/sintered carbide, cutting tools. 59-01754P
structural changes in, ion-induced, spectroscopic depth profiles. 59-02959A
synthetic, Syndite, thermal conductivity of. 59-04060A
apparatus for making. 59-03888P
economics of application of. 59-01956B
history and present status. 59-02654A
type Ib, annealing of. 59-01752P
tools, grinding, surface analysis by SEM. 59-02014A
molds or dies for making. 59-04066P
type Ia, secondary absorption edge in, optical study. 59-03984A
- Disperse.**
thermodynamic data, application to system $\text{Al}_2\text{O}_3\text{-SiO}_2\text{-H}_2\text{O}$. 59-01875A
- Diatomaceous earth.** See *Diatomite*.
- Diatomite.**
deposits, worldwide. 59-02827A
- Dicalcium silicate.** See *Calcium*, di-.
- Dielectric materials.**
 CaF_2 , SrF_2 , BaF_2 , and MgO , temp. variation of dielectric constant. 59-05091A
PLZT. 59-02709P
coatings. 59-03711P
compositions. 59-00590P
exposed to electron beams, effects of conductivity on potential developed by. 59-00552A
garnet, for high-frequency applications. 59-04608P
gate, for MIS device, deposition of rutile as. 59-03734P
heat-compensated. 59-02706P
for high frequency applications. 59-00589P
nonlinear. 59-01580P
polarization in. 59-01527A
semiconductors, method and apparatus for studying. 59-04622P
spinel, polycrystalline, for high-frequency applications. 59-04609P
substrates, with metallization containing Ni oxide. 59-04610P
- Dielectric properties.**
of Al_2O_3 , Li, Na, K and Ag beta-. 59-03007A
of $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Nb}_2\text{O}_7$, doped with Y, La, Tm. 59-00823A
of $(\text{K},\text{Na})\text{NbO}_3$, hot-pressed. 59-02636A
of clay bodies, high Al_2O_3 . 59-03671A
constant, of alkali halide crystals, calculation of pressure derivative. 59-03018A
of "pure" CaF_2 , SrF_2 , BaF_2 , and MgO , temp. variation of. 59-05091A
of crystals, $\text{Pb},\text{Sb},\text{Si}$. 59-00824A; 59-00825A
of diopside-anorthite system. 59-03672A
dispersion, of K_2SeO_4 and Rb_2ZnCl_4 , around transition points. 59-04916A
of glass, and beta- Al_2O_3 . 59-02214A
of glasses, in system As-Ge-Se. 59-01135A
instrument for measuring, using impedance. 59-02798P
loss, in glasses, two-level model of. 59-04268A
relaxation, study of chalcogenide glasses. 59-04176A
of solid solutions, in system $\text{Pb}(\text{Mg}_{1-x}\text{Nb}_x)_2\text{O}_7$: $\text{Pb}(\text{W}_{1-x}\text{Mg}_x)_2\text{O}_7$. 59-00930A
- Dielectrics.** See also *Bodies*, ceramic; *Ferrites*; *Ferroelectricity*; *Ferroelectric materials*; *Glass*; *Porcelain*, electrical; *Sealite*; *Titanates*; *Whiteware*.
polar, applications of. 59-01991B
raw materials for, acceptance testing of. 59-01529A
- Dies.** See also *Extrusion*.
casting, steel, BN/elastomeric polymer coating for. 59-04465P
coating, optical waveguide, method for making. 59-03406P
drawing, wire. 59-01765P
extrusion, effect of design on quality of clay product. 59-00384A
for glass honeycombs. 59-02318P
for honeycomb. 59-02776P
use of partially stabilized ZrO_2 for. 59-01731A
semiconductor, encapsulation for, hermetic glass. 59-02707P
- Differential thermal analysis.** See *Thermal analysis*.
- Diffraction.** See also *Electron diffraction*; *Neutrons*; *Optical properties*; *X rays*.
X-ray. 59-04746A
analysis of TiO_2 -opacified enamel panels. 59-02161A
assessment of local stresses in coarse-grained sintered materials. 59-00712A
data for sialon X-phase. 59-04967A
preparing clay samples for. 59-01659A
standard powder patterns. 59-01665A
study of $x\text{Fe}_2\text{O}_3 \cdot (1-x)[3\text{B}_2\text{O}_3 \cdot \text{PbO}]$ glasses. 59-03355A
study of Eu metathiozirconate. 59-05117A
study of $\text{Zr}(\text{Ca}_x\text{Y}_{1-x})_2$. 59-03113A
study of crystalline and glass-forming silicates. 59-03114A
study of solid solution $\text{Cd}_{1-x}\text{Cu}_x\text{Cr}_x\text{Se}_{1-x}$. 59-03115A
study of structure of stoichiometric and nonstoichiometric beta- Al_2O_3 . 59-04893A
X-ray powder, data for SrAl_2O_3 . 59-03118A
pattern, of beta- LiAlO_2 , re-indexing of. 59-03062A
analysis, of powders, use of Guinier-Hagg-type camera. 59-04735A
electron, study of amorphous SiO_2 films. 59-03283A
study of scattering due to atomic displacements in VO_2 . 59-02973A
light-induced, gratings, in semiconductors, properties and uses. 59-02681A
neutron, structure of Na silicate glasses based on. 59-02290A
study of MgF_2 crystals. 59-00878A
powder neutron, study of structure of WO_3 . 59-03106A
- Diffusion.**
of Al, during sealing of glass to Al_2O_3 . 59-02221A
Ca, in silicate melts. 59-03934A
Cu, at CuCdS contacts. 59-04556A
Fe, in Fe-aluminate spinels. 59-01852A
of H, in TiO_2 . 59-03014A
in SiO_2 , exciton or H^+ ? 59-00843A
Ti, in TiLiNbO_3 optical waveguides. 59-01264A
coeffs., for Li and Na in Li aluminogermanate glasses. 59-00209A
-controlled processes, nonequilibrium decay effects in. 59-04998A
equation, least-square analysis of thick-film solution to—comment. 59-00799A
fission gas, in UO_2 . 59-02744A
fission product, in ZrC-coated fuel particles. 59-04681A
in glasses, equation for determining coeff. of. 59-01161A
grain-boundary, of "Co" and "Cr" in NiO . 59-04953A
inter-, of Ag in $\text{SiO}_2\text{-B}_2\text{O}_3\text{-Al}_2\text{O}_3\text{-R}_2\text{O}_3$ glasses, optical and NMR studies. 59-00227A
of H and alkali ions in glass surfaces. 59-04214A
measurement, in glasses, application of stable isotopes for. 59-01105A
of melts, silicophosphate. 59-03267A

- of metals, molten, in float glass tank, apparatus for. 59-02347P
into substrates. 59-04624P
models, application to oxide sintering. 59-01772A
in porous solids, evaluation of method of studying. 59-02784A
processes, in system glass-Sn, neutron activation analysis. 59-01269A
reactions, first passage time approach to. 59-04946A
selective, use in fabrication of injection lasers. 59-04614P
self-, of B in $\text{Fe}_{0.8}\text{Ni}_{0.2}\text{B}_{0.8}$ glass, spectrometric measurement. 59-04178A
of ^{14}C in alpha-SiC. 59-05041A
of ^{14}C in beta-SiC. 59-00916A
of Er in pure and HfO_2 -doped polycrystalline Er_2O_3 . 59-00917A
of Gd in polycrystalline Gd_2O_3 . 59-00918A
of K in Na-K-aluminosilicate glasses. 59-01237A
of O in single-crystal Al_2O_3 , ion-probe measurement. 59-01851A
in glasses. 59-01238A
in oxides, bibliography. 59-04884A
in solids. 59-05132B
surface hardening of substrates by. 59-03754P
tracer, measurements in low-alkali glasses. 59-03354A
two-phase, in composites, model for. 59-02875A
- Diffusivity**,
of ceramics, measurement of. 59-04989A
thermal, of Ba-mica/ Y_2O_3 -stabilized ZrO_2 composites. 59-04832A
of glass-Ni composites, effect of expansion mismatch on. 59-04186A
in neutron-irradiated ceramics. 59-01610A
tracer, of ^{44}Ca in CaO-SiO_2 melts. 59-03353A
- Dilatometers**. See also *Expansion*.
for determining low expansion coefficients. 59-03798A
- Dinnerware**. See also *Art and crafts*; *Pottery*; *Whiteware*.
glass, production of. 59-01994B
spontaneous NaF opal, method for improving durability. 59-03405P
glass and ceramic, coding materials used for. 59-03121A
molds for. 59-04525A
new design concepts. 59-02587A
pearlware, 1780-1930, changes in. 59-03158A
porcelain, from around the world, physicochemical studies. 59-02593A
production in China. 59-04518A
- Diodes**. See also *Rectifiers*; *Tubes, electron*.
glass encapsulated, method of making. 59-01573P
glass sealed. 59-00598P
light-emitting, 6H-SiC, fabrication of. 59-04562A
- Diopside**,
-anorthite, system, dielectric and insulating properties. 59-03672A
charge for, containing BeO or SrO . 59-01285P
- Dialocators**. See also *Creep*; *Defects*.
in LiF, interaction with thermal phonons. 59-02996A
in MgO . 59-02862A
in crystals, synthetic quartz, light scattering tomographic study. 59-04999A
network, in nonstoichiometric Mg-Al spinel, climb dissociation of. 59-01789A
theory of liquid state, in crystal melting and glasses. 59-01139A
- Dispersion**,
agents, evaluation of. 59-03645A
in fibers, step-index silicone-clad. 59-01140A
forces, between objects of fused SiO_2 . 59-03269A
montmorillonite, EPR probe mobility in. 59-03363A
- Display devices**. See also *Electronic equipment*.
fluorescent, low-velocity electron excited. 59-04325P; 59-04326P
- Dissolution**. See *Solutions*.
- Distortions**,
profile, delay compensation in fibers with. 59-01217A
- Distribution**,
thermal, of TiB_2 -Ni-P by sintering. 59-03880A
- Dolomite, plaster**. See *Plasters*.
- Dolomite**. See also *Refractories*.
Hungarian, SEM study. 59-05040A
properties of. 59-04783A
atm pollution by dust from, at Hagen-Halden works. 59-00662A
calcined, effect on melting rate in lime-caustic processing of Na_2CO_3 . 59-01152A
deposits, of U.S.S.R., industrial classification based on enrichment. 59-04780A
-magnesite, resin-bonded refractories, failure of. 59-02434A
refractories, use and limitations in steelmaking. 59-01380A
-zircon, refractories, critical phase decomposition of. 59-04400A
- Domains**. See *Ferroelectricity*; *Ferroelectric materials*; *Ferromagnetism*; *Ferromagnetic materials*; *Magnetic properties*.
- Dopants**,
donor and acceptor, in alpha- Al_2O_3 , energy levels. 59-01825A
glass-ceramic, for semiconductors. 59-00309P
- Doping**. See *Additives*.
- Dosimetry**,
dosimeters, MNOS. 59-04748P
radio-photoluminescence, glass for. 59-04305P
- Drawing**,
fibers, optical, cooling rates during. 59-00156A
glass, method of. 59-02353P
wire, dies for. 59-01765P
- Dry pressing**. See *Pressing*.
- Dryers**,
chamber, flow studies, at Bataszek clayware factory. 59-04754A
- Drying**,
automated, of ceramic tiles. 59-02567A
characteristics, of structural clay products. 59-02400A
of clays, desorption isotherms during. 59-02579A
importance of desorption isotherms. 59-03644A
coal, design of plant at Laegerdorf. 59-00041A
freeze-, preparation of MgO powders by. 59-03874A
synthesis of ceramics by. 59-03009A
innovations in. 59-04756A
of linings, unshaped refractory. 59-03518A
microwave, of refractory shell molds. 59-02541P
of molds, investment casting, apparatus for. 59-00463P
particles, method and apparatus for. 59-00672P
petroleum, fabrication of Mn-Zn ferrites by. 59-03681A
sensitivity, of ceramic bodies, method for measuring. 59-01642A
spray, preparation of beta'- Al_2O_3 pressing powders by. 59-00570A
suspensions, method and apparatus for. 59-00671P
whiteware, green, characteristics of raw materials governing the process. 59-04516A
water migration during. 59-01484A
- Dunite**,
natural, experimental annealing. 59-02831A
- Dust**. See also *Particulates*; *Pollution, air*; *Powders*.
atmospheric, from Hagen-Halden dolomite works. 59-00662A
cement, briquets from. 59-00079P
process for treating catch. 59-01067P
recycling by compacting. 59-01049A
collectors, for glass industry, comparison of jet and shaker-type bag. 59-01109A
fly, process for using. 59-03230P
granular solid state, effect on heat transmission in rotary coolers. 59-01042A
in magnesite plant, reducing. 59-02423A
metallic, containing SiO_2 , precipitation of silicic acids and silicates from. 59-03792P
- Dysprosium**,
oxide, reaction with V oxide. 59-04004A
- Earthenware**. See also *Archeology*; *Dinnerware*.
cookware, stove-top. 59-00031A
faience, paintings, by Bodo Mans. 59-02042A
faience bodies, from Zhablyano clay, increasing strength of. 59-00517A
fine, glaze-frit problems for. 59-03642A
- Education**,
Hocking Technical College, trains technicians for ceramic industry. 59-01937A
art degree, Arrowmont School of Crafts, Univ. of Tenn. 59-00013A
art program, at Canada's Georgian College. 59-04070A
ceramic, in China. 59-05122A
two universities in China. 59-05125A
- Elastic materials**,
refractory. 59-02524P
- Elasticity**,
of HfO_2 , partially stabilized. 59-00837A
stabilized. 59-01821A
of MgO , hot-pressed. 59-01822A
of PZT. 59-00578A
compliance coeffs., in K_2SeO_4 . 59-04931A
constants, of MgF_2 and TiO_2 , temp. dependence. 59-03098A
of TiO_2 crystals, pressure dependences. 59-03055A
of machinable glass-ceramics, temp. dependence. 59-04264A
of semiconducting NbO_2 , pressure dependence. 59-03054A
of enamels, method for improving. 59-01076P
of fibers, slag, effect of chemical composition on. 59-02428A
in glasses. 59-05133B
Li aluminosilicate. 59-01156A
inorganic, measurement and calculation. 59-03306A
quartz, relation to temp. 59-02259A
in system As-S-Ti. 59-00274A
of solid solutions, in system $\text{SrGa}_2\text{Si}_2\text{O}_7$ - $\text{SrGa}_2\text{Ge}_2\text{O}_7$. 59-02971A
- Elastomers**. See *Elastic materials*.
- Electric resistors**. See *Resistors, electrical*.
- Electrical ceramics**. See *Electronics*.
- Electrical conductance**. See *Resistance, electrical*.
- Electrical conductivity**. See *Conductivity, electrical*.
- Electrical properties**,
of Bi_2TiO_5 , hot-forged. 59-04564A
of $\text{Ca}_2\text{MnO}_{4-x}\text{F}_x$. 59-04987A
of CdCr_2Se_4 crystals. 59-03958A; 59-04935A
of $\text{Pb}(\text{Sn}_{0.5}\text{Sb}_{0.5})_2\text{O}_7$ crystals. 59-03855A
of ZnO , produced by different annealing temps. 59-02643A
- capacitance and current, in ZnO ceramics, drift phenomena of. 59-04558A
charge injection, in metal- ZnO-SiO_2 -Si structures. 59-04890A
dipolar complexes, in rare-earth-doped Sr fluoride. 59-02962A
disorder, nonrandom, in layered silicates, electron microscopic and X-ray studies. 59-02989A
disordering, of alkali feldspars. 59-02964A
electrode potential, of Li germanate glasses with Ga_2O_3 . 59-00182A
of glasses. 59-00183A
of electrolytes, solid oxide, methods for studying. 59-04730A
electrostriction, in Pb Mg niobates. 59-04937A
of films, polycrystalline and amorphous. 59-05143B
of glass-ceramics, Y-Si-Al oxyntiride. 59-03281A
of glasses, AIII-Te and AIV-Te. 59-01232A
As₂Se₃, effect of Pt impurities on. 59-01208A
Y-Al-Si oxyntiride. 59-01157A
of insulators. 59-00553A
noise, 1/f, in La Sr vanadate. 59-02919A
of porcelain, effect of fluxing oxides on. 59-01463A
sealite, effect of alkaline-earth oxides on. 59-03678A
of solid solutions, Pb₂-Sn₂Te, effect of In, Ga, and Al on. 59-02638A
in system $\text{SrGa}_2\text{Si}_2\text{O}_7$ - $\text{SrGa}_2\text{Ge}_2\text{O}_7$. 59-02971A
of stannates, mono- and dicadmium. 59-03692A
surface breakdown, of SnO_2 coated glass. 59-01255A
of trace concentrations of Gd and Yb, in GaSb. 59-02641A
transfer, in melts of Ag chalcogenide glasses. 59-02234A
transport, in NdCrO_3 . 59-03959A
- Electricity**,
generation of, from waste heat from container-glass tanks. 59-01276A
- Electroceramics**. See *Electronics*.
- Electrochemistry**. See also *Corrosion*.
recycling of WC, using rotating drum anode. 59-03859A
- Electrodes**. See also *Heating elements*.
Mo, in electrically heated glass tank furnaces, wear of. 59-01278A
S, for Na-S batteries. 59-01601P
S ion, use in determination of sulfide in pyritic soils and minerals. 59-01640A
 SnO_2 , responsive to pH and sulfide. 59-00686A
based on rare-earth chromites, for MHD generators. 59-04584A
ceramic, electrochemical degradation of. 59-03680A
component for. 59-02694P
glass, Na aluminosilicate, relaxation characteristics during change in stress. 59-02280A
membrane, O ion-conducting, use as pH sensors. 59-04580A
photoactive, TiO_2 , method of making. 59-04637P
from substrate materials, method of producing. 59-03735P
- Electrodialysis**. See *Dialysis*.
- Electroluminescence**. See *Luminescence*.
- Electroluminescent materials**. See *Luminescent materials*.
- Electrolytes**,
deterioration of beta'- Al_2O_3 in. 59-02960A
oxide, solid, method for studying electrical properties. 59-04730A
poly-, anionic, wet-strength of glass fiber mats by treatment with. 59-02388P
reservoir layer, fuel cell, method for making. 59-02753P
solid, and method of bonding. 59-03750P
vitreous, belonging to system B_2O_3 - Li_2O - LiCl , EPR study. 59-03271A
- Electromagnets**. See *Magnets*.
- Electromechanical properties**. See *Mechanical properties*.
- Electron tubes**. See *Tubes*.
- Electronic equipment**,
based on Al-V garnets. 59-00582P
capacitors. 59-00583P
power, for high frequencies. 59-00586P
carriers, heated, deposition of Si on. 59-00624P
cathodes, photo-, red sensitive, with Al_2O_3 barrier layer. 59-00626P
charge-couple devices, pictures from. 59-00555A
contacts, sintered, of Ag and embedded metal oxides. 59-04664P
sintered materials for. 59-04590A
cores, memory, temp. stable, low noise. 59-00577A
porous, crushable, with integral barrier layer, method for making. 59-03730P
diodes, glass sealed. 59-00598P
ferroelectric. 59-00596P
high frequency, dielectric and nonmagnetic ceramics for. 59-00589P
lasers, injection. 59-00602P
magnetic. 59-01565P
head, method of making. 59-01563P
metallizations for, Au/Cr. 59-00559A
photovoltaic devices, fabrication by solid phase epitaxy. 59-00595P
print head, thermal, thin film, method of making. 59-01574P
recording and storage device, magnetic, with high abrasion resistance. 59-01564P
recording medium, magnetic, process for making. 59-03724P
resistors, electrical, mfg. 59-00608P
semiconductors. 59-01595P
mfg. 59-00605P

- sensors, O, partial pressure of. 59-00612P
solar cells, GaAs-GaAlAs. 59-00597P
switching devices, NbO₂. 59-00566A
thermistors, composition for. 59-00634P
oxide, rare earth or Y, transition metal. 59-00625P
transistors, microwave, InP/SiO₂. 59-00610P
vacuum-tight ceramics for. 59-00588P
varistors. 59-00638P
metal oxide, mfg. 59-00607P
- Electronic properties,**
of dioxides, transition metal. 59-00556A
pulse-degradation, of ZnO varistors. 59-00571A
surface, of d-band perovskites. 59-03091A
- Electronics.** See also *Electronic equipment.*
Al₂O₃, beta-, method of mfg. 59-01578P
BaTiO₃, Mn-doped, polycrystalline. 59-00565A
degradation in ac field. 59-01510A
CMOS/SOS, low temp. process using dry pressure oxidation. 59-02710P
MHD materials. 59-03686A
MOS, Si-on-insulating substrate, method of making. 59-02736P
PbBi₂Nb₂O₈, strength of, effects of grain orientation. 59-00560A
SAW devices, growth of LiTaO₃ single crystals for. 59-02653A
piezoelectric material for. 59-01583P
Si, pure polycrystalline, process for mfg. 59-01591P
Tb₂Si₂O₇N₂. 59-00572A
ZnO ceramics, nonohmic, capacitance and current, drift phenomena of. 59-04558A
acceptors, intrinsic, in undoped GaSb. 59-02635A
acoustic wave applications, temp.-compensated PbTiO₃ for. 59-01336A
alloys, of Si and Ga arsenide. 59-01539P
automotive materials conference, 8th annual. 59-02674A
bubble devices, comparison of mixed garnet systems for. 59-01509A
magnetic, process for suppressing hard bubbles in. 59-01594P
cells, liquid crystal, with insulating layer of SiC base. 59-04618P
ceramic material for. 59-01542P
ceramics, based on PbTiO₃-Pb(Fe_{0.5}Nb_{0.5})O₃, modified. 59-02671A
method of sintering. 59-04641P
circuits, porcelain enamel in. 59-00112A
substrates for. 59-00622P
components, method for mfg. 59-02717P
composites, beta-Al₂O₃ substrates and glass coating. 59-01546P
ferrite/resin, radar absorptive, from industrial effluent. 59-04823A
with layer of sealing glass. 59-00621P
conductivity, bulk and surface, effects on potential of dielectrics exposed to electron beams. 59-00552A
connectors, test equipment for. 59-04611P
contact layer, electrically conductive, method of making. 59-01575P
critical, ferrites for. 59-02648A
currents, high-field dark, in CVD Si₃N₄. 59-04567A
dendritic surfaces, for solar collectors. 59-00549A
device, Si film. 59-02383P
diffusions, narrow, formation of, using ion etching. 59-04626P
doping, of amorphous semiconductors, by ion implantation. 59-01571P
electroactive devices, electroded piezoelectric wafer for. 59-00631P
engineering problems, material. 59-02666A
epitaxy, molecular beam. 59-00611P
etching, gas, of Si₃N₄ layer. 59-00627P
ferrites, Mn Zn pole pieces, method of joining. 59-01572P
ferroelectric materials, charge for. 59-00587P
grain-oriented. 59-00561A
polycrystalline, controlled light scattering in. 59-00547A
films, Sb and Ti substituted EuLG, properties of, as function of Pb content. 59-01520A
magnetic bubble La-Sm-Lu Fe garnet, grown on NdGaO₃ substrates. 59-01514A
frequency variations, in quartz crystals, due to internal dissipation. 59-01518A
glass, low-melting point. 59-01562P
holographic storage, in electrooptic crystals. 59-04569A
honeycomb, BaTiO₃, with positive temp. coeff. of electrical resistance. 59-00609P
hysteresis, ferroelastic, in alpha-quartz. 59-01516A
industry, application of refractory borides, carbides, and nitrides. 59-03687A
design of sintering kilns for. 59-03820A
growth of Vitromon. 59-02652A
modern equipment key to production at Tektronix, Inc. 59-02670A
powder metallurgy in. 59-04581A
insulators, properties of. 59-00553A
interconnection systems, method of forming. 59-02724P
materials for, with high porosity and crushability. 59-03725P
resistance. 59-02738P
metallization of ceramics, paste for. 59-00613P
metallizing, paste for. 59-01581P; 59-01582P
substrate film strip for. 59-01600P
- new glasses and composites for. 59-00225A
nonmagnetic ceramics, for high frequency applications. 59-00589P
optics, guided-wave. 59-01521A
patterns, cross-hatched, thermal migration of. 59-00631P
pictures, from charge-couple devices. 59-00555A
piezoelectric materials. 59-00550A
C₁₂Al₂O₃. 59-00545A
plating, plasma. 59-01588P
radio, charge for mfg. ceramics for. 59-01545P
resistance, electrical, of Rb and Cs with high metal content. 59-00554A
nonlinear, ceramic material with. 59-01541P
resistors, film. 59-00623P
sealant. 59-00584P
seals, metal-to-ceramic. 59-00606P
semiconductor structure, with improved phosphosilicate glass isolation. 59-03726P
measurement technology. 59-01531A
solid state, introduction to. 59-01973B
structure, of beta-Al₂O₃ surface with adsorbed Na atom. 59-04561A
substrates, with high thermal conductivity. 59-00601P
layered, adding layers by sputtering. 59-00603P
superconductors, Nb₃Ge CVD to Cu substrate, method for making. 59-04666P
technical ceramics, in China. 59-04560A
transducers, ultrasonic, electrostrictive materials for, method to evaluate. 59-04575A
tubular body, polycrystalline Al₂O₃, method of making. 59-01577P
tunneling, between metals and insulations, role in contact electrification. 59-01538A
tunnels, epitaxial, using oriented growth, formation. 59-02703P
unit-cell parameters of Ba₂Ti₂O₇ crystals. 59-02677A
vacuum-tight ceramics, charge for. 59-00588P
veneers, ceramic. 59-04602P
waveguide laser layer, LiBi₂Nd₂-P₂O₇, grown on LiNdP₂O₇. 59-01524A
waves, magnetoelastic-surface, on YIG substrate. 59-01525A
- Elements,**
conduction by tunneling, in glass fibers containing metallic granules. 59-01173A
redistribution of, effect on conductivity of graded-gap Al-Ga-As crystals. 59-02232A
in single-crystal graphite and AlN, K-shell cross section. 59-01855A
trapping, in SiO₂. 59-01823A
tunneling, between metals and insulators, role in contact electrification. 59-01538A
- Electrolytic properties,**
of Ba_{0.5}Sr_{0.5}Nb₂O₈, doped with Y, La, Tm. 59-00823A
- Electrooptics,**
in SrTiO₃, Ni-doped. 59-00839A
crystals, holographic storage in. 59-04962A
measurement of high resistivity by. 59-04723A
devices, piezoelectric wafer for. 59-00631P
- Electrophoresis,**
enameling by. 59-03234A
forming ceramic products by. 59-02771A
whiteware prepared by, from agglomerated particles. 59-00540P
- Electrophysical properties.** See *Physical properties.*
- Electrostatic processes,**
enameling, porcelain, current experiences. 59-02138A
porcelain, status in Europe. 59-00118A
porcelain, status in U.S. 59-00113A; 59-02166A
powder, apparatus. 59-04156P
theory and practice. 59-01068A
- Elements,**
Faraday rotation, glass for. 59-01303P
Group IVB, VB, and VIB, chemical vapor deposition of, literature review. 59-01947B
chemical, atomic and ionic radii, periodic system of. 59-05009A
foamed ceramic, process for making. 59-04474P
glass, with complex curvature, method of forming. 59-04348P
method of molding. 59-01339P
packing, ceramic. 59-00782P
period II and III, compounds of, XAB-ABX rearrangement and isomer stability. 59-05119A
rare-earth, periodicity of properties. 59-05010A
refractory-forming, volatilization of, from graphite atomization device, for introduction into Ar plasma. 59-01677A
trace, and major, in geological and biological samples, spectrometric determination. 59-04722A
in geological samples, spectrometric determination of. 59-04736A
use in raw material deposit investigation. 59-01714A
- Elements, heating.** See *Heating elements.*
- Enlustration.** See *Beneficiation.*
- Emission,**
acoustic, and fracture toughness, of Al₂O₃, temp. dependence of. 59-01925A
generated at glass transition in silicates. 59-01102A
electron, of Pb silicate glasses, relation to composition and structure. 59-02278A
radioactive, natural, in glasses, applications of. 59-01243A
- temp.-field, in plate glass during heating and cooling, algorithm for calculating. 59-02200A
- Emissivity,**
integral, modulation technique for measuring. 59-04728A
spectral, of UO₂. 59-03771A
thermoelectric, of refractory oxides. 59-04595A
- Enamelled ware, panels.** See *Building materials.*
- Enameling,**
TiO₂-opacified, panels, XRD analysis of. 59-02161A
as art form. 59-02022A
artistic, on Cu. 59-03156A
continuous, of tubes, apparatus for. 59-04154P
direct, on sheet iron. 59-02139A
electrodeposition, status and outlook. 59-02141A
electroimmersion. 59-02127A
electrophoretic. 59-03234A
electrostatic, powder. 59-04156P
theory and practice. 59-01068A
flame spray, metalliferous material. 59-03247P
powder mix. 59-03246P
frits, availability of raw materials. 59-02129A
furnaces, continuous, use of fiber insulation in. 59-00097A
conversions save energy. 59-02147A
design trends. 59-02148A
electrically heated with fiber lining, computer controlled. 59-03236A
low thermal mass. 59-03239A
luminous wall, use in Australian enameling industry. 59-02158A
modifications. 59-02155A
redesigned for speed. 59-02143A
that can be turned off. 59-02144A
use of fiber insulation in. 59-00092A; 59-02145A
use of fiber lining to save heat. 59-00091A
interior, of hot water heaters. 59-03238A
multicolored. 59-02176A
for hollow ware. 59-02175A
no-pickle. 59-00110A
no-pickle, no-Ni system. 59-00098A
metal preparation for. 59-00103A
porcelain, cold cleaning prior to. 59-02134A
control of sheet steel for. 59-02170A
one-coat, etch rate and adhesion on steel with different Cu levels. 59-03235A
one-coat, role of Ni. 59-01070A
petroleum-free metal forming prior to. 59-02163A
use of alkaline cleaners. 59-00121A
world's largest sign. 59-02169A; 59-02178A
powder, for dishwashers. 59-02167A
industrial achievements. 59-02154A
statistical control of color application. 59-04153A
in water heater plant. 59-02177A
powder systems, new concepts. 59-02160A
reactions, interfacial, between metals and oxides during sealing. 59-03237A
single firing, for preparing dual coat vitreous layer. 59-04162P
steel strips, electrical, solution for. 59-04155P
tests, methods for determining surface cleanliness. 59-00116A; 59-02133A
- Enameling apparatus.** See *Electrostatic processes; Furnaces; Spraying.*
- Enameling industry,**
in Australia and New Zealand. 59-00108A
Australian, use of luminous wall furnaces. 59-02158A
Austrian, economic status. 59-02173A
bathtubs, new steel for. 59-00105A
casting molds, continuous, for metals. 59-00125P
cermets in. 59-02131A
cleaner modification saves energy. 59-00093A; 59-02132A
conversion to powder process, economic evaluation. 59-00119A
dishwashers, powder applications for. 59-02167A
electrostatic, in Europe, status report. 59-00118A
frits, scrap, reclaiming. 59-02172A
furnace technology. 59-00104A
ground coats, low-Co and Co-free, plant experiences with. 59-02164A
heat exchangers, comparisons of materials used in. 59-00109A
insulating, for energy savings. 59-00100A
liquid cleaners and neutralizers, use. 59-02146A
market opportunities. 59-00102A
mill oil, granability of. 59-02159A
panels, porcelain, use on buildings at Oral Roberts Univ. 59-01069A
pickle machine, spray. 59-00099A; 59-02156A
pickler, automatic, produces cleaner metal. 59-02152A
pickling, cold, at Kilgore Ceramics. 59-02135A
oxy-acid, low-Ni spray. 59-02162A
oxy-acid, plant experiences. 59-02165A
oxy-acid, principles. 59-02168A
oxy-acid system, installation. 59-02157A
porcelain, current government programs. 59-00094A
powder application, achievements. 59-02154A
powder installations, worldwide status. 59-02179A
powder systems, new concepts. 59-02160A
ranges and microwave ovens, consumer attitudes toward. 59-02136A
solar energy, use in U.S. 59-00729A
tanks, hot water, glasslining with Co-free materials. 59-02149A

- hot water, powder applications. 59-02177A
utensils, cooking, nontoxic. 59-02195P
wastes, solid, alternatives for handling. 59-02126A
- Enameling metals, pickling.** See *Pickling*.
- Enamels.** See also *Coatings*.
59-00126P; 59-00127P; 59-00128P; 59-00129P; 59-01077P;
59-01078P; 59-01079P; 59-01080P; 59-01081P;
59-01082P; 59-01083P; 59-01092P; 59-04160P
Co-free, glassing hot water tanks with. 59-02149A
with SnO₂ additive, for increased heat resistance.
59-04158P
Ti, acid-resistant, for pig iron. 59-02125A
TiO₂-opacified, role of brookite in increasing whiteness.
59-03243A
abrasion-resistant. 59-02124A
acid-resistant, with low firing temp. 59-02186P
silicate filler composition for. 59-01093P
adherence, of Na borate glass on Au. 59-00122A
alkali-resistant, with increased impact strength. 59-02187P
with increased luster and spreadability. 59-02188P
for capacitors, with electroluminescent layers. 59-00620P
color, and color stability, importance of. 59-02153A
colored, with increased luster and chemical resistance.
59-02181P
relation between market trends and technology.
59-02137A
defective, on containers, method of repairing. 59-02194P
electrically-insulating. 59-02185P
for environment protection. 59-02182P
frits for. 59-00131P; 59-01084P; 59-02142A
containing B₂O₃. 59-01071P
glass-ceramic. 59-02333P
green, thermally stable, with decreased firing temp.
59-04157P
ground coat, effect of water vapor in furnace atm on
surface properties. 59-00095A
low-Co and Co-free, experiences with. 59-02164A
no-Ni. 59-00106A
no-pickle. 59-00107A; 59-02150A
no-pickle, elimination of Ni flash with. 59-00096A
no-pickle, production experiences. 59-00115A
no-pickle, for sanitary ware, plant experiences.
59-00111A
heat-resistant. 59-01087P
for metals. 59-01086P
with increased elasticity. 59-01076P
light blue, with increased luster and low firing temp.
59-02183P
low melting, with increased whiteness. 59-04159P
magnetite-containing. 59-02193P
for metals, jewelry. 59-01075P
for oxidation protection of metals. 59-01074P
porcelain, bubble structures in. 59-04151A
effect of rate of temp. change on stresses in. 59-02140A
in microelectronic circuitry. 59-00112A
powder, economic evaluation of conversion to. 59-00119A
powder, electrostatic. 59-00113A; 59-02166A; 59-03240A
powder, electrostatic, current experiences. 59-02138A
powder, status in Europe. 59-00118A
quality and cost control. 59-03125A
rapid test for. 59-02171A; 59-03241A
for solar collectors. 59-00114A
solid wastes, alternatives for handling. 59-02126A
used in solar collectors, testing. 59-00120A
weathering, solar tests of. 59-00117A
primer. 59-00134P; 59-02196P; 59-02197P; 59-02198P
primer-free, with decreased firing temp. 59-02184P
radiation-resistant, glass-ceramic. 59-01085P
refractory, for high-pressure containers and high temp.
units. 59-02199P
research and development in China. 59-04152A
self-sealing, for high-temp. surfaces. 59-03233A
single-coat, Bulgarian, technical properties. 59-03244A
slips. 59-01095P; 59-01096P; 59-01097P; 59-02189P;
59-02190P; 59-02191P
spraying of, arc plasma. 59-02128A
for steel articles. 59-03245P
vitreous, compositions for. 59-01098P
dual layer, made by single firing. 59-04162P
white, slip composition for. 59-01094P
- Entropy.** See also *Enthalpy*; *Entropy*; *Kinetics*.
Gibbs', of formation of compounds in binary and ternary
oxide systems. 59-03938A
Madelung, in olivine-type structures. 59-03978A
absorption, in composites. 59-02867A
of activation, of electrical conductivity of glasses in
system Sb-Ge-Se. 59-02238A
errors in sintering tests, sources of. 59-04737A
-band structure, of alpha-quartz. 59-02975A
bands, one-electron, of SiO₂ in beta-cristobalite.
59-03029A
cohesive, in SnO₂ films, effect of free-electron density
on. 59-01848A
conservation, in Russian cement industry. 59-03206A
in brick and structural clay industry. 59-04753A
in enameling furnaces, using fibrous insulation.
59-00100A
in enameling industry, through cleaner modifications.
59-00093A; 59-02132A
with industrial heating equipment. 59-03819A
role of fissile fuel breeders. 59-04760A
in ventilation. 59-00953A
in whiteware production. 59-03652A
- consumption, in brick and refractories industries.
59-00383A
in cement industry, method and apparatus for reducing.
59-03219P
in cement industry, trends. 59-01055A
in ceramics industry. 59-01958B
in glass industry, use of models for predicting.
59-01270A
in tunnel- and 2-channel kilns. 59-02802A
crystal, of micas and related minerals. 59-01862A;
59-01863A
displacement, in cubic SiC, determination of. 59-04914A
electrochemical, storage and conversion, solid state ionic
conductors for. 59-04591A
ferroelectric, conservation with PZT under shock loading.
59-02649A
of forbidden zone, of AB-type compounds. 59-04939A
fracture, strength-controlling, dependence on flaw-size to
grain-size ratio. 59-01810A
free, of decarbonation reactions at mantle pressures.
59-01835A
loss, during breakdown of glasses. 59-01218A
management, in a diversified corporation. 59-02803A
for industrial furnaces. 59-05134B
production and storage of, use of ceramics. 59-01958B
secondary resources, use in tunnel kilns of refractory
plants. 59-02497A
solar, collectors for. 59-02174A
metal oxide film for control of. 59-04285P
near-term industrial applications. 59-04758A
use in U.S. 59-00729A
storage, of binary alkali borate glasses, thermoluminescent
study. 59-04191A
using reversible oxidation of Ba oxide. 59-02644A
supply and use, in float glass plant. 59-01160A
trends in glass container industry, including electrical
boosting. 59-01210A
- Engineering.**
brittle materials, fracture of. 59-01963B
careers and employment, Peterson's annual guide to.
59-01986B
ceramic, chemical and technical tables for. 59-03132B
chemistry, of SiO₂. 59-05129B
manual of symbols and terminology, for physicochemical
quantities and units. 59-03136B
materials, packing element. 59-00782P
problems in the field of electronics. 59-02666A
property data, on selected ceramics. 59-01959B
- Enstatite.**
formation, from mixture prepared by alkoxo method.
59-03865A
- Enthalpy.**
of formation, of compounds in binary and ternary oxide
systems. 59-03938A
of oxides, W and La. 59-04940A
solid-phase, of Sc oxide. 59-04960A
- Entropy.** See also *Thermodynamics*.
of formation, of Frenkel defect in CaF₂. 59-04941A
- Epitaxy.** See *Crystallization*.
- Equations.**
for determining diffusion coeff., in glasses. 59-01161A
diffusion, least-squares analysis of thick-film solution
to—comment. 59-00799A
of state, optimization of number of coeffs. in. 59-01878A
- Equilibrium.**
CaO-CO₂, effect on cement-bonded materials. 59-00038A
metastable, fluid state of, in glassy liquids, calculating
time for attaining. 59-00143A
thermal, of Raman active defects in SiO₂. 59-05099A
- Equilibrium studies.** See *Phase equilibria*.
- Equipment.** See *Machinery and Equipment* and specific
types.
- Erbium.**
Er₂O₃, glass decolorizing agent containing. 59-02193P
pure and HfO₂-doped, self-diffusion of Er in. 59-00917A
- Erosion.**
of MgF₂, polycrystalline, effect of number of impacts.
59-01818A
of SiC, reaction bonded. 59-04942A
of refractories, basic, mechanisms of. 59-04398A
solid-particle, of hot-pressed SiC. 59-04877A
- Eutectics.**
Si, neutral pH, for use in presence of phosphosilicate
glasses. 59-01579P
for frosting glass. 59-01294P
for glasses, optical. 59-02317P
quartz. 59-02315P; 59-02316P
oxidation resistant, for Si. 59-03728P
- Etching.**
of clinkers, portland cement, technique for. 59-02079A
films, SiO₂, to Si in gas plasma, process for. 59-02731P
gas, of Si₃N₄ layer. 59-00627P
ion, reactive, use in forming diffusions. 59-04626P
for forming mask opening on Si body. 59-04625P
using SF₆-Cl₂-inert gas, of polySi against SiO₂.
59-04661P
nuclear particle, determination of U in Indian portland
cement by. 59-01038A
plasma, method and apparatus for controlling. 59-04621P
- Etringite.**
-like phases, in old cements and concretes high in
chlorides. 59-04093A
synthetic, carbonation of. 59-04085A
- Europlum.**
Eu₂O₃, monoclinic, thermally activated creep of. 59-03773A
EuIG, films, Sb and Ti substituted, growth and properties
as function of Pb content. 59-01520A
EuO, electrical resistivity, hydrostatic-pressure effect
on. 59-02991A
deuropium(III) germanate oxide. 59-02961A
ions, in double oxides with d-elements, valence state of.
59-05110A
metathiozirconate, XRD study. 59-05117A
- Eutectics.**
of LaCrO₃ and YCrO₃, with W, Mo, and Cr. 59-02977A
in system Si₃N₄-Si₃N₂O-Mg₂SiO₄, studies of. 59-00841A
in systems ZrO₂-Ln₂O₃. 59-01778A
- Evaporation.**
of ZnO, from spinel solid solutions in vacuum. 59-01826A
- Expansion.** See also *Dilatometers*.
of cements, self-stressing (type M). 59-03205A
lattice, of polygranular graphite. 59-05097A
low, dilatometer for determination of coeffs. 59-03798A
of perlite. 59-02854P
thermal, of BeF₂ and ZnCl₂ glasses. 59-00203A
of Nb oxycarbides. 59-05100A
of P-Se-Te glasses. 59-02303A
of PZT. 59-00578A
of ReO₃. 59-03002A
in Tb₂(MoO₄)₃. 59-03102A
of ceramics in system MgO-CaO. 59-00944A
of clay bodies, modification to fit glaze. 59-01020A
coeffs., of VO₂, X-ray determination. 59-02917A
of cristobalite AlPO₄ and related solutions. 59-02922A
of crystals. 59-05150B
of fused SiO₂ and polymethylmethacrylate. 59-03107A
of hot-pressed Si₃N₄. 59-01865A
of inorganic glasses and crystals, relation to melting
point and transition temp. 59-04251A
low, dense fired ceramic with. 59-03379P
mismatch, effect on diffusivity of glass-Ni composites.
59-04186A
of polycrystalline oxides, zero and low coeffs. of.
59-04039A
of silicate glasses, calculation of. 59-03257A
of sintered oxynitrides in system AlN-Al₂O₃. 59-03881A
in spinel MgAl₂O₄. 59-04878A
- Extraction.**
of fission products, process for. 59-02759P
- Extrusion.**
of Al₂O₃, and microstructure development. 59-00760A
apparatus. 59-01622P
dies, for glass honeycombs. 59-02318P
use of partially stabilized ZrO₂ for. 59-01731A
extrudates, SiO₂, Al₂O₃, catalyst support, process for
making. 59-01759P
of glass, articles, method for. 59-03404P
of honeycomb, apparatus for. 59-00664P
hot, glass-based lubricant for. 59-00308P
soft and stiff, a comparison. 59-00394A
of structural clay products, effect of die design on
quality. 59-00384A
- Faraday effect.**
rotation elements, glass for. 59-01303P
- Fatigue.**
of composites, scale effect in. 59-02883A
dynamic, flaw characteristics in. 59-04197A
high-temp., of SiC. 59-01734A
of three partially stabilized zirconias. 59-02426A
high-temp., of polycrystalline Al₂O₃. 59-01843A
of refractories, effect of relation between texture and
crack kinetics. 59-04442A; 59-04443A
static, limit in thermal activation approach to crack
growth. 59-00927A
static and dynamic effects, adding to Weibull distribution.
59-01103A
strength, of ceramics, method for measuring. 59-01647A
de novo hydroxylapatite. 59-04913A
- Faujasite.**
crystalline, platelet-type, synthesis of. 59-02900P
zeolite, exchanged, catalyst containing, method for making.
59-04851P
- Feeding apparatus.**
for fibers, glass. 59-02345P
- Feldspar.**
alkali, disordering of. 59-02964A
order-disorder paths of. 59-01879A
phase relations and reaction behavior. 59-01884A
potassium, phase relations of. 59-03111A
with same chemical and physical properties, interchange-
ability of. 59-04510A
sintering of, initial. 59-03968A; 59-03969A
- Ferric compounds.** See *Iron*.
- Ferric oxide.** See *Iron*, -ic oxide.
- Ferrimagnetic materials.**
semiconductors, in system Co₂-Cu₂-Cr₂-Se₂.
magnetic susceptibility. 59-02665A
- Ferrites.**
Ca, magnets, properties. 59-03696A
Li, effects of flux on microstructure and memory core
properties. 59-03679A
Li-Ti-Zn, soft. 59-03749P
Li-containing, high-density magnetic ceramics based on.
59-02633A

- Li-substituted, with Co additions, crystals, domain structure. 59-00827A
- M-type hexagonal, films, epitaxial growth on spinel substrates and composites. 59-03716P
- Mn₂, Zn₂, Fe₂O₃, effect of PVA and starch binder on structure. 59-02639A
- Mn-Zn, and Ni-Zn, pot cores, fast sintering of. 59-02646A
- densification by hot isostatic pressing. 59-03669A
- effect of microstructure and additives on magnetic properties. 59-03956A
- effect of sintering on microstructure and magnetic properties. 59-03677A
- fabrication by hot petroleum drying. 59-03681A
- grain boundaries, examined by AES and TEM. 59-02645A
- pole pieces, method of joining. 59-01572P
- Ni, preparation and properties. 59-03693A
- Ni-Zn, grain size dependence of grain-boundary sliding in. 59-04807A
- kinetics of formation. 59-03000A
- O gradients and resultant strains, measuring. 59-02669A
- (Zn, Fe, Ni, Fe₂O₃), interaction of NiO, ZnO, and Fe₂O₃ during production of. 59-04571A
- binder systems in. 59-02629A
- for electronics, critical. 59-02648A
- films, fixed frequency filters using. 59-03717P
- garnets, multicomponent, relations between compensation temp. and rare earth ions. 59-02682A
- glass for bonding to. 59-01304P
- hexa-, Ba, presintering. 59-02872A
- hexagonal. 59-03682A
- high-density, hot-isostatic-pressed. 59-03868A; 59-03869A
- methods of obtaining, and analysis. 59-01961B
- ortho-, Dy doped with Co and Nd, phase transitions in. 59-00901A
- Tb, magnetic phase transformations in. 59-03011A
- rare earth, magnetic properties. 59-03016A
- orthoferrites-orthochromes, exchange interactions in. 59-00842A
- powders. 59-01550P
- Zn, produced by flame spraying. 59-03704A
- for production of. 59-02859P
- spherical grain, process and apparatus for making. 59-04654P
- production nearly doubles in new Dallas, Tex. plant. 59-02647A
- /resin, radar absorptive composites, from industrial effluent. 59-04823A
- spinel, hot-pressed, with cubic structure. 59-03870A
- spinel Ni, glide system, TEM study. 59-00947A
- system, Mg, Fe₂O₃, connection between redistribution of cations and lattice constant. 59-03853A
- Ferroelectric materials.** See also Barium, titanate; Dielectrics; Ferroelectricity.
- 59-02699P
- Ba_{0.5}Sr_{0.5}Nb₂O₇, doped with Y, La, Tm, dielectric and electrooptical properties. 59-00823A
- BaTiO₃, domain formation in, studied by X-ray topography. 59-02863A
- ferroelectric-paraelectric interface, structure of. 59-00933A; 59-00934A
- Bi₂Ti₂O₇, hot-forged, grain orientation and properties. 59-04564A
- PZT, -based. 59-01551P
- production and technical applications. 59-01528A
- stress effects in. 59-00576A
- Pb₂Ge₂O₁₁, electrical conductivity. 59-02640A
- SbSI-Sb₂S₃, melt, increasing the phase transformation temp. of SbSI in. 59-02661A
- and their applications. 59-01991B
- based on zirconates and titanates, alkaline earth metal. 59-02700P
- for capacitors, monolithic. 59-01552P
- charge for. 59-00587P
- crystals, Sn₂P₂S₆. 59-00844A
- electronic devices. 59-00596P
- grain-oriented. 59-00561A
- losses in, mechanical and electrical, correlation of. 59-04557A
- methods of obtaining, and analysis. 59-01961B
- sintered body, polarized. 59-01589P
- transparent. 59-01603P
- Ferroelectricity.** See also Barium, titanate; Ferroelectric materials.
- in Bi₂MoO₆. 59-04563A
- domains, cylindrical, in YFeO₃ crystals. 59-00882A
- energy conservation, with PZT under shock loading. 59-02649A
- photo-, in KNbO₃. 59-00904A
- in NaNbO₃. 59-00903A
- Ferroelectrics.**
- K₂CrO₄, Rb₂CrO₄, Cs₂CrO₄. 59-00864A
- domain inversion, in Ti-diffused LiNbO₃, optical waveguides. 59-00557A
- polycrystalline, transparent, light scattering in. 59-00547A
- proper and improper, pyroelectric figures of merit, measuring. 59-00551A
- Ferromagnetic materials.** See also Magnetic materials.
- CrO₂, preparing. 59-03743P
- stabilized, process for making. 59-01598P
- abrasive, method of making. 59-03154P
- domain devices, magnetic bubble, garnet film for. 59-02704P
- glass, with high Curie point. 59-01295P
- piezoelectric, composition. 59-02701P
- Ferrous compounds.** See Iron.
- Fibers.** See also Composites; Glassmaking equipment.
- Al₂O₃, for fast firing tunnel kiln sledges. 59-02799A
- Al₂O₃-silicate, stabilized with Cr₂O₃. 59-03536A
- B, elongation of. 59-04827A
- C and graphite, mfg. and applications. 59-05127B
- C and graphite articles reinforced with, method for making. 59-02890P
- SiC, Mo-based composite reinforced with, method of making. 59-02902P
- continuous, synthesis of. 59-04830A
- and elemental Si, composite, method of making. 59-03901P
- glass-matrix composites reinforced with. 59-04809A
- method of producing. 59-01756P
- refractory composite reinforced with. 59-00467P
- SiO₂, amorphous devitrification resistant, method for making. 59-03409P
- fused, effect of TiO₂ coating on tensile strength. 59-03274A
- laser drawn, tensile strength. 59-02296A
- W-fibers, with rectangular core, optical propagation in. 59-00229A
- asbestos, analysis of, electron microscopic. 59-01662A
- chrysotile, heat treatment of. 59-03601P
- chrysotile, production. 59-02121P
- preparation of cements containing. 59-03215P
- bandwidth, effect of profile deformations on. 59-01149A
- borosilicate, elliptically clad single-mode, birefringence in. 59-01122A
- carbon, Si₃N₄-coated. 59-04872P
- Ta carbide composites. 59-03917P
- drive shaft composite reinforced with. 59-01072P
- mfg. of. 59-03607P
- porous, with metallic covering. 59-01090P
- process for making. 59-01760P; 59-03913P
- refractory, with improved oxidation resistance. 59-03588P
- cement composites. 59-03862A
- clad-glass, thermal stresses in. 59-02297A
- coatings for. 59-04290P
- composite, -resin-C, method for making. 59-04852P
- resin, C, and glass. 59-04848P
- composites reinforced with, Monte Carlo study of strength. 59-02877A
- discrete, apparatus for forming and collecting. 59-00333P
- fibration, toration, controls for. 59-03370P
- formation, centrifugal, from hard glass. 59-04336P
- glass. 59-00964B; 59-01305P; 59-01966B
- C coatings on, method for applying. 59-04342P
- for GRG. 59-02075A
- air nozzle for producing. 59-00280P
- alkali-resistant, articles and method of making. 59-03357P
- apparatus for calibrating thermocouple used in drawing bushing. 59-01280P
- apparatus for coating. 59-03365P
- apparatus for forming. 59-04291P
- apparatus for mfg. chopped strand mat. 59-00281P
- apparatus for uniformly distributing. 59-00359P
- aqueous size composition for. 59-00282P
- from blast furnace slags. 59-01174A
- bundle for optical communications, method for making. 59-04347P
- bushing for apparatus for spinning. 59-02313P
- in cement matrices, protection against corrosion. 59-03189A
- in cement pastes, protection against corrosion. 59-03202A
- cement products reinforced with, apparatus for spraying. 59-04377P
- centrifugal feed apparatus for forming. 59-04302P
- coated with glass size compositions. 59-02331P
- coating on. 59-01290P
- compositions. 59-01302P; 59-01988B; 59-02326P; 59-04301P
- compressible batts, method of packaging. 59-00347P
- device for making nonwoven webs from. 59-00360P
- didymium, for calibrating wavelength scale of spectrophotometers. 59-00691A
- drawing, rheological and thermal analysis of. 59-01239A; 59-01240A
- effect of surface structure on solubility in water. 59-03296A
- effects of content and laminate structure on properties of FRP structures. 59-01155A
- feeding apparatus for. 59-02345P
- filament bundles, coating for. 59-00301P
- flaw generation by indentation. 59-01164A
- fluid flow method for making. 59-03380P
- forming apparatus, air fin coolers for. 59-04272P
- glass for. 59-03022P
- high-SiO₂, continuous, fabrication of. 59-04194A
- low-loss multicomponent, preparation of. 59-03331A
- apparatus for forming. 59-00334P
- mat, mfg., properties, and application. 59-04223A
- mat, for roofing, method for making. 59-03376P
- mat, wet-strength by treatment with polyelectrolytes. 59-02388P
- with metallic granules. 59-01173A
- method and apparatus for forming by gas blast. 59-00335P
- method for collecting. 59-01331P
- method for cutting. 59-00340P
- method for distribution of. 59-01329P
- method for draw forming. 59-03403P
- method for producing tangled lumps. 59-00349P
- molt glass separating device in forming apparatus. 59-01340P
- multicomponent, high numerical aperture. 59-04208A
- nozzle plate for spinning. 59-00341P
- optical, continuous fabrication process. 59-03369P
- optical, coupling of. 59-00289P
- optical, liquid N strengths of. 59-04219A
- optical, refractive index, measurements of. 59-03307A
- organosilane coupling agents overcoated on Al silicate coating on. 59-03434P
- orifice plate for forming. 59-00290P
- and other attenuable materials, method for making. 59-03408P
- pipe coupling wound with. 59-04314P
- with plastic coat. 59-01301P
- with profile distortions, delay compensation in. 59-01217A
- with reduced tendency for gumming. 59-03383P
- reinforcements in Portland cement matrix, stability of. 59-02286A
- resin molded sheets reinforced with. 59-04371P
- self-focusing, alkali silicate for. 59-00138A
- sizing for. 59-01357P
- spinner. 59-04304P
- spinner alloy. 59-04303P
- surface treatment to impart alkali resistance. 59-03441P
- testing. 59-03810A
- three-layered construction. 59-02384P
- used to strengthen clay sculpture. 59-00995A
- water dispersible size composition for. 59-02378P
- wet mats, method of increasing strength of. 59-02354P
- for wet-laid fiber mats. 59-02327P
- glass and C, resin sheets reinforced with. 59-01338P
- glass-ceramic, basalt, method for making. 59-03407P
- glassy metal, electromagnetic shielding envelopes from. 59-03377P
- graded-index, frequency characteristics of. 59-04199A
- power-law, distribution, propagation constant, and group delay relation. 59-02215A
- propagation constants and delays of guided modes. 59-00242A
- gradient, for optical waveguide. 59-00321P
- gradient-index, arrays, unevenness of illuminance caused by. 59-04269A
- lenses, radiometric properties. 59-04256A
- graphite, electrical hazards. 59-02866A
- graphite or C, composite, low temp. cure for. 59-02892P
- from heat-softening materials, method of making. 59-03410P
- high strength, water resistant. 59-02387P
- inorganic, used for thermal insulation, crystallization of. 59-03506A; 59-03507A; 59-03508A
- light-conducting, switch for. 59-04380P
- metal, for reinforcing glass-matrix composites, producing. 59-02879A
- mineral, mats. 59-03620P
- suppression of pollution in mfg. 59-01359P
- synthetic, alkali resistant. 59-04461P
- multimode, calculation of dispersion in by propagating-beam method. 59-00145A
- optical. 59-02364P; 59-04363P; 59-04364P
- SiO₂ glass, structural ordering in. 59-02288A
- ZnCl₂, for ir transmission. 59-03458P
- aging effects in. 59-01377A
- apparatus for breaking. 59-01281P
- apparatus for cutting. 59-04331P; 59-04332P
- birefringent, Faraday rotation in. 59-04195A
- cables, mfg. 59-04328P
- cables, random-bend loss in. 59-04247A
- calculation of bandwidth from index profiles. 59-00144A
- clad, device for drawing. 59-03373P
- coating for. 59-03368P
- with compression surface layer. 59-02363P
- connector. 59-01555P
- cooling rates during drawing. 59-00156A
- device for evaluating transmitting characteristics. 59-03374P
- directional coupling for. 59-00329P
- effect of coating technique on transmission loss. 59-01150A
- end preparation and fusion splicing using CO₂ laser. 59-00185A
- extraction of water from alkali germanosilicate glasses for. 59-01162A
- formulas for TE₁₀ cutoff. 59-01168A
- gamma-irradiated, differential interferometry of. 59-04177A
- glass, method for making. 59-02374P
- graded-index, determining diam. from backscattered pattern. 59-00163A
- graded index, mfg. 59-00344P
- gradient. 59-02337P
- having thermally deformable jacket, connector apparatus with. 59-01554P

- with high ir transmittance. 59-03430P
interferometric testing. 59-01136A
jacketed, thermal characteristics of phase shift in.
59-04265A
laser for direct coupling to. 59-00591P
light conducting. 59-00328P
measurement of stress corrosion constant n . 59-00217A
method for making. 59-00362P; 59-00363P; 59-01334P;
59-03428P; 59-03440P; 59-04357P; 59-04362P;
59-04367P
method of joining. 59-02355P
preforms, consolidation of particulate layers. 59-01123A
preforms, devices for elaboration of. 59-04369P
preforms, mfg. 59-00345P
with radial refractive index, process for making.
59-00364P
refractive-index profiling of. 59-01234A
ribbon, device for terminating. 59-00291P
single-mode, splicing. 59-02285A
step-index, scattering from off-axis inhomogeneity in.
59-01236A
step-index, silicone-clad, dispersion in. 59-01140A
strength and fracture behavior. 59-03345A
ultralow loss, loss mechanism in. 59-04230A
waveguide, screen tested, strength of. 59-00260A
waveguides. 59-03429P
optics, fused arrays, with improved blemish quality,
method for making. 59-02350P
oxide, polycrystalline, mfg. 59-00481P
oxidized, process for producing. 59-03913P
plastic-clad, using optical transmission. 59-01227A
polyester and nylon, use in ceramic sculpture. 59-02035A
radii, determination by laser light scattering. 59-01100A
refractory, C. 59-03589P
charge for. 59-02512P
high- Al_2O_3 , thermal conductivity of porous insulation
made from. 59-04453A
method for making. 59-03602P
method for making rigid articles from. 59-04484P
use in brick and tile kilns. 59-03821A
reinforcement, in refractory concretes, alteration of
properties by. 59-03491A
single mode, elliptical, method for making. 59-02352P
slag, effect of composition on elasticity. 59-04282A
for sprayed concretes. 59-00085P
stainless steel, castables reinforced with, high temp.
mechanical properties. 59-03537A
refractories strengthened with. 59-01407A
strand attenuation, and winding, apparatus for. 59-03452P
tremolite, relation of mineral habit to size. 59-01899A
unclad, side-illuminated, effect of cross section on
scattering. 59-01148A
- Fibrous materials.**
apparatus for collecting. 59-01328P
batts, compressible, method of packaging. 59-00347P
carbon, in B-containing composites, coating for. 59-00124P
composites, refractory. 59-00468P
glass chopped strand mat, apparatus for mfg. 59-00281P
glass fiber batting, use in noise control. 59-00272A
insulation, for enameling furnaces. 59-00092A; 59-00097A;
59-02145A
refractory. 59-00408A
refractory, air-hardening mortar for. 59-02407A
refractory, for lining stack-annealing furnaces.
59-04457A
mat, apparatus for forming. 59-00334P
nonwoven webs from filaments, device for making.
59-00360P
tangled lumps, method of producing. 59-00349P
titanates, K. crystalline, method for making. 59-02526P
- Filaments.** See *Fibers*.
B, CVD-produced. 59-04799A
elongation of. 59-04827A
coating system. 59-04290P
glass, method and apparatus for forming. 59-03398P
glassy metal, wound, electromagnetic shielding envelopes
from. 59-03377P
and ribbons, SiC coated. 59-03920P
- Filters.**
for glass-ceramics, CaF granules overcoated with SiO_2
film. 59-02319P
kaolin, used in paper industry, test methods for.
59-02794A
silicate, for increasing acid resistance of enamels.
59-01093P
for tools, abrasive. 59-00982P
- Films.** See also *Coatings* and *specific types*.
 Al_2O_3 , beta-, formation at low temps. 59-02651A
 As_2S_3 , optical waveguide. 59-02382P
As-Se, annealing effect of density of upper valence band
states. 59-03253A
composition ratio change caused by annealing and
photoirradiation. 59-04164A
BN, wurtzite-type, deposition by plasma crystallization.
59-02958A
 Cd_3As_2 , on NaCl substrates, nucleation processes.
59-04578A
 CdS , method of epitaxially depositing. 59-04632P
 CdS/CdTe , photovoltaic cells. 59-04653P
Cr and Ti, adherence to Al_2O_3 , quartz, and glass.
59-01507A
EuIG, Sb and Ti substituted, growth and properties as
function of Pb content. 59-01520A
Fe garnet, magnetic bubble La-Sm-Lu, grown on NdGaG
substrates. 59-01514A
GaAs, doped with Fe diffusion, charge-compensated.
59-02632A
GaP, LPE, growth from In solvent. 59-04572A
preparation from melt-solutions in Sb and Bi. 59-02678A
In oxide(III), method for making. 59-04629P
 $\text{Li}(\text{Nb,Ta})\text{O}_3$, and LiTaO_3 , substrate, temp. dependence of
lattice mismatches between. 59-04918A
 LiNbO_3 , Li out-diffused, phase matching temp. variation
of second-harmonic generation in. 59-03326A
 NiFe_2O_4 , CoFe_2O_4 , or $(\text{Co,Ni})\text{Fe}_2\text{O}_4$, glass articles
with. 59-03382P
 Sb_2S_3 , amorphous and crystalline, optical properties.
59-03689A
optical properties. 59-04579A
Se, Te, structure and properties. 59-03346A
Si, amorphous, glow discharge, optical absorption in.
59-03688A
electronic device. 59-02383P
measurement of thickness from analysis of reflectance
spectra. 59-00703A
Si oxide, deposition of. 59-01570P
growth of, using Ar. 59-04668P
 Si_3N_4 , deposition of. 59-00630P
formation by N implantation. 59-04806A
low temp. preparation by vapor deposition. 59-02734P
Si, Si_3N_4 , and SiO_2 , kinetics of heterogeneous
deposition. 59-03976A
SiC, growth from vapor phase, kinetics of. 59-04982A
 SiO_2 , amorphous, electron diffraction study. 59-03283A
electron-beam-induced conduction in. 59-04936A
hole trapping in bulk of. 59-04961A
process for etching to Si in gas plasma. 59-02731P
radiotracer determination of sorption of Na ions by.
59-03805A
 SnO_2 , Sb-doped, effect of Fe, Cu, and S ion impurities on
electrical conductivity. 59-02637A
cohesive energy, effect of free-electron density on.
59-01848A
semireflective, process for coating glass sheets with.
59-01349P
 SnO_2 , made by dc sputtering, phase composition. 59-03691A
TiI, for surface protection of halide optical elements.
59-02362P
 ZnCdS , single-thermal-source formation. 59-00573A
 ZnO , piezoelectric crystalline. 59-00619P; 59-02730P
piezoelectric crystalline, method of making. 59-01587P
antireflection, on alkali-borosilicate glass. 59-00139A
bubble, inhomogeneities in, measured by spin wave
resonance. 59-01522A
capacitors. 59-00636P
ceramic, for electronic applications. 59-04602P
slip based on water-soluble binder for production of.
59-01596P
slip for. 59-01096P; 59-01097P
cermet, Ag- SiO_2 , optical properties. 59-03032A
of system Cu- Al_2O_3 , relation between temp. and
electrical conductivity. 59-02882A
cermet resistors, strain sensitivity. 59-01535A
conductive, glass-to-glass sealing method with. 59-04617P
crystalline, molten, apparatus for pulling ribbons from.
59-04597P
current-conducting, for electric heaters. 59-02698P
densely packed, process for preparing. 59-04656P
deposition of, using Si_3N_4 lift-off mask. 59-04631P
epitaxial, doped with conductivity-determining impurities,
forming. 59-02702P
on substrates, method for monitoring thickness.
59-04630P
ferrites, M-type hexagonal, epitaxial growth on spinel
substrates and composites. 59-03716P
fixed frequency filters using. 59-03717P
garnet, Bloch walls and dislocations, interaction with
domain structure. 59-02662A
(III)-oriented, measurement of cubic anisotropy.
59-04574A
for magnetic bubble domain devices. 59-02704P
glass, low-stress, vapor deposition of. 59-03733P
method for applying to polycarbonate. 59-03732P
and glass sheets, laminates, method for making. 59-02373P
growth of, when misfit with substrate is large. 59-01556P
inhomogeneous, production by sequential layers of
homogeneous films. 59-02375P
insulating, forming. 59-02723P
on semiconductors. 59-05139B
interconnection systems, forming. 59-02724P
intergranular, TEM analysis. 59-01876A
metal, Pt group, on refractories. 59-03742P
conducting, deposition on insulating support. 59-03744P
on porous C fiber. 59-01090P
metal oxide. 59-02713P
conductive, for solar energy control. 59-04285P
metal silicide, on substrate, method for providing.
59-02720P
optical, photometer for measuring and controlling
thickness. 59-04278P
oxides, magnetic, with induced anisotropy, CVD of.
59-04599P
polycrystalline and amorphous, and devices made from.
59-05143B
of polysilicon, with integral polysilicon resistor,
process for forming contact between. 59-02732P
resistors, mfg. 59-00623P
with small TCR value based on Pb and Ba rhodates as
conductive materials. 59-03703A
semiconducting, electrocoating process for producing.
59-04613P
on semiconductors, metal- SiO_2 solution for forming.
59-03727P
stability, during initiation of thermal migration,
promoting. 59-02737P
system ZnSe film-GaAs substrate, formation kinetics of
transition layer. 59-02650A
thin, Shamir-Graff measurement of optical constants,
evaluation. 59-00188A
X-ray fluorescence measurement of thickness. 59-00723P
treatment apparatus for. 59-04669P
vapor growth of. 59-02735P
- Filters.**
Christiansen, method for estimating homogeneity of glasses.
59-02239A
bag, for coal-grinding plants. 59-00037A
ceramic, piezoelectric. 59-03740P
cloth, for presses, device for washing. 59-01623P
disk, rotary vacuum, for nuclear materials. 59-04703P
fixed frequency, using ferrite films. 59-03717P
glass, for compensating Se photoelectric cell. 59-00199A
for eye protection. 59-00354P
glass-fiber, analysis of trace elements collected on.
59-00700A
light, coatings on glass for control of transmittance in.
59-03324A
refractory. 59-01415P
- Filtration.**
cake control. 59-02777P
- Fine ceramics.** See *Whiteware*.
- Firebrick.** See *Refractories*.
- Fireclay.** See *Refractories*.
- Firing.** See also *Burners; Calcination; Combustion; Flames; Furnaces; Kilns; Ovens; Sintering*.
aid, refractory, with resistance to temp. change stresses.
59-03598P
of batches, slag-containing. 59-00190A
capacitors, refractory supports for. 59-01456P
characteristics, of structural clay products. 59-02400A
of china, decorated, time reduced 80%. 59-02578A
with coal, pulverized. 59-01682A
conditions, effect on quality of facade tiles. 59-03638A
dental porcelain, Ag-free, low-Au alloys for. 59-02624P
fast, advances in. 59-00388A
of argillaceous raw materials. 59-02592A
of ceramics, heat technology processes. 59-05137B
of floor and wall tile. 59-01474A
industrial, use of O in. 59-04762A
innovations in. 59-04756A
of kilns, rotary cement, with solid fuels. 59-02095A
rotary, method and apparatus for. 59-03222P
lightweight ceramics, large, thermal parameters. 59-02800A
mechanism, of nepheline ore and system $\text{Ca}_2\text{SiO}_3\text{-NaAlO}_2$.
59-04781A
molds, shell, refractory base and cap for. 59-02504P
of pottery, range curves. 59-01478A
of refractories, Cr_2O_3 . 59-03530A
magnesian, changes in structure and properties during.
59-04394A
of roofing accessories, clay, continuous or intermittent
kiln. 59-02392A
salt, reduced glazes by. 59-04532A
of self-vitrifying materials, compaction pressure effects
in. 59-01792A
tests, use in Seger cones. 59-02793A
of tile and sanitary ware, microstructural changes during.
59-01472A; 59-03646A
uniform, in tunnel kilns. 59-02813A
- Fission.**
products, process for extracting. 59-02759P
- Flames.** See also *Burners; Firing*.
- Flaws.** See *Defects*.
- Flexure.**
biaxial, test for ceramics. 59-02785A
- Flocculation.**
of suspensions, clay, by line mixing. 59-02583A
- Flotation.** See also *Separation*.
of slimes, insoluble, from potash ores. 59-01700A
- Flow.**
bulk, Czochralski, in garnet growth, effect of buoyancy on.
59-04928A
of glass, in forehearth. 59-01263A
of glassmelt, during pressing of bodies made of glass
S Ch. 2. 59-00191A
of powders, apparatus for measuring rate. 59-03812P
of refractories, at different temps. and mechanical loads.
59-00409A
- Fluidization.**
bed, apparatus and nozzle for supplying gases to.
59-02891P
- Fluids.** See *Liquids*.
- Fluorapatite.** See *Apatite, fluor.*
- Fluorescence.**
X-ray, measurement of film thickness. 59-00723P
 ZnO , crystals, method of making. 59-02852P
correction, for electrophore microanalysis of thin
coatings. 59-01783A
display devices, low-velocity electron excited. 59-04325P;
59-04326P

- in glasses, LiYF: Pr^{3+} , due to magnetic-dipole transitions. 59-00192A
 linewidths, in glasses. 59-03287A
 in porcelain, dental. 59-00531P
- Fluorides.**
 CaF_2 , SrF_2 , and BaF_2 , temp. variation of dielectric constant. 59-05091A
 PbF_2 - AlF_3 glasses, preparation and properties. 59-04241A
 PuF_3 , method for purifying. 59-01616P
 Sr , rare-earth-doped, dipolar complexes in. 59-02962A
 ZrF_4 , new optical glasses based on. 59-01220A
 solvent effects of, in synthesis of cubic BN. 59-01911A
 use in accelerated nitridation of Si. 59-00845A
- Fluorine.**
 F^\bullet centers in SrO , ENDOR of. 59-00828A
 H -environment, behavior of refractories in. 59-00412A
 atoms, reaction with SiO_2 . 59-01892A
 in cements, rapid determination of. 59-04110A
 compounds, removal from exhaust gases. 59-01694P
 optical device, out-diffused, method for making. 59-04294P
 treatment, effect on composition and surface structure of Na_2O - CaO glass. 59-04188A
- Fluorapatite.** See *Fluorite*.
- Fluxes.**
 ceramic, containing fluorite, ferrochromium, graphite, and ferrotitanium. 59-01073P
 fused, for submerged arc welding. 59-04161P
 molybdate and Pb borate, LPE growth of garnet composites from. 59-01523A
 refractory, for low-temp. mass. 59-01430P
 vitreous, for ceramic tiles. 59-02627P
 whiteware, examination of. 59-04521A
- Fluxes, welding.** See *Welding*.
- Fly ash.** See *Ash, fly*.
- Foamed ceramics.**
 building elements, mfg. 59-01371P
 element, process for making. 59-04474P
 glass. 59-00297P
 granulated, from perlite. 59-04222A
 method for making. 59-02351P
 glass-ceramics, glass for. 59-02328P
 insulation, refractory. 59-00450P
 refractories, method of producing. 59-00472P
 refractory. 59-03599P
 preparation of. 59-04481P
- Formation.**
 of glass, in fluoride systems, condition for. 59-00197A
 in system Cd-As-I . 59-03964A
 in system $\text{MnO-B}_2\text{O}_3$. 59-02250A
 in system $\text{SnSe-GeSe-As}_2\text{Se}_3$. 59-02248A
 in system $\text{SnSe-GeSe-As}_2\text{Se}_3$. 59-02253A
 in two-component Si-rich borosilicate glasses synthesized by sol-gel. 59-02249A
 of glasses, chalcogenide, based on theory of vitrification. 59-02291A
 in system anorthite-diopside-ackermanite. 59-03294A
 kinetics, of Si_3N_4 , made from Korean rice hulls. 59-03975A
 mechanisms, of nonohmic ZnO . 59-03962A
 of mullite, from clay- Al_2O_3 mixtures, effect of preparation conditions on. 59-02994A
- Forming.**
 in abrasives industry. 59-02012A
 composites, C. 59-03904P
 electrophoretic, of ceramic products. 59-02771A
 hot, of large porcelain insulators. 59-01473A
 of metals, petroleum-free, prior to porcelain enameling. 59-02163A
- Forsterite.** See also *Refractories*.
 cast, concretes, for bottom of kiln cars. 59-01373A
 formation of, from mixture prepared by alkox method. 59-03865A
 synthesis and properties, effect of additives on. 59-02966A
 -type refractories, role of TiO_2 in mfg. 59-01404A
- Fracture.** See also *Cracks*.
 of Al_2O_3 , polycrystalline, ballistically damaged. 59-00848A
 Hertzian, of Pyrex glass, statistical analysis. 59-04259A
 of MgAl_2O_4 , single crystal. 59-01832A
 of Si_3N_4 , hot-pressed, role of grain-boundary sliding. 59-05038A
 of SiC, self-bonded, effect of temp. on. 59-00835A
 twinned crystals. 59-00849A
 of TiO_2 , stoichiometry effects on. 59-05051A
 behavior, combining data for Weibull estimation. 59-01790A
 of optical fibers. 59-03345A
 of refractories under thermal shock conditions. 59-03531A
 brittle, Weibull's statistical theory. 59-00879A
 of glasses strengthened by ion exchange, theory. 59-00266A
 multibARRIER kinetics. 59-00789A; 59-00876A
 study. 59-01846A
 of brittle materials. 59-01963B
 composites. 59-01733A
 mechanics. 59-01979B
 of ceramics, by single-pulse irradiation. 59-00850A
 chemically assisted, theory. 59-05094A; 59-05095A
 of concretes, role of aggregate. 59-00070A
 creep, of phase-separated borosilicate glass, morphology. 59-01216A
 of crystals, Si, in liquid environments. 59-01833A
 delayed, in beta- Al_2O_3 . 59-00575A
 in soda-lime glass, fractographic analysis. 59-00195A
 energy, strength-controlling, dependence on flaw-size to grain-size ratio. 59-01810A
 of glass-ceramics, with near-zero thermal expansion, effect of heat treatment on. 59-00173A
 of glasses, on cooling. 59-01246A
 inorganic, effect of liquid media on. 59-00175A
 quartz, characteristics of. 59-04165A
 of laminates, glass-epoxy. 59-02871A
 mechanics, of Si_3N_4 , indentation-precracking and double-torsion determination. 59-02993A
 application to ceramic materials. 59-01726A
 probabilistic. 59-03875A
 micro-, about scratches in brittle solids. 59-03982A
 -mirror, boundary formation, criterion for. 59-01800A
 of refractories, Al_2O_3 (50%), J-integral measurements. 59-02451A
 resistance, of Al_2O_3 and Si_3N_4 , using Knoop indentation method. 59-03963A
 spontaneous, resulting from phase transformations, grain-size dependence of. 59-00851A
 strength, of Si. 59-01517A
 of dense hydroxylapatite. 59-04913A
 thermally induced, in B $_2$ C pellets. 59-02752A
 toughness, of Al_2O_3 , notched bend tests. 59-02983A
 of SiC. 59-01834A
 and acoustic emission, of Al_2O_3 , temp. dependence of. 59-01925A
 of metallic glasses. 59-03290A
- Freezing and thawing.** See *Frost resistance*.
- Friction.**
 of sands, molding, measuring with present testing equipment. 59-01395A
- Friction.**
 of alloys, Cr-carbide-Ni, at 20–1000°C. 59-00761A
 characteristics, of Ti and Zr carboboride alloys. 59-00757A
 internal, in PZT. 59-00578A
 in UO_2 . 59-04684A
 in beta- Al_2O_3 . 59-01850A
 maximums of inorganic glasses, mathematical appraisal. 59-04224A
 study of structure of surface layer of alkali aluminosilicate glasses. 59-01197A
 materials, containing unstable devitrifiable glasses. 59-02386P
 peaks, internal, in metallic glasses. 59-03299A
 rolling, of glass on rubber, effect of humidity on. 59-01187A
- Frits.**
 for corundum. 59-00452P
 for enamels. 59-00131P; 59-01084P; 59-02142A
 containing B_2O_3 . 59-01071P
 glass, coating apparatus. 59-02705P
 for slurries, characterizing. 59-00090A
 for glazes. 59-01489P; 59-02611P; 59-04544P
 mineral, electric furnace for melting. 59-01688P
 raw materials, availability. 59-02129A
 scrap, reclaiming. 59-02172A
 sludge, from pumps, handling. 59-02151A
 for tiles, facing. 59-00504A
- Frost resistance.**
 of columns, extruded clay. 59-02586A
 of limestone nodules, mechanism. 59-02088A
- Fuel elements.**
 nuclear. 59-02757P; 59-03780P
 for AGR reactors. 59-04677A
 apparatus for detecting power distribution in. 59-03775P
 defective, apparatus for locating. 59-01613P
 high performance. 59-03778P
 mixed oxide. 59-01617P
 pressure method for recovering pellets from. 59-01615P
 process for making. 59-03782P
 rods, Pu, apparatus for producing. 59-01614P
- Fuels.** See also *Ash, fly*; *Combustion*; *Gases*; *Oils*.
 biomass, use in structural clay industry. 59-03463A
 coal, firing costs. 59-00724A
 firing systems for kilns. 59-01686P
 fluidized, combustion of. 59-00725A
 future in clay industry. 59-00726A
 gasification. 59-04752A
 gasification of, refractory linings used at Synthene plant. 59-01394A
 gasifiers for. 59-01680A
 grinding and drying, design of plant at Laegerdorf. 59-00041A
 grinding apparatus for direct fired burners. 59-02816P
 grinding plants, bag filters for. 59-00037A
 grinding possibilities. 59-02057A
 kinetics of oxidation. 59-00727A
 low and medium Btu, gasification of. 59-04757A
 materials for conversion and utilization. 59-01978B
 modern milling plants. 59-02810A
 multielemental analysis of. 59-04729A
 pulverized, combustion in reinforced suspension preheater system. 59-00065A
 pulverized, dedusting of. 59-00404A
 pulverized, firing with. 59-01682A
 pulverized, use in ignitor burners in boiler cold start. 59-01685P
 use in kilns in structural clay industry. 59-04387A
- use of soda ash to remove S. 59-00728A
 coke, resistance of refractories to wear by. 59-03570A
 conservation, through choice of insulation. 59-03822A
 in tunnel kilns. 59-02805A; 59-02813A
 consumption of, in tunnel- and 2-channel kilns. 59-02802A
 different types, refractories for use with. 59-02480A
 fissile, role of breeders in energy economy. 59-04760A
 gas, natural, analysis of. 59-03818A
 natural, availability of. 59-02811A
 natural, use in glass and fine-ceramics industries. 59-02814A
 gas-air mixtures, stabilizing, for optimum combustion. 59-01683A
 ignitor, made of SiC. 59-04616P
 management of, in a diversified corporation. 59-02803A
 nuclear, ThO_2 - UO_2 , performance in Indian Point 1 plant. 59-02750A
 UC, and UCO_2 , HTGR TRISO, SiC-fission product reactions in. 59-00647A; 59-00648A
 UC-based, sintering behavior. 59-02745A
 UO_2 , production. 59-00658P
 $\text{UO}_2/\text{Gd}_2\text{O}_3$, mfg. and irradiation experience with. 59-02749A
 ZrC-coated particles, fission product diffusion in. 59-04681A
 coated particles, method for making. 59-04699P
 composition. 59-03779P
 element, core, and fuel material. 59-02757P
 element, high performance. 59-03778P
 irradiated, method for dry reprocessing of. 59-04695P
 irradiated, processing of. 59-04702P
 pellets, gamma-active, design of remote-controlled plant for making. 59-00643A
 pellets, green, remote processing apparatus for. 59-02760P
 pellets, with oppositely bottomed holes. 59-02758P
 pellets, oxide, mfg. 59-00653P
 recovery of usable products from by-product NH_4NO_3 . 59-03783P
 recycle, made by impregnation of pellets. 59-00639A
 rods, method of assuring pressurization during mfg. 59-02755P
 spent, method of containing. 59-04696P
 transport phenomena under severe temp. gradients. 59-03774A
 vented element. 59-00659P
 vibro-compacted, initial sintering and hot-pressing in. 59-04682A
 oil, hot ash corrosion of high temp. equipment. 59-04755A
 pellets, organic fibrous, production of. 59-04759A
 solid, firing rotary cement kilns with. 59-02095A
 safety in milling and storage. 59-04115A
 solid and gaseous. 59-00706A
 substitute, precalcining with. 59-02071A
- Furnaces.** See also *Burners*; *Fuels*; *Kilns*; *Ovens*.
 Refractories.
 59-01690P
 BOF, new program increases liner life 4-fold. 59-00403A
 refractories for, with improved thermal conductivity. 59-03586P
 arc, analysis of MgO-C bricks tested in. 59-03492A
 roofs, stress-strain properties of Al_2O_3 and basic refractories for. 59-01409A
 use of MgO-C bricks for walls. 59-03581A
 blast, SiC refractories for. 59-04450A
 heat exchange devices for cooling wall. 59-04770P
 lining wear behavior. 59-03498A
 modern, refractories for. 59-04440A
 mullite-SiO $_2$ refractories for cover of. 59-02441A
 new installation method for. 59-03555A
 repair of, with injection mortars. 59-03569A
 stoves, aerodynamics and temp. fields in checkerwork. 59-03489A
 trough, dry vibration application process for. 59-02425A
 tuyere, refractories for. 59-03587P
 construction, and methods of loading and sealing. 59-03824P
 modular. 59-00474P
 continuous, tooling in, experiences with Cr-Ni steels and Ni alloys. 59-02804A
 design of, refractory and insulating systems. 59-04761A
 doors. 59-02817P
 reheat, made from stacked fiber refractory. 59-04391A
 electric, apparatus for repairing electrode connection and lining separately. 59-02501P
 for melting frits. 59-01688P
 with new tapping spout, labor and cost savings. 59-01392A
 roof construction, using castables only. 59-02417A
 semicontinuous, production of fused quartz in. 59-02472A
 wall construction. 59-01687P
 electric arc, cover for. 59-01428P
 electrical, zones balanced with tapped transformer. 59-04767P
 electrical resistance, for SiC production. 59-00730P
 electrolytic, linings. 59-00448P
 enameling, continuous, experience with fiber insulation. 59-00097A
 design trends. 59-02148A
 effect of water vapor in atm on ground coat surface. 59-00095A
 electric, use of fibers and insulating firebrick saves energy. 59-02147A

electrically heated with fiber lining, computer controlled. 59-03236A
 fiber insulation for. 59-00092A; 59-02145A
 fiber lining conserves heat. 59-00091A
 modifications. 59-02155A
 new technology. 59-00104A
 redesigned for speed. 59-02143A
 that can be turned off. 59-02144A
 ferrule, ceramic. 59-02815P
 flues, removal of hot scales from. 59-02460A
 gas-carburizing, use of SiC refractories in. 59-02496A
 gas-heated, for stoneware and porcelain. 59-02806A; 59-02807A
 glassmelting. 59-02336P; 59-02346P
 O₂ sensors for. 59-03265A
 algorithm for forehearth control. 59-02201A
 basic refractories in. 59-01372A
 batch sensor for. 59-03367P
 behavior of metal recuperators for. 59-02206A
 choice of refractories for sidewalls and crowns. 59-03503A
 comparison of metallic recuperators. 59-03263A
 for container industry, energy trends, including electrical boosting. 59-01210A
 for containers, installing digital control system for. 59-03297A
 for containers, use of waste heat to generate electric power. 59-01276A
 convex bottom float forming chamber entrance. 59-03371P
 doghouse and feeder enclosure for. 59-03375P
 early history of. 59-01001A
 electric, all-, design of. 59-02219A
 electrical. 59-04768P
 electrically heated, wear of Mo electrodes in. 59-01278A
 end-port. 59-02237A
 end-port, 4-pass regenerator for. 59-01169A
 end-port, economics of. 59-00167A
 examination of, by mathematical modeling. 59-04193A
 flat, waste heat boilers for. 59-02306A; 59-02307A
 float, apparatus for molten metal flow. 59-02347P
 forehearth temp. controls, evolution of. 59-02240A
 honeycomb muffle for. 59-04480P
 maintenance saves money. 59-02244A
 process for treating exhaust gases. 59-04368P
 structural changes to save fuel. 59-03338A
 study of, using models. 59-01254A
 use of Kanthal-Super elements in. 59-02300A
 use of exhaust gases to operate turbines. 59-02301A
 with waste heat boiler. 59-01277A
 graphite-resistance, vacuum, testing of refractories in. 59-02462A
 heat exchangers for, regenerative. 59-04774P
 ignition, repair method for. 59-02483A
 induction, for high-temp. continuous melting. 59-01691P
 industrial, development of lightweight construction for. 59-03513A
 energy management for. 59-05134B
 prefabricated refractory concrete element for. 59-03615P
 refractory linings for. 59-01999B
 insulation, refractory. 59-02528P
 thermal. 59-01697P
 thermal, modules. 59-00496P
 lining apparatus. 59-00453P
 linings, Al₂O₃ fiber. 59-03817A
 application of C and graphite. 59-03494A
 refractory. 59-04505P
 worn, use of explosives for removing. 59-00473P
 low thermal mass, for enameling. 59-03239A
 luminous wall, in Australian enameling industry. 59-02158A
 melting, refractory lining for. 59-02539P
 metallurgical, lining, packed carbonaceous refractory mass for. 59-04430A
 open hearth, performance of kaolin refractories in roof. 59-02465A
 regenerators, factors affecting life of. 59-03529A
 spouts, refractory coating for lining of. 59-04501P
 recuperator, effect of perviousness on efficiency. 59-02809A
 refractories for. 59-02479A; 59-03142B
 reheating walls, construction of, using plastic refractories. 59-03504A
 repair of, injection, energy saving by. 59-02432A
 rotary, process for producing glass in. 59-03438P
 shaft, apparatus for plugging taphole. 59-02502P
 sinter ignition, prevention of scaffold formation on side walls. 59-03559A
 stack-annealing, use of fibrous linings. 59-04457A
 steel, in India, performance of high-Al₂O₃ bricks in. 59-04464A
 structure, insulated. 59-02818P
 thermal balance, method of calculating. 59-03823A
 tubular, refractory sheathing for. 59-03623P
 with tubular lining, refractory. 59-04769P
 vacuum O₂ decarburization, dense electrofused bricks for. 59-04446A
 refractory, decomposition of CaCO₃ in, output and process data. 59-01050A
 wall construction. 59-01689P
 wall tiles for, made from local raw materials. 59-00421A
 walls, mobile refractory apparatus for repairing. 59-04489P

for use at high temps. 59-03825P
 Fusion,
 joining glass members by. 59-00327P
 Gadolinium,
 Ga garnet, dissociation processes and crystal growth. 59-04920A
 single crystal, method for making. 59-03731P
 Gd₂O₃, polycrystalline, self-diffusion of Gd in. 59-00918A
 Gaging,
 nuclear, tips on. 59-01673A
 Gallium,
 GaAs, Fe group ions in, impurity states. 59-00861A
 charge-compensated layer doped with Fe diffusion. 59-02632A
 crystalline rods, growth in fibrous SiO₂, crucible. 59-01557P
 crystals, semi-insulating. 59-00628P
 lasers, application to fiber optics. 59-00198A
 GaAs-GaAlAs, solar cells. 59-00597P
 GaP, epitaxial layers, preparation from melt-solutions in Sb and Bi. 59-02678A
 GaSb, trace concentrations of Gd and Yb, electrical activity of. 59-02641A
 undoped, impurity zone. 59-02660A
 undoped, intrinsic acceptors in. 59-02635A
 GaSe, temp. variation of refractive index. 59-01258A
 n-GaAs, ohmic contact, to electrical conductive substrates. 59-04643P
 Garnets,
 Al-Y. 59-00582P
 Fe borate and Fe-Y, critical behavior of. 59-02934A
 Gd Ga, dissociation processes and crystal growth. 59-04920A
 single crystal, method for producing. 59-03731P
 (III)-oriented, films, measuring cubic anisotropy in. 59-04574A
 La In Ga. 59-04855P
 Na₂Al₂Li₂F₁₂, growth of. 59-04958A
 Nd:Y₂Al₂O₇, melt growth, using heat exchange method. 59-04991A
 Y Fe, hot-sprayed. 59-00563A
 Y₂O₃, ferro-, crystals, mobility of dislocations in. 59-03967A
 Y-Sm ferrite, magnetic anisotropy in. 59-00867A
 YAG, and Al Mg spinel, crystals, attenuation of ultrasound in. 59-00793A
 high temp. growth using crucible rotation. 59-00853A
 YIG, crystals, growth by floating zone method. 59-05047A
 crystals, interface shape and horizontal variations of Al and Ga contents. 59-02663A
 magnetic bubble, implantation related to hard bubble suppression. 59-04979A
 substrates, magnetoelastic surface waves on. 59-01525A
 thermal conductivity at low temps. 59-04029A
 composites, LPE growth from molybdate and Pb borate fluxes. 59-01523A
 ferrite, multicomponent, relations between compensation temp. and rare earth ions. 59-02682A
 films, Bloch walls and dislocations, interaction with domain structure. 59-02662A
 growth of, LPE, liquidus temp. and dissolution kinetics. 59-04984A
 effect of buoyancy on Czochralski bulk flow. 59-04928A
 inclusions, in device for detecting. 59-00720P
 magnetic bubble, (YSmLu)(FeGaSe)₂O₇. 59-04593A
 magnetoresistive sensor, for magnetic fields. 59-03718P
 mixed systems, comparison of, for period bubble devices. 59-01509A
 polycrystalline, dielectric and nonmagnetic, for high-frequency applications. 59-04608P
 powders, for production of. 59-02859P
 rare earth Fe, in PbO/B₂O₃ solution, solubility model for. 59-05049A
 vacancies in, B, Pb, and O, associated incorporation of. 59-04882A
 Gases. See also Vapors.
 combustion, in glassmaking, automatic monitoring of O in. 59-01631A
 evolution, from phosphate glasses, during heat treatment. 59-01171A
 exhaust, automobile, Al₂O₃ catalyst for purifying. 59-02887P
 catalyst for purifying. 59-03907P
 from glassmelting furnaces, process for treating. 59-04368P
 process for removing F compounds and SO₂ from. 59-01694P
 resistive-type sensors for. 59-02683A
 flue, removal of S oxides and N oxides. 59-01695P
 for fluidized bed, apparatus and nozzle for supplying. 59-02891P
 from geological samples, analysis of. 59-01661A
 harmful, monitoring. 59-00699A
 high temp., characterization of. 59-00962B
 reaction with lime, kinetic study. 59-02084A
 release of, in CaO. 59-04023A
 for sealing glass to metal. 59-00298P
 sensors for, fast-detecting SnO₂, preparing. 59-04582A
 tar, electrostatic precipitators for. 59-03526A
 waste heat, from glassmelting furnaces, use for operating turbines. 59-02301A

Glassification,
 coal. 59-04752A
 low and medium Btu. 59-04757A
 refractory linings for. 59-01394A
 system for. 59-01680A
 Gehlenite,
 crystals, growth by floating zone method. 59-05045A
 Gels. See Colloids.
 TiO₂, origin of porosity in. 59-03037A
 Gems,
 synthetic. 59-01977B
 method for making. 59-04634P
 production techniques. 59-02008B
 Generators,
 MHD, electrodes for, based on rare-earth chromites. 59-04584A
 Geology,
 clays, prospecting for. 59-03831A
 economic, of quarrying. 59-04777A
 geochemical exploration, elemental concentrations in reference samples from U.S. Geological Survey's report. 59-00693A
 pumice, conditions of, and possible uses. 59-04778A
 of quarrying, basalt, in southern Bakony Mts. in Hungary. 59-04779A
 rocks, igneous, evolution of. 59-01960B
 mass classification. 59-01643A
 samples, major and trace elements in, spectrometric determination. 59-04722A
 release and analysis of gases from. 59-01661A
 spectrometric and isotopic dilution determination of trace elements. 59-04736A
 of sands, arcose feldspathic, from Triassic region of Weiherhammer, Ger. 59-02833A
 surveys, application of results in production. 59-00731A
 Germanates,
 Bi₂GeO₇, levorotatory, remeasurement of structure. 59-03005A
 Cd, Ti₂O₃-doped, photochromic glass based on. 59-04235A
 Pb₂GeO₇, antiferroelectric, crystal structure. 59-02943A
 PbGe(Ge₂O₇)(h), crystal data for. 59-02939A
 Sr tetra-, crystal hydrate. 59-04017A
 Y₂GeO₇(OH,F), crystal structure. 59-02942A
 alkaline borate, glasses, with increased solubility. 59-01279P
 ortho-, stability of, thermochemical study. 59-00945A
 transformations in, high-pressure. 59-01840A
 Germania. See Germanium, dioxide.
 Germanium,
 Fe germanides, optical constants. 59-00883A
 Ge disulfide glasses, formation and properties. 59-02022A
 GeO₂, reaction with PbO. 59-03697A
 crystals, capillary die shaped growth, control of. 59-02696P
 ribbons, crystal, apparatus for growing. 59-02691P
 thermal runaway in, contributions of multiple reflections to. 59-01796A
 Glass industry,
 in China. 59-04203A
 Northwestern installs electric melting. 59-02266A
 in Spain. 59-02247A
 batch cost reduction method, computer-based. 59-01121A
 batches, briquetted, full scale production from. 59-02242A
 pelletized, mfg. and melting behavior. 59-03325A
 bottles, transport-economy interrelations. 59-00236A
 cold end inspection system at Heye, development of. 59-01185A
 combustion, guide to. 59-03262A
 combustion gases, automatic monitoring of O in. 59-01631A
 computers, applications. 59-02203A
 future trends. 59-02245A
 for production control. 59-01106A
 container, control of. 59-03256A
 controls, automatic, by microprocessors, fundamentals of. 59-02243A
 automatic, for production of high-grade wares. 59-00140A
 automatic systems, for thermal processes. 59-01940B
 converters, oil-to-gas, for dual systems. 59-03320A
 current practices. 59-01967B
 dust control, comparison of jet and shaker-type bag collectors. 59-01109A
 electric melting. 59-02131A
 boosting at Owens-Illinois. 59-01186A
 energy conservation, through remodeling of lehrs. 59-03339A
 energy consumption, in decorating lehr. 59-01129A
 effect of compacted batch on. 59-01120A
 in float plant. 59-01160A
 use of models for predicting. 59-01270A
 forehearth control, simplified algorithm for. 59-02201A
 forming process, update. 59-03289A
 fuel conservation, from metering fuel/air ratio. 59-03309A
 fuels, natural gas, use of. 59-02814A
 furnaces, end-port, economics of. 59-00167A
 tank, study of, using models. 59-01254A
 gas hearth electrical heating supplement. 59-03381P
 glasswares, production of. 59-01994B
 grinding products, solution to. 59-03342A
 heat, waste, utilization of. 59-01684A
 machines, ribbon, a half century later. 59-03340A
 magnetic tag process. 59-03392P

- molds, blank, swabbing. 59-02207A
pollution control. 59-01228A
quality control. 59-04045B
raw materials, outlook for. 59-03336A
problems in expansion of spectrum. 59-03333A
strategic planning in. 59-02275A
refractories, basic, use of. 59-03254A
robot plant seen by. A.D. 2000. 59-03341A
sensors, O, Pt-ZrO₂, operation of. 59-03668A
windowpane, mfg. 59-00160A
- Glass-ceramics,**
59-01944B; 59-01968B
of BaO-Al₂O₃-SiO₂-Ta₂O₅ system, and composites with Mo. 59-01183A
CaF granules overcoated with SiO₂ film, filler for. 59-02319P
Fe-containing, monitoring phase composition and structure. 59-01341P
Li silicate, strength compared to sintered samples. 59-01223A
Li₂O-2SiO₂, effect of crystallization on AES decay in. 59-00171A
Mn cordierite. 59-03393P
Y-Si-Al oxynitride, electrical properties. 59-03281A
anorthite. 59-03359P
basalt, fibers, method for making. 59-03407P
beta-sulphur, rapidly crystallized. 59-03446P; 59-04373P
brown. 59-04281P
burner, method of making. 59-04309P
coating. 59-02333P
for optical waveguides. 59-04310P
colorless, transparent, process for making. 59-03444P
cooktop technology, in Europe. 59-02252A
cordierite, synthetic, substitution of AlPO₄ for SiO₂. 59-03349A
decorated, with stain. 59-03423P
with uniform brown stain, method of making. 59-03422P
for doping semiconductors. 59-00309P
enamel, radiation-resistant. 59-01085P
foamed, glass for. 59-02328P
formation of, role of separation of amorphous phases. 59-04253A
fusion cast, crystallization. 59-01808A
heat-compensated. 59-00323P
high-expansion. 59-03295A
with low thermal expansion, effect of heat treatment on fracture behavior. 59-00173A
machinable, elastic constants, temp. dependence of. 59-04264A
machining of. 59-01207A
structure and properties. 59-02289A
with metal alloy surfaces. 59-03387P
-to-metal seals, method of forming. 59-03416P
metallization of, paste for. 59-01346P
method of making. 59-03445P; 59-04356P
mfg. 59-04311P
microstructure. 59-01213A; 59-03311A
molded, method for making. 59-03411P
oxynitride. 59-03435P
plates, electrical radiation heater for. 59-00293P
restorations, dental. 59-03895P
silicates, Na Pb, directionally crystallized. 59-02222A
strength of, construction. 59-05130B
strengthening of, surface. 59-01360P
technology of. 59-04055B
chemical, in liquid and solid states. 59-04042B
vibration treatment of, parameters. 59-01225A
- Glass.** See also *Art and Antiquary; Furnaces; Glass-ceramics; Glass industry; Glassmaking equipment.*
59-00311P; 59-00312P; 59-00313P; 59-00314P; 59-00315P; 59-00316P; 59-00317P; 59-00318P; 59-01320P; 59-01321P; 59-01322P; 59-01323P; 59-01324P; 59-01325P; 59-02254A; 59-02335P
- Al₂Te and Al₂Te₂Te₃ in, electric field, properties of.** 59-01232A
Ag- and Cu-stained, optical waveguide effect in. 59-03322A
Ag-As-Se, in low Ag region, electrical conductivity. 59-02233A
Ag-containing, thermoplastic and photosensitive, method for making. 59-00337P
Ag halide, kinetics of photochromic processes. 59-01203A
photochromic, kinetics of thermal bleaching. 59-01204A
Al₂O₃, CaO, B₂O₃, sealing composition modified with B₂O₃. 59-04273P
Al₂O₃-SiO₂, phase decomposition of. 59-03041A
As₂S₃, As₂Se₃, and As₂Te₃, heat capacity of. 59-01181A
As₂Se₃, effect of Pt impurities on electrical properties. 59-01208A
photodarkening and photostructural effects in. 59-03328A
Au, fragmentary Christian, at Newark museum. 59-00999A
ruby, photosensitive, nucleation in. 59-01222A
B in, determination by dc plasma emission spectrometry. 59-00162A
with B₂O₃, added for translucency and refractory resistance. 59-02322P
Ba borosilicate, with Ti ions, EPR in. 59-00165A
Ba metaphosphate, effect of SiO₂ on crystallization. 59-00169A
Ba(PO₃)₂, nucleophilic decomposition, kinetics and mechanism. 59-04216A
BaO-Fe₂O₃-B₂O₃, micromagnetism in. 59-01211A
- Bi₂O₃-based, CuO compositions containing, for electrical conductors.** 59-01547P
C-containing, electrical conducting. 59-04289P
Ca(PO₃)₂, crystallization of, abnormal characteristics. 59-03248A
CaO-Al₂O₃-SiO₂, with SiO₂/Al₂O₃ = 3 molar ratio, devitrification behavior. 59-01134A
of Christian, Desire. 59-03148B
Cu-mixtures, pressure sintering of. 59-03332A
E, acid resistance of. 59-01101A
Faraday rotation. 59-00296P
Fe and Cr ions in, interaction of. 59-01196A
xFe₂O₃·(1-x)[3B₂O₃·PbO], XRD study. 59-03355A
Fe₂Ni₁₀B₁₀, self-diffusion of B in, SIMS measurement. 59-04178A
Fe-containing, reaction of SO₂ with surface. 59-02276A
GaSe, refractive index, temp. variation of. 59-01258A
by Galle, Emilie. 59-03161A
Ge₂Bi₂Se₇, Te₁₈, semiconducting, electrical transport in. 59-04190A
Ge-Se, amorphous, exponential absorption edge in. 59-03285A
GeTe, crystals, effect of heat treatment on defect formation. 59-04925A
Heisey. 59-01971B
K, in windows of church of Saints Giovanni and Paul in Venice, electron microscopic study of corrosion and coloration. 59-02236A
K borate, nonbridging O in, spectroscopic study. 59-04226A
with K₂O added. 59-02323P
K₂O-Na₂O-SiO₂, mixed-alkali effect in foreign-alkali region. 59-03313A
La fluorozirconate. 59-00211A
La(BO₃)₃, vitreous, breakdown by water, kinetics of. 59-01202A
Li disilicate, crystal nucleation of. 59-00265A
Li germanate, with Ga₂O₃, electrode properties and dissolution kinetics. 59-00182A
Li₂O-2SiO₂, effect of crystallization on AES decay in. 59-00171A
Li₂O-SiO₂, in aqueous solutions of Al compounds, corrosion behavior. 59-00159A
Li- and Pb-containing, effect of chemical bonds on elastic-optical properties. 59-03277A
LiNbO₃, formation of waveguides and modulations in, by ion implantation. 59-03288A
LiYF₄:Pr³⁺, fluorescence due to magnetic-dipole transitions in. 59-00192A
Libbey, since 1818. 59-01975B
(M'⁺O + M''⁺O)-2SiO₂, transfer number and mobility of alkali metal ions. 59-02299A
N dissolved in, nondestructive microanalysis of. 59-03319A
Na borate, wetting and adherence on Au. 59-00122A
Na borophosphate, Na ion conducting. 59-04376P
Na borosilicate, abrasive wheels bonded with. 59-04059A
Na silicate, molecular dynamic calculation of structure. 59-00223A
Na₂O-CaO, effect of F treatment on composition and surface structure. 59-04188A
study of induced colored centers in. 59-01199A
Na₂O-CaO-SiO₂, frozen-in optical anisotropies in. 59-01170A
ion exchange strengthening of. 59-03389P
wavelength absorption in. 59-03312A
Nd³⁺ complexes in, structural characteristics. 59-04261A
P-Se-Te, viscosity and thermal expansion. 59-02303A
Pb, raw materials for. 59-00141A
Pb borate, microhardness. 59-00220A
Pb-containing, optical, thermophysical properties in molten state. 59-01262A
Pb crystal, viscosity-temp. relations. 59-01275A
PbF₂-AlF₃, binary. 59-04229A
preparation and properties. 59-04241A
with PbO additions. 59-02324P
0.6PbO-0.4SiO₂, specific heat, calculation of relaxation component. 59-02211A
PbO-B₂O₃-Al₂O₃, spinodal decomposition during cooling. 59-00257A
PbO-SiO₂, effect of Al₂O₃ on chemical durability. 59-00168A
Pyrex, Hertzian fracture, statistical analysis, using Weibull distributions. 59-04259A
S Ch. 2 bodies, flow of melt during pressing. 59-00191A
Sb₂O₃, physicochemical properties and its spectra. 59-03330A
Se, ruby-red, melting, under charge layer. 59-01209A
Si-Na-B-O-N, synthesis and characterization. 59-02293A
Si-rich, radiation-optical stability. 59-04246A
SiO₂, fiber-reinforced, for high-temp. applications. 59-03286A
fused, dependence of refractive index dispersion on thermal history. 59-00268A
fused, dispersion forces between objects. 59-03269A
high-, fabrication of continuous fibers from. 59-04194A
high-, with varied Na ion concentrations, conductivity. 59-00154A
optical fibers, structural ordering in. 59-02288A
plus coloring metal ions. 59-02320P
vitreous, radiation-induced isotope exchange in. 59-00246A
SiO₂-B₂O₃-Al₂O₃-R₂O, interdiffusion of Ag in, optical and NMR studies. 59-00227A
SiO₂-TiO₂, space applications. 59-02283A
- Sr in.** 59-02005B
Tb³⁺-activated, magneto-optical study. 59-00213A
Tiffany, price of. 59-01027A
produced by Lewis Comfort Tiffany. 59-01007A
W silicophosphate and W aluminosilicate-phosphate, reduced forms of W in, and electrical conductivity. 59-04248A
W-phosphate, effect of ionizing radiations on. 59-00174A
Weibull distribution, adding static and dynamic fatigue effects to. 59-01103A
XIIIth International Congress on, proceedings. 59-05144B
Y-Al-Si oxynitride, electrical properties. 59-01157A
preparation and properties. 59-00239A
alkali, mixed, thermal conductivity. 59-00267A
alkali borate, binary, energy storage behavior, thermoluminescent study. 59-04191A
states of S in. 59-04258A
structure based on X-ray scattering. 59-01252A
alkali disilicate, structure of, by neutron scattering. 59-04254A
alkali lime germanosilicate, optical absorption of transition metals in. 59-00226A
alkali metaphosphate, Raman scattering and glass transitions. 59-01206A
alkali silicate, with alkaline-earth oxide additives, mechanical relaxation in. 59-04220A
heat capacity and structure. 59-00212A
increasing acid resistance by MgCl₂ treatment. 59-01189A
for self-focusing fibers. 59-00138A
alkali-borosilicate, antireflection films on, produced by chemical treatments. 59-00139A
aluminoborate, surgical cement containing. 59-01763P
aluminogermanate, Li, interdiffusion coeffs. for Li and Na in. 59-00209A
aluminophosphate, K, structural role of Ti in, based on kinetics of dissociation. 59-00262A
aluminosilicate, Ca-rich, effect of alkalis on. 59-02272A
with Cu and halogen impurities, EPR spectra. 59-01142A
Li, elastic properties. 59-01156A
Li, with ZrO₂ additions, crystallization in. 59-01126A
Na, in NaCl and KCl solutions, electrical resistance of surface layers. 59-03282A
alkali, structure of surface layer, internal friction study. 59-01197A
phase-separated, characterization by electron microscopy. 59-00151A
amorphous, Si-H vibrations in, chemical effects on frequencies. 59-03260A
formation of short-range order in. 59-02241A
with high Fe content. 59-01104A
analysis of, Auger, decrease of alkali signal during. 59-04171A
nondestructive X-ray fluorescence. 59-03803A
with anionic conductivity. 59-01316P; 59-01317P
with respect to I. 59-01315P
annealed, fracture strength under dynamic conditions. 59-00196A
arsenite, synthesis and physicochemical properties. 59-00264A
articles, with NiFe₂O₄, CoFe₂O₄, or (Co,Ni)Fe₂O₄, surface layers. 59-03382P
extruded, binder for. 59-04280P
aventurine. 59-01283P; 59-01284P
Cr, based on Krivov Rog slag and Kardashinsk sand. 59-01119A
balls, spherical, mfg. 59-04329P
basaltic, reaction with water, early stages of. 59-02225A
based lubricant, for hot extruding needle. 59-00308P
based on quartz sand-dolomite-MgO-clay mixtures, cordierite and magnesian pyroxene formation in. 59-01124A
based on rare elements. 59-00204A
based on blast furnace slags. 59-01298P
batch composition, computer-aided calculation of. 59-00152A
batch wetting, with water. 59-03291A
batches, B₂O₃ and Na-Ca-silicate, effect of cullet on melting reactions. 59-01191A
Pb crystal, pelletization of. 59-01226A
briquetted, full scale production from. 59-02242A
briquetting, preheating, and melting, pilot plant test. 59-00234A; 59-00235A
carryover, isokinetic sampling. 59-02262A
compacted, effect on energy consumption. 59-01120A
for containers, reactions in. 59-03337A
cost reduction of, computer-based. 59-01121A
in furnaces, kinetics of decolorization of. 59-00210A
pelletized. 59-03325A
pelletizing and preheating. 59-01110A
slag-containing, firing. 59-00190A
storable. 59-04378P
beads, dense and hollow, flame preparation of. 59-04172A
binary, magnetic susceptibility of. 59-03304A
mobility of alkali ions in. 59-03315A
binder, for mfg. tools from Elbor. 59-00300P
bio-, method of bonding to metal. 59-00338P
birefringent, microstructurally, scattering study of. 59-02281A
blistered, crystallizable, process for making. 59-03443P
blue. 59-00283P
cast, head of Egyptian king at Corning Museum. 59-01028A
bodies, containing radioactive substances, method of preparing. 59-04697P

- for bonding, to ferrites. 59-01304P
 borate, Ca Y, phosphor composition. 59-04282P
 Ca, with Fe oxide, semiconducting, conduction models. 59-04168A
 Na, irradiated, EPR of Cd²⁺ centers in. 59-01159A
 Na, molten, electrode reactions of metal ions in, chronopotentiometric analysis. 59-03261A
 Na Al, Na ion conducting. 59-03450P
 determination of reflection coeff. and optical constants. 59-04244A
 refractive index and refraction. 59-00250A
 borosilicate, Li, in spectroscopy. 59-02256A
 Zr-containing. 59-03459P
 alkali, conductivity of. 59-01122A
 binary, for optical waveguides, molar absorptivity of water in. 59-0215A
 effect of Al₂O₃ dispersions on conductivity and thermal stress. 59-02228A
 effect of additives on crystallization. 59-03275A
 high SiO₂, method of making cellular body from. 59-03418P
 mixed-alkali, mobility of Na and K ions. 59-03314A
 phase-separated, creep fracture, morphology of. 59-01216A
 two-component Si-rich sol-gel synthesized, glass formation in. 59-02249A
 bottles, apparatus for applying plastic sleeves. 59-04276P
 apparatus for testing. 59-02312P
 barber. 59-00989A
 coated, method of making. 59-01289P
 device for gripping. 59-01286P
 method of coating. 59-00339P
 pulverulent copolyamides for coating of. 59-01352P
 transport-economy interrelations. 59-00236A
 breakdown of, energy loss during. 59-01218A
 breaking of, spontaneous, on cooling. 59-01246A
 bubbles, gas and crystalline deposits in, chemical analysis. 59-01266A
 for capacitors, glass-enamel. 59-04298P
 -cement, charge for. 59-00285P
 chalcogenide, Ag, electrical transfer in melts. 59-02234A
 Urbach tail, photostructural change in. 59-04236A
 correlations between properties. 59-00157A; 59-00158A
 dielectric relaxation study. 59-04176A
 effect of ac field on crystallization. 59-00170A
 formation of, based on theory of vitrification. 59-02291A
 with organic components. 59-00147A; 59-00148A; 59-00149A; 59-00150A
 solutions. 59-00284P
 in chalcogenide system Se-Ge-As, chemical attack of. 59-01117A
 chalcogenide systems, formation and properties. 59-00200A; 59-00201A; 59-00202A
 chalcogenides (Se-Ge system), Raman scattering and bond structure. 59-03334A
 charge. 59-02369P
 granulated, mathematical model of heat transfer during fritting of. 59-00216A
 of vertical-drawing machine, mathematical model of heat exchange in. 59-00215A
 coated with SnO₂, surface electrical breakdown. 59-01255A
 method for making. 59-03413P
 coating for, nonglare. 59-01342P
 coating of, deposition method. 59-04606P
 method for. 59-04338P
 coating on. 59-00286P
 method for applying. 59-04344P
 for coatings, low-melting. 59-00305P
 on metallic covered plastic substrate produces chromatic effect. 59-00375P
 colored, method of making articles of. 59-01337P
 photosensitive, with alterable photo-anisotropic effects. 59-03419P
 commercial, strength and thermal resistance. 59-01247A
 compositions, for fiberization. 59-02326P
 and fibers. 59-04301P
 for hermetic seals. 59-04315P
 for industrial ceramics, effect of chromophoric ions. 59-03278A
 conductivity of, thermal. 59-04266A
 conduction and dielectric loss mechanisms. 59-002214A
 conductors, electronic. 59-01300P
 container, decolorized, compositions for. 59-01154A
 containers, apparatus for forming. 59-03397P
 bringing industry under control. 59-03256A
 chemical strengthening of. 59-04358P
 cold end testing at Heye. 59-01185A
 jars, apparatus for handling. 59-01282A
 large, process for making. 59-03439P
 machine for inspecting. 59-01195A
 machine for optical testing for checks in. 59-01224A
 method for powder coating. 59-04354P
 pharmaceutical, chemical durability. 59-03259A
 production control. 59-01230A
 testing, with Emhart preselector. 59-01172A
 testing, with bright field analyzer. 59-01260A
 thin-walled, strengthening. 59-00373P
 cordierite, crystallization, in spectrophotometric study. 59-01194A
 synthetic, substitution of AlPO₄ for SiO₂. 59-03349A
 corrosion resistant, for application over metal substrates. 59-03372P
 coupling device for, electronic. 59-02697P
 crack nucleation, during indentations, micromechanics of. 59-01212A
 cracked, repairing. 59-00252A
 cracking of, by indentation, effect of surface condition of glass on. 59-02258A
 cracks in, initial paths, effects of temp. and composition. 59-00207A
 crushed, effect of grain-cleaning on chemical durability. 59-00172A
 -crystalline material, mfg. 59-00310P
 crystallization kinetics in, DTA of. 59-01127A
 cullet, from municipal wastes. 59-02216A; 59-02217A
 decolorizing agent for, containing Er₂O₃. 59-01293P
 decoration of, in U.S. 59-03292A
 with lasers. 59-01188A
 with decreased crystallization capacity. 59-01130A
 with decreased melting temp. 59-02325P
 deformation of, viscous, during heating and cooling. 59-00276A
 dense, with low thermal expansion. 59-03379P
 density and refractive index, dependence on cooling rate. 59-01132A
 deposition of Ca on, to inhibit alkaline attack. 59-00142A
 depth profiles in, Na, SIMS analysis. 59-03251A
 devitrifiable, unstable, and friction materials containing. 59-02386P
 dielectric loss in, two-level model. 59-04268A
 diffusion in, equation for determining coeff. 59-01161A
 diffusion measurements in, application of stable isotopes for. 59-01105A
 disclination lines in. 59-01138A
 dislocation theory. 59-01139A
 for dosimetry, radio-photoluminescence. 59-04305P
 drawing, method of. 59-02353P
 drops, quenched, density profile. 59-01131A
 durability of, chemical. 59-01945B
 kinetic theory of temp.-force relations. 59-02263A
 elasticity and strength in. 59-05133B
 electrical properties and structure, summaries of reports from 4th All-Union Symposium on (U.S.S.R.). 59-03147B
 electrical-insulating, in system B₂O₃-ZnO-BaO-SiO₂, synthesis of. 59-01257A
 electrodes, Na aluminosilicate, relaxation characteristics during change in stress. 59-02280A
 with electronic conductivity. 59-02332P
 for electronic industry, new compositions. 59-00225A
 electrovacuum. 59-00295P
 for elements, Faraday rotation. 59-01303P
 method of molding. 59-01339P
 emissions in, natural radioactive, applications of. 59-01243A
 -epoxy, lamina, fracture of. 59-02871A
 etch, for frosting. 59-01294P
 fabric, metallic, adhesive bonding of. 59-00123P
 ferromagnetic, with high Curie point. 59-01295P
 fiber. 59-00964B
 compositions. 59-01988B
 fiber battening, use in noise control. 59-00272A
 fiber cullet, fiber glassmaking pellets containing. 59-03378P
 fiber dispersions, for wet-laid fiber mats. 59-02327P
 fiber mats, for roofing, method of making. 59-03376P
 for fibers. 59-00302P; 59-01305P; 59-01966B
 alkali resistant, articles and method of making. 59-03357P
 apparatus for distribution. 59-01329P
 bundle for optical communications, method for making. 59-04347P
 composition for. 59-01302P
 drawing, rheological and thermal analyses of. 59-01239A; 59-01240A
 forming apparatus, air fin coolers for. 59-04272P
 low-loss multicomponent, preparation of. 59-03331A
 mats, mfg., properties, and application. 59-04223A
 method for collecting. 59-01331P
 method for making. 59-03408P
 optical, method for making. 59-02374P; 59-04362P
 optical, process for making. 59-04367P
 plastics reinforced with, comparison of bolted joints. 59-02861A
 with reduced tendency for gumming. 59-03383P
 resin molded sheets reinforced with. 59-04371P
 sizing for. 59-01357P
 testing of. 59-03810A
 three-layered construction. 59-02384P
 water dispersible size composition for. 59-02378P
 wet mats, method for increasing strength. 59-02354P
 filament bundles, coating for. 59-00301P
 filaments, method and apparatus for forming. 59-03398P
 pipe coupling welded with. 59-04314P
 fireproof. 59-01296P
 flat, mfg. 59-04327P
 float, clear, fining studies using hot stage microscope. 59-01165A
 formation, apparatus using inclined barriers. 59-01330P
 penetration of Sn into, spectrometric determination. 59-01133A
 flow, in forehearth. 59-01263A
 fluoride, alkali-free, electrical conductivity and structure. 59-00178A
 based on ZrF₄. 59-01220A
 refractive index, calculation from composition. 59-00146A
 fluoroborate, Tb-activated, magneto-optical characteristics. 59-04221A
 fast Li⁺ conduction in. 59-04196A
 fluorophosphate. 59-00193A
 stress optical coeff. 59-04260A
 foam. 59-00297P
 facing tiles, heat insulating, mfg. 59-02273A
 granulated, from perlite. 59-04222A
 method for making. 59-02351P
 foam formation, during heat treatment in vacuum, factors affecting. 59-01145A
 foam-sulfate, effect of sulfide S on structure. 59-03276A
 formation, in P-containing chalcogenide systems. 59-03293A
 in chalcogenide systems, cooling rate of melts during. 59-04169A
 in phosphate system with Cl and Br. 59-01175A
 in portland cement clinkers, mechanism of. 59-02089A
 in system Cd-As-I. 59-03964A
 -forming, capability with liquidus temp., quantitative relation of. 59-04001A
 systems, chalcogenide, physicochemical analysis of. 59-04239A
 -forming alloy melts, metallic, P-containing, preparing. 59-02372P
 -forming alloys, preparing, under metal oxide/B₂O₃ slag. 59-02371P
 -forming batch, with composition 30K₂CO₃-70SiO₂-1As₂O₃, Raman study of reactions in. 59-00248A; 59-03355A
 -forming compound, and bricks made with. 59-04313P
 -forming regions, in chalcogenide systems, theory for calculating. 59-02920A
 -forming systems, physics and chemistry of. 59-04053B
 fragments, multielement analysis by AES. 59-00255A
 frit, for sealing CRT faceplate to envelope, method and apparatus. 59-03399P
 for slurries, characterizing. 59-00090A
 frit mixture, coating apparatus. 59-02705P
 germanate, Pb, structure of anionic network. 59-01253A
 alkaline borate, with increased solubility. 59-01279P
 germanosilicate, alkali, for optical fibers, extraction of water from. 59-01162A
 -to-glass, sealing method with conductive layer. 59-04617P
 -glass-ceramic composites, crack growth in, application of electrical-mechanical analog. 59-01158A
 for glass-ceramics, foamed. 59-02328P
 glassy state, physical and thermodynamic aspects. 59-04237A
 glow molding, hollow articles with bonded attachment. 59-04335P
 gradient, optics from. 59-04207A
 grinding tools for, relation of hardness to modulus of elasticity. 59-02013A
 hard, method for centrifugal fiberization of. 59-04336P
 hardness of, micro-, relation to field intensity of a cation. 59-02260A
 heat-resistant. 59-00325P
 hermetic, encapsulation for semiconductor die. 59-02707P
 with high ion mobility. Li. 59-00319P
 homogeneity of, Christiansen filter estimation. 59-02239A
 measured on Vidio apparatus. 59-00218A
 honeycombs, extrusion dies for. 59-02318P
 -house, in Philadelphia, built by John Nicholson in 1794. 59-01018A
 with incipient crazing, use of silica gel for protecting. 59-01267A
 incorporating OH, via MCVD. 59-00206A
 with increased light transmission. 59-04300P
 with increased specific electric resistivity. 59-01319P
 with increasing softening point. 59-01318P
 inhomogeneities in, surface compositional, fluorescent and photoelectron spectroscopic study. 59-03284A
 inhomogeneous, sintering of, application to optical waveguides. 59-01241A
 inorganic, effect of liquid media on fracture. 59-00175A
 internal friction maximums, mathematical appraisal. 59-04224A
 melting and stabilization of. 59-01969B
 new. 59-05140B
 relation between melting point, transition temp., and thermal expansion. 59-04251A
 relaxation in, thermal ionic. 59-00269A
 structure and properties. 59-03347A
 insulating, use in hybrid integrated microcircuits. 59-01268A
 insulation, sunlight-admitting panel, method for making. 59-04359P
 thermal. 59-01326P
 insulators, electrical. 59-00294P; 59-00304P
 high-voltage. 59-00303P
 interaction with water, behavior of Al during. 59-02205A
 ion motion in, polarization current techniques for studying. 59-00270A
 ion-exchanged, assured strength of. 59-01107A
 ir transmitting, based on HFF. 59-04213A
 joining of, by fusion. 59-00327P
 laminates, mfg. 59-04330P
 lamp bases, molten glass metering device for making. 59-00352P
 lamp-blown, by Mueller, C. H. F., Hamburg, Ger. 59-01003A
 lamps, Mazda, history of. 59-01010A

- laser, Nd, highly concentrated. 59-02257A
Nd-doped Li silicate. 59-03318A
layers, low-stress, vapor deposition of. 59-03733P
method for applying to polycarbonate. 59-03732P
leached, contact-damage resistance. 59-00155A
reaction of surface with water—correction. 59-01233A
lenses, Selfoc, aberration improvement of. 59-04163A
gradient-rod, evaluation by imaging. 59-04192A
lightweight, high refractive index, for spectacle lenses. 59-04324P
linewidths in, fluorescence. 59-03287A
liquids, fluid state of metastable equilibrium, calculating time for attaining. 59-00143A
with low crystallizability. 59-00330P
low-alkali, tracer-diffusion measurements in. 59-03354A
with low melting point. 59-02341P
for electronics. 59-01562P
luminescent, radiothermo-, for detector of dosimeter. 59-01353P
magneto-optical. 59-00331P
mechanical properties, effect of chemical treatment on. 59-01190A
medieval, from York Minster, weathering behavior. 59-01032A
melting, in burner-heated tanks. 59-02346P
electric, method and apparatus. 59-00332P
electrical. 59-00181A
heat transfer to batch and melt. 59-01182A
melting charge, supply layer, mathematical model for heat and mass transfer. 59-00214A
melting rate, effect of using calcined dolomite in lime-caustic processing of Na_2CO_3 on. 59-01152A
melts, $2\text{PbO} \cdot \text{SiO}_2 \cdot x\text{SO}_2$, crystallization characteristics of. 59-01125A
alkali silicate (borate), effect of atm on electrode potential of Pt in. 59-03273A
behavior of bubbles in. 59-01111A; 59-03255A
calculation of 2-dimensional part. fields. 59-01167A
decolorization, effect of forces acting in ultrasonic field on acceleration of. 59-01146A
dissolution of multicomponent bubbles in. 59-04179A
movement of gas bubble in circulation flows. 59-04228A
silicate, interaction of refractories with. 59-01390A
silicophosphate, diffusion of. 59-03267A
in system As-Se-I, oscillation spectra and chemical stability. 59-02270A
with metal alloy surfaces. 59-03387P
to-metal bonding. 59-02334P
metallic. 59-00968B; 59-03308A
fracture toughness. 59-03290A
internal friction peaks in. 59-03299A
metallic alloy, direct observation of structure. 59-03268A
metaphosphate, Sr and Ba, XRD study. 59-03356A
rare-earth-element, properties of. 59-04243A
mfg. 59-03385P; 59-04306P
with improved SiC bushing. 59-03394P
microporous, dehydroxylation of, EPR study. 59-04180A
microspheres, ultrahigh-index. 59-03456P
for microwaves, insulated cast. 59-02329P
mineral, structure of. 59-03348A
molding, new process for. 59-01221A
molds, compression, mounting plate for. 59-02361P
processing of. 59-01351P
molecular arrangements in, quasi-crystalline model. 59-02274A
molten, conductivity of, thermal and radiation. 59-01261A
separating device in fiber forming apparatus. 59-01340P
multicomponent, coloring of, proton-induced. 59-00243A
fibers, high aperture. 59-04208A
nonfogging, method for making. 59-01333P
nuclear waste, simulated, kinetics of surface-layer formation. 59-04217A
nuclear waste disposal, crystallization of. 59-04170A
opal. 59-00353P
ophthalmic, high index. 59-04317P
optical. 59-00355P; 59-01343P; 59-01344P; 59-02365P; 59-02366P; 59-02367P; 59-03431P
BaPO₃F, synthesis and study of. 59-02294A
Brillouin scattering measurements on. 59-02208A
Raman scattering and nonlinear refractive index measurements. 59-00247A
developments in. 59-00238A
etching solution for treating. 59-02317P
fluoride and phosphate containing. 59-04293P
handcrafted. 59-02255A
luminescence of Fe³⁺ ion in. 59-02264A
method of making. 59-03432P
optical centers in, spectral and kinetic selection. 59-04257A
for optical elements, with refractive index gradients. 59-02330P
optical-grade, use of commercial ZnSe in. 59-02272A
for optics, microsphere. 59-01307P; 59-01308P
order in, short-range. 59-04255A
oxide, effect of 2 alkalis in, positron annihilation and spectroscopic study. 59-01229A
panes, heat-reflecting. 59-03388P
paperweights, by Paul Joseph Stankard. 59-01017A
for pastes, metallization. 59-01306P
phase separation of liquid-liquid in, effect on properties and crystallization. 59-00232A
phosphate, Ba boron, luminescent, Eu-activated, discharge lamp with. 59-02342P
Cu, physicochemical properties and structure. 59-00233A
Na Al, Na ion conducting. 59-02379P
alkaline-earth meta-, velocity of ultrasound in. 59-01271A
gas evolution from, during secondary heat treatment. 59-01171A
laser system, design and performance. 59-01184A
repetitive lasers, development of. 59-04175A
synthesis of. 59-02380P
vibrational spectroscopy of cation-site interactions. 59-01273A
phosphosilicate, Si etchant for use in presence of. 59-01579P
isolation, semiconductor structure with. 59-03726P
photochromic. 59-03436P
Cu-Cd halide, refractive index-corrected. 59-01355P
anisotropy in, optically induced. 59-00230A
articles, process for making. 59-00361P
based on Ti₂O-doped Cd germanates. 59-04235A
charge for. 59-02370P
formation of metallic Ag on Ag-halide surfaces. 59-00194A
optical absorption of Ag in. 59-02268A
recombination probability, effect of electron-hole separation on. 59-01192A
photosensitive, effects of light exposure on. 59-02284A
microstructure of. 59-01213A; 59-03311A
reversibly. 59-03447P
physicochemical properties, effect of ion-exchange treatment temp. on. 59-01147A
effect on workability. 59-01179A
physics of. 59-01989B
plate, analysis and control of defects. 59-00258A
apparatus for heat treating edge. 59-00358P
apparatus for making. 59-01335P
defects in, distribution function of. 59-02223A
heat transfer during heating and cooling, algorithm for calculating. 59-02200A
industrial, crystallization of. 59-01128A
industrial, solidification rate of. 59-01242A
ion-exchange strengthening of. 59-01200A
large-sized, stressed state and strength. 59-00261A
method and apparatus for producing. 59-03401P
process for welding. 59-01350P
thermally tempered, optical waveguide effect of. 59-04234A
plates, heat-reflecting, mfg. 59-00324P
method of bending. 59-01336P
transparent, interferometric evaluation of stress-optical coeffs. 59-00189A
polarizability, anisotropy of. 59-03252A
polishing of, chemical. 59-01288P
composition for. 59-01347P
resin-bonded EN-type grinding wheels for. 59-03151A
studied by nuclear techniques. 59-02292A
polychromatic, interpretation of induced color in. 59-01198A
strengthened. 59-04379P
and polycrystals, difference in mirror-to-flaw size ratios. 59-00164A
porous, dewatering process for. 59-02267A
joint doped, with high modifier concentrations. 59-02340P
joint doping of, to produce high modifier concentrations. 59-03390P
problem, fusion-cast ZnO, refractories for use with. 59-03532A
produced by ion exchange, refractive index and structural relaxation of. 59-02277A
production of, in rotary furnaces. 59-03438P
production properties, effect of alkaline-earth oxides on. 59-01153A
properties of, composition and parameter-dependent, calculating. 59-01144A
electrode. 59-00183A
optical and spectral. 59-01985B
optical constants. 59-00228A
purification of. 59-02376P
role of dissolution of bubbles. 59-00253A
size distribution of bubbles during. 59-00256A
thermal radiative. 59-03352A
quartz. 59-04372P
KV and KSG, spectral absorption coeff. 59-01245A
and aluminosilicate, irradiated, relaxation of paramagnetic centers. 59-01235A
bonding to metal. 59-02311P
characteristics of failure of. 59-04165A
etching solution for. 59-02315P; 59-02316P
interrelation between temp. and modulus of elasticity. 59-02259A
luminescent. 59-02343P
nature of 396 and 280 nm luminescence centers in. 59-01219A
photoluminescence and photoinduced absorption of Sm³⁺ in. 59-03329A
reaction with gaseous Al₂Cl₃ and with Al foil. 59-00249A
resistance to gamma-irradiation, effect of doping on. 59-04183A
spectral absorption in region of semitransparency. 59-03344A
structure of luminescence band in. 59-04167A
synthetic, method of making. 59-00350P
thermally stable. 59-02381P
vapor-synthesized, Al₂O₃-doped, optical properties. 59-04233A
viscosity of. 59-01274A
quenched, in systems Li₂O with Al₂O₃, Ga₂O₃, and Bi₂O₃. 59-04245A
raw materials. 59-00367P
reactions, with aqueous solutions, effects of surface potential on kinetics. 59-01193A
for recording ¹⁰¹U fission tracks, synthesis and study of. 59-03351A
red. 59-00368P
with black streaks. 59-02321P
redox conditions, effect on corrosion of chrome-Al₂O₃ refractories. 59-03542A
refining of, through B₂O₃ spraying. 59-01354P
reflecting articles, ir. 59-02338P
refractive index, high, for spectacle lenses. 59-04318P
parabolic distributions, relation between concentration and diffusion coeffs. in formation of. 59-04270A
refractive indexes, dispersion of, formulas for expressing through absorption spectra. 59-02202A
refractory. 59-01327P
method for making a damage-free score in. 59-04346P
reinforced, triplex, calculation of strength. 59-01115A
removal, methods and apparatus for. 59-02360P
research, application of derivatography in. 59-04231A
resistance, chemical, gaseous reagent for increasing. 59-00299P
chemical, method for determining. 59-00336P
resistant, chemically. 59-00307P
rods, compressively clad, measurements of residual stress in. 59-02213A
preform, refractive-index profile, measured by interferogram. 59-04250A
transparent, method for inspecting. 59-01332P
rolling friction on rubber, effect of humidity. 59-01187A
ruby, Cu. 59-00288P
Vermet-synthesized, effect of certain factors on Cr content. 59-02230A
safety, decorated. 59-01291P
impact resistant panel. 59-04319P
sands, origin and nature. 59-02251A
quartz, dressability of, ultrasonic analysis. 59-01715A
and sapphire, method for forming bond between. 59-02272P
sealing. 59-00369P; 59-04375P
composition. 59-03448P
to metals. 59-01309P
to metals, set point of glass for. 59-02282A
seals, for lamps. 59-01356P
seals for, soft metal vacuum. 59-00240A
self-diffusion in. 59-01238A
semiconductors, neutron irradiated, paramagnetic centers in. 59-03690A
sheet, electrochemical strengthening of. 59-02235A
equations relating strength with durability. 59-00187A
ion-exchange strengthening, methods for studying. 59-02209A
method and apparatus for mfg. 59-00306P
photochromic. 59-04365P
sheets, bent, method for impressing with heated tube. 59-04351P
bent, method of making accent lines in. 59-04352P
coating of, with semireflective SnO₂ film. 59-01349P
and film laminates, method for making. 59-02373P
method of heating for conveying. 59-04350P
method of toughening. 59-02358P; 59-02359P
slotted, mold for shaping. 59-03449P
supporting. 59-00374P
toughened. 59-03455P
sight glass assembly, method for sealing. 59-00370P
silicate, Na-Ca, with high Fe₂O₃ content, effect of Group II oxides on spectra. 59-01151A
Na-K, formation of color centers in during absorption of uv. 59-01166A
NiFeO, precipitation from, ESR study. 59-01144A
NiFeO, precipitation from, Moessbauer study. 59-04227A
Sb³⁺ in, EPR spectra. 59-01143A
binary, determination of ionic distribution of O from molar refractivity. 59-04174A
silicates, EPR of Cd²⁺ ions in. 59-01141A
Fe, Ti, optical absorption and Moessbauer spectra. 59-04232A
Li-Al, crystallized, structural state of Cr^{III} and V^{IV} ions in, EPR study. 59-04181A
Na Fe, ESR and Moessbauer study of crystallization. 59-04182A
Na hexafluoro-, process for refining. 59-00365P
Na, photoelectric properties in fundamental absorption region. 59-02271A
Na, structure based on neutron diffraction data. 59-02290A
Na-, and Pb-, formation of clusters of Fe³⁺ ions in. 59-04198A
Na-K-alumino-, self-diffusion of K in. 59-01237A
Pb and boron-, flattening kinetics by profile decay method. 59-03350A
Pb, ESR study of Fe(III) in. 59-04209A
Pb, relations between emission properties and structure. 59-02278A
with Zn and Ti oxides, heat capacity. 59-00205A
acoustic emissions generated at transition in. 59-01102A

- alkaline earth, effect of morphology on properties. 59-04184A
calculation of thermal expansion coeff. based on structure. 59-03257A
complete analysis of, current methods. 59-00259A
containing Sb_2O_3 , electrical conduction in. 59-04189A
determination of alkali-resistance, effect of decomposing solutions on. 59-02231A
effect of ZnO on strength. 59-03272A
gas-probe analysis of structure. 59-04200A
heat capacity. 59-01841A
high-purity, tunnel luminescence in. 59-01265A
hydrated, nature of incorporated water in. 59-03317A
ionic radius and chemical stability. 59-01201A
liquefying Na-Sr, density of siliceous phase. 59-02218A
method for hydrating. 59-04341P
microprobe analysis of corroded surface. 59-00221A
mixed-alkali, acoustic properties. 59-03249A
relaxation of stresses in. 59-01116A
sintered, for synthetic stone-like castings. 59-02377P
size compositions, and fibers coated with. 59-02331P
slag, grain growth of. 59-00273A
liquefaction structure and hydration activity. 59-03302A
soda-lime, delayed failure in, fractographic analysis. 59-00195A
wettability of, effect of cleaning procedures on. 59-00279A
for soldering, to metal. 59-01310P
stained, architectural. 59-01939B
photographic essay. 59-03146B
strength of, construction. 59-05130B
effect of particle impact angle on. 59-00176A
effect of striae. 59-04185A
fracture, effect of microheterogeneous structure. 59-02226A
strengthened, chemically, stress profile determination using scattered light. 59-01249A
by ion exchange and quenching, theory of brittle rupture in. 59-00266A
strengthening. 59-00372P; 59-01358P
by partial leaching. 59-01248A
thermal. 59-04381P
stresses in, developed during heat treatment, calculating. 59-02210A
temporary, due to heating. 59-01259A
strips, transport rate, measuring. 59-00219A
structural breakdown, role of relaxation processes. 59-00254A
structures, least-squares studies. 59-02204A
noniridescent. 59-03427P
study of, electron microscopic. 59-04225A
under micrography, using space shuttle. 59-01244A
substrates, installation of semiconductor chips on. 59-03721P
protective coating for. 59-00366P
surfaces, adhesion of Al_2O_3 powder to. 59-03250A
attack by aqueous solutions, diffusion-controlled. 59-01137A
chemical change of, by ionic transport. 59-01118A
interdiffusion of H and alkali ions in. 59-04214A
molded, chemical resistance of. 59-01292P
porous oxides as antireflective coating for. 59-04240A
process for bonding metallic support to. 59-01348P
system, As-Ge-Se, dielectric properties and structure. 59-01135A
As-S, vibrational spectra. 59-01272A
As-S-Ti, semiconductor, magnetic properties. 59-02265A
As-S-Ti, viscosity and elastic properties. 59-00274A
As-Te-In. 59-01180A
 B_2O_3 -Li₂O-LiCl, vitreous electrolytes belonging to, EPR study. 59-03271A
 B_2O_3 - SiO_2 , liquation and submicroheterogeneous structure. 59-04218A
 $\text{Ba}(\text{PO}_3)_2$ -AlF₃-RF₃ (R = Mg, Ca), electrical conductivity and ir spectra. 59-00177A
 $\text{Ba}(\text{PO}_3)_2$ -MgF₂-0.4AlF₃-0.6CaF₂, viscosity and rheology. 59-02302A
 BaO - P_2O_5 -WO₃, structural and crystalline phases. 59-0136A
 BaO -V₂O₅-P₂O₅, structural properties. 59-01251A
 CaAl_2O_6 - SiO_2 and CaGa_2O_6 - SiO_2 , physicochemical analysis of interactions. 59-04238A
Cu-Sb-S-I, glass formation in. 59-01176A
CuO-V₂O₅-P₂O₅, electrical conduction and switching in. 59-03280A
Ge-S-Se, glass formation in. 59-01177A
Ge-Te-Tl. 59-01178A
GeSe₂-As₂Se₃-Sb₂Se₃, electrical conductivity. 59-00180A; 59-02305A
K₂O-Al₂O₃-P₂O₅-TiO₂, glass formation and properties. 59-04201A
K₂O-B₂O₃-SiO₂, crystallization of ternary compounds. 59-03266A
Li₂O-Al₂O₃-SiO₂-TiO₂, mathematical modeling of crystallization. 59-03305A; 59-00231A
Li₂O-CdO-SiO₂, effect of melting variables on properties. 59-04211A
Li-Na-K metaniobate and metatantalate, quenched metastable glass and crystalline phases. 59-00244A
LiPO₃-Al(PO₃)₃-R(PO₃)₃, decrease in crystallization capacity. 59-00161A
MnO-Al₂O₃-SiO₂, effect of Sc subgroup oxides on crystallization. 59-02229A
MnO-B₂O₃, glass formation in. 59-02250A
Na₂O-CaO-SiO₂, chemical durability. 59-03258A
Na₂O-CaO-SiO₂, modification of glass-forming processes during heating. 59-03316A
Na₂O-GeO₂, thermodynamic functions. 59-02298A
Na₂O-Nb₂O₅-P₂O₅, properties. 59-04242A
Na₂O-ZrO₂-SiO₂, vanadyl and Cr ions in, EPR spectra. 59-03270A
Pb-Ge-Se, formation and phase separation in. 59-00158A
PbO-SiO₂, electrical conductivity and structure of melts. 59-00179A
Sb-Ge-Se, electrical conductivity, energy of activation. 59-02238A
Sb-O-X (X = Cl, Br, I), vitrification in. 59-00278A
Se-S-Ag, vitreous phases in. 59-00277A
SiO₂-Al₂O₃-MgO-CaO-MnO, relations between structure and properties. 59-02279A
SiO₂-Al₂O₃-Na₂O-PbO-B₂O₃-CaO-ZnO-Li₂O, viscosity-temp. relations. 59-02304A
SiO₂-GeO₂, refractive index and density. 59-04249A
SnSe₂-GeSe₂-As₂Se₃, glass formation and electrical conductivity. 59-02248A
SnSe₂-GeSe₂-As₂Se₃, glass formation region and electrical conductivity. 59-02253A
TeO₂-P₂O₅, structure of. 59-04263A
TeO₂-VO₂, structure. 59-00263A
Ti-Ge-Se, formation and phase separation in. 59-00158A
WO₃-P₂O₅-SiO₂ and WO₃-P₂O₅-SiO₂-RO (MgO, CaO, SrO, ZnO, CdO, BaO), region of glass formation and chemical stability. 59-00251A
alkali borate two-component, calculation of liquidus curves. 59-01113A
anorthite-diopside-ackermanite, glass-formation region in. 59-03294A
borate and germanate with Bi₂O₃ or PbO, glass formation and optical properties. 59-04202A
fluoride, condition for glass formation in. 59-00197A
kaolinite-water-water, colloidal-chemical properties. 59-02212A
tableware, coding materials used for. 59-03121A
tag process, magnetic. 59-03392P
technology, chemical, in liquid and solid states. 59-04042B
tellurite, polarizability and structure. 59-01108A
thermoplastic, elements with complex curvature, method of forming. 59-04348P
thermosensitive, with controlled absorbance. 59-04299P
toughness of, fracture, effect of dispersed phase stresses on. 59-04187A
transition, of BeF₂. 59-04205A
point, of composites, method for determining. 59-04724A
region, reproducibility of thermal effects within. 59-04252A
in soft-sphere model. 59-04204A
temps., and thermal expansion of BeF₂ and ZnCl₂ glasses. 59-00203A
transitions in, structural, during laser heating. 59-04262A
transmission of, as related to Fe oxide. 59-02261A
treatment of, laser. 59-04046B
tubes, internal coating process for. 59-02339P
tubular, method of welding. 59-00351P
tungstate-phosphate, electron absorption spectra and structure of W centers. 59-00184A
turret, press. 59-04383P
two-component, effect of composition on Cr(III) symmetries, EPR study. 59-00166A
two-phase, stresses arising during leaching. 59-01250A
used as battery membranes, properties of. 59-03343A
uv-transmitting. 59-00376P
with vacuum deposited films, Cr, Al, Au, and Ag, strength of. 59-02287A
verre églomisé, terminology of. 59-01026A
vibrational modes, effect of anharmonicity on. 59-03264A
viscosity, relation to temp. 59-00275A
ware, at Corning Museum. 59-02038A
from catalog (1879) of Gillinder & Sons. 59-02036A
commemorative and souvenir. 59-02030A
finish wiper. 59-04385P
hollow, method for pressing and pressing machine. 59-04355P
method for coating. 59-04337P
production of. 59-01994B
quality control of. 59-04045B
spontaneous NaF opal, method for improving durability. 59-03405P
water-containing, ir spectra. 59-04212A
waveguide and material dispersion, interdependence. 59-02028A
welding, using colloidal graphite. 59-04308P
winduppane, production of. 59-00160A
windshields, graded shade band, method for forming. 59-04340P
wool mat, blowing wool insulation from, apparatus for. 59-02310P
Glassmaking equipment.
for alignment of sheets. 59-04307P
for applying liquid for filaments. 59-03362P
for applying metal compound coating to moving ribbon. 59-03395P
for applying plastic sleeves to bottles. 59-03363P
for applying thick seal to sheets. 59-03361P
for assembling sheets. 59-03360P
for asymmetric cooling in sheet-forming chamber. 59-03396P
for automatic checking of defects in strips, computer-controlled. 59-00153A
for bending plates. 59-01336P
for bending sheets. 59-04274P; 59-04275P; 59-04333P
for blow molding hollow ware. 59-03364P
for breaking and grinding edges. 59-04357P
bushing, for apparatus for spinning glass fibers. 59-02313P
for centrifugal fiberization. 59-04336P
for coating fibers. 59-03365P
container production, line monitoring system. 59-01230A
for controlling sheet buffeting during quenching. 59-04286P
for curving sheets. 59-03442P
detectors, hot gob, for glass-forming machine. 59-00326P
for drawing clad light-conducting fibers. 59-03373P
for drawing fibers. 59-03403P
energy efficient. 59-02314P
for extruding articles. 59-03404P
for fabricating sharply bent sheets. 59-02308P
fiberization, toration, controls for. 59-03370P
fiberization spinner. 59-04304P
fiberization spinner alloy. 59-04303P
for fiberization with centrifugal feed. 59-04302P
for fluid flow mfg. of fibers. 59-03380P
for forming and applying plastic sleeves to bottles. 59-04276P
for forming and collecting, discrete fibers and/or strands. 59-00333P
for forming containers. 59-03397P
for forming fibers. 59-04291P
for forming filaments. 59-03398P
forming machines, plural, withlehr conveyor. 59-00357P
for frit-sealing CRT faceplate to envelope. 59-03399P
for gripping bottles. 59-01286P
for handling heat-softenable batches. 59-04277P
for handling hollow articles. 59-01297P
for handling jars. 59-01282P
for handling panes, plates, and sheets. 59-04321P
for handling sheets. 59-03366P
for handling sheets during shaping and cooling. 59-03400P
for heat treating edge of plate glass. 59-00358P
for heat treating sheets on gas bed. 59-04349P
homogenizer. 59-03425P
improved SiC bushing. 59-03394P
for inspecting bottles. 59-04297P
for inspecting containers. 59-01195A
for inspecting sheets. 59-02309P
knife scorer/breaker. 59-02344P
for laminated sheets. 59-04296P
lehr, decorating, energy efficiency of. 59-01129A
remodeling for fuel savings. 59-03339A
for lifting and bending sheets. 59-03384P
for loading containers into annealing lehr. 59-03417P
for measuring volume and shape of gob. 59-04334P
melting, all-electric, design of. 59-02219A
for melting, electric, of glass. 59-00332P
metering device, molten glass, for making lamp bases. 59-00352P
molds, apparatus of cavity identification of origin. 59-02348P
blank, swabbing. 59-02207A
compression, mounting plate for. 59-02361P
for optical elements. 59-00343P
processing of. 59-01351P
for sheet bending. 59-03386P
slotted, for shaping glass sheets. 59-03449P
multiple ply forming. 59-04312P
multistation forming machine. 59-04361P
nozzle plate, for spinning glass fibers. 59-00341P
for plates. 59-01335P
for powder coating containers. 59-04354P
for producing sheets. 59-03401P
for protecting long-suspended sheets from buffeting. 59-03402P
pyrometers, noncontact-type, for measuring sheet temp. 59-03421P
ribbon machines, 50 yr. later. 59-03340A
for shaping and tempering pieces. 59-04279P
for sheets. 59-00306P
spin plate for forming articles. 59-04295P
for stacking sheets. 59-03451P
for strand attenuation and winding. 59-03452P
for supporting sheets. 59-00374P
surface temp. scanner, position selectable. 59-04366P
for testing bottles. 59-02312P
for thermally cutting. 59-03412P
tong head assembly. 59-04354P
tongs, for supporting welded glass sheets. 59-01361P
for toughening sheets. 59-02358P; 59-02359P
for uniformly distributing glass fibers. 59-00359P
vacuum holder system for bending. 59-04384P
valve block assembly for machine control. 59-00377P
for wetting and mixing batches. 59-01299P
Glassmaking furnaces. See Furnaces.
Glasses. See also Decoration.
59-00532P; 59-00533P; 59-00534P; 59-01491P; 59-01492P;
59-01493P; 59-01494P; 59-01495P; 59-01496P; 59-01497P;
59-02010B; 59-03365P
for C-containing articles. 59-00320P
Fe, variations of. 59-00022A

- Lung-Chuan.** 59-00025A
Pb-ceramic, Pb²⁺ release, related to chromophoric ion Cu²⁺. 59-04527A
- Sr.** 59-00520A
for feldspar and malajolica. 59-02625P
- Zr.** glassy phase, relation of liquidation and crystallization processes. 59-01479A
for sanitary ware fired at low temp. 59-02295A
- ZrO₂** content, analysis of. 59-03806A
abrasion resistance. 59-00506A
ash, Chinese, formulas for. 59-03641A
black. 59-02606P
used by ancient Greeks. 59-03129B
blue, Chun. 59-00019A
bronze, neutral. 59-03426P
cationic release from, effect of alkalis. 59-01467A
ceramic, conductive. 59-03660P
colored, for whiteware. 59-01487P
conductive, composition for. 59-02608P
cone 6, frit for. 59-02031A
oxidation. 59-01016A
crystalline. 59-02610P
with decreased firing temp. 59-02612P
and increased thermal expansion. 59-04546P
with expanded firing range. 59-02613P
-fit, problems for fine earthenware. 59-03642A
frit for. 59-01489P; 59-04544P
heat-resistant. 59-00535P; 59-01498P
for insulators, composition. 59-01488P
nonfired. 59-01501P; 59-01502P
opaque. 59-01503P; 59-01504P; 59-01505P; 59-02620P
with ZnO additive. 59-04545P
for tiles. 59-02619P
phase separation in. 59-04073A
recipes, for cone 9-10 and cone 6. 59-04070A; 59-04074A
reduced, by salt firing. 59-04532A
salt, and slips. 59-01023A
for sanitary ware, effect of grinding on firing characteristics. 59-01469A
relation between particle size of zircon and opacity. 59-04533A
semiconductive. 59-02685A
state of the art, in Eastern Europe. 59-03631A
tear, textured, formation and control. 59-02585A
for tiles. 59-02614P
facing. 59-00505A
standard test for. 59-01482A
under-, for whiteware, composition. 59-02609P
white, with high luster. 59-01490P
yellow, for whiteware. 59-03655A
- Glazing.**
automatic, of whiteware. 59-02568A
frit for. 59-02611P
salt, in Hoeh-Grenzhausen, Ger. 59-00029A
of stoneware in N. America. 59-00030A
- Glossaries.** See *Nomenclature*.
- Gold.**
/Cr, metallizations, for electronic devices. 59-00559A
adherence of Na borate glass to. 59-00122A
alloys, for fusion to porcelain. 59-03657P
- Grading machines.** See *Machinery and equipment*.
- Grain boundaries.**
of BaTiO₃, PTC-type, TEM. 59-02689A
semiconducting, PTC action of. 59-03673A
in carbides, cemented, STEM analysis of. 59-01902A
of ferrites, Mn-Zn, examination by AES and TEM. 59-02645A
segregation, in MgO-doped Al₂O₃. 59-02985A
sliding of, role in fracture of hot-pressed Si₃N₄. 59-05038A
- Grain growth.**
in Fe₂O₃. 59-03965A
in (K₂Na₂)NbO₆. 59-02986A
in ZnO, fully dense. 59-02984A
kinetics, of alkoxo-prepared MgO. 59-03871A
- Grains.** See *Particles*.
- Granite.**
conglomerated, pavement plates from. 59-02394A
- Granular materials.** See *Also Powders*.
Al₂O₃, activated, method of preparing. 59-00745P
SiO₂ or Al₂O₃, molds for firing. 59-01442P
adhesion of, apparatus for measuring. 59-00717P
cements, process for making. 59-04130P
chamottes, measurement of density and porosity. 59-03552A
conveyor for. 59-03789P
grain-size, statistics. 59-03800A
graphite, thermal bulk and lattice expansion behavior. 59-05097A
gypsum-based, method of making. 59-02116P
magnesium, method of making. 59-04486P
phosphogypsum. 59-02115P
method of making. 59-00744P
process for mixing. 59-01628P
radioactive, apparatus for encapsulating in metal. 59-04693P
refractory, corundum. 59-01426P
shape of. 59-04402A
sinterable, process and apparatus for making bodies from. 59-02780P
treatment of, thermal, apparatus and method for. 59-04711P
- Granulation.** See *Crushing; Grinding*.
- Granulometry.** See *Particles, size*.
- Graphite.** See *Also Carbon; Composites; Refractories*.
with additives, Zr diboride, Si, and V, oxidation resistance and mfg. 59-00763A
articles, fiber-reinforced, method for making. 59-02890P
carbide-, fiber-reinforced composites, hot-pressed, method for making. 59-02896P
carbon-, materials. 59-01942B
colloidal, with improved wetting, use in glass welding. 59-04308P
crystals, finite-size, Raman scattering from. 59-02982A
-epoxy, composite A-10 slat, design and test of. 59-04803A
composites, nondestructive testing of. 59-04821A
expanded, bottom barrier of electrolytic cell formed from. 59-02525P
fibers, electrical hazards. 59-02866A
mfg. and applications. 59-05127B
graphitization, of matrix in PhCF/PhC composites. 59-03866A
with improved thermal stress resistance, method of making. 59-03896P
method of coating. 59-03903P
moderator structures, for nuclear reactors, technology of. 59-04689A
molds, production of carbide-laden consumables in. 59-00484P
pastes, polishing, for Ni alloys. 59-02021P
polygranular, thermal bulk and lattice expansion behavior. 59-05097A
side reflector, for nuclear reactors. 59-03785P
single-crystal, electrons in, K-shell cross section. 59-01855A
use in furnace linings. 59-03494A
vermicular expansion, composite, method for making. 59-04861P
- Gravity.**
low, behavior of materials under. 59-03012A
micro-, testing of glasses and crystalline materials under, using space shuttle. 59-01244A
specific, of suspended particles, determining, using electronic counter. 59-02788A
- Grinding (comminution).** See *Also Crushing apparatus; Mills*.
59-01717P
in Czechoslovakian cement works, use of abrasive materials. 59-02073A
of bentonites, effect on structure and behavior. 59-01817A
of cement, aid and set retarder. 59-04124P
in open-circuit ball mill, mathematical model. 59-03190A
raw material meal, automatic control of. 59-03192A
use of computers to reduce power consumption. 59-01051A
in cement industry, machines and methods for. 59-00045A
of coal. 59-02057A
bag filters for. 59-00037A
design of plant at Laegerdorf. 59-00041A
modern plants for. 59-02810A
of glazes, for sanitary ware, effect on firing characteristics. 59-01469A
grinding aids, in cement industry. 59-00977B
hard materials, in ball mills. 59-02764A; 59-04706A
and heating, transformation of PbO by. 59-03883A
mills, ball, use of grinding aids. 59-02775A
ball, with revolution control, operation of. 59-03788A
disk-type centrifugal, fine grinding raw materials with. 59-02763A
rubber-lined, wear resistance of. 59-03166A
slant, high efficiency, experimental results on. 59-02762A
stagger-joint liner in. 59-03790P
powdered materials, sinterable. 59-04712P
of quartzite, in ball mills, comparison of dry and wet process. 59-00660A
refractories, with supersonic jet mill. 59-04416A
- Grinding (material removal).** See *Also Abrasives; Diamonds; Polishing*.
of Roseki, aids for. 59-02436A
in glass industry, solution to problems. 59-03342A
ores, zircon. 59-02437A
pastes, based on SiC. 59-00985P
- Grinding apparatus.** See *Also Abrasives*.
coal, for direct fired burners. 59-02816P
tools, abrasive, binder for. 59-00980P; 59-00981P
abrasive, filler for. 59-00982P
abrasive, metal-bonded. 59-00983P
binder for. 59-00005P; 59-00006P
composition for impregnating. 59-02015P
diamond, surface analysis by SEM. 59-02014A
method for mfg. 59-00008P
wheels, abrasive, bonded with Na borosilicate glass. 59-04059A
composite segments for. 59-04067P
diamond or BN, magnetic cores for. 59-02019P
nondestructive testing of. 59-00001A
offset. 59-00010P
relation of hardness to modulus of elasticity. 59-02013A
resin-bonded EN-type, for glass polishing. 59-03151A
wear of MgO crystals on. 59-00978A; 59-00979A
- Grog.**
kaolin, particles, shape and density of. 59-01405A
refractories, dense, with high thermal stability. 59-02424A
repair of tunnel kilns used for firing. 59-02452A
- Growth.**
additive for. 59-01057P
refractory, phosphate, high-early-strength. 59-01433P
- Gunite.**
C bonded, for LD converter. 59-04392A
linings, stack. 59-01386A
silicate-bonded, from magnesite and chromite, strength of. 59-03572A
- Gunning.**
apparatus, for in-situ spraying. 59-04476P
degassing equipment, RH. 59-03534A
hot-, by binder solution. 59-03540A
method for soaking pit. 59-04420A
ladle linings, at Magnitogorsk Metallurgical Combine. 59-04418A
ladles, steel-pouring, use of dust from roasting kaolin for. 59-00429A
materials, refractory, effect on wear of converter lining. 59-03519A
for tundish. 59-04417A
process, for basic refractory linings. 59-04477P
of refractories. 59-01398A
for LD converter. 59-03533A
for LD converter, microstructure of. 59-03553A
composition for. 59-01449P
tests for. 59-03577A
- Guns.** See *Electrostatic processes; Spraying apparatus*.
- Gypsum.** See *Also Plasters*.
59-03832A
CaSO₄·H₂O, isothermal calorimetry study. 59-02083A
CaSO₄·0.5H₂O, hydration of, effect of additives on. 59-02067A
CaSO₄·2H₂O, precipitation by Ca ion electrode. 59-02103A
II-anhydrite, needlelike, method of making. 59-00087P
-based granules, method of making. 59-02116P
binder based on. 59-01063P
calcination, automatic kettle for. 59-03213P
calcined, composition for accelerating setting. 59-01060P
and gypsum board, process for making. 59-04144P
and portland cement compositions, casting of. 59-04122P
for cement, quality of. 59-02105A
composites, whisker. 59-00082P
composition. 59-01061P
aqueous. 59-03212P
dehydration process of. 59-02063A
formed during hydration of plaster, nucleation and crystal growth rates, calorimetric determination of. 59-04094A
friable, raw material for. 59-00089P
hemihydrate, alpha-, production of. 59-03842P
hydration of C₄A_f in presence of. 59-01054A
impregnated, with urea-melamine polymer, water resistance of. 59-02114A
method for setting, using retarder. 59-01066P
mfg. 59-00083P
mixture. 59-01062P
phospho-. 59-01987B
granulated and defluorinated, method of making. 59-00744P
granulating. 59-02115P
tiles, acoustic and decorative, production by vibration molding. 59-02596A
- Hafnia.** See *Hafnium, oxide*.
- Hafnium.**
HTF-, in transmitting glasses based on. 59-04213A
HfO₂, deposition of crystals from plasmas of. 59-01811A
partially stabilized, elastic properties. 59-00837A
refractories containing. 59-02506P
stabilized, elastic properties. 59-01821A
- Halides.**
alkali, color centers in, nonradiative decay of. 59-02957A
crystals, F-center stabilization in first coloring stage. 59-02979A
crystals, impurity ions, off-center displacements of. 59-03028A
defect formation in, model of excitonic mechanism. 59-03019A
theory of optical absorption in. 59-03099A
- Hall effect.**
in memory state, electrically switched, of Te₁Ge₁₁As₈. 59-04566A
- Hardening.**
of ashes, lignite filter, in spectroscopic study. 59-01044A
of cements, aluminate expanding. 59-03200A
portland, method for accelerating. 59-04138P
sulfoaluminate. 59-03187A
of concretes, effect of plasticizing admixtures on. 59-03183A
of gypsum, calcined, composition for accelerating. 59-01060P
using retarder. 59-01066P
order, of MgO, by spinel particles. 59-00886A
properties, of monolithic refractories. 59-04419A
surface, of substrates, by diffusion. 59-03754P
work-, of diamond abrasives. 59-02020P
- Hardness.**
of crystals, cubic, determination by spherical indentation. 59-01836A
hot, of SiC crystals. 59-00857A
micro-, of Au/TiC multilayer structures. 59-01526A
of Pb borate glasses. 59-00220A
Vickers, of nonstoichiometric Nb and V carbide crystals. 59-05113A
of glasses, relation to field intensity of a cation. 59-02260A

- variation in homogeneity field of Ti carbonitride. 59-00795A
- of minerals, rocks, and mineral industry products, study of. 59-01646A
- surface, of plaster molds, measuring. 59-02591A
- of tools, grinding. 59-02013A
- Health.** See also *Dusts; Pollution, air; Safety; Silicosis.*
- Pb oxides, red and gray, safe handling in battery plants. 59-01936A
- in ceramic industry, impact of federal regulations. 59-00969B
- fibers and cleavage fragments, tremolite, relation of mineral habit to size, adverse health effects. 59-01899A
- harmful gases, monitoring. 59-00699A
- hazards in artware industry. 59-00960B
- Heat.** See also *Conductivity, thermal; Enthalpy; Entropy; Temperature.*
- balance, method of calculating. 59-03823A
- capacity, of HgBr, crystals in transition region. 59-00852A
- of K disilicate. 59-01867A
- of Zr, Nb, and Ta carbides. 59-01838A
- of alkali silicate glasses. 59-00212A
- of corundum, periclase, anorthite, muscovite, pyrophyllite, grossular and silicate glasses. 59-01841A
- of glassy As_2S_3 , As_2Se_3 , and As_2Te_3 . 59-01181A
- of silicate glasses containing Zn and Ti oxides. 59-00205A
- of tridymite, cristobalite, and tridymite-cristobalite mixtures. 59-01837A
- compensated, dielectric material. 59-02706P
- conduction, in composites, lattice model. 59-01735A
- exchange, in glass melt charges in vertical-drawing machine, mathematical model. 59-00215A
- exchanger, high temp. 59-02439A
- for rotary cement kiln, selection of. 59-03203A
- materials used in. 59-00109A
- regenerative. 59-04774P
- fuels, fissile, role of breeders in energy economy. 59-04760A
- of hydration, of portland cement, effect of fly ash additions on. 59-03180A; 59-03181A
- recovery systems. 59-03826P
- reflecting, glass panes. 59-03388P
- glass plates, mfg. 59-00324P
- releaseable, decalcomanias. 59-02615P
- release layer, for decals. 59-03658P
- resistant, glass. 59-00325P
- glazes. 59-01498P
- solar, near-term industrial applications. 59-04758A
- specific, of $0.6PbO \cdot 0.4SiO_2$ glass, calculation of relaxation component. 59-02211A
- apparatus for measuring. 59-00676A
- of pyrochlore compounds $Cd_3Re_2O_{10}$ and $Cd_3Ru_2O_{10}$. 59-05050A
- technology processes, in rapid firing. 59-05137B
- transfer, in adiabatic rotating tubes, mathematical models for. 59-02112A; 59-03208A
- to batch and melt, in glassmaking. 59-01182A
- by conduction, convection, and radiation, theory of. 59-04761A
- during firing of glass charge, mathematical model. 59-00216A
- in plate glass during heating and cooling, algorithm for calculating. 59-02200A
- transmission, in rotary coolers, effect of dust on. 59-01042A
- treating, edges of plate glass, apparatus for. 59-00358P
- moving glass sheets on gas bed, method for. 59-04349P
- glass sheets, for conveying, method for. 59-04350P
- treatment, of alkali-containing raw materials for cement, apparatus for. 59-04134P
- of chrysotile asbestos fibers. 59-03601P
- effect on fracture behavior of glass-ceramic with near-zero thermal expansion. 59-00173A
- of electrolessly deposited Cu_2O coatings. 59-01558P
- of fine grained materials, apparatus and method for. 59-04711P
- waste, from container-glass tanks, generation of power from. 59-01276A
- from glass tank, generation of steam from. 59-01277A
- from glassmelting furnaces, recovery boiler for. 59-02306A; 59-02307A
- utilization in silicate industry. 59-01684A
- Heaters.** See also *Thermoelectricity.*
- ceramic bond, method for making. 59-04627P
- electric, current-conducting film for. 59-02698P
- hot water, interior enameling of. 59-03238A
- radiant, electrical, fused SiO_2 . 59-00592P
- radiation, electrical, for glass-ceramic plate. 59-00293P
- Heating.**
- Si_3N_4 , ceramic alloy, method of protecting during. 59-02901P
- of U oxides, in microwave oven. 59-00644A
- and grinding, transformation of alkoxy-derived PbO by. 59-03883A
- laser, of glasses, structural transition during. 59-04262A
- Heating elements.** See also *Electrodes; Thermoelectricity.*
- Kanthal-Super, use in glassmelting furnaces. 59-02300A
- electrical, method of preparing. 59-02726P
- graphite, thin sheets, for vacuum ovens. 59-02822P
- Heavy clay products.** See *Structural clay products.*
- Helium,**
- bubbles, in B_2C , effect of irradiation temp. on growth of. 59-0376:A
- Hematite.** See also *Iron, -ic oxide.*
- crystals, mutual orientations in. 59-03021A
- (01.2) faces, interpretation of microtwins observed on. 59-02998A
- and magnetite, multiple orientation relations between. 59-03020A
- Heterogeneity,**
- in films, bubble, measured by spin wave resonance. 59-01522A
- surface compositional, in glasses, fluorescent and photoelectron spectroscopic study. 59-03284A
- Holmium,**
- $HoVO_4$, NMR in. 59-03027A
- neutron scattering length, redetermination of. 59-03068A
- Holography,**
- storage, in electrooptic crystals. 59-04569A; 59-04962A
- Homogeneity,**
- of PLZT ceramics, large-scale. 59-03683A
- chemical, of porcelain. 59-04517A
- of glass, Christiansen filter estimation. 59-02239A
- measured on Vidro apparatus. 59-00218A
- of optical materials, methods of measuring. 59-03310A
- region, in $CdAs_2$. 59-02655A
- Honeycomb,**
- $BaTiO_3$, for electronic equipment. 59-00609P
- apparatus for extruding. 59-00664P
- die for extruding. 59-02776P
- muffle, in glassmelting furnaces. 59-04480P
- refractory, crack-free, mfg. 59-00466P
- structures, of brittle materials. 59-04853P
- Hot tops.** See *Refractories.*
- Humidity.** See also *Moisture; Water.*
- effect on rolling friction of glass, on rubber. 59-01187A
- relative, and modulus of rupture. 59-00704A
- sensitive, electrical conduction of $MgCr_2O_4 \cdot TiO_2$ porous ceramics. 59-02658A
- Hydrates,**
- Ca silicates, solubility of. 59-00071A
- activity, of slag glasses. 59-03302A
- of glasses, silicate, method for. 59-04341P
- Hydration,**
- of C_2S , mathematical model. 59-02085A
- of C.A.F. in presence of lime and gypsum. 59-01054A
- of Ca sulfate hemihydrate, nucleation and crystal growth during, calorimetric determination. 59-04094A
- of $CaSO_4 \cdot 0.5H_2O$, effect of additives. 59-02067A
- of binders, cement clinker, effect of additives. 59-02068A
- of cements, C_2S , beta-. 59-00052A
- C_2S , ESCA and SEM studies. 59-01040A
- C_2S , spectrometric study. 59-04117A
- C_2S -comments. 59-03178A
- C_2S -reply to comments. 59-03179A
- NMR study. 59-02094A
- alunite expanding. 59-03200A
- lignosulfonate-alkali carbonate system. 59-00050A
- of pastes, thermogravimetric study. 59-04082A
- portland. 59-02077A
- portland, containing boro-, citro-, and desulfogypsum. 59-04091A
- portland, effect of fly ash additions on heat of. 59-03180A; 59-03181A
- portland, periodicity under nonequilibrium, during changes in pH of mortars. 59-02099A
- slag-gypsum system. 59-00051A
- sulfoaluminate. 59-03187A
- supersulfated slag, effect of lime on. 59-03182A
- early, of portland cement with chemical by-product gypsum. 59-02064A
- of plasters, H_2PO_4 , peculiarity of Ca sensitivity. 59-01036A
- rate, of beta-semihydrates of system $CaSO_4 \cdot H_2O$ obtained from natural gypsum. 59-02083A
- Hydrides,**
- in region of eta-phase Ti_2FeO . 59-00858A
- Hydrocarbons,**
- catalyst, cracking. 59-02893P
- treating. 59-02894P
- Hydroxyclones.** See *Separators.*
- Hydrogen,**
- F environment, behavior of refractories in. 59-00412A
- H_2S , corrosion of portland cement, nature of. 59-02091A
- content, of amorphous SiC prepared by sputtering. 59-04570A
- diffusion, in TiO_2 . 59-03014A
- effect on embrittlement, of inorganic materials, acoustic emission test. 59-01824A
- interdiffusion, in glass surfaces. 59-04214A
- permeability, of sintered Al_2O_3 . 59-00860A
- Hydrolysis,**
- of silicates, organic, refractory. 59-01434P
- Hydroxides,**
- Ti and Ca, formation of $Ca_2Ti_2O_7$ on thermolysis of. 59-04948A
- of light elements, potential surfaces, change of characteristics of. 59-04888A
- tri-, of rare earths, parameters. 59-03061A
- Hysteresis,**
- ferrobielastic, in alpha-quartz. 59-01516A
- Ice,**
- IV, ir spectrum. 59-00863A
- VI, Raman studies using diamond anvil cell. 59-00910A
- Illite.** See also *Clays.*
- Imamite,**
- method of processing. 59-03844P
- pigment from, anatase. 59-02850P
- Immiscibility,**
- liquid, in system $BaTiO_3 \cdot CeO_2$. 59-00865A
- metastable, of $SiO_2 \cdot Al_2O_3$ powders. 59-01870A
- Impact,**
- damage, in brittle materials in the elastic-plastic response regime. 59-02992A
- of fused SiO_2 . 59-03073A
- in transformation-toughened ZrO_2 . 59-01866A
- strength, method for testing. 59-01679P
- Impurities,**
- Cu and halogen, aluminosilicate glasses with, EPR spectra. 59-01142A
- Fe group ions, in AgAs and Si, states of. 59-00861A
- Hg, Cd, and Yb, behavior in Si. 59-02923A
- Pt, in As_2Se_3 glass, effect on electrical properties. 59-01208A
- in Si_3N_4 , hot-pressed and sintered, distribution of. 59-00871A
- capture, by quartz crystals, peculiarities of. 59-05008A
- carbon, in $Si_3N_4 \cdot Y_2O_3$, effect on thermal degradation. 59-00831A
- conductivity-determining, epitaxial layers doped with, formation of. 59-02702P
- metal ion, effect on thermoluminescence of Al_2O_3 . 59-02969A
- zone, in undoped GaSb. 59-02660A
- Indentation,**
- Hertzian, of ThO_2 . 59-04959A
- flaw generation by, in glass fibers. 59-01164A
- spherical, determination of hardness of cubic crystals by. 59-01836A
- Index of refraction.** See *Refractive index.*
- Indium,**
- InP/ SiO_2 , microwave transistor. 59-00610P
- InSb, p-type, semiconductors, impact ionization in. 59-02659A
- oxide, low resistance coatings. 59-04620P
- oxide(III), films, method for making. 59-04629P
- phosphide, mechanical properties. 59-00923A
- solvent, low temp. growth of GaP layers from. 59-04572A
- Infrared,**
- image technique, use in monitoring kiln shell temp. 59-02090A
- measurement of surface temp., in rotary kilns. 59-01650A
- reflecting articles, glass. 59-02338P
- scanner, use in studying cements, limes, and plasters. 59-02074A
- spectra, of Al and Mg titanates. 59-03973A
- of vitreous As_2O_3 . 59-03058A
- of water-containing glass. 59-04212A
- spectroscopy, of ceramic raw materials. 59-02787A
- of clays from Nepal. 59-02995A
- transmission, ZnCl, optical fibers for. 59-03458P
- transmitting, glass, based on HfF, 59-04213A
- Infrared techniques.** See also *Absorption; Radiation; Spectra.*
- Inhibitors,**
- for alkali-glass reactions, in glass-fiber reinforced cement. 59-01065P
- Inhomogeneity.** See *Heterogeneity.*
- Inspection.** See *Quality control.*
- Instability.** See *Stability.*
- Instrumentation.** See also *Controls.*
- Instruments.** See also specific types.
- Dallenderfer-Langhammer apparatus, suitability test of. 59-01667A
- Weigand-effect devices, materials considerations in. 59-02667A
- for analysis of silicates, quantitative. 59-01660A
- analyzer, image, use in measurement of paste content in hardened concrete. 59-02086A
- moisture, piezoelectric. 59-00719P
- for calibrating thermocouples, used in bushing for drawing glass fibers. 59-01280P
- for detecting inclusions, in garnet crystals. 59-00720P
- dilatometers, for determination of low expansion coeffs. 59-03798A
- dosimeter, MNOS. 59-04788P
- radiothermoluminescent glass used for detector of. 59-01353P
- electrical impedance, for measuring conductivity and dielectric coeff. 59-02798P
- lab, quality control, developing market for. 59-02795A
- for measuring application of force, to solid body. 59-00715P
- for measuring level of cement in railroad tank cars. 59-02081A
- for measuring moisture content. 59-00722P
- modulator, photoelastic, birefringence measurement using. 59-01633A
- for monitoring harmful gases. 59-00699A
- for monitoring pressure. 59-01653A
- for nuclear gaging, tips on use. 59-01673A
- for particle counting, and sizing. 59-01657A
- use in determining sp gr of suspended particles. 59-02788A

particle size, for ceramic industry. 59-02791A
for peak counting, in surface characterization. 59-01658A
for sampling liquid stream. 59-01678P
scanner, ir, use in studying cements, limes, and plasters.
59-02074A

position selectable surface temp., for glass. 59-04366P
scanning microprobe, for recording of elemental maps and spectra. 59-01674A

sedigraph 5000, for particle-size determination. 59-03799A
sensors, O, application of. 59-02628A

ZrO₂, O. 59-02690A
automotive, materials considerations in development of.
59-02668A

automotive, needs for. 59-02673A
knock. 59-02664A
pressure. 59-02680A

resistive-type exhaust gas. 59-02683A
for strain measurements, noncontact. 59-00701A

for temp. monitoring, tips on use. 59-01648A
and test methods, chemical and technical calculations for
ceramic field. 59-00679A; 59-00680A; 59-00681A;
59-00682A; 59-00683A; 59-00684A; 59-00685A

viscometers, falling ball, for viscoelastic fluids.
59-00694A

Insulation, electrical. See also Dielectrics; Glass,

Porcelain.

electromagnetic shielding envelopes, from wound glassy
metal filaments. 59-03377P

films, on semiconductors. 59-05139B
glass, in system B₂O₃-ZnO-BaO-SiO₂, synthesis of.
59-01257A

use in hybrid integrated circuits with Al plating.
59-01268A

Insulation, thermal. See also Fibers, glass; Mineral wool; Refractories.

asbestos, evaluation of. 59-01383A
bricks, refractory. 59-02505P

fiber, for enameling furnaces. 59-00091A; 59-00092A;
59-02145A

inorganic, crystallization of. 59-03506A; 59-03507A;
59-03508A

structural, containing at least 50% xonotlite. 59-02357P
use in continuous enameling furnace. 59-00097A

foamable, containing alkali silicate and Al₂O₃, cement.
59-01431P

for furnaces. 59-01697P; 59-02818P
glass. 59-01326P

high-porosity, made from high-Al₂O₃ fibers, thermal
conductivity of. 59-04453A

nonflammable. 59-03613P
refractory. 59-01432P; 59-04393A; 59-04479P

articles. 59-04504P
charge for making. 59-04468P

composition for. 59-00446P; 59-01425P; 59-04472P
fibrous composite. 59-00408A

foamed. 59-00450P
for furnace construction. 59-02528P

for lining ingot mold or header box. 59-03629P
method for determining thermal conductivity. 59-02453A

modular, for furnaces. 59-00496P
modules. 59-00493P

tile. 59-00458P
sunlight-admitting, method for making. 59-04359P

tiles, facing, from foamed glass, mfg. 59-02273A
removable fastener for. 59-00424A

use in enameling industry. 59-00100A
use in kilns and furnaces, to conserve fuel. 59-03822A

Insulators, electrical.

for accelerators, ion, for neutral beam program,
development of. 59-04678A

films, method of forming. 59-02723P
glass. 59-00294P

glass for. 59-00304P
glazes for, composition. 59-01488P

high-voltage, glass for. 59-00303P
large, shuttle kiln for. 59-02812A

porcelain, large, hot forming of. 59-01473A
modern methods for making. 59-03647A

properties of. 59-00553A
refractory, charge for. 59-00442P

resistance and conductance of, tests for. 59-00698A

Insulators, thermal.

refractory, lining blocks for walls and roofs. 59-03616P

Interfacial.

Al-Al₂O₃, spectroscopic study. 59-02918A
on LiNbO₃, γ -z, surface-wave reflection phenomena at.
59-01920A

Si-SiO₂, effect of oxidation time and temp., Auger sputter
profile study. 59-01917A

thermally grown, inhomogeneities of surface potential.
59-01849A

of SiO₂, physics of. 59-01990B
ceramic-metal. 59-02130A

Interferometry.

differential, of gamma-irradiated optical fibers. 59-04177A
for optical fiber testing. 59-01136A

refractive index of preform rods measured by. 59-04250A

Iodine.

in coolant, nuclear reactor, method and apparatus for
removing. 59-04694P

glass with anionic conductivity with respect to. 59-01315P

Ionization.

of compounds of sixth group elements, with tetrahedral
ions. 59-04912A

impact, in *p*-type InSb semiconductors. 59-02659A

Ions. See also specific types.

Cd²⁺, centers in irradiated Na borates, EPR of. 59-01159A

in silicate glasses, EPR of. 59-01141A

Cr^{III} and V^{IV}, in Li-Al silicate glasses, structural
state, EPR study. 59-04181A

Fe, implantation into semiconductor substrates reduces
sensitivity to temp. 59-04615P

Fe and Cr, in glasses, interaction of. 59-01196A

Fe group, in GaAs and Si, impurity states. 59-00861A

Fe³⁺, formation of clusters in Na- and Pb-silicate
glasses. 59-04198A

luminescence in optical glasses. 59-02264A

NH₄⁺, in Na beta-Al₂O₃, Raman scattering from.
59-03006A

Na, Na Al phosphate glasses for conducting. 59-02379P

Na borosilicate glass conducting. 59-04376P

beta-Al₂O₃, with grains oriented for conduction of.
59-00908A

conduction in Na Al borate glasses. 59-03450P

sorption by SiO₂ films, radiotracer determination.
59-03805A

Na and K, mobility in mixed-alkali borosilicate glasses.
59-03314A

alkali, in binary glasses, mobility of. 59-03315A

interdiffusion in glass surfaces. 59-04214A

anions, disorder in zirconate A₂B₂O₇ compounds,
characterization by spectroscopy. 59-00796A

cation exchange capacity, of clays, ir spectrometric
determination. 59-01637A

chromophoric, effects of, in new glassy compositions.
59-03278A

distribution, in olivine-type structures. 59-03978A

exchange, field-assisted, index variation from. 59-04210A

exchange in glass, surface or buried waveguides by.
59-04206A

implantation, for in-situ ion microprobe analysis.
59-02786A

impurity, in alkali halide crystals, off-center
displacements of. 59-03028A

metal, alkali, transfer number and mobility in glasses
(M⁺, O²⁻ + M²⁺, O²⁻)-2SiO₂. 59-02299A

in molten Na borate, electrode reaction of. 59-03261A

in minerals, crystal-chemical factors affecting mobility.
59-02946A

mixed, stabilization of ZrO₂. 59-03983A

mobile, in SiO₂ film of MOS, neutralization of.
59-00567A

motion of, in glasses, polarization current techniques
for studying. 59-00270A

in oxides and nitrides, Madelung potentials and sizes of.
59-03010A

polyanions, borate, in structure of Na[B₁₂O₁₂(OH)]_n.
59-03025A

rare earth, in ferrite garnets, relations between
concentration and compensation temp. 59-02682A

tetrahedral, compounds with, degree of ionicity.
59-04912A

vanadyl and Cr, in glasses of system Na₂O-ZrO₂-SiO₂,
EPR spectra. 59-03270A

Iron. See also Enameling metals; Steels.

"Fe, in pyrite-type dichalcogenides, Moessbauer study.
59-00875A

Fe borate and Fe-V, garnet, critical behavior. 59-02934A

Fe²⁺, in alkaline earth oxides, fluoroperoxskite, and
II-VI compounds, model analysis of spin. 59-00938A

formation of clusters of ions in Na- and Pb-silicate
glasses. 59-04198A

Fe₂O₃, XPS-observation. 59-01934A

Fe₂O₃, in Al₂O₃ cements, effect on refractory
properties. 59-03541A

acicular, production of. 59-04796P

alpha-, formation during oxidation of ZnFe₂O₄-Fe₂O₃,
solid solutions. 59-00846A

gamma-, treated magnetic particles. 59-00637P

particle gamma. 59-02728P

powders based on, sintering. 59-03877A

Fe₂O₃, grain growth in. 59-03965A

solid state reaction with CaCO₃. 59-04971A

Fe(II), in rock, soil, and clay, determination of.
59-01638A

Fe(II) sulfite trihydrate, structure of monoclinic phase.
59-03086A

Fe(III), in Pb silicate glass, ESR study. 59-04209A

Fe-B-C, sintered, structure and mechanical properties.
59-00775A

-Sb oxide, catalysts containing, process for regenerating.
59-04368P

coatings, self-lubricating, containing oxides, carbides,
and borides. 59-00768A

diffusion, charge-compensated layer of GaAs doped with.
59-02632A

diffusion of, in Fe-aluminate spinels. 59-01852A

gamma-Fe₂O₃-Sb₂O₃, sintered, electrical switching
in. 59-00838A

germanides, optical constants. 59-00883A

-glass materials, porous, wear resistance under
nonlubricated conditions. 59-00780A

melts, deoxidizing, reaction of magnesite-chrome bricks in.
59-04437A

ore, beneficiation of. 59-04790P

miniaggregate, in cement matrix. 59-03224P

oxide, coated mica nacreous pigments. 59-02617P

magnetic, process for producing. 59-02733P

particles, of controlled size, process for making.
59-04655P

pigments, for magnetic coatings. 59-01559P

pigments, resistant to oxidation. 59-04553P

and the transmission of glass. 59-02261A

pig, acid-resistant Ti enamel for. 59-02125A

sheets, direct enameling of. 59-02139A

in slags, γ -caking, oxidation stages of. 59-04103A

Irradiation. See Radiation and specific types.

Isotherms.

desorption, of clays during drying. 59-02579A

Isotherms. See also Radioactive tracers.

exchange, radiation-induced, in vitreous SiO₂.
59-00246A

isotonic, exchange with hydroxylapatite. 59-01854A

stable, application for diffusion measurements in glasses.
59-01105A

uranium, continuous separation of. 59-04690P

separation of. 59-03784P

Jewelry. See Art and artwork.

Joining.

SIC, dense, by hot-pressing. 59-04981A

ferrites, Mn Zn pole pieces, method of. 59-01572P

fibers, optical, method of. 59-02355P

of glass, by fusion. 59-00327P

technology, advances in. 59-00957B

Joins. See also Seals and sealing.

adhesive-bonded, testing of, with ultrasonic probe.
59-01670A

bolted, in glass fiber reinforced plastic, comparison of.
59-02861A

electrical. 59-03714P

metal-to-ceramic, adherence properties. 59-01508A

tile, watertightness of. 59-03643A

Junctions.

In-Sn oxide/CdTe, sputtered. 59-04592A

Kaolin.

from Cordoba Province, Argentina. 59-04892A

Hadong, granulated, treated with aqueous NaOH,
crystallization of. 59-00816A

-anionic polymer flocs, mechanisms of deaggregation.
59-04524A

bodies, effect of mineralizers on properties. 59-01464A

chamotte particles, form and density of. 59-04522A

dealumination of, effect of H₂SO₄ treatment on surface
properties. 59-01780A

fillers, used in paper industry, test methods for.
59-02794A

particles, grog, shape and density of. 59-01405A

pelletized, process for producing. 59-00749P

production and processing, a review. 59-02835A

for production of paper, control of capacity of magnetic
separator during dressing. 59-02825A

refractories, performance in roof of open hearth furnaces.
59-02465A

separation of, magnetic. 59-01706A; 59-02834A

structure, pore, effect of H₂SO₄ treatment on. 59-01779A

Kaolinite. See also Kaolin.

and cokes, reaction products between. 59-00423A

-mullite, sequence, analysis of transition phases in—
comment. 59-00800A

pellets, behavior at high temp. 59-01773A

properties of, effect of microsilized mixtures of kaolin
minerals on. 59-01819A

reactions of salts with, at high temps. 59-01896A

in sediments, ir spectroscopic estimation. 59-01890A

synthesis of. 59-01856A; 59-01857A

Keramsil.

raw materials for, physicochemical properties. 59-04052B

refractories, raw material mix for. 59-01446P

Kieselguhr. See Diatomite.

Kiln furniture.

cars, cast forsterite concretes for. 59-01373A

crank structures. 59-02531P; 59-02532P

dust trap. 59-01429P

means for mounting. 59-01693P

saggers, for condenser blanks, increasing turnover factor
of. 59-04423A

shock resistant, thermal. 59-02527P

Kilns. See also Burners; Furnaces; Ovens.

59-04772P

SIC bats and beams increase efficiency. 59-02495A

brick and tile, use of ceramic fibers in. 59-03821A

burners for. 59-04765P

cement, dry-process, sealing system for feed end. 59-03207A

wet-process, productivity and fuel consumption of
reconstructed. 59-03197A

coal fired, use in structural clay industry. 59-04387A

doors for. 59-02817P

electric, modifying, for raku firing. 59-00990A

ferrule, ceramic. 59-02815P

firing of, with pulverized coal. 5

- hardware for, internal, means for mounting. 59-01693P
heat exchangers, regenerative. 59-04774P
ir, for dental ceramics. 59-04771P
kettle, automatic calcining. 59-03213P
lime, top-shaped. 59-04150P
for lime production. 59-01974B
linings, burning zone, performance of high- Al_2O_3
refractories in. 59-02098A
periodic, for rapid firing, energy saving in. 59-02431A
portable, for bricks. 59-02398A
refractories for. 59-02455A
rotary. 59-02820P
apparatus for cooling cylinders of recuperator. 59-04763P
articulated seal for. 59-04764P
cement, MgO-spinel bricks for. 59-03551A
cement, charge for MgO-spinel refractories for. 59-02508P
cement, failures caused by thermal dilation. 59-04095A
cement, firing with solid fuels. 59-02095A
cement, measurement and evaluation of jacket temp. 59-02052A
cement, selection of heat exchangers for. 59-03203A
cement, use of high- Al_2O_3 and fireclay bricks in, selection criteria. 59-02111A
cement, use of insulating firebrick in. 59-00074A
cooling arrangement for. 59-04766P
drive for. 59-04127P
effects of deformation on refractory linings. 59-02061A; 59-02062A; 59-03175A
effects of deformations on lining life. 59-02060A
ir measurement of surface temp. 59-01650A
method and apparatus for firing. 59-03222P
with plurality of planetary cooling tubes. 59-03828P
pyro-processing, mixing rod for. 59-02122P
system for sealing. 59-04775P
rotating tubes, adiabatic, internally heated, models for calculating heat transfer in. 59-02112A; 59-03208A
shaft, annular, use for quicklime production in Japan. 59-02096A
shell temp., monitoring of, by ir image technique. 59-02090A
shuttle, for large insulators. 59-02812A
recirculating, using fiber refractory lining, operation of. 59-03473A
sintering, for electronic components, design of. 59-03820A
temp., apparatus for measuring. 59-02819P
thermal balance, method of calculating. 59-03823A
tunnel. 59-03827P
for ceramic industry, improved performance of. 59-02808A
for ceramic ware. 59-02821P
decrease in cost of energy. 59-02801A
for firing corundum, causes of refractory failure. 59-02414A
for firing grog refractories, repair of. 59-02452A
fuel saving in. 59-02805A
glost-fire, new heating system for. 59-01681A
refractory, use of secondary energy resources in. 59-02497A
sledged, fast firing, Al_2O_3 fibers for. 59-02799A
ultrahigh temp., multioperation of. 59-03554A
uniform firing and fuel economy. 59-02813A
for uniform firing of split tiles. 59-03476A
tunnel- and 2-channel, energy consumption in. 59-02802A
- Kinetics,**
of breakdown, of vitreous $\text{La}(\text{BO}_3)_3$, by water. 59-01202A
calcination, of limestone. 59-04099A
crack, effect on fatigue of refractories. 59-04442A; 59-04443A
crystallization, of $\text{Se}_2\text{Te}_{10}$, DTA study. 59-05056A
in glass, DTA of. 59-01127A
of decolorization, of glass batches in furnaces. 59-00210A
of decomposition, nucleophilic, or $\text{Ba}(\text{PO}_3)_2$. 59-04216A
thermal, of Na-K superoxides. 59-00942A; 59-00943A
densification and reaction, during sintering of Al_2O_3 - ZrSiO_4 . 59-01894A
of dissociation, chemical, in system $\text{K}_2\text{O}-\text{Al}_2\text{O}_3$ - P_2O_5 - TiO_2 . 59-00262A
dissolution, of Li germanate glasses with Ga_2O_3 . 59-00182A
flattening, surface, of Pb silicate and borosilicate glasses by decay method. 59-03350A
of formation, in Ni-Zn ferrites. 59-03000A
of Si_3N_4 , made from Korean rice hulls. 59-03975A
of transition layer in system ZnSe film-GaAs substrate. 59-02650A
of glass reactions, with aqueous solutions, effect of surface potential on. 59-01193A
growth, of oxidation stacking faults. 59-04983A
growth-dissolution, of garnet liquid phase epitaxy. 59-04984A
hydration, of refractory aluminous cements, effect on concrete properties. 59-02444A
multibarrier, of brittle fracture. 59-00789A; 59-00876A
of oxidation, of Y_2O_3 hot-pressed Si_3N_4 . 59-01858A
of coal. 59-00727A
parameters of, determination by thermoanalytical techniques. 59-04717A
of particle rearrangement. 59-00892A
of photochromic processes, in Ag halide glasses. 59-01203A
reaction, based on part of DTA or TG curve, determination of. 59-01639A
of beta-C-S and C-S with CO_2 and water vapor. 59-01045A; 59-01052A
- of reaction of lime with gases. 59-02084A
of recombination, radiative, in MgO . 59-03001A
sintering, of UO_2 and UO_3 with Nd_2O_3 addition. 59-03763A
solid-state, of LaAlO_3 . 59-04013A
of thermal bleaching, of Ag halide photochromic glasses. 59-01204A
- Kyanite,**
powder, shock-induced transformations of. 59-01904A
- Ladies.** See **Refractories.**
- Laminates,**
film and glass sheets, method for making. 59-02373P
glass, mfg. 59-04330P
glass-epoxy, failure of, fractographic study. 59-02871A
metal-to-ceramic, adherence properties. 59-01508A
Lamps. See also **Glass; Glassmaking equipment.**
Mazda, history of. 59-01010A
arc, Xe, with compressive ceramic-to-metal seals. 59-02389P
bases, molten glass metering device for making. 59-00352P
collectibles, Duffner & Kimberly. 59-00998A
discharge, containing luminescent Eu-activated Ba borophosphate glass. 59-02342P
transparent Al_2O_3 and high pressure vapor. 59-02385P
fluorescent, with green coactivated phosphor. 59-04292P
high-intensity discharge, BaZrO_3 , SrZrO_3 , emission material for. 59-04316P
incandescent, coating for. 59-04320P
halogen cycle (hard glass). 59-00322P
miniature, method for making. 59-04343P
seals for. 59-01356P
vapor discharge, using envelope of polycrystalline transparent Al_2O_3 . 59-04382P
- Lanthanides,**
analysis of, trace, by laser excitation of precipitates. 59-01675A
- Lanthanons.** See **Rare earths.**
- Lanthanum,**
in Ga, garnets. 59-04855P
 La_2O_3 , Nb_2O_5 , and Ce_2O_3 , thermal properties. 59-04943A
 La_2NbO_7 , synthesis and crystal growth. 59-05061A
 LaAlO_3 , solid-state kinetics of. 59-04013A
 LaF_3 , crystals, trivalent Ce in. 59-04036A
 LaSbO_4 , synthesis and properties. 59-04024A
aluminate-Ba zirconate, powders. 59-04854P
- Lasers.** See also **Masers.**
 CO_2 , use for engraving glass, minerals, and rocks. 59-01188A
use in fusion splicing of optical fiber array. 59-00185A
GaAs, application to fiber optics. 59-00198A
characteristics, of glass-clad LiNdPO_4 , rectangular waveguide. 59-01205A
filamentary, LPE growth of. 59-04619P
glass, Nd, highly concentrated. 59-02257A
Nd-doped Li silicate. 59-03318A
phosphate, repetitive, development of. 59-04175A
heating with, for drawing optical waveguides. 59-04288P
heterostructure, double, for coupling to optical fiber. 59-00591P
injection. 59-00602P
fabrication of, using epitaxial growth and diffusion. 59-04614P
phosphate-glass, design and performance. 59-01184A
scanned, growth of Si ribbon with. 59-04589A
treatment of glass with. 59-04046B
- Lattice.** See **Crystals.**
- Leaching,**
of U, in-situ. 59-03839P
of glasses, two-phase, stresses arising during. 59-01250A
partial, strengthening of glasses by. 59-01248A
Lead. See also **Glass; Glazes; Health.**
PLZT, dielectric material. 59-02709P
large-scale ceramics, homogeneity of. 59-03683A
pore-free transparent, density and PbO deficiency. 59-03702A
PZT, ferroelectric ceramics, production and technological applications. 59-01528A
ferroelectric energy conservation with, under shock loading. 59-02649A
ferroelectric materials based on. 59-01551P
high density. 59-00562A
polycrystalline, effect of surface treatments on strength. 59-01511A
polycrystalline, thermal expansion, elasticity, and internal friction. 59-00578A
new phase transition in. 59-00881A
reactivity of ZrO_2 in calcining of. 59-01530A
stress effects in. 59-00576A
stress relaxation in. 59-01914A
Pb selenogermanate glasses, formation and properties. 59-02021A
Pb,Ge,O₂, substitution of Pb by Cd, Ba, and Sr. 59-00937A
Pb,Ge,O₂, crystal data and growth. 59-02935A
Pb,Sb,Si₃, crystals, dielectric properties. 59-00824A; 59-00825A
Pb(Fe/Al/Ga)₂O₇, solid solution system, crystallography and properties. 59-00817A
Pb(Zr,Ti)₂O₇, solid solutions, electrical conductivity and Seebeck's coeff. 59-02865A
- Pb(Zr,Ti)₂O₇ + 0.5Nb₂O₅, composite transducer, properties of. 59-04583A
PbBi,Nb₂O₇, gain orientation effects on strength. 59-00560A
PbMg_{1-x}Nb_xO₇, short-range ordering in. 59-03072A
PbO, alkoxo-derived, transformation by heating and grinding. 59-03883A
deficiency, of transparent PLZT. 59-03702A
reaction with GeO_2 . 59-03697A
PbTiO₃, PbZrO₃, solid solutions, thermodynamic study of. 59-00546A
-Pb(Fe,Nb)₂O₇, ceramics based on, for electronics. 59-02671A
temp.-compensated, for surface acoustic wave applications. 59-01536A
coatings, doped with chromophorous cations, EPR analysis. 59-02581A
-containing, titanantimonates, of trivalent p- and d-elements of composition $\text{PbAl}_{1-x}\text{TiSbO}_3$. 59-03977A
crystal batches, pelletizing of. 59-01226A
crystal glass, viscosity-temp. relations. 59-01275A
determinations, by atomic absorption, interference study for. 59-00687A
germanate, glasses, structure of anionic network. 59-01253A
introduction into glass, raw materials for. 59-00141A
oxides, red and gray, safe handling in battery plant. 59-01936A
release, by Pb-ceramic glazes, related to chromophorous ion Cu^{2+} . 59-04527A
vacancies, in garnets. 59-04882A
- Lehrs.** See **Glassmaking equipment.**
- Lenses.** See **Glass, optical.**
- Lepidolite.** See **Mica.**
- Light,**
emitting, semiconductor component. 59-01561P
-transmitting, Al_2O_3 , polycrystalline. 59-04323P
Lime. See also **Calcium, oxide; Glass.**
and Ca_2SiO_4 , effect of furnace atm on reaction between. 59-04097A
calcination of, method for. 59-04137P
effect of hydration, of supersulfated slag cement. 59-03182A
hydration of C_4AF in presence of. 59-01054A
industry, noise control. 59-00057A
kilns. 59-01974B
top-shaped. 59-04150P
properties of, factors affecting. 59-02072A
quick-, production in Japan, use of annular shaft kiln. 59-02096A
production in Riyadh, Saudi Arabia. 59-00064A
reaction with gases, kinetic study. 59-02084A
- Limestone,**
aggregates, for high-strength concretes. 59-04100A
calcination, industrial oven for. 59-02117P
kinetics of. 59-04099A
interaction of NaCl with, during calcination. 59-02082A
nodules, breakdown in freeze-thaw environment, mechanism of. 59-02088A
- Linings.** See **Refractories.**
LD, developments in. 59-01379A
- Liquation,**
in glasses, of system $\text{Be}_2\text{O}_3\text{-SiO}_2$. 59-04218A
- Liquids,**
glassy, fluid state of metastable equilibrium, calculating time for attaining. 59-00143A
streams, device for sampling. 59-01678P
viscous, mixable, movement of currents during homogenization. 59-00224A
- Lithin.** See **Lithium, oxide.**
- Lithium,**
 Li_2CO_3 , structure of. 59-03087A
 $\text{Li}_2\text{O-2SiO}_2$, unidirectionally solidified, thermal and mechanical properties. 59-03879A
 $\text{Li}_2\text{ZnSiO}_4$, structure of. 59-03088A
 $\text{Li}_2\text{Zn}_2\text{GeO}_6$, crystal structure. 59-00813A
 LiPbO_3 , crystal structure. 59-00809A
 Li^+ , fast conduction in fluoroborate glasses. 59-04196A
 $\text{Li}(\text{Nb,Ta})\text{O}_3$, films, and LiTaO_3 , substrates, lattice mismatches between. 59-04918A
Li-containing ferrites, magnetic materials based on. 59-02633A
 LiAlO_2 , beta-, X-ray powder diffraction pattern, re-indexing of. 59-03062A
 LiCdBO_3 , crystals, structure of. 59-03939A
 LiF , crystals, contact damage in, by cathodoluminescence. 59-04901A
interactions between thermal phonons and dislocations. 59-02996A
 $\text{LiGa}(\text{MoO}_4)_2$, crystals, growth of. 59-04957A
 LiNbO_3 , Ti-diffused waveguides, optical properties. 59-03321A
Ti-diffused, waveguides, ferroelectric domain inversion in. 59-00557A
compression of, shock-wave. 59-01905A
crystals, parametric phonon echo in. 59-03987A
films, Li out-diffused, phase matching temp. variation of second-harmonic generation in. 59-03326A
partially clamped, secondary pyroelectricity in. 59-03961A
partially clamped, tertiary pyroelectricity in. 59-03960A
photorefraction in. 59-03996A
p-z, reflection phenomena at interfaces. 59-01920A
 LiTaO_3 , crystals, growth of, for SAW devices. 59-02653A

- Ti-Zn, ferrites. 59-03749P
cells, stabilized glass-to-metal seals in. 59-01599P
ions, mobility in glasses. 59-00319P
waveguide switches, optically induced crosstalk in. 59-03323A
- Lubricants.**
aqueous, use for forming ceramic bodies. 59-01627P
glass-based, for hot extrusion of hollow articles. 59-00308P
- Luminescence.**
of F center, in sapphire. 59-03008A
of Fe³⁺ ion, in optical glasses. 59-02264A
of M center, in ZnS. 59-04986A
of SiO₂, vitreous, effect of neutron irradiation on. 59-00833A
band, in quartz glass, structure of. 59-04167A
cathodo-, contact damage in MgO and LiF crystals by. 59-04901A
study of SiO₂. 59-04887A
centers, 396 and 280 nm, in quartz glass, nature of. 59-01219A
in diamonds, natural, decay time of. 59-02949A
in minerals. 59-02003B
photo-, of Sm³⁺ in quartz glass. 59-03329A
in systems, Se,SiAl₂O₇ and Ba,SiAl₂O₇, on activation with Ce³⁺. 59-00951A
thermally stimulated, in B-doped diamonds. 59-03103A
thermo-, of Al₂O₃, effect of transition metal ions. 59-02969A
studies of energy storage in binary alkali borate glasses. 59-04191A
tunnel, in high-purity silicate glasses. 59-01265A
uranate, in U-doped tungstates, quenching of, QMSCC calculations. 59-05028A
- Luminescent materials.**
Ba borophosphate, Eu-activated, discharge lamp with. 59-02342P
glass, quartz. 59-02343P
photo-, method for making. 59-04649P
radiothermo-, glass, for detector of dosimeter. 59-01353P
- Luminophors.** See *Phosphors*.
- Lutetium.**
oxide, reaction with V oxide. 59-04004A
- Machinery and equipment.** See also *Materials handling* and *specific types*.
for ceramic and refractories industry. 59-04048B
ion accelerators, for neutral beam program, development of rectangular insulators for. 59-04678A
pickler, automatic, produces cleaner metal for enameling. 59-02152A
in refractories industry, durability of. 59-01954B
- Machining.**
glass-ceramics, machinable. 59-01207A
of metals, tool elements for. 59-02895P
surface, science of. 59-00972B
- Magnesia.** See *Magnesium, oxide; Refractories*.
- Magnetite.** See also *Refractories*.
glass-based, for hot extrusion of hollow articles. 59-00308P
-chrome, refractories. 59-01435P
refractory bricks, reaction in deoxidizing Fe melts. 59-04437A
clinkers, Chinese, characteristics at high temp. 59-03502A
dolomite-, resin-bonded refractories, failure of. 59-02434A
dolomite, recovery of refractory grade MgO from. 59-03556A
enamels with. 59-02193P
granular, method of making. 59-04486P
hydro-, thermal changes of. 59-03100A
plants, reducing dust formation in. 59-02423A
refractories, effect of porous filler grains on properties. 59-03520A
pitch-bonded, for long converter life. 59-04431A
unroasted, with tar-phosphate binder. 59-03580A
roasting of, in rotary furnaces, formation of sulfates and MgF₂ in Cottrell filters during. 59-04010A
separation, from ores containing calcite or dolomite. 59-04797P
- Magnesium.**
MgAl₂O₄, crystals, fracture of. 59-01832A
spinel, thermal expansion in. 59-04878A
MgCO₃, mfg. from brine mud. 59-04787P
MgCl₂, use for improving acid resistance of alkali silicate glasses. 59-01189A
MgCrO₃·5H₂O, thermal decomposition of, ir spectroscopic study. 59-04980A
MgF₂, crystals, neutron diffraction study. 59-00878A
elastic constant, temp. dependence of. 59-03098A
erosion of, effect of number of impacts. 59-01818A
formation in Cottrell filters during roasting of magnesite. 59-04010A
MgO, Li-containing, oxidation and reduction of. 59-03038A
Ni-doped crystals, defects in. 59-04889A
carbonaceous, electrical conductivity. 59-02642A
cementitious refractories, with hydrolyzable organo-Si compounds. 59-01436P
cementitious, with salts of organo-silanol. 59-01414P
-chrome, refractories, chemically bonded. 59-01424P
in compression, high-temp. stress-strain behavior. 59-00856A
crystals, anisotropy of graining damage, polishing, and etching. 59-01717A
crystals, contact damage in, by cathodoluminescence. 59-04901A
crystals, depolarization of defects in. 59-05103A
crystals, dissolution in acids. 59-01868A
crystals, disturbance of stoichiometry by plastic deformation. 59-00866A
crystals, impact wear of. 59-04964A; 59-04965A
crystals, wear of, on steel disk. 59-00978A; 59-00979A
dislocations in. 59-02862A
divacancies in. 59-03948A; 59-03949A
effect of calcination and annealing on physical properties. 59-04038A
effect of quantity and ratio on production properties of glass. 59-01153A
effects of water vapor pressure on sintering. 59-04930A
eutectic sintering of. 59-02433A
foamed cement, fire doors from. 59-03597P
hot-pressed, elasticity of. 59-01822A
melting temp. 59-01869A
method for recovering from scrap. 59-04487P
with minor additives, high temp. creep. 59-03966A
order hardening of, by spinel particles. 59-00886A
phosphate bonding. 59-02102A
powders, preparation by freeze-drying. 59-03874A
prepared by alkoxo method, sintering and grain-growth kinetics. 59-03871A
production of. 59-03841P
radiative recombination, kinetics of. 59-03001A
for refractories. 59-02534P
refractories, increasing quality of. 59-02446A
refractory grade, recovery from brine and dolomitic magnesite. 59-03556A
refractory raw materials, factors affecting creep of. 59-04414A
refractory, from Irish Sea. 59-03535A
role in sintering of Al₂O₃—comment on. 59-01791A; 59-01900A
-spinel, bricks, development of. 59-03512A
-spinelite, refractories, for use in cement rotary kilns, charge for. 59-02508P
surface, charge deformation and geometric relaxation at. 59-02931A
testing of. 59-00073A
with trivalent cation solutes, defect structure of. 59-00818A; 59-00819A
MgSO₄, reductive calcining of. 59-02858P
compounds, role in multilization of clay-Al₂O₃ mixtures. 59-02485A
-containing phases, in beta'-sialons, crystallization of. 59-02948A
ion, polarographic wave, water hardness determination by. 59-04744A
oxysulfate, cements, phase relations in. 59-04105A
sulfite, thermal decomposition. 59-04831A
titanates, ir spectra. 59-03973A
- Magnetic materials.** See also *Ferrites; Ferromagnetic materials; ferromagnetism*.
Ca,MnO_{3-x}F_x, properties of. 59-04987A
Fe oxide, process for producing. 59-02733P
YIG, hard bubble suppression mechanism. 59-04979A
(YSmLu)₂(FeGaSc)₂O₁₂, submicron bubbles in. 59-04593A
based on ferrites, Li-containing, conditions for preparing. 59-02633A
ferrites, hexagonal. 59-03682A
films, oxide, with induced anisotropy, CVD growth of. 59-04599P
mirror, for imparting nonreciprocal phase shift. 59-03391P
oxides, preparation of. 59-02711P
particles, gamma-Fe₂O₃. 59-00637P
recording and storage device, with high abrasion resistance. 59-01564P
recording medium, process for making. 59-03724P
ribbon, amorphous, effect of torsion on properties. 59-04970A
semiconductors, single crystal CdCr₂Se₄, preparing. 59-02679A
structure. 59-01565P
- Magnetic properties.** See also *Anisotropy; Resonance*.
of Ca ferrites, effect of SrO substitution on. 59-03674A
of Ca₂MnO_{3-x}F_x. 59-04987A
of PrAlO₃, in tetragonal phase. 59-00868A
of RE hexaboride, pure and C-doped. 59-04988A
Wiegand-effect devices, materials considerations in. 59-02667A
anisotropy, in Y-Sm ferrite garnets. 59-00867A
of ferrites, Ca. 59-03696A
Mn-Zn, effect of microstructure and additives on. 59-03956A
Mn-Zn, effect of sintering on. 59-03677A
Ni. 59-03693A
rare earth ortho-. 59-03016A
of glasses, semiconductor, of system As-S-Tl. 59-02265A
paramagnetic centers, in neutron irradiated glassy semiconductors. 59-03690A
of perovskite-type compounds, Sr₂Cr₂WO₈, Ca₂Cr₂WO₈, and Sr₂Cr₂UO₈. 59-03052A
phase transformations, in Tb orthoferrites. 59-03011A
of ribbon, amorphous, effect of torsion on. 59-04970A
susceptibility, of binary glasses. 59-03304A
of chalcogenide spinels FeCr₂S₄Se₄. 59-02224A
of ferrimagnetic semiconductors in system Co₂Cu₂Cr₂S₄Se₄. 59-02665A
of systems, As-S-Te. 59-05001A
- Magnetism.**
fields, garnet magnetoresistive sensor for. 59-03718P
micro-, in BaO·Fe₂O₃·B₂O₃ glass. 59-01211A
tag process. 59-03392P
- Magnetite.**
-fayalite, system, stresses in. 59-01915A
and hematite, multiple orientation relations between. 59-03020A
magnetostrictive properties, effect of additives on. 59-03675A
- Magneto-optical properties.**
of glasses, Tb³⁺-activated. 59-00213A
Tb-activated fluoroborates. 59-04221A
- Magneto-optics.**
glass for. 59-00331P
- Magnetoresistance.** See *Resistivity, electrical*.
- Magnetostriction.**
of magnetite, effect of additives on. 59-03675A
- Magnets.**
ferrite, Ca, effect of SrO substitution on properties. 59-03674A
Ca, properties of. 59-03696A
permanent, R₂Co₂-type rare-earth-Co, method for making. 59-04659P
history and development. 59-04568A
- Majolica.** See also *Art and artware; Dinnerware*.
- Manganese.**
Mn²⁺, in alkaline earth oxides, fluoroperovskite, and II-VI compounds, model analysis of spin parameters. 59-00938A
Mn₂O₃, effect on formation and mineralogy of portland cement clinkers. 59-02065A
and Re, oxides, as catalysts for cracking and dehydrocyclizing of alkanes. 59-00524P
-Zn, ferrites, fabrication by hot petroleum drying. 59-03681A
cordierite, glass-ceramics. 59-03393P
- Masers.** See also *Lasers*.
- Masks and masking.**
lift-off, Si₃N₄, use in deposition of films with small dimensions. 59-04631P
opening, on Si body, formation of, using ion etching. 59-04625P
- Masonry.**
units, dry-pressed hollow load-bearing, advantages of. 59-00378A
- Materials.**
C-graphite. 59-01942B
MHD. 59-03686A
aerospace, trends in. 59-03884A
amorphous, high resolution imaging of. 59-03801A
attenuable, method for making fibers from. 59-03408P
based on Al₂O₃ and Ti and Zr nitride, sintering behavior. 59-00772A
behavior of, in low gravity environment. 59-03012A
bulk, pneumatic transport over long distances. 59-02770A
calcination of. 59-03837P
calcined, equipment for producing. 59-04789P
cellular, characterization of. 59-01730A
ceramic, application of fracture mechanics to. 59-01726A
fatigue strength, static, method for measuring. 59-01647A
with low atomic number, for first walls in fusion devices. 59-04673A
packing. 59-00782P
performance in high temp. steam and H in nuclear reactors. 59-03766A
resistance to thermal shock. 59-01901A
self-vitrifying, firing of, compaction pressure effects. 59-01792A
wet chemical synthesis of. 59-01745A
clay-like, synthesis of. 59-03850P
for coal conversion and utilization. 59-01978B
considerations, in Wiegand-effect devices. 59-02667A
in development of automotive sensors. 59-02668A
deposition of, vapor, apparatus for. 59-03707P
with electrical resistance. 59-02738P
electronic, 8th annual automotive conference on. 59-02674A
elemental concentrations, in exploration samples from U.S. Geological Survey. 59-00693A
flowable, method and apparatus for measuring moisture content. 59-03815P
grinding of. 59-01717P
heat-softening, method for making fibers from. 59-03410P
with high fluorescent efficiency, ZnO crystals, method of making. 59-02852P
with high porosity and crushability, for electronic applications. 59-03725P
inorganic, embrittling effect of H, acoustic emission test. 59-01824A
and geological, analysis of. 59-00697A
irradiated, DTA of. 59-01812A
metals, polymers, and composites, structure and properties. 59-00967B
mixtures, calculation of composition, using center-of-gravity theory. 59-04886A
nonmetals, mechanical and corrosion properties, 1979. 59-04050B
nonoxide, sintering of. 59-03867A
radioactive, dry containment of. 59-03777P
system for storage. 59-03786P
raw, Bulgarian, use in faience facing tiles. 59-04529A

- in China. 59-04776A
for Pb glass, bibliographic survey. 59-00141A
from Westwald, Ger., homogenization of. 59-02766A
alkali-containing pulverized, for cement, apparatus for
thermally treating. 59-04134P
andalusite, South African. 59-02844A
argillaceous, rapid firing of. 59-02592A
for cements, from Mg orthosilicate-rich rocks. 59-04147P
for ceramic industry. 59-02838A
clay and shale resources of Washington County, [Ohio,
U.S.]. 59-03830A
clay pozzolana, fluidized bed production. 59-02840A
clay, sericite, for whiteware. 59-01481A
clays, prospecting for. 59-03831A
control of, applications of thermal analysis. 59-04727A
control of, in refractory plant. 59-02477A
deposits, trace elements for use in study of. 59-01714A
for dielectrics, acceptance testing. 59-01529A
disk reclaiming, use in bed blending. 59-02828A
for enameling frits, availability. 59-02129A
in glass industry, outlook for. 59-03336A
in glass industry, strategic planning in. 59-02275A
for glassmaking. 59-00367P
ir spectroscopy. 59-02787A
for keramzit, physicochemical properties. 59-04052B
list of Bureau of Mines publications and articles,
Jan.-Dec. 1978. 59-04047B
for making lightweight refractory aggregates. 59-04499P
minerals, meeting national needs. 59-02836A
mix for refractory aggregates. 59-02550P
new, use in structural clay industry. 59-03483A
preparation of, future technology. 59-01705A
refractory, automation in mines for. 59-02823A
spectrometric determination of B in. 59-02783A
steatite, from India. 59-02845A
structural clay, registers for. 59-03478A
washing of. 59-02011B
for whiteware, characteristics and applications.
59-04515A
science, annual review. 59-00958B; 59-05126B
current topics. 59-01953B; 59-05131B
defects and diffusion in solids. 59-05132B
elements of. 59-01957B
rare earths. 59-05145B
sintering. 59-05147B
treatise on. 59-02009B
silicate, Fe in, oxidimetric determination. 59-04732A
testing of, nondestructive. 59-01983B
nondestructive, using microwaves. 59-01632A
use in tableware industry, coding. 59-03121A
walls, improving quality of. 59-04044B
- Materials handling.** See also *Conveyors; Feeding apparatus; Machinery and equipment.*
conveying, pneumatic. 59-03141B
delivery system, for reactants use in mfg. optical
waveguides. 59-04374P
loading refractories, onto kiln cars, mechanization of.
59-04425A
particulates, conveyor for. 59-03789P
tiles, split, apparatus for transferring. 59-03484P
stacking machine for. 59-04554P
transport, pneumatic, vertical, of solids. 59-00711A
- Measurement.**
J-integral, of fracture of 50% Al_2O_3 refractories.
59-02451A
of O gradients and resultant strains in ferrites. 59-02669A
bulk conductivity, in sintered La Sr chromite. 59-03933A
of color, for quality control. 59-04740A
of diffusivity, of ceramic materials. 59-04989A
of elastic properties, of inorganic glasses. 59-03306A
of film thickness, Si, from reflectance spectra. 59-00703A
length, of moving articles, red-hot. 59-04751P
of moisture, with microwaves. 59-00707A
optical, of carrier concentration in semiconductors.
59-03738P
of optical properties, sorting. 59-03814P
of particles, technique for. 59-01669A
of refractive index, in thin sections, using staining and
oil immersion techniques. 59-01651A
of solar irradiance, using optical filters and Si detectors.
59-00705A
of strain, noncontact. 59-00701A
- Mechanical properties.**
of FRP structures, effect of content and laminate structure
on. 59-01155A
of Fe-B-C, sintered. 59-00775A
of In phosphide. 59-00923A
of $\text{Li}_2\text{O}-2\text{SiO}_2$, unidirectionally solidified. 59-03879A
of agloporite, ways to modify. 59-02087A
of carbides, cemented, prepared by HIP. 59-03150A
of castable, reinforced with stainless-steel fibers.
59-03537A
of china, bone, effect of Al_2O_3 additions on. 59-03639A
of composites, sintered mullite- ZrO_2 . 59-01737A
of glasses, effect of chemical treatment. 59-01190A
of nonmetals. 1979. 59-04050B
of refractory structures. 59-01396A
thermo-, of hot-pressed Si_3N_4 , BeO , N_2O . 59-01749A
- Mechanics.**
of fracture, brittle. 59-01979B
- Melting.**
of anorthite, thermodynamics, deduced from phase equilibria
studies. 59-01930A
behavior, of pelletized glass batches. 59-03325A
corundum. 59-03015A
of diamonds. 59-00826A
electric, boosting at Owens-Illinois. 59-01186A
in glass industry. 59-01231A
of glass, method and apparatus. 59-00332P
frits, electric furnace for. 59-01688P
glass, Se ruby-red, under layer of charge. 59-01209A
in burner-heated tanks. 59-02346P
computer-aided calculation of batch composition in.
59-00152A
electrical. 59-00181A
inorganic. 59-01969B
in system $\text{Li}_2\text{O}-\text{CaO}-\text{SiO}_2$, effect of variables on
properties. 59-04211A
high-temp., continuous, induction furnaces for. 59-01691P
induction, production of variable-composition mullite by.
59-04459A
reactions, of B_2O_3 and Na-Ca-silicate glass batches,
effect of cullet on. 59-01191A
of superalloys, crucible for. 59-02523P
temps., of CaO and MgO. 59-01869A
- Melts.**
 $\text{CaO}-\text{SiO}_2$, tracer diffusivity of ^{44}Ca and electrical
conductivity. 59-03535A
 $3\text{NaF}-\text{AlF}_3-\text{TiO}_2$, bronze crystallized from, physicochemical
properties. 59-03852A
apparatus for growing crystals from. 59-04596P
apparatus for pulling crystals from. 59-03706P
in chalcogenide systems, cooling rate during glass
formation. 59-04169A
crystals grown from, effect of fluctuating growth rates
on segregation. 59-04923A; 59-04924A
 $\gamma\text{-Ga}_2\text{O}_3-\text{SiO}_2$, supercooled, forming stable crystals
from. 59-02873A
glass, Ag chalcogenide, electrical transfer in. 59-02234A
 $\text{Na}_2\text{O}-\text{Rb}_2\text{O}-\text{SiO}_2$, surface tension of. 59-01256A
behavior of bubbles in. 59-01111A; 59-03255A
calculation of 2-dimensional temp. fields. 59-01167A
decolorization, effect of forces acting in ultrasonic
field on acceleration of. 59-01146A
silicate, interaction of refractories with. 59-01390A
glass-forming, metallic, P-containing, preparing. 59-02372P
high Cr, lining of ladles for vacuum refining of. 59-01393A
and hornblende, alkali exchange between. 59-01769A
oxide, molten, activity measurements, by mass spectrometry.
59-03930A
refractories in, C-containing MgO, corrosion resistance
of. 59-01377A
silicate, Ca diffusion in. 59-03934A
silicophosphate, diffusion of. 59-03267A
-solutions, in Sb and Bi, preparation of GaP layers from.
59-02678A
- Memory.**
characteristics, of Li ferrites, effect of flux on.
59-03679A
- Memory devices.**
cores, temp. stable, low noise. 59-00577A
- Mercury.**
 Hg_2Br_2 , crystals, in transition region, heat capacity.
59-00852A
intrusion, measurement of porosity of hydrated cements by.
59-04108A
- Metallization.**
Au/Cr, for electronic devices. 59-00559A
of ceramics, Be, paste for. 59-04646P
paste for. 59-00613P; 59-01581P; 59-01582P; 59-02546P
substrate film strip for. 59-01600P
of glass-ceramics, paste for. 59-01346P
pastes, glass for. 59-01306P
of piezoelectric ceramics, paste for. 59-04647P
of unfired whiteware, paste for. 59-02621P
- Metallizing.** See *Coatings.*
- Metalloceramic compositions.** See *Cermets.*
- Metallurgy.**
powder, refractories made by. 59-00420A
use in electronics industry. 59-04581A
refractories, developments in use of. 59-04405A
sintered materials, coarse-grained, XRD assessment of
local stresses. 59-00712A
- Metals.** See also *Enameling metals; Rare earths; Refractories.*
-to- Al_2O_3 , bonding. 59-00543A
porous composites. 59-03909P
In, Ga, and Al, effect on electrical properties of
 Pb_2SnTe solid solutions. 59-02638A
Na, Cd, and Pb, reciprocal system of bromides and iodides
of. 59-04005A
alkali, borates of. 59-00790A; 59-00791A; 59-00792A
vitreous polyphosphates of, gel-chromatography of
molecular-mass distribution. 59-02246A
alkaline earth, titanates, production of. 59-03848P
bonding of, to beta- Al_2O_3 , field-assisted. 59-00558A
to bioglass. 59-00338P
to ceramics. 59-02180P
to ceramics and metals. 59-03709P
bonding of Al_2O_3 to. 59-03666A
bonding of quartz glass to. 59-02311P
casting of, continuous, molds for. 59-00125P; 59-02543P
coatings for, heat-resistant. 59-01086P
coupling device for, electronic. 59-02697P
deposition of, on ceramic substrate with metallurgy
pattern. 59-04639P
- diffusion of, into substrates, method for. 59-04624P
dioxides, transition metals, electronic properties.
59-00556A
forming of, petroleum-free, prior to porcelain enameling.
59-02163A
-to-glass bonding. 59-02334P
glass for sealing to. 59-01309P
heavy, compounds of, treatment of waste water to remove.
59-03793P
trace analysis of. 59-04743A
jewelry, enamel for. 59-01075P
molten, in float glass tank, apparatus for diffusion of.
59-02347P
lining of containers for. 59-00459P
noble, and refractory oxides, surface reaction between.
59-03981A
tubes, cold-weld sealing of. 59-01663A
nonferrous, to be electrophoretically coated with dental
ceramic, pretreatment of. 59-04552P
process for coating. 59-03664P
oxides, coatings. 59-02713P
reactions with ZrC. 59-03769A
simple and mixed, classification of. 59-03936A
submicron-sized, preparation of. 59-01719P
varistor, mfg. 59-00607P
powdered, process and apparatus for producing. 59-03845P
powders coated with. 59-03898P
reaction of surface with oxides, spectroscopic study.
59-00925A
refractory. 59-00455P
marking articles. 59-00461P
technology and application of chalcogenides. 59-00419A
soldering to, glass for. 59-01310P
sponges, metallic/ceramic, process for making. 59-03914P
structure and properties. 59-00967B
support, process for bonding to glass surface. 59-01348P
tool for working. 59-02895P
transition, in alkali lime germanosilicate glasses,
optical absorption of. 59-00226A
- Metaphosphates.** See *Phosphates.*
- Mica.** See also *Refractories; Vermiculite.*
59-03833A
deformation, layer, and crystal energy. 59-01862A;
59-01863A
flakes, apparatus for disintegrating. 59-00740P
heat capacity. 59-01841A
- Microhardness.** See *Hardness.*
- Microscopy.** See also *Structure, micro.*
AEM, study of grain-boundary segregation in oxides.
59-04975A
EPMA, of Portland cement clinkers. 59-02070A
SEM, analysis of tool surfaces. 59-02014A
of early C/S hydration. 59-01040A
new technique for mineralogy. 59-01676A
study of Hungarian dolomites. 59-05040A
study of bauxites of different ages and origins.
59-01903A
study of texture of refractories. 59-02486A
TEM, of grain boundaries of PTC-type BaTiO_3 . 59-02689A
measurement of Ag formation on Ag-halide surfaces of
photochromic glasses. 59-00194A
observation of microcracks and intergranular films in
ceramics. 59-01876A
of smectite clay of Boa Vista, Campina Grande, Paraíba.
59-01932A
study of glide system in spinel Ni ferrite. 59-00947A
acoustic, techniques for structural ceramics. 59-03795A
electron, analysis of aluminosilicate glass by. 59-00151A
analysis of cement pastes. 59-02051A; 59-03169A
of glasses at high temp. 59-04225A
identification of stacking sequences in SiC by. 59-02963A
of nonrandom disorder in unusual layered silicate
(chlorioid). 59-02989A
hot stage, use in fining studies of clear float glass.
59-01165A
industrial. 59-01649A
- Microstructure.** See *Structure, micro.*
- Microwaves.** See *Waves, micro.*
- Migration.**
boundary, single-crystal, in hot-pressed Al_2O_3 . 59-00920A
electro-, in thorium oxide-based ceramics. 59-00840A
thermal, of cross-hatched patterns. 59-00633P
initiation, promoting film stability during. 59-02737P
of water, during drying of whiteware. 59-01484A
- Milling.** See also *Crushing; Grinding.*
ball, phase transformation of ZrO_2 by. 59-00899A
dry attrition, of Si_3N_4 , effect on reaction sintering.
59-00758A
fuels, solid, safety precautions. 59-04115A
plants, for coal. 59-02810A
tool. 59-03662P
- Mills.** See also *Crushing apparatus; Grinding apparatus.*
ball, grinding hard materials in. 59-02764A; 59-04706A
with revolution control, operation of. 59-03788A
speed regulated, phenomena in. 59-02769A
use of grinding aids in. 59-02775A
beater, blower. 59-00665P; 59-00666P; 59-00667P
cement, drive for. 59-04127P
centrifugal, disk-type, fine grinding raw materials with.
59-02763A
centrifugal-roller, for refractory industry, heat balance
in. 59-02438A
grinding, stagger-joint liner in. 59-03790P

- supersonic jet, for refractory materials. 59-04416A
hammer-, output and particle size, alteration of. 59-04704A
slant, high efficiency, experimental results on. 59-02762A
vibrating, experience with. 59-02768A
wet-grinding, rubber-lined, wear resistance of. 59-03166A
- Mineral fibers.** See *Mineral wool*.
- Mineral wool.** See also *Fibers, glass*.
59-04488P
with binder, method for producing. 59-00480P
mats, control of surface weight. 59-04339P
process for making. 59-03620P
mfg., suppression of pollution. 59-01359P
- Mineralizers.** See also *Fluxes*.
CaF₂, effect on silicates and melt formation in portland clinkers. 59-02069A
Fe₂O₃, MnO₂, CaF₂, and TiO₂, effect on mullitization. 59-00862A
in cement raw material mixtures, action of. 59-01980B
in kaolin bodies, effect on properties. 59-01464A
- Mineralogy.**
new SEM technique. 59-01676A
of serpentine. 59-04006A
of soils, Brazilian. 59-01708A
- Minerals.** See also *Materials, raw; Rocks*; and specific types.
with Ni(II) ammine complexes, determination of clay content. 59-01635A
aluminous, production of pure Al₂O₃ by acid attack. 59-02856P
andalusite, South African. 59-02844A
asbestiform, in Tucson. 59-03120A
basicity indicators, thermodynamic calculation of. 59-04726A
binders. 59-04051B
cancrinite, stacking variations in. 59-03080A
ceramic, in China. 59-04776A
claudeite, As₂O₃, refinement of crystal structure. 59-00912A
clay, of Japan. 59-00963B
from alluvial sediment of West Bengal, physicochemical properties. 59-03049A
analysis of, electron microscopic. 59-01662A
crystallinity and particle size, ir spectrophotometric characterization. 59-01785A
crystals, symmetrization-desymmetrization phenomena. 59-05060A
deposits, pressure swing recovery system for. 59-00748P
hardness, study of. 59-01646A
heavy, from sand and gravel, placer gold, and industrial minerals, recovery of. 59-01710A
hornblende, and melt, alkali exchange between. 59-01769A
industry, in Canada, Australia, and Oceania. 59-01707A
status of. 59-01712A
ions in, crystal-chemical factors affecting mobility. 59-02946A
kaolin, effects of micro-sized mixtures on properties of kaolinites. 59-01819A
mica-related, layer deformation and crystal energy. 59-01862A; 59-01863A
in mixtures, XRD identification of, computer-aided. 59-01636A
orthoclase and microcline, origin of, crystallographer's interpretation. 59-03111A
perlite, expansion of. 59-02854P
phthalumite, structure of. 59-00931A
properties of, thermodynamic. 59-00976B
scolecite, from Poona, India, structure of. 59-00932A
spectroscopy, luminescence, and radiation centers in. 59-02070B
tealite, in India. 59-02845A
sulfide in, determination of, using sulfide ion electrode. 59-01640A
super, for unique refractory products. 59-00427A
taconites, oxidized, magnetic beneficiation of. 59-01716A
technology, and economics, meeting national needs. 59-02836A
tremolite, in talc. 59-02847A
trollite, stability of. 59-01912A
- Mines and mining.**
diatomite, worldwide deposits. 59-02827A
lists, of Bureau of Mines publications and articles, Jan.-Dec. 1978. 59-04047B
ores, Antonov quartzite, for refractories. 59-02454A
for refractory raw materials, automation in. 59-02823A
sands, arcose feldspathic, from Triassic region of Weierhammer, Ger. 59-02833A
- Mirrors.**
fracture, boundary formation, criterion for. 59-01800A
magnetic, for imparting nonreciprocal phase shift. 59-03391P
- Missiles.** See *Spacecraft*.
- Mixers.**
for handcraft materials. 59-01034P
for particulates. 59-02779P
- Mixing.**
bed, use of disk reclaimer. 59-02828A
guide to. 59-01620A
of hydrosilicates. 59-03424P
liquids, viscous, movement of currents during. 59-00224A
method and equipment. 59-02765A
of particles, method and apparatus for. 59-02779P
particulates, process for. 59-01628P
powders, in fluidized bed, method and apparatus for. 59-01624P
- of raw materials, from Westerwald, Ger. 59-02766A
treatment of products by, method and apparatus for. 59-03791P
- Mullite.**
EPR probe, in montmorillonite dispersions. 59-03636A
Hall, of electrons in accumulation layers of ZnO surfaces. 59-02988A
Li ion, in glasses. 59-00319P
of dislocations, in crystals of Y₂O₃/ferrogarnet. 59-03967A
electrophoretic, of Florida phosphatic clay wastes, effects of electrolytes on. 59-02830A
field-effect, in quantized accumulation layers on ZnO surfaces. 59-02980A
hole, in alpha-Al₂O₃. 59-01825A
of ions, K, in SiO₂. 59-00874A
Na and K, in mixed-alkali borosilicate glasses. 59-03314A
alkali, in binary glasses. 59-03315A
alkali metal, in glasses (M⁺O + M²⁺O)-2SiO₂. 59-02299A
in minerals, crystal-chemical factors affecting. 59-02946A
- Multilayers.**
barrier, for ZnO varistors. 59-04555A
cluster, crystalline, for ionic solids. 59-04909A
conduction, of semiconducting Ca borate glasses with Fe oxide. 59-04168A
diffusion, application to oxide sintering. 59-01772A
two-phase, in composites. 59-02875A
enclave, elastic tip, fracture stress obtained from. 59-04950A
of excitonic mechanism, for direct formation in alkali halides. 59-03019A
lattice, of heat conduction in composite materials. 59-01735A
mathematical, of C/S hydration. 59-02085A
for calculating heat transfer in adiabatic rotating tubes. 59-02112A; 59-03208A
of crystallization of glasses in system Li₂O-Al₂O₃-SiO₂-TiO₂. 59-03305A
of dry grinding of cement in ball mills. 59-03190A
examination of glassmelting furnaces by. 59-04193A
for heat and mass transfer in glassmelting charge. 59-00214A
of heat exchange in glassmelt charges of vertical-drawing machine. 59-00215A
of heat transfer during firing of glass charge. 59-00216A
multiple-trap, use in simulating photoconductivity in alpha-SiO₂. 59-05043A
quasi-crystalline, for interpretation of molecular arrangements in glasses. 59-02274A
reactivity, raw meal, for cement industry. 59-00055A
shell, for Si, X-ray scattering intensities from. 59-03119A
soft-sphere, glass transition in. 59-04204A
solubility, for rare-earth Fe garnets in PbO/B₂O₃ solution. 59-05049A
of structural defects, in SiO₂. 59-01214A
tunneling, of fused SiO and polymethylmethacrylate. 59-03107A
two-level, of dielectric loss in glasses. 59-04268A
- Mutation.**
optical, of low-energy-electron transmission in ZnO. 59-03031A
- Modulators.**
in LiNbO₃, formation by ion implantation. 59-03288A
- Modulus of elasticity.** See *Elasticity*.
- Modulus of rupture.** See *Rupture*.
- Moessbauer effect.**
of ⁵⁷Fe, in pyrite-type dichalcogenides. 59-00875A
in systems, Fe oxide-Cr oxide. 59-04995A
- Moisture.** See also *Humidity; Steam; Water*.
absorption, of graphite-epoxy composites immersed in liquids and humid air. 59-04815A
analyzers, piezoelectric. 59-00719P
in bricks, effect on microstructure of cement-lime mortar in brickwork. 59-02066A
in composites, detection using nuclear reaction analysis. 59-02876A
graphite-reinforced, positron annihilation studies. 59-04816A
in flowable materials, method and apparatus for measuring content. 59-03815P
measurement of, with microwaves. 59-00707A
migration, in concrete, concentration of alkalis by. 59-01037A
process, in granular refractory batches, control of. 59-00406A
sensors, TiO₂-based semiconductor for. 59-02742P
in sludges and slurries, method and apparatus for removing. 59-04714P
sorption of, in whiteware. 59-01462A
system for measuring. 59-00722P
- Molding.**
cementitious materials. 59-00346P
ceramics, cold-, and hot-pressed forms for, made from polyvinylchloride. 59-02761A
plastic, method and apparatus for. 59-02778P
compositions, refractory. 59-03590P
extrusion, of ceramic articles from powders. 59-02898P
glass, elements, method of. 59-01339P
fiber. 59-04360P
hollow articles with bonded attachment. 59-04335P
and plastic, new process for. 59-01221A
injection, of hydrosilicates. 59-03424P
- of whiteware, compositions for. 59-03663P
sands, friability of, measuring with present testing equipment. 59-01395A
vibration, production of acoustic and decorative gypsum tiles by. 59-02596A
- Moldings.**
Si₃N₄, production of. 59-03916P
SiC, sintered, method of making. 59-03921P
ceramic, process and apparatus for making. 59-04715P
composites, thick section. 59-03927P
metal nitride, sintered, method for making. 59-04859P
- Molds.** See also *Glassmaking equipment; Pottery-making equipment; Refractories; Slip casting; Slips*.
casting, cold-setting mixture for production of. 59-02520P
cold- and hot-pressed, from polyvinylchloride. 59-02761A
gas-permeable, metal casting with. 59-02535P
surface, cause of faulty castings from. 59-00498A
plaster hardness, measuring. 59-02591A
for whiteware, cause of initial faulty castings from. 59-04512A
shell, ceramic, microwave drying of. 59-02541P
for single crystal castings, directionally solidified, method for making. 59-02542P
for tools, diamond. 59-04066P
- Molecules.**
arrangement of, in glasses, quasi-crystalline model. 59-02274A
- Molybdates.**
Bi₂MoO₇, transformational superplasticity of. 59-03105A
Ln₂(MoO₄)₃-type, crystals, crystallographic data. 59-04905A
MnTeMoO₄, CoTeMoO₄, and ZnTeMoO₄, crystal data for. 59-02936A
complexing method, for analysis of silicate mixtures. 59-01039A
crystals, M₂(MoO₄)₃, M = K, Rb and R = rare-earths, Y, and Al synthesis of. 59-05064A
double, of alkali and rare-earth elements, synthesis of. 59-05063A
and tungstates, double, of Li and Na and rare-earths with scheelite structure. 59-03950A
- Molybdenum.**
MoO₃, CrO₃, and WO₃, optical properties. 59-02269A
MoO₃ and MoTe₂, vapor phase transport and crystal growth of. 59-03109A
(MoO₃)₂P₂O₇, crystal structure. 59-00811A
MoSi₂, alloy, SiC body containing. 59-02559P
-based composite, reinforced with SiC fibers, method of making. 59-02902P
dioxide, effect of pressure on Fermi surfaces. 59-02967A
reactions with Zn. 59-00767A
substrate, oxidation-resistant coatings of nonoxide sintered on. 59-03872A
- Montmorillonite.**
Mo, relation between swelling, surface area, and b dimension. 59-01898A
from Paraíba State, Brazil, effect of concentration and agitation on rheology. 59-01468A
dicalcium phosphate and Na, processing of. 59-01723P
dispersions, EPR probe mobility in. 59-03636A
- Mordenite.**
catalyst. 59-02903P
synthetic, effect of crystal structure defect on porosity. 59-04907A
- Morphology.**
of Al₂O₃, preliminary study. 59-05027A
of creep fracture, of borosilicate glasses. 59-01216A
of evaporation products, from liquid phase of Portland cement paste. 59-04102A
of glasses, alkaline earth silicate, effect on properties. 59-04184A
pore, of alpha and beta plasters. 59-04107A
- Mortars.** See also *Cements; Concretes*.
Fe oxide, method of preparing with admixtures. 59-03223P
S. 59-03232P
air-hardening, for fibrous heat-insulating refractories. 59-02407A
calcareous, from Middle Ages. 59-04069A
cement, changes of pore structure due to temp. 59-04086A
-lime, in brickwork joints, effect of moisture in bricks on microstructure. 59-02066A
use of flow cone test to predict physical properties. 59-04119A
dry-set, improving water retentivity of. 59-04128P
impermabilized with montmorillonite, effect of thermal cycling. 59-01043A
masonry, effect of additives on strength. 59-00385A
refractory. 59-01454P
injection, for repair of blast furnaces. 59-03569A
new developments. 59-02458A
storable, method for making. 59-04136P
technology, developments since 1977. 59-05128B
waste water from, design of treatment system. 59-03511A
- Mullite.** See also *Refractories*.
-Al₂O₃, multilayer substrates. 59-00544A
system, evidence of miscibility gap. 59-01827A
-SiO₂, for cover of blast furnaces. 59-02441A
-ZrO₂, composites, sintered, mechanical properties. 59-01737A
from alunite, effect of Fe₂O₃, MnO₂, CaF₂, and TiO₂ as mineralizers. 59-00862A
-cordierite, refractories, production of. 59-03560A
-corundum, crystal whiskers, strength of. 59-02493A

- refractories, hot-pressing. 59-02443A
refractories, production at Zaporozhye plant. 59-03561A
decomposition of, by SiO_2 volatilization. 59-01809A
formation of, in clay- Al_2O_3 mixtures, effect of preparation conditions on. 59-02994A
-like compound, in system Si-Al-O-N, composition of. 59-04800A
metastable, refractory mold with. 59-03627P
refractories, charge for. 59-02509P
solid-phase synthesis from oxides. 59-02490A
-silicate, refractories, protective coating for. 59-01444P
sintered, from china clay- Al_2O_3 mixtures. 59-03074A
and sintered corundum, refractory bricks, study of. 59-02449A; 59-02450A
synthetic, crushing and sizing process. 59-02421A
variable-composition, made by induction melting in cold crucible. 59-04459A
Muscovite, See *Mica*.
- Neodymium**,
Nd³⁺, complexes in glass, structural characteristics. 59-04261A
Nd₂O₃, pigment containing, for whiteware. 59-01486P
NdCrO₃, crystals, electrical transport in. 59-03959A
NdTiO₃, physicochemical properties. 59-00907A
NdYAG, solid-state formation of. 59-00774A
glasses, laser, highly concentrated. 59-02257A
- Nepheline**,
ore, corrected, and system Ca_2SiO_5 - NaAlO_2 , mechanism of firing. 59-04781A
syenite. 59-02837A
- Neutrons**,
profile refinement, in $\text{Na}_2\text{CO}_3 \cdot 1.5\text{D}_2\text{O}$. 59-01873A
scattering length, of Ho, redetermination. 59-03068A
- Nickel**,
Ni- Al_2O_3 , thermally stable catalysts, for methanation. 59-03926P
Ni-Cr-alloy/MgO, sintered, variation of electrical resistivity with temp. 59-00779A
NiFe₂O₄, precipitation from silicate glass, Moessbauer study. 59-04227A; 59-01144A
NiO, crystallography. 59-03003A
grain boundary diffusion of ⁶⁰Co and ⁵¹Cr in. 59-04953A
Ni-P, binder, for TiB₂-based cermets. 59-01740A
Ni-Zn ferrites, grain size dependence of grain-boundary sliding in. 59-04807A
kinetics of formation. 59-03000A
alloys, graphite polishing paste for. 59-02021P
-based cermets. 59-01741A
-based superalloys, reaction with SiC at high temps. 59-00411A
ferrites, preparation and properties. 59-03693A
flash, elimination with no-pick ground coat. 59-00096A
oxide, dielectric substrate with metallization containing. 59-04610P
role in enameling, one-coat vitreous. 59-01070A
- Niobates**,
K, photoferroelectric phenomena in. 59-00904A
K and Na, crystals, photoconductivity and thermally stimulated conductivity. 59-00902A
(K,Na)₂NbO₆, crystals, growth and phase transitions. 59-02986A
(K,Na)NbO₃, hot-pressed, dielectric properties. 59-02636A
LiNbO₃, photorefractive in. 59-03996A
Na, photoferroelectric phenomena in. 59-00903A
Pb Mg, crystals, electrostrictive effect in. 59-04937A
Sr Ba, crystals, doped with Ce. 59-03453P
- Niobium**,
Nb₂O₅, La₂O₃, and Ce₂O₃, thermal properties. 59-04943A
Nb₂Ge, CVD to Cu substrate, superconductor, method of making. 59-04666P
NbCoB, structure, new borides with. 59-00880A
NbMoN_x, crystal structure. 59-00812A
NbO and hollow NbO, needles, electrocrystallization from molten salts. 59-02972A
NbO₃, band structure, optical properties, and susceptibility. 59-02974A
devices for subnanosecond transient protection. 59-00566A
semiconducting, pressure dependences of elastic constants. 59-03054A
on state, sustaining and decaying of. 59-03093A
threshold-switching, recovery curve for. 59-01897A
carbides, nonstoichiometric powders, sintering kinetics. 59-00921A
oxycarbides, thermal expansion of. 59-05100A
- Nitrates**,
NH₄, formed from nuclear fuels, recovery of usable products from. 59-03783P
- Nitridation**,
of Si, commercial, effect of BaF₂ on. 59-01815A
fluoride accelerated. 59-00845A
sintered compact, formation of Si₃N₄ by. 59-00787P
- Nitrides**, See also *Silicon nitride*.
Al, crystalline, epitaxial. 59-03715P
synthesis of. 59-01764P
B, cubic. 59-04801A
cubic, conversion from pyrolytic BN. 59-03894P
Ti, fabrication by high pressure hot-pressing. 59-02869A
synthesis of, self-propagating high temp. 59-00919A
- Ti and Zr, and Al_2O_3 , sintering behavior of materials based on. 59-00772A
structural vacancies, energy characteristics of. 59-04938A
beta-V, structure. 59-03085A
carbo-, Ti, microhardness variation in homogeneity field. 59-00795A
incompatibility of, for Ni-base eutectic alloys. 59-01786A
ions in, Madelung potentials and sizes of. 59-03010A
metal, sintered moldings, method for making. 59-04859P
method for bonding Ag to. 59-00604P
oxy-, Si Al, interaction with molten Si. 59-03684A
glass-ceramics. 59-03435P
in system AlN- Al_2O_3 , sintered, thermal expansion of. 59-03881A
refractories, for turbines. 59-04427A
- Nitrites**,
Ca, use in inhibiting corrosion of reinforced concretes by chlorides. 59-01047A
- Nitrogen**,
and S, removal from flue gases. 59-01695P
aggregates, in diamond, high temp.-high pressure dissociation of. 59-03040A
dissolved in glasses, nondestructive microanalysis by low-energy nuclear reactions. 59-03319A
implantation, formation of Si₃N₄ compound films by. 59-04806A
liquid, strengths of coated optical glass fibers. 59-04219A
- Noise**,
control, in lime industry. 59-00057A
electrical, 1/f, in La Sr vanadate. 59-02919A
reduction, with glass fiber batting. 59-00272A
- Nonmetallic materials**,
refractories, application of. 59-00415A
- Nose cones**, See *Spacecraft*.
- Nozzles**, See *Refractories: Spacecraft*.
- Nuclear industry**,
ceramic utilization in. 59-00640A; 59-00641A
- Nuclear materials**,
B.C, effect of irradiation temp. on growth of He bubbles in. 59-03761A
pellets, stresses and fractures in, thermally induced. 59-02752A
¹³⁷Ce, use of pollicrete for long-term storage of. 59-00642A
Eu₂O₃, monoclinic, thermally activated creep of. 59-03773A
PuF₆, method for purifying. 59-01616P
²³⁹PuO₂, stoichiometric, high-temp. deformation of. 59-01606A
PuO₂, production. 59-00656P
(Th,U)O₂, chemical form of solid fission products. 59-03757A
solid solutions, sintering and formation of. 59-04688A
ThO₂, Hertzian indentation of. 59-04959A
ThO₂, UO₂, and PuO₂, electronic contribution to thermal and transport properties, model for. 59-04687A
U, chromite and niobate, thermal conductivity at high temp. 59-03762A
determination of, in material. 59-00716P
hexavalent, location and form of occurrence in natural oxides. 59-03764A
in-situ leaching of. 59-03839P
oxidation, catalyses of. 59-03838P
oxides, heating, in microwave oven. 59-00644A
U₂O₃ or carbide particles, method of making. 59-02756P
U₂O₃, cost of producing from NH₄HCO₃ by ion exchange. 59-00732A
preparation of. 59-04698P; 59-04698P
sintering of. 59-01609A
UF₆, linings for bombs used to reduce to U. 59-01400A
UO₂, -Zircaloy, reactions, kinetics of. 59-04685A
and UO₂ with Nd₂O₃ addition, sintering kinetics. 59-03763A
derived from nitrate, uranylacetate, and ammonium diuranate, oxidation of. 59-01612A
dry-process fabrication of. 59-00652P
effect of Nb₂O₅ additions on electrical conductivity. 59-04679A
fission gas diffusion in. 59-02744A
internal friction in. 59-04684A
irradiated, micropore sintering in. 59-04686A
kinetics of sintering. 59-02747A
microspheres, low temp. sintering. 59-02748A
powders, flash heated, sintering kinetics. 59-02751A
powders, free-flowing, press-formable, method for making. 59-01618P
production. 59-00658P
release of unstable fission products from, during irradiation. 59-03770A
spectral emissivity of. 59-03771A
temp. dependence of neutron transmission of. 59-01611A
ZrC, reactions with metal oxides. 59-03769A
accelerators, ion, for neutral beam program, development of rectangular insulators for. 59-04678A
carbides, U-Pu, method for making. 59-04700P
dry containment of. 59-03777P
filters for, rotary vacuum disk. 59-04703P
fission products, process for extraction of. 59-02759P
flux, neutron, in nuclear reactors, apparatus for controlling. 59-00649P
fuel body, process for making. 59-03782P
- fuel cells, electrolyte reservoir layer, method for making. 59-02753P
fuel elements. 59-02757P; 59-03780P
for AGR reactors. 59-04677A
Pu rods, apparatus for producing. 59-01614P
apparatus for detecting power distribution in. 59-03775P
defective, apparatus for locating. 59-01613P
high performance. 59-03778P
mixed oxide. 59-01617P
fuels, ThO₂-UO₂, performance in Indian Point 1 plant. 59-02750A
UC₂ and UC₃, HTGR TRISO, SiC-fission reactions in. 59-00647A; 59-00648A
UC-based, sintering behavior. 59-02745A
UO₂, effect of fabrication and microstructure on mechanical strength. 59-03760A
UO₂/Gd₂O₃, mfg. and irradiation experience with. 59-02749A
UO₂/ThO₂, resistance of chloride volatility reprocessing system for. 59-03759A
ZrC-coated particles, fission products diffusion in. 59-04681A
coated particles, method for making. 59-04699P
composition. 59-03779P
irradiated method for dry reprocessing of. 59-04695P
irradiated, processing of. 59-04702P
oxide pellets, mfg. 59-00653P
particles, minimizing cracking of C coatings on. 59-00655P
pellets, design of remote-controlled plant for producing. 59-00643A
pellets, fluid pressure method for recovering from fuel elements. 59-01615P
pellets, with oppositely bottomed holes. 59-02758P
pellets, sintering. 59-00657P
recovery of usable products from by-product NH₄NO₃. 59-03783P
recycle, made by impregnation of pellets. 59-00639A
rods, method of assuring pressurization during mfg. 59-02755P
transport phenomena in. 59-03774A
vented element. 59-00659P
vibro-compacted, initial sintering and hot-pressing in. 59-04682A
gaging of, tips on use of instruments. 59-01673A
glasses, for recording ²³⁵U fission tracks, synthesis and study of. 59-03351A
granular, radioactive, method for encapsulating in metal. 59-04693P
oxide, actinide, kinetics of sintering. 59-02746A
nitride, or oxynitride, neutron-irradiated, swelling and thermal diffusivity changes in. 59-01610A
pellets, green, remote processing apparatus for. 59-02760P
presses, filter, filter plate assembly for. 59-04691P
radioactive, system for storage of. 59-03786P
spheres, micro-, UO₂-UC₂-C, rate-control factors in carbothermic preparation. 59-00646A
systems, Cs₂(f)-Si₃-Al₂O₃, interactions in, use as fixatives for radioactive Cs. 59-04683A
torus, Zr₂O₃-320-cm-OD all-ceramic, fabrication of. 59-04680A
tritium, energetic, interactions with B.C. 59-03767A
process to retain. 59-04701P
wastes, LWR, management systems. 59-01608A
U/Th, process for regeneration and recycling of. 59-00751P
containing Zr and halides, method for calcining. 59-00651P
crystallization of glass for disposal of. 59-04170A
device for taking samples. 59-00721P
disposal of. 59-03765A
fuel, method for recovering Pd and Te from. 59-00650P
kinetics of surface-layer formation on glass for. 59-04217A
management of, scientific basis. 59-02001B
management, use of ceramics. 59-00961B
method for disposal. 59-02754P
method of containing. 59-04696P
method of preparing glass bodies containing. 59-04697P
- Nucleation**,
of cracks, in glasses, during indentations, micro-mechanics of. 59-01212A
in glasses, Au ruby, photosensitive. 59-01222A
Li disilicate, test of theory. 59-00265A
during hydration of Ca sulfate hemihydrate, calorimetric determination. 59-04094A
intergranular phase, Si₃N₄-containing agent. 59-02911P
processes, of Cd₂As₂ films on NaCl substrates. 59-04578A
- Obsidian**,
thick, elemental analysis of, by X-ray emission spectrometry. 59-04719A
- OHs**,
mill, cleanliness of. 59-02159A
- Olivines**,
-type structures, Madelung energies and cation distribution in. 59-03978A
- Opacification**, See *Enamels; Glass; Glazes*.
- Opacifiers**, See *Additives*.
- Opacity**,
of glazes, for sanitary ware, relation to particle size of zircon. 59-04533A

Optical devices.

IV-VI optoelectronic, molecular beam epitaxy techniques for. 59-03303A
 connectors, fiber. 59-01555P
 fiber, with thermally deformable jacket. 59-01554P
 coupler, for waveguide. 59-03279A
 distributor, for signals. 59-00292P
 elements, halide, Ti films for surface protection of. 59-02362P
 molds for making. 59-00343P
 fluorine out-diffused, method for making. 59-04294P
 integrated, fabricated by molecular beam epitaxy. 59-03298A
 lenses, Selfoc, aberration improvement of. 59-04163A
 gradient-index fiber, radiometric properties. 59-04256A
 gradient-index rod, evaluation by imaging. 59-04192A
 preforms, continuous, method of making. 59-03420P
 high strength, method of making. 59-03415P
 sight glass. 59-00370P
 telescope with 98 in. diam. lightweight mirror substrate, use of $\text{SiO}_2/\text{TiO}_2$ glass in. 59-02283A
 transducers, monolithic multilayer electromechanical. 59-04576A
 waveguides, N-doped graded index, method for making. 59-04353P
 controlling drawing rollers to produce diam. perturbations in. 59-00287P
 dielectric. 59-02356P
 dry, method of making. 59-00342P
 fiber. 59-03429P
 gradient fiber for. 59-00321P
 with protective coating. 59-01345P
 shipping spool. 59-02368P
 surface or buried, by ion exchange in glass. 59-04206A
 thin film As_2S_3 . 59-02382P

Optical materials.
 apparatus for cutting. 59-04331P
 coating, nonglare, for glass. 59-01342P
 elements, with refractive index gradients, glass for. 59-02330P
 fibers. 59-02364P; 59-04363P; 59-04364P
 SiO_2 glass, structural ordering in. 59-02288A
 SiO_2 , plastic-clad, properties of. 59-01227A
 aging effects in. 59-00137A
 apparatus for breaking. 59-01281P
 apparatus for cutting. 59-04332P
 cables, mfg. 59-04328P
 cables, random-bend loss in. 59-04247A
 calculation of bandwidth from index profiles. 59-00144A
 calculation of dispersion in by propagating-beam method. 59-00145A
 coating for. 59-03368P
 with compression surface layer. 59-02363P
 cooling rates during drawing. 59-00156A
 deposition properties of SiO_2 -GeO₂ particles for. 59-04173A
 device for evaluating transmitting characteristics. 59-03374P
 effect of coating technique on transmission loss. 59-01150A
 end preparation and fusion splicing using CO_2 laser. 59-00185A
 formulas for TE_{10} cutoff. 59-01168A
 gamma-irradiated, differential interferometry of. 59-04177A
 glass, bundle for use in communications. 59-04347P
 glass, continuous fabrication of. 59-03369P
 glass, measurement of refractive index profile. 59-03307A
 glass, method for making. 59-02374P; 59-03428P
 glass, multicomponent, high numerical aperture. 59-04208A
 graded-index, mfg. 59-00344P
 graded-index, determination of diam. from backscattered pattern. 59-00163A
 graded-index, frequency characteristics of. 59-04199A
 graded-index, power-law, distribution, propagation constant, and group delay relation. 59-02215A
 gradient. 59-02337P
 with high ir transmittance. 59-03430P
 jacketed, thermal characteristics of phase shift in. 59-04265A
 light conducting. 59-00328P
 low loss directional coupling for. 59-00329P
 measurement of stress corrosion constant n . 59-00217A
 method for joining. 59-02355P
 method for making. 59-01334P; 59-03428P
 method for producing. 59-04357P
 optical glass, coupling of. 59-00289P
 preforms, consolidation of particulate layers. 59-01123A
 preforms, devices for elaboration of. 59-04369P
 preforms, mfg. 59-00345P
 process for making. 59-00362P; 59-00363P; 59-03440P; 59-04367P
 with profile distortions, delay compensation in. 59-01217A
 with radial refractive index, process for making. 59-00164P
 refractive-index profiling of. 59-01234A
 ribbon, device for terminating. 59-00291P
 screen tested optical waveguide, strength of. 59-00260A
 self-focusing, alkali silicate glass for. 59-00138A
 single mode, elliptical core, method for making. 59-02352P

single-mode, splicing. 59-02285A
 step-index, scattering from off-axis inhomogeneity in. 59-01236A
 switch for. 59-04380P
 ultralow loss, loss mechanism in. 59-04230A
 films, photometer for measuring and controlling thickness. 59-04278P
 filters, for eye protection. 59-00354P
 glass. 59-00355P; 59-01343P; 59-01344P; 59-02365P; 59-02366P; 59-02367P; 59-03431P
 BaPO_4 , synthesis and study of. 59-02294A
 Brillouin scattering measurements on. 59-02208A
 with Pb, thermophysical properties in molten state. 59-01262A
 ZrF_4 -based. 59-01220A
 acrylic, method of producing antireflective coatings on. 59-00348P
 developments in. 59-00238A
 etching solution for. 59-02317P
 fluoride and phosphate containing. 59-04293P
 lenses, handcrafted. 59-02255A
 method of making. 59-03432P
 ophthalmic, high index. 59-04317P
 polychromatic, strengthened. 59-04379P
 spectral and kinetic selection of centers in. 59-04257A
 graded-index, index variation from field-assisted ion exchange. 59-04210A
 homogeneity of, methods of measuring. 59-03310A
 for integral circuits, engineering problems. 59-02666A
 lenses, lightweight, high refractive index glasses for. 59-04324P
 photochromic, process for making. 59-04370P
 spectacle, high refractive index glasses for. 59-04318P
 transmission loss in, radiation induced. 59-00245A

Optical properties.
 of CrO_2 , MoO_3 , and WO_3 . 59-02269A
 of P center, in crystalline Al_2O_3 . 59-03033A
 of Na-W bronzes and WO_3 . 59-03034A
 of NbO_2 . 59-02974A
 of Ti and Ti oxide, surfaces. 59-05000A
 of TiO_2 , effect of Cu addition on. 59-00564A
 absorption, in alkali halides, theory of. 59-03099A
 wavelength, in $\text{Na}_2\text{O-CaO-SiO}_2$ glasses. 59-03312A
 anisotropy, frozen-in, in $\text{Na}_2\text{O-CaO-SiO}_2$ glasses. 59-01170A
 centers, in glass, spectral and kinetic selection. 59-04257A
 constants, in Fe germanides. 59-00883A
 of borate glasses in ir spectral region, determination of. 59-04244A
 far-ir ordinary-ray, of quartz. 59-01163A
 of glasses. 59-00228A
 of thin films, evaluation of Shamir-Graff measurement. 59-00188A
 crosstalk, in LiNbO_3 waveguide switches. 59-03323A
 of crystals, ABCI-type. 59-00884A
 $\text{Sn}_3\text{P}_2\text{S}_6$. 59-00885A
 quartz, effect of monoxal pressure on. 59-04968A
 of diamonds, effect of stress on zone-center phonon. 59-02970A
 dispersion, in step-index silicone-clad fibers. 59-01140A
 of films, Sb_2S_3 . 59-04579A
 amorphous and crystalline Sb_2S_3 . 59-03689A
 cermet, Ag-SiO_2 . 59-03032A
 polycrystalline and amorphous. 59-05143B
 of glasses. 59-01985B
 Al_2O_3 -doped vapor-synthesized quartz. 59-04233A
 Li- and Pb-containing, effect of chemical bonds on. 59-03277A
 borate and germanate systems containing Bi_2O_3 or PbO . 59-04202A
 measurement of, sorting. 59-03814P
 photodarkening and photostructural effects, in glassy As_2Se_3 . 59-03328A
 photostructural change, in Urbach tail in chalcogenide glasses. 59-04236A
 propagation, in W-fiberguides with rectangular core. 59-00229A
 in graded-index fibers. 59-00242A
 radiation-optical stability, of Si-rich glasses. 59-04246A
 random-bend loss, in fiber cables. 59-04247A
 refractive index, gradients, chromatic variation of. 59-04166A
 minimal dispersion profiles. 59-00222A
 rotation, Faraday, in birefringent optical fibers. 59-04195A
 scattering pattern, of side-illuminated unclad fibers, effect of cross section on. 59-01148A
 stress coeff., of fluorophosphate glasses. 59-04260A
 stress-optical coeffs., of transparent solid plates, interferometric evaluation. 59-00189A
 of systems, As-S-Te . 59-05001A
 unevenness of illumination, caused by gradient-index fiber arrays. 59-04269A
 waveguide effect, in Ag- and Cu-stained glasses. 59-03322A
 of waveguides, Ti-diffused LiNbO_3 . 59-03321A

Optics.
 fiber, application of GaAs laser to. 59-00198A
 fiber window, electroluminescent semiconductor with. 59-01549P
 fused arrays, fiber, with improved blemish quality, method for making. 59-02350P

gradient-index. 59-04207A
 guided-wave. 59-01521A
 integrated, waveguide structures based on glass-forming materials for. 59-04271A
 microsphere, glass for. 59-01307P; 59-01308P
 waveguide and material dispersion, interdependence of. 59-00208A

Ores.
 Fe, Iranian, mfg. raw and calcined pellets from. 59-00054A
 U, characterization of, by thermal methods. 59-01671A
 beneficiation of. 59-04790P
 miniaggregate, in cement matrix. 59-03224P
 bauxite, SEM study. 59-01903A
 calcitic, method for brightening. 59-00739P
 chrome, metallurgical, MgO -chrome bricks using. 59-03550A
 production of alkali metal chromates from. 59-00741P
 containing calcite or dolomite, separation of magnesite from. 59-04797P
 phosphate, beneficiation of. 59-03843P; 59-04790P
 potash, flotation of insoluble slimes from. 59-01700A
 quartz-sillimanite, concentration and complex use of. 59-02824A
 quartzite, Antonov, mining of, for refractories. 59-02454A
 taconite, oxidized magnetic beneficiation of. 59-01716A
 zircon, grinding. 59-02437A

Organic compounds. See also specific types.

Orientation.
 of crystals, BN, precipitated from gas phase. 59-05002A

Orthopyroxenes. See *Pyroxenes, ortho-*.

Orthosilicates. See *Silicates, ortho-*.

Ovens. See also *Furnaces; Kilns*.
 59-04773P
 coke, condition after use. 59-04439A
 linings with increased thermal conductivity for. 59-04452A
 industrial, for calcining limestone. 59-02117P
 tunnel, for baking ceramics. 59-03829P
 vacuum, with thin sheet graphite heating. 59-02822P

Oxidation.
 of BN-based materials. 59-00888A
 of Cr, effect on properties of cermet 60% YCrO_3 -40% Cr. 59-02864A
 of MgO , Li-containing. 59-03038A
 of Si_3N_4 , at 1150–1450 °C. 59-03039A
 CVD. 59-03986A
 / CoO , development of surface stresses during. 59-00822A
 with CeO_2 additive. 59-01845A
 Y_2O_3 hot-pressed, kinetics of. 59-01858A
 alloys. 59-05005A
 hot-pressed, effect of heat treatment on. 59-04805A
 ir reflection analysis. 59-04811A
 of SiC, hot-pressed. 59-00416A
 of Ti, formation of brookite by. 59-04798A
 of TiC, at various O pressures. 59-00890A
 of U, catalyses. 59-03838P
 of UO_2 , thermoanalytical study. 59-01612A
 of U-Pu mixed oxides, under controlled O potential, kinetics of. 59-01607A
 of coal, kinetics. 59-00727A
 of crystals, as means of studying polytypism. 59-00889A
 dry pressure, low temp. CMOS/SOS process using. 59-02710P
 -induced phase change, compressive surface stresses developed by. 59-01795A
 kinetics, of Si refractories, effect on hot-corrosion resistance. 59-04429A
 of materials during X-ray analysis, loss correction for. 59-00678A
 mechanisms, in sialons. 59-05004A
 of metals, enamel for preventing. 59-01074P
 pigments resistant to, Fe oxide. 59-04553P
 resistance, of graphite, with Zr diboride, Si, and V additives. 59-00763A
 -resistant, nonoxide coatings sintered on Mo. 59-03872A
 of solid solutions, ZnFe_2O_4 - Fe_2O_3 , formation of alpha- Fe_2O_3 during. 59-00846A
 stacking faults, kinetics of growth. 59-04983A
 stages, of Fe in steelmaking slags. 59-04103A
 time, effect on Si- SiO_2 interface. 59-01917A

Oxides. See also *Rare earths and specific types*.
 Al_2O_3 , ZrO_2 , and MgO , performance in high temp. steam and H in nuclear reactors. 59-03766A
 Cd_2O_3 , and Ca_2MoO_4 , isostructure and reciprocal solubility. 59-03974A
 CrVO_4 , CrNbO_4 , CrUO_4 , 6.14 ZrO_2 · Nb_2O_5 , 4.26 ZrO_2 · Nb_2O_5 , conductivity measurements. 59-02634A
 LaRhO_3 and Rh_2O_3 , vibration spectra. 59-05112A
 $R_2\text{III}_2\text{E}_2\text{H}_2\text{O}_4$, [R = rare earths and Y; E = Al, Ga, Fe, etc.], defect formation in. 59-02951A
 ceramic, STEM microanalysis, absorption effects. 59-01767A
 diffusion in, bibliography. 59-04884A
 double, with d-elements, valence state of Eu. 59-05110A
 refractory, thermodynamics of. 59-04594A
 ferric, particle gamma. 59-02728P
 fluxing, effect on physical and electrical properties of porcelain. 59-01463A
 gamma-6 Bi_2O_3 · SiO_2 , supercooled melts, forming stable crystals from. 59-02873A
 high-melting-point. 59-00854A
 ions in, Madelung potentials and sizes of. 59-03010A

- magnetic, preparation of. 59-02711P
melts, molten, activity measurements, by mass spectrometry. 59-03930A
metal, method of densifying. 59-03414P
refractory particles. 59-00483P
simple and mixed, classification of. 59-03936A
metalloid, finely divided, process for producing. 59-03845P
multicomponent, catalysts, process for forming. 59-04866P
natural, location and form of occurrence of hexavalent U in. 59-03764A
polycrystalline, process for producing. 59-04794P
thermal expansion, zero and low coeff. 59-04039A
porous, as antireflective coating for glass. 59-04240A
reaction with metallic surfaces, spectroscopic study. 59-00925A
refractory, for fusion reactor first walls. 59-03568A
thermal shock resistance mechanisms. 59-04455A
thermoelectric emissivity of. 59-04595A
scales, on oxidized Si and SiC crystals, microstructure. 59-03017A
segregation in, grain-boundary, AEM study. 59-04975A
semiconductors, method for mfg. 59-02718P
sintered, for pressure-transmitting media. 59-04588A
shear strength, at high pressure. 59-05042A
synthesis of mullite from, solid-phase. 59-02490A
system, binary and ternary, Gibbs' energy and enthalpy of formation of compounds. 59-03938A
systems, Al_2O_3 - P_2O_5 - WO_3 , compatibility relations in. 59-03937A
 MgO - V_2O_5 - VO_2 , phase diagrams and oxidation-reduction processes. 59-03989A
- Oxygen.**
S-O, bonds, correlation between force constant and electronic structure. 59-04902A
in combustion gases, in glassmaking, automatic monitoring of. 59-01631A
concentration cells, thermodynamic data from. 59-04031A
diffusivity, in rutile, spectrometric determination. 59-00821A
distribution of, ionic, in binary silicate glasses, determination from molar refractivity. 59-04174A
gradients and resultant strains, in ferrites, measurement of. 59-02669A
ion-conducting, membrane electrodes, use as pH sensors. 59-04580A
ions, conduction in Sm_2ZrO_7 pyrochlore phase. 59-00891A
nonbridging, in K borate glasses, spectroscopic study of formation. 59-04226A
ozone, catalyst for decomposition of. 59-04843P
resistant, electroconductive C bodies. 59-04492P
self-diffusion, in single-crystal Al_2O_3 , ion-probe measurement. 59-01851A
sensors. 59-03739P; 59-04645P
Pt-ZrO₂, operation of. 59-03668A
ZrO₂. 59-02690A
application of. 59-02628A
for glassmelting furnaces. 59-03265A
method of forming. 59-04644P
partial pressure of. 59-00612P
use of, in industrial firing. 59-04762A
vacancies, in garnets. 59-04882A
- PLZT. See Lead, PLZT.**
- Palladium.**
in nuclear wastes, recovery of. 59-00650P
- Pallets. See Materials handling.**
- Panels. See Building materials; Glass.**
- Particles. See also Colloids; Permeability; Porosity.**
 Al_2O_3 , consolidation of. 59-04791P
spheroidal, method of making. 59-02907P
 CaO , porous, formed by decomposition of CaCO_3 and Ca(OH)_2 , characterization of. 59-03935A
Fe oxide, of controlled size, process for making. 59-04655P
 SiO_2 - GeO_2 , for optical fibers, deposition properties in flame hydrolysis. 59-04173A
 U_3O_8 or carbide, method of making. 59-02756P
abrasive, BN. 59-04064P
coated diamond and cubic BN. 59-03153P
transition metal carbide and boride. 59-00012P
analysis of, electron beam. 59-04718A
electron probe, conversion of X-ray ratios to composition ratios. 59-01797A
coated, nuclear fuel, method for making. 59-04699P
conveyor for. 59-03789P
corundum, method for preparing. 59-01718P
method of preparing. 59-03840P
counting and sizing, instruments for. 59-01657A
drying, method and apparatus for. 59-00672P
fine, testing and characterization. 59-04058B
gamma- Fe_2O_3 , magnetic. 59-00637P
glass, suspended in flame, deformation of. 59-04172A
grog, kaolin, shape and density of. 59-01405A
irregularly shaped, drag coeffs. for. 59-00692A
kaolin chamotte, form and density of. 59-04522A
measurement, techniques for. 59-01669A
mixing of, method and apparatus. 59-02779P
mold materials, method for purifying. 59-04485P
orientation method. 59-02904P
perlite, agglomerating. 59-02849P
rearrangement of, kinetics. 59-00892A
refractory, metal oxide or metal carbide, process for making. 59-00483P
shaped, from rehydratable Al_2O_3 . 59-03618P
shape characterization, by Feret's diameter signature waveform. 59-03811A
shaped, preparation from rehydratable Al_2O_3 . 59-01758P
size, instruments for measuring. 59-02791A
size analysis, by pressure measurement in suspension. 59-00702A
size analyzers. 59-04750P
size determination, with sedgeph 5000. 59-03799A
size distribution, calculation from chord and area data. 59-01654A
small, thermophoretic deposition in MCVD process. 59-04267A
spinel, order hardening of MgO by. 59-00886A
statistics, grain-size. 59-03800A
submicron, sizing of, without an electron microscope. 59-03808A
suspended, specific gravity of, determining using electronic counter. 59-02788A
of zeolite, A crystals. 59-01766P
- Pastes.**
SiC-based, grinding-polishing. 59-00985P
abrasive, diamond. 59-02017P
cement, expansive, thermogravimetric study of hydration. 59-04082A
lapping, containing corundum. 59-02016P
for metallization, of Be ceramics. 59-04646P
of piezoelectric ceramics. 59-04647P
metallizing, use of. 59-03928P
plaster, hardened, measurement and estimation of characteristics. 59-04101A
- Pelletization.**
of batches, Pb crystal. 59-01226A
of kaolin, process for. 59-00749P
- Pellets.**
 Al_2O_3 , containing TiO_2 , hydrosulfurization catalyst with. 59-03912P
B-C, stresses and fractures in, thermally induced. 59-02752A
calcination of, physicochemical processes in refractory linings of machinery used for. 59-02468A
fiber glassmaking, containing fiber glass cullet. 59-03378P
fuel, UO_2 , effect of fabrication and microstructure on mechanical strength. 59-03760A
gamma-active, design of remote-controlled plant for making. 59-00643A
nuclear, sintering. 59-00657P
nuclear, with oppositely bottomed holes. 59-02758P
organic fibrous, production of. 59-04759A
kaolinite, behavior at high temps. 59-01773A
nuclear, green, remote processing apparatus for. 59-02760P
oxide, nuclear fuel, mfg. 59-00653P
raw and calcined, from Iranian iron ores. 59-00054A
recovery of, from nuclear fuel elements, fluid pressure method. 59-01615P
- Periclase.**
bricks, thermal loading in valve gates of ladles. 59-02494A
-chromite, refractories, effect of technological parameters on properties. 59-02430A
crucibles, for smelting Ni alloys. 59-02466A
heat capacity. 59-01841A
refractories, high-temp. testing of. 59-02442A
method of making. 59-04493P
modulus of rupture, effect of mineral and chemical composition on. 59-01402A
- Perlite.**
59-01709A
foam glass from, granulated. 59-04222A
method for expanding. 59-02854P
particulate, agglomerating. 59-02849P
pigments based on, for whiteware. 59-00499A
- Permeability. See also Porosity.**
/dehydration behavior, of superdry castables. 59-03558A
hydrogen, of sintered Al_2O_3 . 59-00860A
of mortars, impermeabilized with montmorillonite, effect of thermal cycling on. 59-01043A
- Permittivity. See Dielectric properties.**
- Perovskites.**
Ba- and Ru-containing, catalysts. 59-03889P
 $\text{Nd}_{0.7}\text{Ti}_{0.3}\text{O}_{3-x}$ synthesis of. 59-05065A
 TeO_2 -based, SHG study of acitricity in. 59-00935A
catalysts, Ru-containing. 59-02910P
d-band, surface electronic properties. 59-03091A
-like compounds, (12H) $\text{La}_2\text{Ti}_{10}\text{O}_{27}$. 59-04997A
structure, transition of SrFeO_6 from brownmillerite to. 59-03035A
in systems, A^{II}O - UO_2 , tetragonal $\text{Ba}_2\text{Ba}_{1-x}\text{U}_{1+x}\text{O}_{10}$. 59-03988A
AO-SE- O_2 - UO_2 , (A = alkaline-earth metal and Se = rare earths, La, and Y. 59-00893A
-type compounds, $\text{Sr}_2\text{Cr}_2\text{WO}_6$, $\text{Ca}_2\text{Cr}_2\text{WO}_6$, and $\text{Sr}_2\text{Cr}_2\text{UO}_6$, preparation and magnetic properties. 59-03052A
- Petrology.**
of serpentine. 59-04006A
- pH. See Hydrogen ion concentration.**
- Phase diagrams. See Phase equilibria.**
- Phase equilibria. See also Systems.**
in Si_3N_4 , containing Y_2O_3 or CeO_2 . 59-02880A; 59-02881A
boundaries, in ZrO_2 - (cubic)- ZrO_2 . 59-01935A
compounds, in system Bi_2O_3 - RuO_3 . 59-04896A
diagrams, of SbCl_3 . 59-01881A
of cross section FeS - In_2S_3 . 59-05013A
of five-component eutectic system in three-dimensional pentatop. 59-05012A
multicomponent, theory of. 59-05096A
of oxidation-reduction in system MgO - V_2O_5 - VO_2 . 59-03989A
perovskite-like compound (12H) $\text{La}_2\text{Ti}_{10}\text{O}_{27}$. 59-04997A
and solubility of components in systems A'B'-CdTe. 59-05016A
of system Al_2O_3 - AlPO_4 - H_2O , stability of trolleite. 59-01912A
of system As iodide-As sulfide. 59-05006A
system CaCl_2 -Ca, DTA study. 59-03943A
of system Cs_2SO_4 - $\text{La}_2(\text{SO}_4)_3$. 59-03042A
system Ca_2O . 59-03942A
of system LiF-ZrF₄, mass spectrometric study. 59-04880A
of system LiVO_3 - LiNbO_3 . 59-05014A
of system Mg_2GeO_4 - Fe_2GeO_4 . 59-04915A
of system Na_2O - Ga_2O_3 - Ga_2O_3 , relation to system Na_2O - Al_2O_3 - Al_2O_3 . 59-05015A
of system ZrO_2 - CaO - MgO . 59-03990A
of systems GaCl_3 - SnCl_4 - PbCl_4 and SnCl_4 . 59-05031A
of systems Li_2O - Nd_2O_3 - P_2O_5 . 59-00894A
of systems LiCl - MCl (M = Mg, Ca, Sr, Ba, Mn), refinement of. 59-05035A
of systems Na_2O - MO - V_2O_5 (M = Mg, Ca, Ni), topology of solidus surface. 59-05107A
for systems binary interalkali halide and Na_2MO_3 - MOO_3 . 59-03077A
tentative, for system SrF_2 - LaF_3 . 59-01926A
of ternary molten salt, computation of—correction. 59-00803A
and glass formation, in system P_2O_5 - WO_3 - MgO . 59-05017A
modifications, of C,S in steelmaking slags. 59-04104A
polymer equilibrium in silicate melts, system PbO - SiO_2 . 59-00237A
reactions, of In mono- and dichlorides with chlorides of Ca and Mg. 59-05032A
of alkali metal sulfatomolybdates with Ti(III) oxide. 59-05033A
of liquid alkali metals with metals Zr, Nb, Ta, Mo, W and their oxides. 59-05034A
solid state, in system ZrO_2 - SiO_2 - $\alpha\text{-Al}_2\text{O}_3$. 59-01910A
in system Cu-Se-Bi. 59-04973A
in system Si-Ti-O-N. 59-01895A
in system Ti-Si-N₂, with ordinary and plasma heating. 59-00911A
in systems $3\text{OK}_2\text{CO}_3$ - 70SiO_2 - IAs_2O_5 , Raman study. 59-00248A; 59-03335A
relations, in Mg oxysulfate cements. 59-04105A
of Mg-metasilicate prepared by heating talc. 59-05021A
of alkali feldspars. 59-01884A
compatibility, in system Al_2O_3 - P_2O_5 - WO_3 . 59-03937A
compatibility, in system Li_2O - MgO - Al_2O_3 . 59-01794A
and crystal chemistry, of system R_2O - TiO_2 (R = La, Nd, Gd, Ho, Yb). 59-03993A; 59-03994A
and crystal structures of Zn and Cd tungstates. 59-03046A
pseudobinary, of Li_2TiO_3 . 59-03056A
of spinel phase, in systems MgO - Al_2O_3 - CaMgSiO_3 , MgO - Cr_2O_3 - CaMgSiO_3 , and MgO - $(\text{Al}_{1-x}\text{Cr}_x)_2\text{O}_3$ - CaMgSiO_3 . 59-03045A
subsolidus, between $\text{CaAl}_2\text{Si}_2\text{O}_8$ and $\text{Ca}_2\text{P}_2\text{O}_7$. 59-01919A
subsolidus, in system Si_3N_4 - Y_2O_3 . 59-00936A
in system Al oxynitride spinel (ALON). 59-00898A
in system HfO_2 - PrO_3 - DyO_3 . 59-03995A
in system MgO - V_2O_5 - VO_2 . 59-05020A
separation, in glazes. 59-04073A
of liquid-liquid in glass, effect on properties and crystallization. 59-00232A
structures, of $\text{Ce}_2\text{Si}_2\text{O}_7$, $\text{La}_2\text{Si}_2\text{O}_7$, " Ce_2O_3 - $2\text{Si}_3\text{N}_4$," and " La_2O_3 - $2\text{Si}_3\text{N}_4$,"—comment. 59-00801A
of $\text{Ce}_2\text{Si}_2\text{O}_7$, $\text{La}_2\text{Si}_2\text{O}_7$, Ce_2O_3 - $2\text{Si}_3\text{N}_4$, and " La_2O_3 - $2\text{Si}_3\text{N}_4$,"—reply. 59-00914A
subsolidus, in system Y_2O_3 - SiO_2 - K_2O . 59-05058A
in system Y_2O_3 - Ta_2O_5 . 59-04020A
in system ZrO_2 - Y_2O_3 - Al_2O_3 . 59-05057A
systems, (Y,Gd)-Fe-Si. 59-03096A
3PbO- GeO_2 . 59-00897A
 AgCl - FeCl_3 (PdCl_2) and PdCl_2 - FeCl_3 (PbCl_2). 59-05089A
 AgCl - NaCl - PbCl_2 (TeCl_4) and AgCl (NaCl)- PbCl_2 - TeCl_4 . 59-05018A
 Al_2O_3 - SiO_2 - H_2O , thermodynamic data for diaspore. 59-01875A
 Al_2O_3 - Be - C - SiC . 59-00895A
 Al - Co - O , in air. 59-05067A
 AlN - Si_3N_4 - Be_3N_2 . 59-01882A
 As_2O_3 - Cr_2O_3 (Cr_2SO_4). 59-05068A
 BPO - SiO_2 . 59-01922A
 BaF_2 - Cl - MoO_3 . 59-04025A
 Ba - FeO , and SrO - FeO . 59-01886A
 BaO - Nb_2O_5 . 59-05069A
 CaSiO_3 - NaAlO_2 , and nepheline ore, mechanism of firing. 59-04781A
 CaF_2 - AlF_3 - NaAlF_4 , and part of CaF_2 - AlF_3 - NaAlF_4 - Al_2O_3 . 59-03043A
 CaO - FeO - V_2O_5 . 59-05070A
 CaO - Ga_2O_3 , central region. 59-01777A
 CaO - MgO - SiO_2 , thermochemical study. 59-05104A
 CaO - P_2O_5 - H_2O . 59-00939A
 CaO - Y_2O_3 - Al_2O_3 . 59-05071A
Cd oxide-H₂O, growth of CdWO_4 crystals. 59-01775A
Cd-Be-Se, physicochemical study. 59-05025A
Cd-Ga-Se. 59-05072A

- CdCl₂-CrCl₃, 59-05073A
 CdO-Na₂O₂-WO₃, fields of primary crystallization, 59-04945A
 Ce₂Se₃-PbSe, 59-05074A
 Cr₂O₃-Al₂O₃, microhardness of solid solution in, 59-05114A
 Cs-Cr-O, 59-03991A
 Fe oxide-Cr oxide, Moessbauer study, 59-04995A
 Fe₂O₃-Ca-SiO₂, changes during sintering, 59-01781A
 Fe₂O₃-Y₂O₃-VO₂, thermodynamic characteristics, 59-05011A
 Ga-In₂-As₂P₂, CVD: Ga-In-As-P-H-Cl, thermodynamic analysis, 59-05105A
 GaSe-GeTe, 59-05075A
 Ge-P-S, in glass forming region, 59-03992A
 In-Pb-Se, 59-05076A
 In-Te-I, 59-05088A
 K₂MoO₄-CaMoO₄-BaMoO₄, 59-05077A
 K₂O-Fe₂O₃-SiO₂, effects of P₂O₅ and TiO₂ on liquid-like balance, 59-04929A
 KAlSi₃O₈-NaAlSi₃O₈-CaAl₂Si₂O₇-SiO₂-H₂O-CO₂, effect of CO₂ on crystal growth, 59-01816A
 La₂O₃-B₂O₃-V₂O₅, 59-05078A
 Li₂O-Al₂O₃-Cr₂O₃, subsolidus, 59-01918A
 Li₂O-CoO-B₂O₃, 59-05079A
 Li-Na-K metaniobate and metatantalate, quenched meta-stable glassy and crystalline phases, 59-00244A
 LiF-AlF₃-NaF-AlF₃-Al₂O₃, 59-00896A
 M₂O-V₂O₅-(VO₂)₂ (M = Rb, Cs), 59-05090A
 MgCl₂-UCl₄-ThCl₄, 59-05080A
 MgMoO₄-Ln₂(MoO₄)₃ (Ln = Sm, Yb), 59-05019A
 MgO-Al₂O₃-H₂O, crystallization field, 59-04910A
 MgO-CaO, thermal expansion of ceramics in, 59-00944A
 MgO-H₂O-CO₂, carbonation, hydration, and melting relations, 59-01776A
 MgO-MgCl₂-H₂O, 59-04118A
 MgO-MgF₂-SiO₂-H₂O, 59-01883A
 MgO-SiO₂-H₂O, hydration and melting reactions, 59-01847A
 MnSe-Bi₂Se₃, 59-05081A
 Na-Al-Fe-O, stability of beta'-Al₂O₃ in, 59-00926A
 Na₂BaF₂MoO₄WO₄, 59-05029A
 Na₂KIF₄Cl₂WO₄, DTA study, 59-04977A
 NaAlSi₃O₈-H₂O-CO₂, 59-01923A
 Pb(Mg_{1-x}Nb_x)₂O₇:Pb(W_{1-x}Mg_x)₂O₇, solid solution, structure and dielectric properties, 59-00930A
 Pb-Sn-Se, vapor pressure in, 59-04037A
 PbO-Bi₂O₃, PbO-PbMoO₄, and NaCl-RbCl, viscosity in, 59-03110A
 Pr₂Te₂-UTe₂, 59-05082A
 Pr-U-S, 59-05083A
 Rb₂I₂-CdI₂-PbI₂ and Cs₂I₂-CdI₂-PbI₂, 59-04027A
 Si₃N₄-Ce₂O₃-SiO₂, 59-01746A
 Si₃N₄-Si₃N₂O-Mg₂SiO₄, eutectic studies—correction, 59-01798A
 Si₃N₄-SiO₂-MgO, relation of oxidation of Si₃N₄ to, 59-05005A
 Si₃N₄-SiO₂-Y₂O₃, 59-01924A
 Si₃N₄-SiO₂-ZrN-ZrO₂, 59-00940A
 Sm₂Se₃-PbSe, 59-05084A
 TiN-CrN, thermal conductivity of solid solutions in, 59-04028A
 Ti₂Se-SnSe and Ti₂Se-PbSe, 59-03044A
 Ti-Pb-S, 59-05085A
 TiSe-GeSe, 59-05086A
 V₂O₅-Ti₂O₃, 59-05087A
 V-(Fe₂Co₂Ni)₂N, constitution of, 59-00803A
 V-O-Te, 59-04026A
 ZrO₂-Ln₂O₃, eutectics in, 59-01778A
 reciprocal, of bromides and iodides of Na, Cd, and Pb, 59-04005A
 salt, consisting of halogenides of mono- and divalent metals, volume properties of, 59-05115A
 salt, solid solutions, formation of maxima in melting curves, 59-04900A
 taeniolite-Na taeniolite, properties of solid solutions in, 59-01909A
 ternary MgO-Al₂O₃-P₂O₅, 59-05092A
 thermodynamics, of melting of anorthite, 59-01930A
 transformations, in ABO₃-type compounds, 59-01885A
 of Al₂O₃-SiO₂ gel and kaolinitic clay, 59-03047A
 in Na₂Zr₂Si₂PO₈, 59-02675A
 Vol. 1, 59-03139B
 Vol. 2, 59-03140B
 transitions, in Pb(Zn_{1-x}Nb_x)₂O₇, 59-04917A
 in SiC under high pressure, 59-03048A
 glass, of BeF₂, 59-04205A
 in orthorhombic, Dy doped with Co and Nd, 59-00901A
 in supercooled-liquid/glass region, computer simulation of, 59-04215A
 in system Na₂Zr₂Si₂PO₈ (nasicon), 59-00900A
Phase transformations. See *Phase equilibria*.
Phases.
 amorphous, separation of, role in formation of glass-ceramics, 59-04253A
 with spinel structure, composition and stability, analysis of, 59-04876A
 tau, review of, 59-00915A
 transition, in kaolinite-mullite sequence, structural analysis of—comment, 59-00800A
 in kaolinite-mullite sequence, structural analysis—reply to comment, 59-00913A
 vitreous, in glass system Se-S-As, 59-00277A
Phlogopite. See *Mica*.
Phossum.
 parametric echo, in LiNbO₃ crystals, 59-03987A
 resonances, associated with vacancy in CaF₂, 59-05023A
 surface, in amorphous SiO₂, 59-03971A
 thermal, in LiF, interaction with dislocations, 59-02996A
 in vitreous SiO₂, Ti-doped, 59-03327A
Phosphates. See also *Glass* and *specific types*.
 Al, binder, cured with ammonia and amines, 59-04463P
 gelled SiO₂ sols, refractory binders based on, 59-04509P
 AlPO₄, alpha-beta cristobalite transition, Raman study, 59-03059A
 Cd₂(NaPO₃)₂, crystal structure, 59-04908A
 MeNdP₂O₇ (Me = Li, Na, K), crystals, laser-emission cross sections of, 59-01860A
 Na₂Mg₂P₂O₇, crystal data for, 59-02937A
 fluoro-, glasses, 59-00193A
 glasses, synthesis of, 59-02380P
 grout, refractory, high-early-strength, 59-01433P
 meta-, glass-forming Sr and Ba, XRD study, 59-03356A
 rare-earth-element, glassy, properties of, 59-04243A
 ores, beneficiation of, 59-04790P
 method of beneficiating, 59-03843P
 orho-, of Ca and Ba, electrical conductivity, 59-04933A
 poly-, K, mfg, 59-01720P
 of Na and K, molten, reaction of Cu sulfide(I) with, 59-04972A
 vitreous, of alkali metals, molecular-mass distribution, gel-chromatographic study, 59-02246A
 processing operations, in southeastern Idaho, environmental problems, 59-00733A
 tricalcium, thermal analysis of hydroxyapatite prepared by hydration of, 59-04834A
 trimeta-, of La, Ce, and Pr, crystal data for, 59-02941A
 use, for bonding MgO materials, 59-02102A
Phosphides.
 In, mechanical properties, 59-00923A
Phosphors.
 Ca Y borate, 59-04282P
 ZnS, coactivated with Cu and Au, method of making, 59-04638P
Phosphorus.
 different modifications of, reactions with Te, 59-04974A
 dopant hosts containing, melt-formed polycrystalline ceramics and, 59-02712P
Photochromic materials.
 Ag halide, kinetics of, 59-01203A
 Ag halide, kinetics of thermal bleaching, 59-01204A
 Cu-Cd halide, refractive index-corrected, 59-01355P
 based on TiO₂-doped Cd germanate, 59-04235A
 charge for, 59-02370P
 effect of electron-hole separation on recombination, 59-01192A
 formation of metallic Ag on Ag-halide surfaces, 59-00194A
 gradient, process for making articles from, 59-00361P
 optical absorption of Ag in, 59-02268A
 optically induced anisotropy in, 59-00230A
 sheets, 59-04365P
 lenses, ophthalmic, process for making, 59-04370P
Photochromic properties.
 recombination, in glasses, effect of electron-hole separation on, 59-01192A
Photoconductivity.
 of crystals, K and Na niobate, 59-00902A
 transient, in alpha-SiO₂, simulation, using multiple-trap model, 59-05043A
Photoconductors. See *Conductors, electrical*.
Photoelasticity. See *Elasticity*.
Photoelectric cells. See *Cells*.
Photoelectric properties.
 of glasses, Na silicate, in fundamental absorption region, 59-02271A
Photometers. See also *Spectrophotometers*.
Photometry. See also *Spectrophotometry*.
 flame, determination of Na and K in portland cements, sources of error, 59-00072A
Photosensitive materials.
 glass, colored, with alterable photo-anisotropic effects, 59-03419P
 glasses, Au ruby, nucleation in, 59-01222A
 containing Ag, method for making, 59-00337P
 effects of light exposure on, 59-02284A
 microstructure of, 59-01213A
 reversibly, glass, 59-03447P
Photovoltaic effect.
 at contacts, Cu-CdS, 59-04556A
 in electronic devices, formation by solid phase epitaxy, 59-00595P
Physical chemistry. See *Chemistry*.
Physical properties.
 of Al₂O₃, preliminary study, 59-05027A
 of MgO, effect of calcination and annealing on, 59-04038A
 of Nd₂(Ru_{1-x}Sn_x)₂O₇, solid solutions, 59-04949A
 of Si₃N₄, hot-pressed, with CeO₂ or Y₂O₃ as sintering aids, 59-00754A
 plasma-deposited, 59-01889A
 of agloporite, ways to modify, 59-02087A
 of alloys, based on WC, 59-00766A
 of antimonides, of alkali metals, A'SbSe₂ (A' = Li, Na, K, Rb, Cs), 59-05024A
 of catalysts, method for, 59-03900P
 of ceramics, made by sintering pozzolana-blast furnace slags, 59-03191A
 of cermets, Al₂O₃-Mo, effect of processing on, 59-00759A
 of clay minerals, from West Bengal, 59-03049A
 compressibility, of zircon, at high pressure, 59-01802A
 of concretes, S-infiltrated autoclaved, 59-04109A
 of cordierite, synthetic, 59-04904A
 electro-, of Y chromite doped with Ca chromite, 59-03525A
 of compounds A'SbTe₂ (A' = Li, Na, Rb, Cs), regularities in change of, 59-05036A
 of enamels, method for rapid determination of, 59-02171A
 of films, polycrystalline and amorphous, 59-05143B
 of forsterite, effect of additives on, 59-02966A
 of glass-ceramics, machinable, 59-02289A
 of glasses, PbF₂-AlF₃, 59-04241A
 calculation of, 59-01114A
 in system Li₂O-CdO-SiO₂, effect of melting variables on, 59-04211A
 of materials, apparatus for measuring, 59-00714P
 of mortars, cement, use of flow cone tests to predict, 59-04119A
 of porcelain, effect of fluxing oxides on, 59-01463A
 of refractories, magnesite, effect of porous filler grains on, 59-03520A
 rheology, of cement mixes, 59-04113A; 59-04114A
 of shales, Chinese aluminous, 59-03363A
 of steatite, effect of additives on, 59-02965A
 thermo-, of C-fiber-C-matrix composites, 59-04835A
 of Pb-containing optical glasses in molten state, 59-01262A
Physicochemical properties.
 of NdCl₃ and ZrCl₄, effect of reactor irradiation on, 59-02743A
 of NbTiO₃, 59-00907A
 of binders, cement clinker, effect of additives on, 59-02068A
 of bronze, crystallized from 3NaF-AlF₃-TiO₂, melt, 59-03852A
 of crystals, CrPr₂S₄ and CrPr₂Se₄, 59-03094A
 of films, Se₂-Te₂, 59-03346A
 of glasses, Cu phosphate, 59-00233A
 Sb₂O₃, 59-03330A
 arsenite, 59-00264A
 containing Sr, 59-02005B
 effect of ion-exchange treatment temp. on, 59-01147A
 effect on workability, 59-01179A
 rare-earth-element metaphosphate, 59-04243A
 in system Na₂O-Nb₂O₅-P₂O₅, 59-04242A
 of glassy materials, inorganic, 59-03347A
 of lime, factors affecting, 59-02072A
 manual of symbols and terminology, for physicochemical quantities and units, 59-03136B
 of raw materials, for keramzit, 59-04052B
 of tableware, porcelain, from around the world, 59-02593A
Physics.
 of SiO₂, and its interfaces, 59-01990B
 equation of state, optimization of number of coeffs. in, 59-01878A
 of glass, 59-01989B
 of glass-forming systems, 59-04053B
 solid state, 59-05148B
Pickling.
 cold, at Kilgore Ceramics, 59-02135A
 machine, spray, 59-00099A; 59-02156A
 oxy-acid, plant experiences, 59-02165A
 principles, 59-02168A
 oxy-acid system, installation, 59-02157A
 oxy-acid, low-Ni, spray, 59-02162A
Piezoelectric materials.
 59-00614P; 59-00615P; 59-00616P; 59-00617P; 59-00618P;
 59-01584P; 59-01585P; 59-01586P; 59-02729P;
 59-04650P; 59-04651P
 Bi₂SiO₅, levorotatory, crystal structure, 59-01801A
 C₂Al₂O₇, 59-00545A
 Pb(Sn_{1-x}Sb_x)₂O₇-PbTiO₃-PbZrO₃, temp. dependence of frequency constant, 59-03701A
 crystals, type A^{II}B^{IV}, periodic semiconductors based on, 59-00569A
 densification of, by hot isostatic pressing, 59-03670A
 development of, 59-00550A
 ferromagnetic, composition, 59-02701P
 composition for, 59-01553P
 films, ZnO, crystalline, 59-02730P
 ZnO, with additives, 59-00619P
 crystalline ZnO, method of making, 59-01587P
 filters, 59-03740P
 metallization of, paste for, 59-04647P
 in system, PbTiO₃-Pb(Fe_{1-x}Nb_x)₂O₇-PbZrO₃, 59-02676A
 transducer, quartz, 59-03698A
 with stable frequency, 59-03741P
 wafer, electroded, for electrooptic devices, 59-00631P
 for wave devices, acoustic surface, 59-01583P
Piezoelectric properties.
 birefringence, in diamond, 59-03050A
Pigments. See also *Color*; *Stains*.
 Fe oxide, for magnetic coatings, 59-01559P
 resistant to oxidation, 59-04553P
 Sr, 59-00520A
 anatase, from ilmenite, 59-02850P
 black, spinel, CoO free, containing NiO, Fe₂O₃ and Cr₂O₃, 59-04540P
 blue, in blue-and-white Chinese ware, 59-02029A
 for cement, method of producing, 59-04123P
 ceramic, 59-02607P; 59-03632A; 59-03633A; 59-03634A; 59-03635A

- chart for. 59-04550P
ink, black aqueous. 59-00432P
inorganic, mfg. processes. 59-01318B
preparation of. 59-00536P
solid solutions of spinels. 59-04547P
magnetic, Cr_2O_3 stabilizing. 59-02741P
nacreous, Fe oxide coated mica. 59-02617P
pink, in system, $\text{ZrO}_2\text{-TiO}_2\text{-SnO}_2\text{-Cr}_2\text{O}_3$, synthesis and structure. 59-02604A
red, for decorating pottery. 59-02600A; 59-02601A
in system, $\text{NiO-Nd}_2\text{O}_3\text{-Al}_2\text{O}_3$, formation of. 59-02584A
used in paper industry, test methods for. 59-02794A
for whiteware, based on perlite and rare earth oxides. 59-00499A
ceramic. 59-00526P
containing Nd_2O_3 . 59-01486P
yellow, made by substituting Mn for Zn in willemite. 59-02789A
- Pipe.** See also *Tile*.
ceramic, mfg. 59-01368A
clay, audit confirms energy savings. 59-04386A
vitrified, adapted for joining. 59-00401P
coupling, glass filament wound. 59-04314P
flue liner, automation aids production. 59-00380A
made from self-stressing cement (type M), expansion of. 59-03205A
- Plasma.**
arc, production of Si_3N_4 . 59-04652P
-deposited, Si_3N_4 , properties of. 59-01889A
deposition. 59-01567P
etching, method and apparatus for controlling. 59-04621P
plating. 59-01588P
sintering, of beta'- Al_2O_3 . 59-01742A
treatment, of semiconductors, apparatus for. 59-02692P
of wafers, apparatus for. 59-04598P
- Plaster of Paris.** See *Gypsum; Plasters*.
- Plasters, molds.** See *Molds*.
- Plasters.** See also *Gypsum*.
 H_3PO_4 , hydration of, peculiarity of Ca sensitivity. 59-01036A
alpha and beta, pore morphology. 59-04107A
compositions, containing water-reducing agent. 59-02119P
pastes, hardened, measurement and estimation of characteristics. 59-04101A
steels in, structural, behavior of. 59-01035A
- Plasticity.**
cavity formation, suppression. 59-04022A
of clays, red, from Jacupiranga, Sao Paulo, effect of Na_2CO_3 addition on. 59-04519A
super-, of Bi_2WO_6 and Bi_2MoO_6 . 59-03105A
- Plasticizers.**
organic, for whiteware. 59-00512A; 59-00513A
polyvinylbutyral, with reduced adhesion to glass. 59-00356P
- Plastics.**
advanced, predicting performance of composites made from. 59-04817A
copolyamides, powdered, for coating of glass bottles. 59-01352P
fiber reinforced, glass, comparison of bolted joints in. 59-02861A
molding, new process for. 59-01221A
- Plating.** See *Coatings*.
- Platinum.**
crucibles, surface changes in. 59-01656A
in glassmelts, alkali silicate (borate), effect of atm on electrode potential. 59-03273A
group metals, layer on a refractory. 59-03742P
impurities, in As_2S_3 glass, effect on electrical properties. 59-01208A
thermocouples, precision measurements with. 59-04733A
- Plutonium.**
 PuF_4 , method for purifying. 59-01616P
 $^{239}\text{PuO}_2$, stoichiometric, high-temp. deformation of. 59-01606A
 PuO_2 , production. 59-00656P
-U, kinetics of oxidation under controlled O potential. 59-01607A
rods, fuel, apparatus for producing. 59-01614P
- Polarization.**
anodic, of steel reinforcement in slag cement, effect of entrainment on. 59-04092A
atomic and electron, of tellurite glasses. 59-01108A
currents, use in studying ion motion in glasses. 59-00270A
in dielectrics. 59-01527A
in glasses, anisotropy of. 59-03252A
space-charge, in ZnO photoconductors. 59-01533A
- Polishing apparatus.** See also *Abrasives; Diamonds*.
- Polishing.** See also *Abrasives; Diamonds; Lapping*.
Roseki, aids for. 59-02436A
abrasives, SiC, increasing strength of. 59-00007P
chemical, of glass articles. 59-01288P
of glass, composition for. 59-01347P
resin-bonded EN-type grinding wheels for. 59-03151A
studied by nuclear techniques. 59-02292A
pastes, based on SiC. 59-00985P
graphite, for Ni alloys. 59-02021P
refractories. 59-01397A
semiconductors, CdS, method for. 59-02719P
- Pollucite.**
use for storage of ^{137}Cs . 59-00642A
- Pollution.**
S and N oxides, removal from flue gases. 59-01695P
- air quality control, in structural clay industry. 59-04707A
control of, in Hungarian silicate industries. 59-04040A
in glass industry. 59-01228A
dedusting, pulverized coal. 59-00040A
desulfurization, Co-Mo-Al catalyst. 59-02889P
dust, collection system for clinker cooler. 59-00046A
in vicinity of Hagen-Halden dolomite works. 59-00662A
environmental, from tile factories. 59-04520A
environmental protection, in ceramic industry. 59-03123A
in fiber mfg., mineral, suppression of. 59-01359P
gases, exhaust, from glassmelting furnaces, process for treating. 59-04368P
from phosphate processing, in southeastern Idaho. 59-00733A
scrubbers, wet, reduce flue emission at Globe Refractories. 59-03545A
wastes, nuclear, disposal of. 59-03765A
radioactive, management systems. 59-01608A
- Polyelectrolytes.** See *Electrolytes*.
- Polymers.**
composites. 59-00786P
dispersions, new types, for use in cements. 59-02092A
structure and properties. 59-00967B
- Polymorphism.**
modifications, of BaNb_2O_7 . 59-03997A
transformations, in $\text{Ba}_2\text{Nb}_2\text{O}_7$. 59-03998A
- Polymorphs.**
 Al_2SiO_5 , thermal expansion and crystal chemistry. 59-01928A
O-deficiency-induced, in SrMnO_{3-x} . 59-01880A
- Polyporphates.** See *Phosphates*.
- Porcelain.** See also *Art and Artware*.
Porcelain. See also *Bodies, ceramic; Dinnerware*.
from East Liverpool, Oh. 59-02045A
Meissen. 59-04068A
Nippon, rediscovering. 59-01021A
Royal Crown Derby. 59-01004A
Royal Vienna. 59-02047A
alloys for fusion to, Au. 59-03657P
aluminous, high strength, obtained from sericitic clays. 59-02566A
in ancient China, emergence of. 59-03160A
artware. 59-01993B
damaged, repair of. 59-02039A
calcined, low temp., preparation of. 59-00537P
collection of Cardinal Ferdinando de Medici. 59-01019A
composition, pulverulent, pressing of plates from. 59-00538P
dental, fluorescent. 59-00531P
dinnerware, from around the world, physicochemical studies. 59-02593A
electrical, modern methods for making. 59-03647A
preparation of. 59-00514A
enamels, quality and cost control. 59-03125A
failure probability, application of crack propagation data to. 59-01461A
furnaces for, gas heated. 59-02806A; 59-02807A
with high impact strength, made at Kitka plant. 59-03649A
homogeneity of, chemical. 59-04517A
industry, in Jingdezhen. 59-04528A
body preparation in Ilmenau, East Ger., plant. 59-01466A
statistical control. 59-03653A
insulators, large, hot forming of. 59-01473A
physical and electrical properties, effect of fluxing oxides on. 59-01463A
sands, North Bavarian. 59-02839A
sintering of, initial. 59-03968A; 59-03969A
steatite, effect of alkaline-earth oxides on electrical properties. 59-03678A
structural, produced in N. K. Krupskaya Lobnensk Plant, quality control of. 59-00392A
production in N. K. Krupskaya Lobnensk Plant. 59-00391A
production technology at Lobnensk plant. 59-04530A
wares, effect of activated bentonite clays in production of. 59-03637A
- Pores.** See also *Porosity*.
geometry of, effect on tensile strength of porous materials, study of. 59-03851A
micro-, distribution in cement bonded castables. 59-04428A
in plasters, alpha and beta, morphology of. 59-04107A
size distribution in cement, determination by L. Zagar's method. 59-03176A
- Porosimetry.**
Hg, continuous scan. 59-04716A
determination of specific surfaces of powders and porous materials by. 59-00688A
hysteresis, pore potential as a factor in. 59-04716A
- Porosity.** See also *Permeability*.
of cements, hydrated, measured by Hg intrusion. 59-04108A
of chamottes, granular, measurements of. 59-03552A
data, for fluidized beds. 59-01619A
in gels, TiO_2 , origin of. 59-03037A
of mordenite, synthetic, effect of crystal structure defect on. 59-04907A
tests for. 59-03809A
- Porous materials.** See also *Cements; Concretes; Insulation; Thermal*.
59-02905P
 Al_2O_3 , agglomerates, process for preparing. 59-00750P
from injection alkoxide feed. 59-02853P
with large surface area and low density, method of making. 59-02855P
- $\text{MgCr}_2\text{O}_4\text{-TiO}_2$, electrical conduction of, humidity-sensitive. 59-02658A
Si oxynitride, refractory. 59-03614P
 ZrO_2 -containing. 59-02549P
aggregates, lightweight, mfg. 59-00088P
density of, method for measuring. 59-01736A
glass, dewatering process for. 59-02267A
glass articles, joint doped, with high modifier concentrations. 59-02340P
with high crushability, for electronic applications. 59-03725P
polycrystalline, strength of. 59-04016A
refractories, Si_3N_4 or Si oxynitride coating for. 59-03621P
method of making. 59-00472P
 ZrO_2 . 59-04494P
 ZrO_2 -stabilized composition for making. 59-02565P
vitreous, process and apparatus for making. 59-04496P
silicates, high-pressure Hugoniot of. 59-00855A
sorption and diffusion in, evaluation of method for studying. 59-02784A
specific surfaces, determination by Hg porosimetry. 59-00688A
sponges, metallic/ceramic, process for making. 59-03914P
strength of, tensile, study of effects of pore geometry on. 59-03851A
- Portland cement.** See *Cements, portland*.
- Potash feldspar.** See *Feldspar*.
- Potassium.** See also *Alkalis*.
 $\text{K}_2\text{Ta}_{1-x}\text{F}_{1+x}\text{O}_{7-x}$, structure of. 59-03090A
 $\text{K}_2\text{Ba}(\text{GeO}_4)_2$, crystal structure. 59-00814A
 $\text{K}_2\text{Cr}_2\text{O}_7$, melt, growth of Cr_2O_3 crystals by decomposition of. 59-04956A
 K_2CuF_6 , crystals, and solid solutions of $\text{K}_2\text{CuF}_6\text{-K}_2\text{ZnF}_6$. 59-04906A
 K_2SeO_4 , anomalies in, elastic compliance. 59-04931A
dielectric dispersion around transition points. 59-04916A
KCl, effect of synthesis of titanates of hollandite type. 59-04926A
 KNbO_3 , photoferroelectric phenomena in. 59-00904A
-Na superoxides, thermal decomposition kinetics. 59-00942A; 59-00943A
in cements, portland, sources of error in photometric determination. 59-00072A
disilicate, heat capacity. 59-01867A
ions, in SiO_2 , mobility of. 59-00874A
meta- and disilicates, thermodynamic properties. 59-04032A
metaborate, and alkali metal silicates, binders based on. 59-01058P
oxide, ores, flotation of insoluble slimes from. 59-01700A
polyphosphate, process for making. 59-01720P
self diffusion, in Na-K-aluminosilicate glasses. 59-01237A
- Potentiometers.** See *Resistors, electrical*.
- Potteries.**
Griffin, Smith, & Co. 59-00023A; 59-01009A
Norton Potteries, Bennington, Vt. 59-02048A
Rookwood, Cincinnati, Oh. 59-04079A
Union Pottery, Point Marion, Pa. 59-02050A
- Potters.** See *Artists*.
- Pottery industry.**
Khurja [Uttar Pradesh], growth and development. 59-02589A
- Pottery.** See also *Archeology; Art and Artware; Bodies, ceramic; Design; Dinnerware; Stoneware; Whiteware*.
Bizen-yaki, of Imbe, Japan. 59-02024A
Dedham, Revere pitcher mystery. 59-00996A
from East Liverpool, Oh. 59-02045A
Fiesta Ware. 59-01962B
Frankoma, collector's guide to. 59-01949B
Fulper. 59-01964B
Mexican, market. 59-03137B
by Odell and Booth Brothers, of Tarrytown, N.Y. 59-02043A
Quimper, French folk art faience. 59-01030A
Rookwood. 59-01984B
Cincinnati, Oh. 59-04056B; 59-04079A
art, American, 1875-1930. 59-03128B
from Redlands area of S. Calif. 59-00027A
banko, Japanese. 59-00988A
casserole, production of, by casting and use of a lid bat. 59-02025A
faience and majolica, Sr glaze for. 59-02625P
folk, North German, of 17-20th centuries. 59-03138B
glazed, antique. 59-03129B
majolica, archaic Italian. 59-00986A
bowl, by Domenico, at Correr Museum, Venice. 59-01014A
composite, practical applications for. 59-02576A
exhibit of 18th century Neopalladian. 59-01008A
pierced. 59-04074A
stoneware, neriage and nerikomi techniques. 59-01012A
studio, of Snyder, Lewis. 59-01006A
surfaces and engobes, red coloration for. 59-02600A; 59-02601A
tanware, New Geneva, Pa. 59-01013A
thermal expansion of, modification to fit glaze. 59-01020A
throwing, layered forms. 59-00033A
unearthed at Homodu, China. 59-04080A
vitreous, firing range curves. 59-01478A
willow ware, collecting. 59-00034A
- Pottery-making equipment.** See also *Dryers; Kiln Furniture; Kilns*.
molds, for whiteware. 59-04525A

Powders. See also *Granular materials* and *specific types*.

Al₂O₃, adhesion to glass surfaces. 59-03250A
 Ba hexaferrite, presintering, fast reaction. 59-02872A
 Fe₂O₃ and Fe₃O₄, sintering at low temps., effect of atm on. 59-03951A
 La aluminate-Ba zirconate. 59-04854P
 MgO, preparation by freeze-drying. 59-03874A
 Si₃N₄, enhancement of crystallization, by contact with Ti. 59-04857P
 Si₃N₄ and SiC, chemical and phase compositions. 59-00797A
 SiC, Be-containing. 59-03890P
 beta-type, method for making. 59-01443P
 SiO₂, fused, characterization of. 59-01784A
 SiO₂-Al₂O₃, plasma prepared, immiscibility and microstructural change during sintering. 59-01870A
 Ti diboride and TiC, hydrostatic pressing of. 59-00762A
 TiC base, for cemented carbide alloys. 59-04867P
 UO₂, flash heated, sintering kinetics. 59-02751A
 free-flowing, press-forming, method and apparatus for making. 59-01618P
 alpha-Al₂O₃ and MgO, effects of shock compression on. 59-03957A
 analysis of, diffraction, use of Guinier-Hagg-type camera. 59-04735A
 andalusite and kyanite, shock-induced transformations of. 59-01904A
 ceramic, method of making articles from, by extrusion molding. 59-02898P
 production of. 59-04793P
 coated, metal or alloy. 59-03898P
 compaction of, with radial punch motion. 59-01743A
 density of, method for measuring. 59-01736A
 ferrite. 59-01550P
 Zn, produced by flame spraying. 59-03704A
 spherical grain, process and apparatus for making. 59-04545P
 for ferrite, spinel, titanate, and garnet, production of. 59-02859P
 fine, centrifugal air classification for production of. 59-03796A
 flow rate, apparatus for measuring. 59-03812P
 in fluidized bed, method and apparatus for blending. 59-01624P
 homogeneous, method for producing. 59-03835A
 for making sialons, process for producing. 59-02908P
 metal, isotactic compaction, production of threads by. 59-01750A
 use in electronics industry. 59-04581A
 metals and metalloid oxides, process and apparatus for producing. 59-03845P
 micro-, ZnO, mfg. characteristics, and sinterability. 59-04813A
 moisture content, method and apparatus for measuring. 59-03815P
 nonconducting, in detonation deposits, determination of temp. 59-00689A
 and opaque solids, testing of, using photoacoustic spectroscopy. 59-03802A
 oxide, Sr-doped La cobaltite, conducting, production by freeze drying. 59-03695A
 based on Fe₂O₃, sintering of. 59-03877A
 conducting, production by citrate process. 59-03694A
 ceroduced, W-Cu sintered composites from. 59-01839A
 metallic, preparation of. 59-01719P
 patterns, standard XRD. 59-01665A
 porcelain, sintering and microstructure. 59-02603A
 pressing, beta'-Al₂O₃, preparation by spray drying. 59-00570A
 refractory. 59-03919P
 effect of decarbonation of dolomite and magnesite on sintering. 59-04408A
 hard metal, recovery of. 59-03849P
 molding, liquid binder for. 59-02533P
 shape characterization, by Feret's diameter signature waveform. 59-03811A
 sinterable, method for grinding. 59-04712P
 sialon, by reaction of clay with C and N. 59-00770A
 slag glass-ceramic, whiteware made from. 59-00500A
 specific heat of, apparatus for measuring. 59-00676A
 specific surfaces, X-ray determination. 59-00713A
 determination by Hg porosimetry. 59-00688A
 submicron, sintering parameter for. 59-04012A
 surface area, introduction to. 59-03135B
 testing and characterization. 59-04058B
 treatment of, thermal, apparatus and method for. 59-04711P
Power. See *Energy*.
Pozzolans. See *Cements; Mortars*.
Praseodymium.
 PrAlO₃, in tetragonal phase, magnetic properties. 59-00868A
 oxide, thermodynamic properties. 59-04033A
Precipitation.
 of CaSO₄·2H₂O, by Ca ion electrode. 59-02103A
 of NiF₂O₄, from silicate glasses, ESR study. 59-01144A
 co-, of compounds in system BaO-TiO₂, from alkoxides. 59-03873A
Precipitators.
 electrostatic, for tar gas. 59-03526A
Presses.
 brickmaking. 59-00397P; 59-03485P
 filter, device for washing filter cloth. 59-01623P
 for nuclear materials, filter plate assembly for. 59-04691P

process for cyclic operation of. 59-01629P
 for removing moisture from sludges and slurries. 59-04714P
 single type. 59-01630P
 glass, turret. 59-04383P
 for glassware, hollow. 59-04355P
 hydraulic, for hollow shapes. 59-00670P
 for refractories. 59-01378A
 for tile production. 59-03787A
Pressing.
 in abrasives industry. 59-02012A
 bodies of glass S Ch. 2, flow of melt during. 59-00191A
 dry, 20 plates/min automatically. 59-02580A
 isotactic, production of flat ware by. 59-02598A
 in refractories industry. 59-01401A
 of refractories, manufacturers view of. 59-01389A
 glassware, hollow. 59-04355P
 hot-, of Si₃N₄ with CeO₂ additive. 59-01845A
 of Si₃N₄ with ZrSiO₄ or ZrO₂ and SiO₂ added. 59-04810A
 of TiN. 59-02869A
 densification mapping for. 59-03946A
 densification of Mn-Zn ferrites by. 59-03669A
 densification of piezoelectrics by. 59-03670A
 determination of effective stresses in. 59-04725A
 formation of ZnO-containing ceramics by. 59-02716P
 of mullite-corundum refractories. 59-02443A
 of nonoxide ceramics. 59-03860A
 reactive, of phases in beta'-sialons. 59-03067A
 of triple titanates of Sr, Na, and Bi. 59-02657A
 hydrostatic, of Ti diboride and TiC powders. 59-00762A
 isotactic, of refractories. 59-01391A
 of plates, from pulverulent porcelain composition. 59-00538P
 wet, of whiteware, effect of organic additives on. 59-01471A
Pressure.
 of CO₂, effect on reaction with CaO. 59-00829A
 applied, mechanism mapping of sintering under. 59-03980A
 compaction, effects in firing of self-vitrifying materials. 59-01792A
 derivative, of dielectric constant of alkali halide crystals, calculation of. 59-03018A
 effect on Fermi surfaces, in Mo and W dioxides. 59-02967A
 effect on reflecting power, of monocrystals. 59-04927A
 high, science and technology. 59-00965B; 59-00966B
 hydrostatic, effect on ZnO varistors. 59-01512A
 effect on electrical resistivity of EuO. 59-02991A
 vessel, for lab use. 59-02767A
 lateral, of preplaced concrete, method for calculating. 59-03170A
 mantle, free energies of decarbonation reactions at. 59-01835A
 monaxial, effect on optical properties of quartz crystals. 59-04968A
 monitoring of. 59-01653A
 sensors, techniques and materials. 59-02680A
 -transmitting media, semisintered oxides for. 59-04588A
 vapor, in system Pb-Sn-Se. 59-04037A
 water vapor, effects on sintering of MgO. 59-04930A
Pressure, vapor. See *Vapor pressure*.
Printing.
 screen. 59-00542P
 on whiteware. 59-01506P
Probes.
 micro-, analysis, ion implantation for. 59-02786A
 scanning, recording of elemental maps and spectra with. 59-01674A
 ultrasonic, testing of adhesive-bonded joints by. 59-01670A
Processing.
 ceramic. 59-00753A
 machining, surface. 59-00972B
Production processes and equipment.
 air classification, centrifugal, for production of fine powders. 59-03796A
 cells, reaction, for hydrothermal solution equipment. 59-01655A
 compaction, science of. 59-04710A
 computer techniques. 59-00661A
 disk reclaiming, use in bed blending. 59-02828A
 extrusion, apparatus. 59-01622P
 filtration, cake control. 59-02777P
 fixture, rotatable, for spray coating. 59-02773A
 fluidized bed, method and apparatus for blending powders in. 59-01624P
 fluidized beds, porosities in. 59-01619A
 hammermills, alteration of output and particle size. 59-04704A
 for homogenization. 59-02765A
 of raw materials from Westerwald, Ger. 59-02766A
 lubricants, aqueous, use for forming ceramic bodies. 59-01627P
 for making bodies from granular materials, sinterable. 59-02780P
 for measuring length of red-hot articles, moving. 59-04751P
 mills, vibrating, experience with. 59-02768A
 mixing, guide to. 59-01620A
 method and apparatus for treatment of products by. 59-03791P
 particulate materials. 59-01628P
 particle counting and sizing, instruments for. 59-01657A
 shaping, electrophoretic, of ceramic products. 59-02771A

sintering, method and apparatus for. 59-01626P
 solidification, of sludge. 59-02774A
 supports, for spraying. 59-03794P
 surface characterization, instruments for peak counting. 59-01658A
 thermal operations, in glass and ceramic industries, automated systems for controlling. 59-01940B
 vessel, hydrostatic pressure, for lab use. 59-02767A
Prosthetic ceramics.
 59-02860A
 bones, process for making. 59-01761P
 cement, surgical, containing aluminoborate glass. 59-01763P
 endo-, articulatory. 59-02886P
 hip component, Al₂O₃, direct anchorage of. 59-03856A
 implants, evaluation of commercial refractory as. 59-03861A
 tissue reaction to. 59-03882A
 knee joint, method of making. 59-00539P
 process for coating. 59-03911P
Pulverizing. See *Crushing; Grinding*.
Pulverulent materials. See *Powders*.
Pumice.
 -cement systems, examination of. 59-03185A
 geologic conditions of, and possible uses. 59-04778A
Purification.
 chemical, of polished Si plates. 59-03667A
 of clays, comparison of methods for removal of organic matter. 59-01702A
 of exhaust gases, catalyst for. 59-03907P
 of glass. 59-02376P
 role of dissolution of bubbles. 59-00253A
 size distribution of bubbles during. 59-00256A
 of materials, raw. 59-02011B
 sequential, and crystal growth. 59-03747P
 of water, recycled, in cement industry. 59-03188A
Pyrolysis. See *Temperature measuring instruments*.
Pyrochlore.
 Sm₂Zr₂O₇, O-ion conduction in. 59-00891A
 compounds, Cd₂Re₂O₇ and Cd₂Ru₂O₇, specific heats of. 59-05050A
 formation, structural characteristics of. 59-05054A
Pyroelectricity.
 figures of merit, of ferroelectrics, direct measurement of. 59-00551A
 secondary, in partially clamped LiNbO₃, electrostatic measurements. 59-03961A
 tertiary, in partially clamped LiNbO₃, electrostatic measurements. 59-03960A
Pyrometers. See *Temperature measuring instruments*.
Pyrometric cones.
 materials for making. 59-04482P
Pyrometry. See *Temperature measuring instruments*.
Pyrophyllite.
 Australian deposits, potential applications of. 59-01476A
 heat capacity. 59-01841A
Pyroxenes.
 magnesium, formation in glasses based on quartz sand-dolomite-MgO-clay mixtures. 59-01124A
Quality control.
 air, options in. 59-04707A
 application of thermal analysis to. 59-04727A
 of bottles, glass, method and apparatus. 59-04297P
 in cement industry. 59-01046A
 in ceramic industry. 59-01996B; 59-03126A
 color measurement, theory and practice. 59-04740A
 cost, and return on investment. 59-01938A
 of glass wares. 59-04045B
 lab instruments, developing market for. 59-02795A
 of porcelain, structural, produced in N. K. Krupskaya Lobensk plant. 59-00392A
 in production of enamels, porcelain. 59-03125A
 of talc, for ceramic industry. 59-02841A
 in use of castables, refractory. 59-04436A
Quarrying.
 basalt, in southern Bakony Mts. in Hungary, geological factors. 59-04779A
 geology of, economic. 59-04777A
Quartz. See also *Glass; Refractories; Silicon dioxide*.
 Al in, structural, as indicator of physicochemical conditions of crystallization. 59-05053A
 alpha-, energy-band structure. 59-02975A
 hysteresis in, ferroelastic. 59-01516A
 lattice constants. 59-01861A
 ball valve. 59-00663A
 -based ceramics, charge for. 59-01287P
 -cement systems, examination of. 59-03185A
 in clays, from Buenos Aires province, XRD analysis. 59-03804A
 -coesite-stishovite, transformation, thermochemical and phase stability data. 59-01793A
 crystalline, free, single thermocouple DTA detection of. 59-01664A
 crystals. 59-02842A
 OH⁻ ir absorption, effect of radiation on. 59-00834A
 enhancement of Bragg reflection by X-ray irradiation. 59-02976A
 impurity capture, peculiarities of. 59-05008A
 optical properties, effect of monoaxial pressure on. 59-04968A
 silicification and growth of. 59-04007A
 synthetic, dislocations in, tomographic study. 59-04999A
 vibrator, method for forming. 59-02715P

- fused, hollow ingots, method for making. 59-04345P
refractories, production in semicontinuous electric furnaces. 59-02472A
- glass.** 59-04372P
Al₂O₃-doped vapor-synthesized quartz. 59-04233A; 59-04233A
KV and KSG, spectral absorption coeff. 59-01245A
characteristics of failure of. 59-04165A
etching solution for. 59-02315P; 59-02316P
interrelation between temp. and modulus of elasticity. 59-02259A
luminescent. 59-02343P
nature of 396 and 280 nm luminescence centers in. 59-01219A
reaction with gaseous Al₂Cl₃ and with Al foil. 59-00249A
resistance to gamma-irradiation, effect of doping on. 59-04183A
spectral absorption in region of semitransparency at high temp. 59-03344A
structure of luminescence band in. 59-04167A
synthetic, method of making. 59-00350P
thermally stable. 59-02381P
viscosity of. 59-01274A
- optical constants, far-infrared-ray. 59-01163A
refractories, from thermoplastic suspensions. 59-02475A
resonators, frequency variations due to internal dissipation. 59-01518A
-sillimanite, ores, concentration and complex use of. 59-02824A
synthetic, defects in. 59-04911A
variations in spacing and orientation of lattice plane, measurement of. 59-03979A
transducers, piezoelectric. 59-03698A
- Quartzite.**
grinding of, in ball mills, comparison of dry and wet process. 59-00660A
- Quenching.**
glass sheets, apparatus for controlling buffeting. 59-04286P
test specimens, transient stress intensity factors for cracks in. 59-04034A
thermal, of uranate luminescence in U-doped tungstates, QMSCC calculations. 59-05028A
- Quicklime.** See *Lime*.
- Radiation.**
of UO₂, release of unstable fission products during. 59-03770A
centers, in minerals. 59-02003B
damage, in SiC and graphite for fusion reactor first walls. 59-03768A
effect, in synthetic berillite (AlPO₄). 59-05030A
experience, with UO₂/Gd₂O₃ fuels. 59-02749A
fast neutron, variation of lattice parameters of Si₃N₄ with. 59-00949A
gamma-, resistance of quartz glass to, effect of doping elements. 59-04183A
ionizing, effect on W-phosphate glasses. 59-00174A
laser, drawing optical waveguides by heating with. 59-04288P
neutron, effect on luminescence of vitreous SiO₂. 59-00833A
photoirradiation, of As-Se films, composition ratio change caused by. 59-04164A
of quartz, crystals, effect on OH⁻ absorption. 59-00834A
reactor, effect on physicochemical properties of NbC and ZrC. 59-02743A
single-pulse, fracture of ceramics by. 59-00850A
solar, measurement of, using optical fibers and Si detectors. 59-00705A
uv, formation of color centers in Na-K silicate glasses during absorption of. 59-01166A
- Radioactive materials.** See *Isotopes*; *Wastes*.
- Radioactive tracers.** See also *Isotopes*.
- Radiography.**
xero-, use in study of sediment cores. 59-02797A
- Radioisotopes.** See *Isotopes*.
- Radium.**
absorption of, from Wyoming and Utah U mill tailings solutions. 59-01697P; 59-01698A
- Raman effect.**
of crystals, andalusite. 59-04003A
in ice VI, studies using diamond anvil cell. 59-00910A
- Rare earths (lanthanons).** See also specific types.
and Na, double silicates of. 59-04921A
industry profile, and market review. 59-02843A
in modern science and technology. 59-05145B
orthoferrites of, magnetic properties. 59-03016A
periodicity of, magnetism. 59-05010A
refractories containing. 59-01445P
technology and applications. 59-01997B
trihydroxides, parameters. 59-03061A
- Raw materials.** See *Cements*; *Materials*, raw; *Rocks*; *Sands*.
- Reactions.**
of CaO/SiO₂, with additives of Ca₃(PO₄)₂ or BaO. 59-01891A
of Cr₂O₃, with Ti, TiO₂, and Ti₂O₃. 59-03063A
of Cu sulfide(l), with molten polyphosphates of Na and K. 59-04972A
of F atoms, with SiO₂. 59-01892A
of GeO₂, with PbO. 59-03697A
of P, different modifications of, with Te. 59-04974A
- of SiO₂, with surface of Fe-containing glasses. 59-02276A
of Si₃N₄, in ammonia solution. 59-03065A
of SiO₂, with Co Mo oxide. 59-00905A; 59-00906A
UO₂-Zircaloy, kinetics of. 59-04685A
of V oxide, with oxides of Dy, Tm, Yb, and Lu. 59-04004A
of Zn, with Al₂O₃ and Mo. 59-00767A
of acids, orthophosphoric, with Al₂O₃. 59-03565A
alkali-glass, in glass-fiber reinforced cement, inhibitors for. 59-01065P
cell, for hydrothermal solution equipment. 59-01655A
of cements, beta-C₂S and C₃S, with CO₂ and water vapor, kinetics of. 59-01045A; 59-01052A
hydraulic Ca silicates, with CO₂ and H₂O. 59-00066A
chemical, between Na and oxide components in beta-Al₂O₃. 59-04030A
zeolite catalysts of. 59-03893P
of clay and C, to form and separate Al₂O₃ and SiC. 59-03064A
clinking, in cement, role of sulfates. 59-02109A
of coal ash and CaO, thermodynamic calculations. 59-01748A
decarbonation, at mantle pressures, free energies of. 59-01835A
of dehydrated surface, of partially leached glass, with water—correction. 59-01233A
diffusion controlled, first passage time approach to. 59-04946A
exchange, in orthoferrites-orthochromites. 59-00842A
in glass batch, container. 59-03337A
glass-forming, in mixture with molar composition in glass-forming batch, 30K₂CO₃-70SiO₂-1As₂O₃, Raman study. 59-00248A; 59-03335A
of glasses, basaltic, with water, early stages of. 59-02225A
interfacial, between metals and oxides during sealing. 59-03237A
kinetics of, determination based on part of DTA or TG curve. 59-01639A
of oxides, with metallic surfaces, spectroscopic study. 59-00925A
of salts, with kaolinite. 59-01896A
of sands, siliceous, with Al in N₂ in presence of C, weight loss during. 59-03885A
solid state, between Ca₂SiO₄ and CaO, effect of furnace atm on. 59-04097A
between Fe₂O₃ and CaCO₃, in inert and air atm. 59-04971A
in system ZrO₂/SiO₂-α-Al₂O₃. 59-01910A
surface, between noble metals and refractory oxides. 59-03981A
in system, Cu-Se-Br. 59-04973A
Si-Ti-O-N. 59-01895A
- Reactivity.**
of CaSO₄. 59-02884A
of cements, silicates, with Ca(OH)₂ and H₂O. 59-00067A
raw meal, model for determination of. 59-00055A
- Reactors.**
deposition, SiO₂, cage for. 59-04600P
fusion, design of. 59-03758A
limiter or first wall materials, thermal shock tests on. 59-03772A
radiation damage in SiC and graphite in first walls. 59-03768A
refractory oxides for first walls. 59-03568A
nuclear. 59-03781P
AGR, fuel elements for. 59-04677A
apparatus for controlling neutron flux. 59-00649P
ceramics with low atomic number as first wall materials. 59-04673A
coated structural component for. 59-03776P
coolant, method for removing I from. 59-04694P
detection of power distribution in fuel element, method and apparatus. 59-03775P
fusion, ceramics for. 59-04674A; 59-04675A; 59-04676A
graphite moderator structures, technology of. 59-04689A
graphite side reflector for. 59-03785P
gripping means for refueling. 59-04692P
method of refueling. 59-00654P
performance of SiC, Al₂O₃, ZrO₂, and MgO in steam and H. 59-03766A
reaction of molten core with structural concretes. 59-00645A
used to product CrCl₃, refractory lining for. 59-02553P
- Reagents.** See specific types.
- Reclamation.**
of land, by Broad River Brick Co. 59-00386A
- Recrystallization.** See *Crystallization*.
- Recuperators.** See *Furnaces*; *Kilns*; *Refractories*.
- Reduction.**
of MgO, Li-containing. 59-03038A
of MgSO₄, by calcining. 59-02858P
- Reflectance.** See *Reflection*.
- Reflection.**
Bragg, from quartz crystals, enhancement by X-ray irradiation. 59-02976A
coeff., of borate glasses in its spectral region, determination of. 59-04244A
of monocrystals, effect of pressure on. 59-04927A
multiple, contribution to thermal runaway to Ge. 59-01796A
surface, total, determination. 59-00690A
surface-wave, at interfaces on y-z LiNbO₃. 59-01920A
- Reflectivity.** See *Reflection*.
- Refraction.**
birefringence, in elliptically clad borosilicate fibers. 59-01112A
measurement using photoelastic modulator. 59-01633A
double, in PbTiO₃ crystals. 59-03004A
piezo-, in diamond. 59-03050A
stress, in NaCl-type crystals. 59-05052A
molar, determination of O distribution in silicate glasses by. 59-04174A
photo-, in LiNbO₃. 59-03996A
- Refractive index.**
of SiO₂ and sapphire, fused, shock-compressed. 59-04966A
corrected, Cu-Cd halide photochromic glasses. 59-01355P
distributions, three-dimensional, method of reconstructing. 59-01864A
of glasses, GaSe, temp. variation of. 59-01258A
borate. 59-00250A
dependence on cooling rate. 59-01132A
dispersion of, formulas for expressing through absorption spectra. 59-02202A
fluoride, calculation from composition. 59-00146A
fused SiO₂, dependence of dispersion on thermal history. 59-00268A
optical, nonlinear measurements. 59-00247A
produced by ion exchange. 59-02277A
relation between concentration and diffusion coeff. in formation of parabolic distributions. 59-04270A
in system SiO₂-GeO₂. 59-04249A
gradients, chromatic variation of. 59-04166A
optical elements with, glass for producing. 59-02330P
of optical fibers, glass, measurement of. 59-03074A
photo-, in crystals and waveguides, Ti:LiNbO₃. 59-01099A
of preform rods, measured by interferogram. 59-04250A
profiles, minimal dispersion. 59-00222A
profiling, of optical fibers and preforms. 59-01234A
radial, optical fibers with. 59-00364P
in thin sections, measurement of, using staining and oil immersion techniques. 59-01651A
- Refractivity.** See *Refraction*.
- Refractories industry.**
59-02000B
in People's Republic of China. 59-03567A
test results for samples. 59-03575A
Swank cuts fuel use 14%. 59-01399A
antislaking equipment, named "Moistore." 59-03493A
automatic control of level in water reservoirs, buzzer for. 59-02413A
coking test, British. 59-01634A
dry press operation. 59-01401A
manufacturers view of. 59-01389A
electric furnace tapping spout development, labor and cost savings resulting from. 59-01392A
energy audit. 59-00383A
kilns, periodic, for rapid firing, energy saving in. 59-02431A
tunnel, use of secondary energy resources in. 59-02497A
lining equipment, for LD converter. 59-03549A
lining installations and repairs, problems of company specializing in. 59-01387A
machinery, durability of. 59-01954B
machines and equipment for. 59-04048B
magnesite plant, dust reduction in. 59-02423A
quality control measurements in. 59-02474A
materials transport, environmentally protective, up-to-date. 59-04409A
mechanized unit, developmental condition of. 59-03517A
mills, centrifugal-roller, heat balance in. 59-02438A
mobile apparatus for repairing furnace walls. 59-04489P
multite-corundum production at Zaporozhye plant. 59-03561A
production, consumption, and energy saving. 59-04434A
productivity, at Semiluksk plant, economics of. 59-02427A
increased, in Panteleimonovsk plant. 59-02445A
quality control, at Panteleimonovsk plant. 59-02447A
raw material control. 59-02477A
standardization, in British. 59-01408A
test facility, high-temp. pneumatic transport. 59-01388A
use in the '80's. 59-04421A
waste water, design of treatment system. 59-03511A
wet scrubbers reduce fume emissions at Globe. 59-03545A
- Refractories, brick.** See also *basic*, and specific types under *Refractories*.
- Refractories, cement.** See also *Refractories*, blast-furnace.
- Refractories, chrome-magnesite.** See also *Refractories*, magnesite-chrome.
- Refractories, electrocast.** See *Refractories*, fused cast.
- Refractories, magnesite.** See also *Refractories*, chrome-magnesite.
- Refractories.** See also *Insulation*, thermal; *Kiln*; *furnace*; *Silicon carbide*; *Spacecraft*; and specific types.
59-00485P; 59-00489P; 59-00490P; 59-01447P; 59-01451P; 59-01452P; 59-02481A; 59-02554P; 59-02555P; 59-03622P
Al₂O₃, (50%), fracture of, J-integral measurements. 59-02451A
-SiO₂, with low mass. 59-03606P
-based, electrically melted. 59-01382A
boehmite-bonded. 59-03499A
chrome-, fusion cast, effect of glass redox conditions on corrosion. 59-03542A

- clay-, role of Mg compounds in multilamination of.
59-02485A
- cooking capacity, relation to phase composition.
59-02415A
- high-, and basic, for arc furnace roofs, stress-strain properties. 59-01409A
- high-, charge for. 59-01418P; 59-02521P
- high-, performance in burning zone linings of kilns. 59-02098A
- high-strength, method for forming. 59-02530P
- rehydratable, preparation of shaped particles from. 59-03618P
- B,C, sintered, structure and properties. 59-04451A
- Cr₂O₃, firing of. 59-03530A
- Dinas, charge for mfg. 59-01416P
- Keramzint, raw materials for. 59-01446P
- MHD materials. 59-03686A
- MgO. 59-02534P
- C-containing, corrosion resistance in melts. 59-01377A
- chrome, chemically bonded. 59-01424P
- from Irish Sea. 59-03535A
- from brines and dolomitic magnesite, recovery of. 59-03556A
- cermetitious, with salts of organo-silanol. 59-01414P
- increasing quality of. 59-02446A
- method for recovering from scrap. 59-04487P
- spinelite, for use in cement rotary kilns, charge for. 59-02508P
- for Q-BOP, at Chiba Works KSC. 59-04438A
- spalling resistance, test method for. 59-03576A
- Roseki, grinding aids for. 59-02436A
- Si, oxidation kinetics. 59-04429A
- oxynitride, porous. 59-03614P
- SIC. 59-01437P
- and Si₃N₄, from rice hulls. 59-02489A
- alpha-, sintered, with equiaxed microstructure. 59-02560P
- beta-crystalline, apparatus for making. 59-00478P
- for blast furnaces. 59-04450A
- body, containing MoSi₂ alloy. 59-02559P
- conduit lined with. 59-03592P
- improved, evolution of. 59-04412A
- pure beta-, method for making. 59-01441P
- use in gas-carburizing furnaces. 59-02496A
- SiO₂, fused, method of increasing strength of. 59-00470P
- TiC. 59-00479P
- ZrO₂, Y₂O₃-stabilized, effect of ZrC additive on electrical resistance. 59-03521A
- containing, porous. 59-02549P
- fusion cast, for use with problem glasses. 59-03532A
- multicomponent solid solutions based on. 59-02456A
- porous. 59-04494P
- abrasion resistance, determination of, British Standard. 59-02491A
- acoustical, chemical method for embossing. 59-02518P
- aggregates, aluminous, phosphate bonding of, and characteristics of monolithics. 59-02467A
- lightweight, raw material mix for. 59-04499P
- raw material mix for. 59-02550P
- aluminosilicate, alkali attack by molten salts on. 59-02408A
- attack by high Mn steel. 59-00402A
- aluminous, containing C, Si, and chrome oxide. 59-04463P
- articles, charge for. 59-02514P; 59-02515P
- assembly. 59-00433P
- baddeleyite-corundum, raw materials for, particle-size distribution in. 59-01384A
- base and cap, for firing shell molds. 59-02504P
- based on Al-Mg spinels. 59-02507P
- basic, corrosion and erosion mechanisms. 59-04398A
- in glass tank furnaces. 59-01372A
- high-temp. strength, effect of atm on. 59-04407A
- sliding shutters. 59-02561P
- use in glass industry. 59-03254A
- batches for, coarse granular, control of process moisture. 59-00406A
- bauxite, from Rajhauan, fired properties, effect of process variables on. 59-02429A
- behavior in H-F environment. 59-00412A
- binders. 59-02503P
- Al phosphate cured with ammonia and amines. 59-04463P
- hydraulic, Ca aluminate-based. 59-00436P
- thixotropic, based on Al phosphate SiO₂ sols. 59-04509P
- binding of. 59-01413P
- blast furnace. 59-04440A
- new installation method for trough. 59-03555A
- blocks, concrete, optimization of size. 59-02461A
- plastic, construction of reheating furnace walls using. 59-03504A
- bonded, chemically. 59-04395A
- pitch. 59-02547P; 59-02548P
- bonds for. 59-04464P
- borides, carbides, and nitrides, electronic applications for. 59-03687A
- brake disk, with oxidation limiting coating. 59-00003P
- bricks, C bonded. 59-04467P
- Dinas, charge for. 59-00440P
- MgO-C, use in walls of arc furnace. 59-03581A
- MgO-chrome, direct-bonded, used in RH degassing vessels, alteration of. 59-03490A
- MgO-chrome, using metallurgical chrome ores. 59-03550A
- MgO-spinel, development of. 59-03512A
- MgO-spinel, for rotary kilns. 59-03551A
- SiO₂, method for making. 59-02558P
- basic, wear at high temp. in vacuum. 59-03583A
- breakage and toughness, study of. 59-03544A
- high-Al₂O₃, performance in steel furnaces in India. 59-02464A
- insulating. 59-02505P
- for ladle linings. 59-03500A; 59-03501A
- magnesite-chrome, reaction in deoxidizing Fe melts. 59-04437A
- metal encased. 59-01439P
- method for straightening deformation zone in wall. 59-03611P
- mullite and sintered corundum, study of. 59-02449A; 59-02450A
- paste for cementing during repair work. 59-02463A
- periclase, thermal loading in valve gates of lades. 59-02494A
- runner finishing. 59-01457P
- silicate, of specific strength, batch composition. 59-02411A
- unburned MgO-C, use in ladle slag line. 59-02498A
- used in Indian steel plants, constitution and microstructure. 59-02416A
- brickwork, for a mixer, design and examination of. 59-03510A
- burners. 59-04466P
- carbide, coated cemented, method for making. 59-02519P
- carbon, O-resistant electroconductive. 59-04492P
- virreous, method of making. 59-03612P
- castables, cement bonded, observation of micropore distribution. 59-04428A
- clay-bonded. 59-03562A
- dense high-strength. 59-04404A
- ladle lining and repair. 59-03546A; 59-03547A; 59-03548A
- quality control in application of. 59-04436A
- spinel, evaluation by rotary drum corrosion test. 59-03527A
- superduty, permeability/dehydration behavior. 59-03558A
- thermal shock resistance. 59-04454A
- use in construction of electric furnace roof. 59-02417A
- used in concrete pump, properties of. 59-03564A
- casting, flow, composition for. 59-01448P
- fusion, critical stages in mfg. 59-04401A
- hollow metal, preparation of. 59-00465P
- mill ingots. 59-03591P
- and molding. 59-03590P
- steels. 59-04397A
- stone. 59-02563P
- catalytic supports, low porosity, application of wash coats to. 59-03899P
- caulking, high temp. 59-03603P
- cellulared. 59-00472P
- cermetitious, MgO, with hydrolyzable organo-Si compounds. 59-01436P
- cements, Al₂O₃, evaluation of. 59-04411A
- aluminous, hydration kinetics and effect on concrete properties. 59-02444A
- high-Al₂O₃, production in Semiluksk plant. 59-04433A
- high-Al₂O₃, raw mixture for. 59-04500P
- steel-fiber-reinforced. 59-02482A
- cermets. 59-03897P
- chamottes, granular, measurement of density and porosity. 59-03552A
- charge for. 59-00443P; 59-00445P; 59-01417P; 59-01420P; 59-01421P; 59-01422P; 59-01440P; 59-02511P; 59-04469P; 59-04470P; 59-04471P
- baddeleyite-containing. 59-01412P
- chromites, Y, doped with Ca chromite, electrophysical properties. 59-03525A
- rare-earth, electrodes for MHD generators based on. 59-04584A
- sintered La Sr, bulk conductivity measurements. 59-03933A
- clinkers, Chinese magnesite, characteristics at high temp. 59-03502A
- MgO and chrome-based, effect of thermal treatment and phases on densification. 59-02448A
- spinel, synthesized. 59-03573A
- for coal conversion and utilization. 59-01978B
- coatings. 59-00487P
- composite. 59-04043B
- for lining of open-hearth furnace spouts. 59-04501P
- for metals. 59-01086P
- self-sealing. 59-03233A
- coatings based on. 59-00405A
- commercial, evaluation as prosthetic implant. 59-03861A
- composites, fibrous. 59-00468P
- formed with Mo and glass-ceramics in system BaO-Al₂O₃-SiO₂-Ta₂O₅. 59-01183A
- rod, formation of. 59-00469P
- compositions. 59-01453P; 59-02551P; 59-02552P; 59-04502P; 59-04503P
- for foundry molds and cores. 59-00451P
- hardenable. 59-00456P
- for uncalcined bodies and monolithic linings. 59-00488P
- compounds, physicochemical bases for obtaining. 59-00417A
- strength of. 59-00426A
- compounds for, chemical properties. 59-00404A
- concretes, 90 + % Al₂O₃, creep of. 59-03505A
- alteration of properties by fiber reinforcement. 59-03491A
- centrifugal casting of. 59-01374A
- effect of quantity of cement in. 59-03543A
- in lining of ladles, service of. 59-02488A
- nonfibrous castable, with high compressive strength. 59-02545P
- slag corrosion of. 59-01406A
- consumption of. 59-04434A
- containers, high-pressure, used in making Elbor, charge for. 59-00444P
- containing H₂O, or ZrO₂. 59-02506P
- containing rare earths. 59-01445P
- cordierite, and cordierite-mullite, from sericite clays. 59-02418A
- semi-. 59-03626P
- cores, Al₂O₃, with high porosity and crushability. 59-02500P
- for making hollow metal castings. 59-03593P
- corrosion of, by coal-ash slag. 59-01375A
- corundum, -ZrO₂, effect of thermal treatment and fluoride and Na oxide contents on properties. 59-03522A
- based. 59-01427P
- dense. 59-00447P
- electrically fused, method of making. 59-02538P
- frit for. 59-00452P
- granules. 59-01426P
- and mullite-silicate, protective coating for. 59-01444P
- synthetic. 59-01460P
- covers, for electric arc furnace. 59-01428P
- creep of, under compression. 59-04399A
- cristobalite, in fireclay calcines. 59-02420A
- crucibles, Pt, surface changes in. 59-01656A
- SiO₂, fibrous, growth of crystalline rods of GaAs in. 59-01557P
- carbon, production of solar-grade Si using. 59-04919A
- double crystal growing apparatus. 59-03712P
- for melting superalloys. 59-02523P
- periclase for smelting Ni alloys. 59-02466A
- crushing of, and crushed grain shape. 59-04402A
- crystals, mono-, of compounds of transition metals. 59-00414A
- dolomite, and SiO₂, use and limitations in steelmaking. 59-01380A
- magnesite, resin-bonded, failure of. 59-02434A
- zircon, decomposition of, critical phase. 59-04400A
- for doors, coke oven, condition after use. 59-04439A
- elastic. 59-02524P
- electrosintered. 59-04473P
- elements, foamed ceramic, process for making. 59-04474P
- enamels, for high-pressure containers and high-temp. units. 59-02199P
- fabric, microcrystalline ZrC. 59-00449P
- fatigue of, effect of relation between texture and crack kinetics. 59-04442A; 59-04443A
- fibers, C. 59-03589P; 59-03607P
- C, with improved oxidation resistance. 59-03588P
- charge for. 59-02512P
- method for making. 59-03602P
- method for making rigid articles from. 59-04484P
- mineral wool, with binder, method of making. 59-00480P
- mineral, alkali resistant, synthetic. 59-04461P
- mineral, mats from. 59-03620P
- polycrystalline oxide, mfg. 59-00481P
- stacked, building reheat furnace doors of. 59-04391A
- use in brick and tile kilns. 59-03821A
- for filtering devices. 59-01415P
- fire doors, from foamed MgO cement. 59-03597P
- fireclay, spalling loss and R'''. 59-03557A
- firing aid, with resistance to temp. change stress. 59-03598P
- flow of, at different temps. and mechanical loads. 59-00409A
- flux, for low-temp. mass. 59-01430P
- foam, inorganic, preparation of. 59-04481P
- foamed. 59-03599P
- forsterite-type, role of TiO₂ in mfg. 59-01404A
- fracture behavior, under thermal shock conditions. 59-03531A
- for furnaces. 59-02479A; 59-03142B
- fused-cast, basic, producing. 59-02470A
- glass. 59-01296P; 59-01327P
- fiber-reinforced SiO₂. 59-03286A
- method for making a damage-free score in. 59-04346P
- glazes. 59-01498P
- granular, apparatus for applying. 59-00431P
- grinding of, with supersonic jet mill. 59-04416A
- grog, dense, with high thermal stability. 59-02424A
- repair of tunnel kiln for firing. 59-02452A
- grout, phosphate, high-early-strength. 59-01433P
- gunite, C bonded, for LD converter. 59-04392A
- from magnesite and chromite, strength of. 59-03572A
- gunning, apparatus for in-situ spraying. 59-04476P
- hot-, for soaking pit. 59-04420A
- process, for optimizing. 59-01398A
- process, for basic linings. 59-04477P
- repair of RH degassing equipment. 59-03534A
- gunning materials, for LD converter. 59-03533A
- for LD converters, microstructure of. 59-03553A
- by binder solution. 59-03540A
- composition for. 59-01449P
- effect on wear of converter lining. 59-03519A
- testing of. 59-03577A
- for tundish. 59-04417A

- heat exchangers, high temp. 59-02439A
heat-insulating. 59-04393A
with high abrasiveness, crushing of. 59-04403A
honeycomb, crack-free, mfg. 59-00466P
muffle in glassmelting furnaces. 59-04480P
thermal shock resistant. 59-02564P
hot top and feeder head. 59-00457P
with improved thermal conductivity, for BOF. 59-03586P
for incinerators, refuse. 59-03566A
with increased stability, thermal. 59-04422A
inductor, application of castables for. 59-02409A
ink, aqueous black. 59-00432P
inorganic-organic complexes, properties of, and
conversion to inorganic materials. 59-04435A
insulating, heat, method for determining thermal
conductivity. 59-02453A
modules. 59-00493P
insulation. 59-01432P
composition for. 59-01425P
exothermic. 59-04504P
fibrous, air-hardening mortar for. 59-02407A
foamable, containing alkali silicate and Al_2O_3 .
cement. 59-01431P
foamed. 59-00450P
thermal. 59-03613P; 59-04479P
thermal, based on SiC , charge for. 59-01423P
thermal, charge for making. 59-04468P
thermal, composition for. 59-00446P; 59-04472P
thermal, for furnace construction. 59-02528P
insulators, electrical, charge for. 59-00442P
interaction of, with silicate glassmelts. 59-01390A
kaolin, performance in roof of open hearth furnaces.
59-02465A
kiln furniture. 59-03608P
for kilns. 59-02455A
knock-off apparatus, for removing ceramic from casting
molds. 59-03594P
ladles, VOD. 59-03582A
development of vibration-casting materials for.
59-03514A; 59-03515A; 59-03516A
improving life of. 59-03574A
metallurgical. 59-02536P
method of repairing. 59-04426A
steel-pouring, use of dust from roasting kaolin for
gunning. 59-00429A
layer on, Pt group metal. 59-03742P
lightweight, Soviet Standard for. 59-02484A
charge for. 59-02513P
linings. 59-03604P
 Al_2O_3 , for furnaces. 59-03817A
BOF, new program increases life 4-fold. 59-00403A
BOF, repair in Soviet Union by flame spraying.
59-04444A
for R-H degassing vessel, service trial of magnesite-
chrome bricks. 59-04448A
at Synthane coal gasification plant. 59-01394A
apparatus for repairing. 59-03584P
apparatus for spraying. 59-01411P
apparatus for straightening. 59-03585P
basic, gunning process for. 59-04477P
blast furnace, wear behavior. 59-03498A
block, for tundish repair. 59-02412A
for bombs used to reduce UF_6 to U . 59-01400A
brick, for tubular structure, method of laying.
59-00471P
brick, for tylene bottoms. 59-00486P
brick, on tylene plates, method and apparatus for
constructing. 59-02540P
brick, removal of. 59-03624P
carbonaceous, for metallurgical furnaces. 59-04430A
for casting copper. 59-00477P
for coke ovens, testing of. 59-04452A
for electrolytic furnaces. 59-00448P
fibrous, for stack-annealing furnaces. 59-04457A
furnace, application of C and graphite for. 59-03494A
furnace, use of explosives for removing. 59-00473P
for furnaces. 59-00453P; 59-04505P
for industrial furnaces. 59-01999B
injection, for repair of furnaces, energy savings.
59-02432A
insulating, for ingot mold or header box. 59-03629P
ladle, evolution of. 59-01385A
ladle, for vacuum refining of high Cr melts. 59-01393A
ladle, slag corrosion test of. 59-03571A
ladle, with magnesite products and Magdol co-clinker
bricks. 59-04413A
of ladles, effect of slags on corrosiveness. 59-01381A
of ladles, gunning at Magnitogorsk Metallurgical
Combine. 59-04418A
material for. 59-04507P
for melting furnaces. 59-02539P
for metallurgical vessels. 59-03605P
for metallurgical vessels, equipment for applying.
59-03596P
for metallurgical vessels, process for increasing life.
59-03617P
for molten metal containers. 59-00459P
monolithic, composition for. 59-00488P
packing material for. 59-00491P
for pig iron container. 59-04506P
prefabricated concrete, for industrial furnaces.
59-03615P
prefabricated insulating blocks for walls and roofs.
59-03616P
for reactors used to produce $CrCl_3$. 59-02553P
of rotary cement kilns, effect of deformation on.
59-02060A; 59-02061A; 59-02062A; 59-03175A
sidewalls and crowns, for glassmelting furnaces.
59-03503A
slabs. 59-00460P
in slide valves of steel-pouring ladles, wear. 59-02499A
sprayer for repairing. 59-02562P
stack, gunite. 59-01386A
for thermal units. 59-01450P
tiles, for ingot molds. 59-00497P
of torpedo ladle, deposition of C from CO in. 59-03509A
tubular, for furnaces. 59-04769P
tundish ladle. 59-04447A
tundish, repair of. 59-04445A; 59-04456A
for tunnel kilns firing corundum, causes of failure.
59-02414A
unshaped, drying of. 59-03518A
used in machinery for calcining pellets, physico-
chemical processes in. 59-02468A
made by powder metallurgy. 59-00420A
made by reactions between cokes and kaolinites. 59-00423A
magnesite, changes in structure and properties during
firing. 59-04394A
mechanization of loading onto kiln cars. 59-04425A
magnesite, effect of porous filler grains on properties.
59-03520A
granular, method of making. 59-04486P
pitch-bonded, for long converter life. 59-04431A
unroasted, with tar-phosphate binder. 59-03580A
magnesite-chrome. 59-01435P
materials. 59-00437P
charge for. 59-00438P; 59-00439P; 59-00441P
metals. 59-00455P
marking articles. 59-00461P
technology and application of chalcogenides of.
59-00419A
method for making. 59-04483P
minerals for, super. 59-00427A
mold material, particulate, method for purifying. 59-04485P
molds. 59-00475P; 59-04491P
composite shell, for superalloy castings, fabrication
of. 59-00464P
for continuous casting of metals. 59-02543P
and cores, casting, cold-setting mixture for production
of. 59-02520P
and cores, mfg. 59-01438P
for directionally solidified single crystal castings.
59-02542P
for firing SiO_2 or Al_2O_3 granules. 59-01442P
foundry hardening catalysts and alkali metal silicates
for. 59-04478P
foundry, and core wash additives. 59-03600P
graphite, production of carbide-laden consumables in.
59-00484P
ingot, refractory tile lining for. 59-00497P
ingot, repair. 59-00494P
investment casting, apparatus for drying. 59-00463P
investment-casting, suspension for. 59-01459P
porous, charge for. 59-02510P
sand for. 59-04490P
sand, composition for. 59-01458P
self-hardening water-soluble. 59-03625P
shell. 59-03595P
shell, SiO_2 cores for. 59-00492P
shell, with metastable mullite phase. 59-03627P
shell, preparation of. 59-04495P
shell, for superalloy castings, mfg. 59-00464P
molten, charge for mfg. 59-01419P
monolithic, hardening properties of. 59-04419A
mortars. 59-01454P
injection, repairing blast furnaces with. 59-03569A
new developments. 59-02458A
mullite, $-SiO_2$, for cover of blast furnaces. 59-02441A
charge for. 59-02509P
-cordierite, production of. 59-03560A
-corundum, hot-pressing. 59-02443A
-corundum, production at Zaporozhye plant. 59-03561A
solid-phase synthesis from oxides. 59-02490A
variable-composition, made by induction melting in cold
crucible. 59-04459A
nitride, for turbines. 59-04427A
nonmetallic, application of. 59-00415A
nozzles, gate system, effect of Si content on wear.
59-04406A
ores, Antonov quartzite, mining quarries of. 59-02454A
orthoferrites-orthochromites, exchange interactions in.
59-00842A
oxides, double, thermodynamics of. 59-04594A
for fusion reactor first walls. 59-03568A
and noble metals, surface reaction between. 59-03981A
thermal shock resistance mechanisms. 59-04455A
thermoelectric emissivity of. 59-04595A
packing, for lining thermal units. 59-01455P; 59-02556P
particles, metal oxide or metal carbide, process for
making. 59-00483P
pastes, for metallization of ceramics. 59-02546P
periclase, method of making. 59-04493P
modulus of rupture, effect of mineralogical and
chemical composition. 59-01402A
testing of, high-temp. 59-02442A
periclase-chromite, properties of, effect of techn-
ological parameters. 59-02430A
plates, corundum, for ladles. 59-02471A
corundum, in slide gates, service during pouring of
steel. 59-02487A
porous, ZrO_2 -stabilized composition for making.
59-02565P
protective Si_3N_4 or Si oxynitride coating for.
59-03621P
powders. 59-03919P
 SiC , beta-, method for making. 59-01443P
effect of decarbonation of dolomite and magnesite on
sintering. 59-04408A
hard metal, recovery of. 59-03849P
molding, liquid binder for. 59-02533P
presses for, hydraulic. 59-01378A
pressing of, isostatic. 59-01391A
process for making. 59-04498P
pyrometric, material for making. 59-04482P
quartz, fused, production in semicontinuous electric
furnaces. 59-02472A
from thermoplastic suspensions. 59-02475A
ramming, aging. 59-02406A
high Al_2O_3 , compactibility test for. 59-04396A
raw materials, MgO , factors affecting creep. 59-04414A
automation in mines for. 59-02823A
reaction with Zn filter cake. 59-02478A
regenerators. 59-01696P
reinforced, with stainless steel fibers. 59-01407A
releasing agent. 59-02557P
resistance of, to CO . 59-01403A
saggars, for condenser blanks, increasing turnover factor
of. 59-04423A
samples, polishing of. 59-01397A
sands, foundry, resin-coated, method for making.
59-03619P
seals, abrasible. 59-02544P
for outer ring of regenerators. 59-03609P
sections, prefabricated. 59-00476P
setters, U-type, aid tile production. 59-03579A
shales, Chinese aluminous, properties. 59-03563A
sheathing, for tubular furnaces. 59-03623P
shells, binder for. 59-00434P
shock resistance, thermal, evaluation using ribbon test
method. 59-03528A
side reflector, graphite, for nuclear reactors. 59-03785P
silicates, organic, hydrolysis and gelation. 59-01434P
sintered. 59-00462P; 59-02435A
slabs, high- Al_2O_3 , for power plants. 59-02440A
for metal sliding-face units in steel casting. 59-02473A
slags, blast-furnace, treatment of. 59-03578A
slide plates, wear of. 59-04460A
for sliding-gate systems, recent developments. 59-04415A
for sliding-valve plates, in steel-pouring ladles.
59-04449A
slurries, gellable. 59-00454P
solid solutions, multicomponent, based on ZrO_2 .
59-02456A
spheres for, slaking-resistant. 59-03610P
wear resistance, to coke particles. 59-03570A
wheels, axial, for turbines, mfg. 59-00482P
wollastonite, charge for synthesis of. 59-02517P
zircon, aqueous suspensions, preparation and properties.
59-04432A
charge for. 59-02516P
-containing, compositions and bodies formed from.
59-03630P
Regenerators. See **Refractories.**
Refraction.
of Se, Te , kinetics of, DTA study. 59-05056A
data, for $K_2O-Na_2O-SiO_2$ glasses. 59-03313A
dielectric, study of chalcogenide glasses. 59-04176A
of electrodes, Na aluminosilicate glass, during change in
stress. 59-02280A
geometric, at MgO surface. 59-02931A
in glasses, role in structural breakdown. 59-00254A
ionic, thermal, in inorganic glasses. 59-00269A
mechanical, in alkali silicate glasses with alkaline-
earth oxide additives. 59-04220A
of paramagnetic centers, of irradiated aluminosilicate
and quartz glasses. 59-01235A
stress, in PZT. 59-01914A
of stresses, in silicate glasses. 59-01116A
structural, of glass produced by ion exchange. 59-02277A
surface, of Zn blende (110). 59-03092A
Research.
on cements, progress, 1978. 59-00959B
glass, application of derivatography. 59-04231A
in glass industry, in China. 59-04203A
on high-temp. coatings, in China. 59-04152A
institutes, in China. 59-05123A
lab data management, instruments and computers for.
59-00954A
laboratories, impact of OSHA regulations. 59-05124A
planning and evaluation of experiments, by statistical
methods. 59-00955A
Resins.
and gums, water-soluble, handbook of. 59-01970B
impregnation of portland cement clinkers with. 59-02079A
sheets, reinforced with glass and C strands. 59-01338P

Resistance.

alkali, of silicate glasses, determination of, effect of decomposing solution. 59-02231A
 shock, thermal, of ceramics. 59-01901A
 to water, of urea-melamine polymer impregnated gypsum. 59-02114A

Resistance, chemical.

of glass surfaces, molded, determination of. 59-01292P
 glass with. 59-00307P
 of glasses, gaseous reagent for increasing. 59-00299P
 method for determining. 59-00336P

Resistance, electrical. See also *Conductivity, electrical; Electrical properties.*

of ZrO_2 , Y_2O_3 -stabilized, effect of ZrC additive on. 59-03521A
 elements, method of preparing. 59-02726P
 of insulators, tests for. 59-00698A
 materials with. 59-02738P
 nonlinear, ceramic material with. 59-01541P
 of oxides, Rb and Cs, with high metal content. 59-00554A
 of surface layers, of Na aluminosilicate glasses in NaCl and KCl solutions. 59-03282A

Resistivity, electrical.

of Au/TiC, multilayer structures. 59-01526A
 of EuO, effect of hydrostatic pressure on. 59-02991A
 of cermet, Ni-Cr-alloy/MgO, variation with temp. 59-00779A
 magnetoresistance, negative, in accumulation layers on ZnO surfaces. 59-03024A
 measurement of, using electrooptic crystals. 59-04723A
 piezo-, and semiconductor-semimetal transition, in Ti_2O_3 . 59-03051A
 specific, glass with increased. 59-01319P

Resistors, electrical.

59-00593P; 59-01548P
 SiC, with negative temp. coeff. 59-04633P
 assembly process for, low temp. and low cost. 59-03723P
 film, and cermet, strain sensitivity. 59-01535A
 mfg. 59-00623P
 method of making. 59-04612P; 59-04660P
 material for. 59-01092P
 mfg. 59-00608P
 nonlinear. 59-03737P
 assembly processes for. 59-03722P
 paste, method of making. 59-02725P
 polysilicon, integral, formation of contact region with layers of polysilicon. 59-02732P
 positrons, $BaTiO_3$, stability of. 59-03699A
 thermistors. 59-00975B
 TiO_2 , method for making. 59-04670P; 59-04671P
 rare earth or Y, transition metal oxide. 59-00625P
 thick film. 59-00634P
 thick-film, with TCR value based on Pb and Ba rhodates as conductive materials. 59-03703A
 varistors. 59-00638P; 59-03756P; 59-04600P
 ZnO, barrier model for. 59-04555A
 ZnO, effects of hydrostatic pressure. 59-01512A
 ZnO, grain-boundary segregation in. 59-01519A
 ZnO, low voltage. 59-04573A
 ZnO, pulse-degradation characteristics. 59-00571A
 ZnO, sinterless. 59-03748P
 ZnO, statistics and grain size in. 59-01534A
 high breakdown. 59-02708P
 metal oxide, mfg. 59-00607P
 slugs, made by hot press with plate heaters. 59-02656A
 in system $ZnO-CoO-PbO-B_2O_3$, characterization of. 59-02631A
 thick film. 59-00635P
 thick film, method of making. 59-03755P
 voltage dependent. 59-01604P
 method of making. 59-01605P

Resonance.

ENDOR, of F^+ centers in SrO . 59-00828A
 EPR, in Ba borosilicate glass with Ti ions. 59-00165A
 of Cd^+ centers in irradiated vitreous Na borates. 59-01159A
 of Cd^+ ions in silicate glasses. 59-01141A
 of $Cr(III)$ in two-component glasses, effect of composition on symmetries. 59-00166A
 of Sb^{3+} in silicate glasses. 59-01143A
 of aluminosilicate glasses with Cu and halogen impurities. 59-01142A
 study of dehydroxylation of microporous glasses. 59-04180A
 study of structure of Cu^{II} and V^{IV} ions in Li-Al silicate glasses. 59-04181A
 study of vitreous electrolytes belonging to system $B_2O_3-Li_2O-LiCl$. 59-03271A
 ESR, study of $Fe(III)$ in Pb silicate glasses. 59-04209A
 study of $NiFe_2O_4$ precipitation from silicate glasses. 59-01144A
 study of crystallization of Na Fe silicate glass. 59-04182A
 NMR, in $HoVO_3$. 59-03027A
 study of hydration and strength of cement. 59-02094A
 Raman enhancement profiles, in Cu_2O . 59-03112A
 magnetic, of N center in diamond, optical detection of. 59-03030A
 phonon, associated with vacancy in CaF_2 . 59-05023A
 spin wave, measurement of inhomogeneities in bubble films by. 59-01522A

Resonators.

crystal, quartz, frequency variations due to internal dissipation. 59-01518A

Retardants. See also *Additives.*

for setting gypsum, method using. 59-01066P

Rhenium.

and Mn oxides, as catalysts for cracking and dehydrocyclizing of alkanes. 59-00524P
 ReO_3 , lattice parameter and thermal expansion. 59-03002A

Rheology.

of cement mixes. 59-04113A; 59-04114A
 of clay, method for improving. 59-02616P
 of slurries, process for improving. 59-02857P
 of concretes, effect of plasticizing admixtures. 59-03183A
 of glasses, in system $Ba(PO_3)_2-MgF_2-0.4AlF_3-0.6CaF_2$. 59-02302A
 of glassy state, physical and thermodynamic aspects. 59-04237A
 of intrusion mortar, use in calculating lateral pressure of preplaced concrete. 59-03170A
 of montmorillonite, from Paraíba State, Brazil, effect of concentration and agitation on. 59-01468A
 of slips for sanitary ware, effect of soluble salts. 59-01477A
 of suspensions, flocculated, measurement of. 59-01652A

Rhodium.

Pb and Ba rhodates as conductive materials, thick-film resistors with small TCR value based on. 59-03703A

Rock wool. See *Mineral wool.***Rockets.** See *Spacecraft.***Rocks.** See also *Phosphates; Silicates.*

$Fe(II)$ in, determination of. 59-01638A
 Mg orthosilicate-rich, production of cements from. 59-04147P
 aplite, from Campiglia Marittima, Livorno, Italy. 59-02838A
 basicity indicators, thermodynamic calculation of. 59-04726A
 carbonate, Hungarian, properties of. 59-04783A
 hardness, study of. 59-01646A
 igneous, evolution of. 59-01960B
 mass classification. 59-01643A
 pyrogenic, preparation of hydraulic binders from. 59-03228P
 schists, expanded, from North Basin and Pas-de-Calais coal mines, characterization of. 59-02055A
 tremolite, cleavage fragments and fibers, relation of mineral habit to size characteristics. 59-01899A

Roughness. See *Surface.***Rubidium.**

and Cs oxides, with high metal content, electrical resistance. 59-00554A
 Rb_2ZnCl_4 , dielectric dispersion around transition points. 59-04916A

Ruby. See *Garnets; Lasers.***Rupture.**

modulus of, for refractory periclases, effect of composition on. 59-01402A
 and relative humidity. 59-00704A

Ruthenium.

and Ba-containing perovskites, catalysts. 59-03889P
 -containing, perovskite catalysts. 59-02910P

Rutile. See also *Titanium, dioxide.*

crystals, stoichiometric, dynamic strain aging in. 59-04922A
 deposition of, as gate dielectric for MIS device. 59-03734P
 diffusivity of O in, spectrometric determination. 59-00821A
 production of. 59-04795P
 synthetic, process for production. 59-03846P

Safety.

in ceramic industry, impact of federal regulations. 59-00969B
 fibers, graphite, electrical hazards. 59-02866A
 glass, decorated. 59-01291P
 fireproof. 59-01296P
 impact resistant panel. 59-04319P
 in milling and storing solid fuels, in cement industry. 59-04115A

Saggers. See *Kiln furniture.***Salts.**

Al, basic, production of Al_2O_3 from, by homogeneous precipitation. 59-00735A
 molten, alkali, attack on aluminosilicate refractories. 59-02408A
 degradation of Si_3N_4 . 59-01739A
 electrocrystallization of NbO and Nb_2O_5 , hollow needles from. 59-02972A
 reactions of, with kaolinite, at high temps. 59-01896A
 soluble, in raw materials for sanitary ware, effect on rheology. 59-01477A
 sulfate, Korean, properties of high-purity Al_2O_3 from. 59-03640A

Samarium.

$SmCl_2$; $2SmCl_3$, X-ray study. 59-05118A
 Sm^{3+} , in quartz glass, photoluminescence and photoinduced absorption of. 59-03329A
 $Sm_2Ti_2O_7$, phases of, studied by vibration spectroscopy. 59-05055A
 $Sm-YIGG$, epitaxial, annealing effects in. 59-01906A

Sampling.

composite materials, for testing. 59-02868A
 isokinetic, of glass batch carryover. 59-02262A

Sands.

Kardashinsk, Cr aventurine glasses based on. 59-01119A
 of Tashlinskoe deposit, enrichment of. 59-01704A

feldspathic, arcose, from Triassic region of Weiherhammer, Ger. 59-02833A

foundry, resin-coated, method for making. 59-03619P
 glass, origin and nature. 59-02251A
 green, for casting. 59-04475P
 high clay gravel, from Kral'ovce deposit, dressing of. 59-02829A

molding, for making molds and cores. 59-04490P
 measuring friability of. 59-01395A
 particle size, effect on compressive strength of Ca silicate brick. 59-00047A
 porcelain, North Bavarian. 59-02839A
 quartz, dressability of, ultrasonic analysis. 59-01715A
 recovery of heavy minerals from. 59-01710A
 siliceous, reactions with Al in N_2 in presence of C, weight loss during. 59-03885A
 zircon, production and market. 59-02848A

Sandstone.

clays, relations between absorption, shrinkage, grindability, and forming pressure. 59-02602A

Sandstone. See *Feldspar.***Sanitary ware.**

from Brazil, effect of micaceous and high-Fe mineral phases in granites and pegmatites used in. 59-01470A
 Mansfield plant streamlines casting. 59-02590A
 casting of, automatic. 59-02569A
 clays for, ball, production of. 59-03651A
 color standards, use of ceramic tiles as. 59-02572A
 effect of kiln cooling on properties. 59-00518A
 fired at low temp., Zr glazes for. 59-02295A
 firing of, microstructural changes during. 59-01472A
 glazes for, effect of grinding on firing characteristics. 59-01469A
 relation between particle size distribution of zircons and opacity. 59-04533A
 ground coat for, pickle-free, plant experiences. 59-00111A
 microstructural changes, during firing. 59-03646A
 porcelain, changes in composition of raw materials for. 59-04514A
 production, in China. 59-04534A
 efficiency increased by consistency. 59-02577A
 sink trap, studio. 59-00509A
 soluble salts in raw materials for, effect on rheology. 59-01477A

Sapphire. See also *Aluminum oxide.*

F center, luminescence in. 59-03008A
 Si on, transistors, method for making. 59-01569P
 and SiO_2 , fused, shock-compressed, refractive index. 59-04966A
 deformation behavior, via prismatic slip system. 59-03945A
 filaments, in hot-pressed Al_2O_3 , growth of. 59-00920A
 and glass, method of forming bond between. 59-02722P
 metal-, contacts, effect of interfacial species on shear strength. 59-04559A

Scandium.

oxide, electrical conductivity of. 59-04934A
 solid-phase enthalpy, high-temp. study. 59-04960A
 subgroup, effect on crystallization of glasses in system $MnO-Al_2O_3-SiO_2$. 59-02229A

Scattering.

Brillouin, measurements on optical glass. 59-02208A
 Raman, in alkali metaphosphate glasses. 59-01206A
 from ammonium ions in Na beta- Al_2O_3 . 59-03006A
 in chalcogenide glasses. 59-03334A
 in finite-size graphite crystals. 59-02982A
 in optical glasses. 59-00247A
 study of pressure effects on force constants of BN. 59-03060A
 in VO_2 , diffuse, due to atomic displacements, diffraction study. 59-02973A
 X-ray, diffuse, from wurtzite-type compounds. 59-03116A
 intensities from shell model for Si. 59-03119A
 structure of alkali borate glasses based on. 59-01252A
 diffuse, in linearly disordered crystals, matrix method for calculating. 59-02921A
 forward, of side-illuminated unclad fibers, effect of cross section. 59-01148A
 in glasses, microstructurally birefringent, study of. 59-02281A
 light, laser, determination of fiber radii by. 59-01100A
 in polycrystalline ferroelectrics. 59-00547A
 neutron, length of Ho, redetermination. 59-03068A
 short range structure of alkali disilicate glasses by. 59-04254A
 from off-axis inhomogeneity, in step-index optical fibers. 59-01236A

Schists.

expanded, from North Basin and Pas-de-Calais coal mines, characterization of. 59-02055A

Schools. See *Education.***Science.**

of compaction, technological advancements. 59-04710A
 of high pressure. 59-00965B; 59-00966B
 high temp., future needs and anticipated developments. 59-01972B
 materials, annual review. 59-00958B; 59-05126B
 current topics. 59-01953B; 59-05131B
 of decorative wares. 59-04049B
 elements of. 59-01957B
 treatise on. 59-02009B
 of rare earths. 59-05145B

Screen process printing. See *Decoration.***Screening and sieving.**

aggregates, without water. 59-01048A

- Screens and sieves**, molecular, Na-A zeolite, thermal analysis of degeneration. 59-03878A
- Sculpture**. See *Art and artwork*.
- Seals and sealing**. See also *Bonding; Soldering*. alumina, calcia, baria, strontia composition, and articles made from. 59-03358P articulated, for rotating cylinders—such as kilns. 59-04764P ceramic, for electronics. 59-00584P ceramic-to-metal, compressive, Xe arc lamp with. 59-02389P cold-weld, of noble-metal tubes. 59-01663A corrosion-resistant glass-ceramic-to-metal, method of forming. 59-03416P films, thermal conductivity cell with. 59-01602P glass. 59-00369P; 59-04375P Al_2O_3 , CaO , B_2O_3 , optionally modified with B_2O_3 . 59-04273P composition. 59-03448P for electronic elements. 59-00621P for lamps. 59-01356P glass to Al_2O_3 , diffusion of Al during. 59-02221A glass-to-glass, with conductive layer. 59-04617P glass-to-metal, in Li cell environments. 59-01599P for electrochemical cells. 59-00599P; 59-02349P gas medium for. 59-00298P set point of glass in. 59-02282A hermetic, glassy composition for. 59-04315P internal, for concretes. 59-04131P for kilns, rotary. 59-04775P metal-ceramic, stress relief of. 59-04665P metal-to-ceramic. 59-01566P method of making. 59-00606P metal/ceramic, abrasible, stress relieving of. 59-03753P to metals, glass for. 59-01309P refractory, abrasible. 59-02544P for outer ring of regenerators. 59-03609P for sight glass assembly. 59-00370P solders, vacuum-tight metal-ceramic, effect of industrial parameters on mfg. 59-03676A spark plug. 59-03751P system for feed end of dry process cement kiln. 59-03207A for tubes, electron. 59-00371P vacuum, soft metal, for glass and ceramics. 59-00240A
- Sedimentation**, centrifugal, particle sizing by. 59-03808A electroformed, of clay suspensions in consolidation region. 59-01465A of sands and kaolins, suitability of Dallenderfer-Langhammer apparatus. 59-01667A
- Sediments**, analyzers for, automated. 59-02792A clay, technique for making thin sections from. 59-02790A kaolinite in, IR spectroscopic estimation. 59-01890A study of, use of programmable calculators. 59-02796A
- Segregation**, grain-boundary, in MgO-doped Al_2O_3 . 59-02985A in commercial ZnO-based varistors. 59-01519A in oxides, analytical scanning transmission electron microscopy study. 59-04975A micro-, in crystals, analysis of. 59-03931A
- Selenium**, in crystals, grown from melt, effect of fluctuating growth rate on. 59-04923A; 59-04924A glasses, ruby-red, melting of, under layer of charge. 59-01209A photoelectric cells, compensating, glass filters for. 59-00199A
- Semiconductors**, 59-01595P Al_2O_3 , α -, pure and doped, properties of. 59-02684A BaTiO₃, PTC action of grain boundaries. 59-03673A compositions for. 59-03708P CMOS/SOS, low temp. process using dry pressure oxidation. 59-02710P Cds, method for polishing. 59-02719P GaAs, growth of, MBE study. 59-04587A InSb, p-type, impact ionization in. 59-02659A MIS, deposition of rutile as gate dielectric for. 59-03734P MNOS, dosimeters. 59-04748P MOS, Si-on-insulating substrate, method of making. 59-02736P SiO_2 films, neutralization of mobile ions in. 59-00567A SnO_2 , elastic constants, pressure dependence. 59-03054A SiC, sintered, method for making. 59-04657P TiO_2 -based, for moisture sensors. 59-02742P amorphous, doping by ion implantation. 59-01571P chip, installation on glass substrates. 59-03721P compound, vapor phase epitaxial, mfg. 59-01590P concentration in, carrier, optically measuring. 59-03738P crystals, of III-V compounds, apparatus for making. 59-03705P method for growing. 59-03729P spontaneous growth of. 59-03752P currents in, lifetime and leakage, method for controlling by irradiation. 59-04640P dielectric, method and apparatus for studying. 59-04622P doping, glass-ceramic for. 59-00309P electroluminescent, with optical fiber window. 59-01549P epitaxial, apparatus for depositing from liquid phase. 59-00581P ferrimagnetic, system $Co_{0.5}Cu_{0.5}Cr_2S_8$, magnetic susceptibility of. 59-02665A films on, electrocoating process for making. 59-04613P insulating. 59-05139B metal- SiO_2 , solution for forming. 59-03727P glass, As-S-Ti system, magnetic properties. 59-02265A Ca borate, with Fe oxide, conduction models of. 59-04168A $Ge_{0.5}Bi_{0.5}Se_{0.5}Te_{0.5}$, electrical transport in. 59-04190A glassy, irradiated, paramagnetic centers in. 59-03690A glazes. 59-02685A gratings in, light-induced diffraction, properties and uses. 59-02681A injection logic, oxide isolated, with minimal encroachment, method of making. 59-01568P integrated circuit, with resistor element implanted in Si layer. 59-04662P light emitting, component for. 59-01561P magnetic, single crystal CdCr₂Se₄, preparing. 59-02679A measurement technology. 59-01531A method of stabilizing, by converting doped polysilicon to polyoxides. 59-02727P mfg. 59-00605P monolayer, periodic, MBE growth. 59-04648P with overcoat, passivating, SiC-glass-SiC. 59-00629P oxide, method for mfg. 59-02718P periodic, based on piezoelectric crystals AlH^{IV} . 59-00569A single crystal, on crystal of insulating material. 59-02740P solid, deposition of. 59-04607P stabilization of, surfacing process using quartz passivating layer. 59-04667P structure, with improved phosphosilicate glass isolation. 59-03726P substrates, Fe ion implantation reduces sensitivity to temp. 59-04615P superlattices, deposited by MBE, characteristics of. 59-04586A surfaces, electronic structure, scattering-theoretic approach to. 59-03071A testing of, nondestructive, with emphasis on acoustic emission. 59-00568A treatment of, plasma, apparatus for. 59-02692P
- Sensors**, automotive, materials considerations in development of. 59-02668A needs for. 59-02673A batch, for glassmelting furnaces. 59-03367P exhaust gas, resistive-type. 59-02683A garnet magnetoresistive, for magnetic fields. 59-03718P gas, fast detecting SnO_2 , preparation of. 59-04582A knock. 59-02664A moisture, TiO_2 -based semiconductor for. 59-02742P oxygen. 59-03739P; 59-04645P CaO-doped Co_2O_3 tubes for. 59-00546A Pt-ZrO₂, operation of. 59-03668A ZrO₂. 59-02690A application of. 59-02628A for glassmelting furnaces. 59-03265A method of forming. 59-04644P partial pressure of. 59-00612P pH, high temp.-high pressure, use of O ion-conducting ceramics as. 59-04580A pressure, techniques and materials. 59-02680A
- Separation, electrostatic**. See *Electrostatic processes*.
- Separation**. See also *Beneficiation; Classification; Flotation*. of U isotopes. 59-03784P continuous. 59-04690P of magnesite, from ores containing calcite or dolomite. 59-04797P magnetic. 59-00738P of kaolin. 59-01706A; 59-02834A phase, in glasses of system $Li_2O-Al_2O_3-SiO_2-TiO_2$, during devitrification. 59-00231A
- Separators**, for batteries, alkaline. 59-02739P magnetic, for dressing kaolins for paper, control of capacity. 59-02825A
- Serpentine**, mineralogy, petrology, and paragenesis. 59-04006A
- Setting**. See *Binders*.
- Settling**. See *Sedimentation*.
- Sewer pipes**. See *Pipe*.
- Shales**, aluminous, Chinese, properties of. 59-03563A bodies from, with sawdust additive. 59-00393A resources of Washington County, [Ohio, USA]. 59-03830A
- Shear**, strength, of semisintered oxides. 59-05042A
- Shock**, compression, production of chaotite by—new form of C. 59-01782A thermal, resistance to, of ceramic materials. 59-01901A -wave compression, of $LiNbO_3$. 59-01905A
- Shock resistance**, thermal, of ceramics. 59-01901A; 59-02885A kiln furniture with. 59-02527P of limiter or first wall materials for fusion reactors. 59-03772A mechanisms in refractory oxides. 59-04455A of refractories. 59-03531A of refractories under different temp. ranges. 59-04410A of refractories, evaluation using ribbon test method. 59-03528A of refractory castables. 59-04454A refractory honeycomb with. 59-02564P
- Sialons**, Mg-, 12H polytype alloy. 59-01871A $Si_3N_4-O-Al_2O_3$, solid solutions, effect of Si_3N_4 powder reactivity on preparation. 59-00830A X-phase, X-ray diffraction data. 59-04967A beta⁻, crystallization of Mg-containing phases. 59-02948A reaction sintering of. 59-03066A reactive hot-pressing of phases in. 59-03067A deformation mechanisms in, high temp. fracture and diffusional. 59-02990A development of, in China. 59-04804A hot-pressed, polytypes, microstructure. 59-00873A mullite-like compound in, composition. 59-04800A oxidation, mechanisms. 59-05004A powder, process for producing. 59-02908P sinterable, by reaction of clay with C and N. 59-00770A sintered, microstructure. 59-01872A
- Sieves**. See *Screens and sieves*.
- Silica**. See *Silicon dioxide*.
- Silicates**, Ca_2SiO_4 , gamma-, refinement of structure. 59-04111A Ca-Mg, stability of. 59-04014A Co dilitium, structure of. 59-03087A Fe in, oximetric determination. 59-04732A K meta- and di-, thermodynamic properties. 59-04032A Na, aqueous solutions, Raman and IR study. 59-04002A Na₂Mg₂Si₂O₇, crystal data. 59-02938A R₂Si₂O₇ (R = Tm, Er, Ho, Dy), flux growth of. 59-04947A aggregates, lightweight. 59-04786P alkali metal, and K metaborate, binders based on. 59-01058P for foundry molds. 59-04478P aluminosilicate, crystalline, precursor. 59-00737P stabilized, hydrocracking catalysts. 59-03924P analysis of, chemical. 59-01946B by distillation and gravimetry. 59-02781A by molybdate complexing method. 59-01039A quantitative, instruments for. 59-01660A sixth ceramic chemists' conference. 59-00974B redigite, stability of. 59-04014A crystalline, and glass-forming, XRD study. 59-03114A process for making. 59-04849P di-, K, heat capacity. 59-01867A dilitium Zn, structure of. 59-03088A double, of rare-earth elements and Na. 59-04921A ferro, preparation and properties. 59-04818A filler composition, for acid-resistant enamels. 59-01093P glass, analysis of, current methods. 59-00259A method for hydrating. 59-04341P high-purity, tunnel luminescence in. 59-01265A hydro-, mixing and injection molding of. 59-03424P industry, in Hungary, environmental control. 59-04040A waste heat, utilization of. 59-01684A layered, nonrandom disorder, electron microscopic and X-ray study. 59-02989A melts, Ca diffusion in. 59-03934A organic, refractories, hydrolysis and gelation. 59-01434P ortho-, stability of, thermochemical study. 59-00945A porous, high-pressure Hugoniot of. 59-00855A precipitation of, from metallic dusts containing SiO_2 . 59-03792P sodalite, coloration sensitivity, enhancement by vacuum annealing. 59-00186A stability of. 59-04015A systems, sintering of, in presence of liquid phase. 59-03076A tetrahedral framework. 59-00941A transformations in, high-pressure. 59-01840A
- Silicides**, metal, layer on a substrate, method for providing. 59-02720P
- Silicon**, 6H-SiC, light-emitting diodes, fabrication of. 59-04562A Al, and glass, compositions for electrical conductors. 59-04640P Czochralski- and float-zone-grown, origin of difference in mechanical strength. 59-05003A Fe ions in, impurity states. 59-00861A $Li_2O-2SiO_2$, unidirectionally solidified, thermal and mechanical properties. 59-03879A and SiC fibers, composite of, method of making. 59-03901P /SiC, composites, properties and applications. 59-04824A SIS solar cells, loss mechanisms. 59-01532A Si_3N_4 , N_2 , O_2 , hot-pressed, thermomechanical properties. 59-01749A Si_3N_4 , variation of lattice parameters with irradiation. 59-00949A Si-O, bonds, correlation between force constant and electronic structure. 59-04902A - SiO_2 , effect of oxidation time and temp., Auger sputter profile study. 59-01917A interface, effect of oxidation time and temp. 59-01917A interface, thermally grown, inhomogeneities of surface potential. 59-01849A Tb₂Si₂O₇, 59-00572A -based, alloy, abrasive grains coated with. 59-02018P composites. 59-03923P beta-Si₃N₄-beta-SiC, composites, fracture toughness. 59-04952A body, method for forming mask opening on, using ion etching. 59-04625P commercial, effect of BaF₂ on nitridation of. 59-01815A

- crystals, Cu precipitates in, extinction of topographic images of. 59-04944A
- Czochralski-grown, thermally induced microdefects in. 59-05102A
- capillary die shaped growth, control of. 59-02696P
- fracture of, in liquid environments. 59-01833A
- low O content Czochralski growth. 59-04985A
- with uniform doping, method for making. 59-04628P
- deposition, on heated carriers. 59-00624P
- etchant, neutral pH, for use in presence of phosphosilicate glasses. 59-01579P
- oxidation resistant. 59-03728P
- films, electronic device. 59-02383P
- glow discharge, optical absorption in. 59-03688A
- hydride, modification of surfaces with. 59-05146B
- impurities in, Ho, Gd, and Yb, behavior. 59-02923A
- metal-ZnO-SiO₂-Si, structures, charge injection in. 59-04880A
- molten, interaction with Si Al oxynitrides. 59-03684A
- resistance of beta-Si₃N₄, solid solutions to attack by. 59-00756A
- nitridation of, fluoride accelerated. 59-00845A
- organo-, high molecular weight compounds, method of making. 59-01755P
- oxide, films, deposition of. 59-01570P
- films, growth of, using Ar contact gas. 59-04668P
- oxynitride, porous, refractory bodies. 59-03614P
- thermal decomposition. 59-01927A
- plates, polished, chemical purification of. 59-03667A
- poly-, against SiO₂, ion etching of, using SF₆-Cl₂-inert gas. 59-04661P
- films, with integral polysilicon resistor, process for forming contact between. 59-02732P
- polycrystalline, pure, process for mfg. 59-01591P
- refractories, oxidation kinetics, effect on hot-corrosion resistance. 59-04429A
- ribbon, crystal, apparatus for growing. 59-02691P
- growth using scanned lasers. 59-04589A
- on sapphire, transistors, method for making. 59-01569P
- seed, production process. 59-04663P
- shell model for, X-ray scattering intensities from. 59-03119A
- solar-cell grade, from rice hulls. 59-04788P
- solar-grade, directionally solidified, production using C crucibles. 59-04919A
- stacking fault generation, due to mechanical damage, effect of preoxidation annealing. 59-04969A
- strength, fracture. 59-01517A
- system Si-Ti-O-N, reactions in. 59-01895A
- systems, Si₃N₄-Y₂O₃-Al₂O₃, sintering of. 59-01907A
- Silicon dioxide.** See also *Coesite*; *Colloids*; *Cristobalite*; *Glass*; *Quartz*; *Quartzite*; *Refractories*; *Sands*.
/Al₂O₃, derived from metal alkoxides, sintering behavior. 59-04008A
- Al₂O₃, refractories with low mass. 59-03606P
- Auger line shapes, calculated and measured. 59-02925A
- K ions in, mobility of. 59-00874A
- alpha-, photoconductivity in, simulation, using multiple-trap model. 59-05043A
- amorphous, fibers, high purity, devitrification resistant, method for making. 59-03409P
- films, electron diffraction study. 59-03283A
- and single crystal, Compton-profile studies. 59-02933A
- surface phonons in. 59-03971A
- in beta-cristobalite, one-electron energy bands of. 59-03029A
- bricks, method for making. 59-02558P
- capsules, sealed, growth of CdS in. 59-04955A
- cathodoluminescence study of. 59-04887A
- in cements, Al₂O₃, effect on refractory properties. 59-03541A
- chemistry of. 59-05129B
- containing material, FU-1. 59-04871P
- defects in, structural, model of. 59-01214A
- diffusion in, excitation or H₂. 59-00843A
- fibers, drawn with laser scanning system, tensile strength. 59-02296A
- fibrous crucible, growth of crystalline GaAs in. 59-01557P
- films, electron-beam-induced conduction in. 59-04936A
- process for etching to Si in gas plasma. 59-02731P
- radiotracer determination of sorption of Na ions by. 59-03805A
- flint, properties and use. 59-02832A
- fused, electrical radiant heater. 59-00592P
- hollow ingots, method for making. 59-04345P
- impact damage of, single particle. 59-03073A
- method for increasing strength. 59-00470P
- objects of, dispersion forces between. 59-03269A
- and polymethylmethacrylate, tunneling models and thermal expansivities. 59-03107A
- gel, use for protecting glass with crizzling. 59-01267A
- in glasses, Ba metaphosphate, effect on crystallization. 59-00169A
- fiber-reinforced, for high-temp. applications. 59-03286A
- interaction with Co and Mo oxides. 59-00905A; 59-00906A
- and its interfaces, physics of. 59-01990B
- layers, of MOS structures, neutralization of mobile ions in. 59-00567A
- hole trapping in bulk of. 59-04961A
- low pressure deposition reactors, cage for. 59-04600P
- polySi against, ion etching of, using SF₆-Cl₂-inert gas. 59-04661P
- powders, fused, characterization of. 59-01784A
- reaction of F atoms with. 59-01892A
- refractories, use and limitations in steelmaking. 59-01380A
- residues, and C, formation of SiC from. 59-00734A
- and sapphire, fused, shock-compressed, refractive index. 59-04966A
- surfaces, under electron bombardment, Auger analysis of charge and reduction mechanisms. 59-03932A
- trapping in, electron. 59-01823A
- vaporization of, in steam atm. 59-00948A
- vasiculated, microphones. 59-02915P
- vitreous, Ti-doped, phonons in. 59-03327A
- defect states, spectroscopic evidence. 59-00924A
- effect of irradiation on luminescence. 59-00833A
- radiation-induced isotope exchange in. 59-00246A
- thermal equilibration of Raman defects in. 59-05099A
- Silicon carbide.** See also *Refractories*.
and Al₂O₃, reaction of clay and C to form and separate. 59-03064A
- and Si₃N₄, from rice hulls. 59-02489A
- alpha-, sintered, with equiaxed microstructure. 59-02560P
- sintered, high temp. strength in salt and oxidizing environments. 59-03538A
- sintered, time-dependent high temp. strength. 59-01931A
- amorphous, prepared by reactive sputtering, H content. 59-04570A
- atomic displacement energy, determination of. 59-04914A
- bats and beams, increase kiln efficiency. 59-02495A
- beta-, method of increasing strength of. 59-03905P
- polycrystalline, self-diffusion of ¹⁴C in. 59-00916A
- sintering of, B transport and change of lattice. 59-02924A
- beta-crystalline, apparatus for making. 59-00478P
- beta-type powders, method for making. 59-01443P
- body, containing MoSi₂ alloy. 59-02559P
- coated filaments and ribbons. 59-03920P
- content in refractory nozzles, effect on wear rate. 59-04406A
- continuous fiber, synthesis of. 59-04830A
- crystals, hot hardness. 59-00857A
- dense, joining by hot-pressing. 59-04981A
- development of, in China. 59-04804A
- /diamond, substrate composite, process for preparing. 59-01091P
- electrical resistance furnace for production of. 59-00730P
- electrical resistor with negative temp. coeff. 59-04633P
- engineering ceramics. 59-00769A
- fibers, glass-matrix composites reinforced with. 59-04809A
- method of producing. 59-01756P
- refractory composite reinforced with. 59-00467P
- formation from SiO₂ residues and C. 59-00734A
- fracture toughness and slow crack growth. 59-01834A
- fuel ignitor. 59-04616P
- glass-SiC, passivating overcoat, semiconductor with. 59-00629P
- grinding-polishing paste based on. 59-00985P
- heat-insulating refractory based on, charge for. 59-01423P
- hot-pressed, erosion rate of. 59-04877A
- oxidation behavior. 59-00416A
- and sintered alpha-, high-temp. fatigue of. 59-01734A
- identification of stacking sequences, by electron microscopy. 59-02963A
- layer, growth from vapor phase, kinetics of. 59-04982A
- micro tubes, formation by carburization of Si whiskers. 59-01829A
- microhardness anisotropy of. 59-04992A
- moldings, sintered, method of making. 59-03921P
- new polypoly, study of. 59-01877A
- polishing granules, increasing strength of. 59-00007P
- polytypes, thermal stability, effect of ionic bonding on. 59-00805A
- powders, containing Be. 59-03890P
- containing Be, sintering of. 59-01757P
- pure beta-, method for making. 59-01441P
- reaction bonded, erosion of. 59-04942A
- reaction with Ni-based alloys at high temps. 59-00411A
- refractories. 59-01437P
- conduit lined with. 59-03592P
- evolution of. 59-04412A
- use in gas-carburizing furnaces. 59-02496A
- self-bonded, effect of temp. on character of fracture. 59-00835A
- sintered body. 59-02913P
- sintered, as electrode and container material in Na/S cells. 59-01515A
- tensile-strength distributions. 59-00778A
- tinned crystals, fracture characteristics. 59-00849A
- use in fusion reactor first walls, radiation damage in. 59-03768A
- Silicon nitride.** See also *Refractories*.
59-03065A
- and Al₂O₃, fracture resistance, using Knoop indentation method. 59-03963A
- CVD, dark currents in. 59-04567A
- oxidation of. 59-03986A
- with CeO₂ additive, hot-pressing and oxidation behavior. 59-01845A
- with CeO₂ or Y₂O₃, as sintering aids, properties of. 59-00754A
- /CeO₂, oxidation of, development of surface stresses during. 59-00822A
- from Korean rice hulls, kinetics of formation. 59-03975A
- /MgO alloys, compressive creep of. 59-04897A; 59-04898A; 59-04899A
- and SiC, powders, chemical and phase compositions. 59-00797A
- as substitutes for high-temp. alloys. 59-01747A
- SiC, composites. 59-02912P; 59-03922P
- Si₃N₄-15Y₂O₃, sintering under high N₂ pressure. 59-00773A
- Y₂O₃ hot-pressed, kinetics of oxidation. 59-01858A
- Y₂O₃, crystal structure. 59-01804A
- thermal degradation of, effect of C impurity. 59-00831A
- with ZrSiO₄, or ZrO₂, and SiO₂, added, hot-pressing of. 59-04810A
- with additions of rare-earth oxides, microstructure and strength. 59-00872A
- alloys, oxidation of. 59-05005A
- alpha-beta question. 59-05093A
- based ceramics, sintered, properties. 59-04825A
- beta-, sintered, fabrication, microstructure, and strength. 59-02870A
- beta-, crystal growth. 59-02987A
- hot-pressed, with Be and O in solid solution. 59-04963A
- solid solutions, resistance to molten Si attack. 59-00756A
- solid solutions, in system Si, Al/N, O. 59-01893A
- body, method for making. 59-04635P
- ceramic alloy, method of protecting during heating. 59-02901P
- compact, method for making. 59-04658P
- compositions. 59-04846P
- containing Y₂O₃, or CeO₂, phase effects in. 59-02880A; 59-02881A
- containing intergranular phase nucleating agent. 59-02911P
- development of, in China. 59-04804A
- fibers and composites coated with. 59-04872P
- films, deposition of. 59-00630P
- formation by N implantation. 59-04806A
- vapor deposition of. 59-02734P
- formed by nitridation of sintered Si compact. 59-00787P
- high density, sintered, method of making. 59-02909P
- hot-pressed, crack growth at fracture origins. 59-01831A
- creep of. 59-01799A
- effect of heat treatment on oxidation. 59-04805A
- fracture of, role of grain-boundary sliding. 59-05038A
- measurement of fracture mechanics. 59-02993A
- and sintered, microstructure and distribution of impurities. 59-00871A
- with straight-through and chevron notches, comparison of high-temp. strength. 59-02932A
- thermal expansion, linear. 59-01865A
- improved, tensile creep testing of. 59-00777A
- layer, gas etching of. 59-00627P
- lift-off mask, use in deposition of films with small dimensions. 59-04631P
- mfg. 59-00785P
- moldings, production of. 59-03916P
- molten salt degradation of. 59-01739A
- oxidation, at 1150–1450°C. 59-03039A
- in reflection analysis of. 59-04811A
- plasma arc production of. 59-04652P
- plasma-deposited, properties of. 59-01889A
- powder, enhancement of crystallization, by contact with Ti. 59-04857P
- reactivity of, effect on preparation of Si₃N₄-O-Al₂O₃. 59-00830A
- reaction sintered, microstructure. 59-00755A
- reaction sintering of, effect of dry milling. 59-00758A
- reaction-bonded, microstructural analysis. 59-00422A
- semiconductors, process for preparing. 59-04657P
- sintered body, method for making. 59-02897P
- sintering of, in powder bed. 59-01908A
- tensile-strength distributions. 59-00778A
- tools based on, optimization of properties. 59-00765A
- Sillimanite.** See also *Refractories*.
- Silver.**
Ag₂S, alpha-, whiskers, growth in VLS system. 59-04954A
- Ag₂SO₄, new crystal data for. 59-03026A
- absorption of, optical, in photochromic glasses. 59-02268A
- compositions, conductive. 59-04603P
- interdiffusion in glasses, SiO₂-B₂O₃-Al₂O₃-R₂O₃, optical and NMR studies. 59-00227A
- metallic, formation on Ag-halide surfaces of photochromic glasses. 59-00194A
- method for bonding to nitrides. 59-00604P
- Silvering.** See *Glass*.
- Single crystals.** See *Crystals* and specific types.
- Sintering.**
59-05135B
- of Al₂O₃, effect of calcining conditions on behavior. 59-03952A; 59-03953A
- in presence of liquid phase. 59-03075A; 59-04009A
- role of MgO—comment. 59-01791A
- role of MgO—reply. 59-01900A
- of AlN, effect of gas medium on. 59-03857A
- synthesized in low-temp. plasma. 59-00771A
- of BaTiO₃. 59-01537A
- containing PbO-TiO₂-Al₂O₃-SiO₂ glass, effect of particle size on. 59-03858A
- derived from BaTiO₃(C₂O₄)₄·4H₂O. 59-02686A
- of MgO, effects of water vapor pressure. 59-04930A
- of SiC, beta-, B transport and change of lattice during. 59-02924A
- of Si₃N₄, in powder bed. 59-01908A

- of $\text{Si}_3\text{N}_4\text{-Y}_2\text{O}_3\text{-Al}_2\text{O}_3$. 59-01907A
 of $\text{Si}_3\text{N}_4\text{-Y}_2\text{O}_3$, under high N_2 pressure. 59-00773A
 of $\text{SiO}_2\text{-Al}_2\text{O}_3$ powders, immiscibility and microstructural development during. 59-01870A
 of $(\text{Th,U})\text{O}_2$ solid solutions. 59-04688A
 of UO_2 . 59-01609A
 ZrO_2 , micropowders. 59-04813A
 tetragonal. 59-04011A
 activated. SnO_2 . 59-00736A
 under applied pressures, mechanism mapping. 59-03980A
 behavior, of $\text{Al}_2\text{O}_3/\text{SiO}_2$ derived from metal alkoxides. 59-04008A
 of UC-based nuclear fuels. 59-02745A
 of ceramics, method for. 59-04641P
 microwave. 59-00674P
 of crystals, ionic. 59-04010A
 dc, thermal distribution of $\text{TiB}_2\text{-Ni}_3\text{P}$ by. 59-03880A
 eutectic, of MgO and Al_2O_3 . 59-02433A
 experiments, source of activation energy errors. 59-04737A
 fast, of soft Mn-Zn and Ni-Zn ferrite pot cores. 59-02646A
 of ferrites, Mn-Zn, effect on magnetic properties and microstructure. 59-03677A
 in fuels, nuclear, vibro-compacted, initial stages. 59-04682A
 of glasses, inhomogeneous, application to optical waveguides. 59-01241A
 by grain boundary transport, role of surface redistribution. 59-05039A
 high-pressure, of nonoxide materials. 59-03867A
 initial, of feldspars and porcelains. 59-03968A; 59-03969A
 installation for. 59-01692P
 kinetics, of UO_2 . 59-02747A
 of actinide oxides. 59-02746A
 of alkoxy-prepared MgO . 59-03871A
 of flash heated UO_2 powders. 59-02751A
 liquid phase, determining transport paths in. 59-01828A
 low temp., of UO_2 sol-gel derived microspheres. 59-02748A
 of materials based on Al_2O_3 and Ti and Zr nitride. 59-00772A
 method and apparatus for. 59-01626P
 micropore, in irradiated UO_2 . 59-04686A
 new developments. 59-00973B
 of oxides, application of diffusion model to. 59-01772A
 pellets, nuclear fuel. 59-00657P
 perfluent, of porous structural products. 59-04708A; 59-04709A
 plasma, of beta'- Al_2O_3 . 59-01742A
 of powders, Fe_2O_3 and Fe_3O_4 , at low temp., effect of atm on. 59-03951A
 Nb carbide, of nonstoichiometric composition, kinetics. 59-00921A
 oxidic, based on Fe_2O_3 . 59-03877A
 from porcelain articles. 59-02603A
 refractory, effect of decarboxation of dolomite and magnesite on. 59-04408A
 submicron. 59-04012A
 pre-, of Ba hexaferrite. 59-02872A
 pressure, of Cu-glass mixtures. 59-03332A
 pressureless, of SiC powder containing Be. 59-01757P
 dense polycrystalline B_2C produced by. 59-03915P
 processes. 59-05147B
 reaction, of $\text{Al}_2\text{O}_3\text{-ZrSiO}_4$, correlation between densification and reaction. 59-01894A
 of Si_3N_4 , effect of dry attrition milling of. 59-00758A
 of beta'-silicon. 59-03066A
 fabrication of nonstabilized ZrO_2 by. 59-01732A
 of silicate systems, in presence of liquid phase. 59-03076A
 soda ash, decomposition of zircon by. 59-02826A
 of spinels, prepared by alkoxy method. 59-03876A
 of zircon, effect of minor additives. 59-00832A
- Sizing**, composition for glass fibers. 59-01357P; 59-02331P
 aqueous. 59-00282P
 dispersible in water. 59-02378P
- Slags**, alloy, Co. 59-02058A
 blast furnace, from Krivoi Rog, Cr aventurine glasses based on. 59-01119A
 effective use as additional kiln feed. 59-03184A
 glass based on. 59-01298P
 glass fibers from. 59-01174A
 treatment of. 59-03578A
 use for ceramic wares. 59-02399A
 use of. 59-00273A
 coal ash, corrosion of refractories by. 59-01375A
 process for converting to portland cement. 59-02120P
 corrosion of refractory concretes by. 59-01406A
 glass-ceramic powders, whiteware made from. 59-00500A
 metal oxide/ B_2O_3 , preparation of glass-forming alloys under. 59-02371P
 mineral additives to, effect on corrosiveness of refractory ladle linings. 59-01381A
 pozzolana-blast furnace, properties of ceramics made from. 59-03191A
 steelmaking, oxidation stages of Fe in. 59-04103A
 phase modifications of C/S in. 59-04104A
- Slaking**, See *Lime, hydration of*.
- Slip casting**, molds, gypsum, for whiteware. 59-04548P
- Slips**, See also *Suspensions*.
 based on water-soluble binder, for production of films. 59-01596P
 casting, whiteware. 59-04513A
- for ceramic films. 59-01096P; 59-01097P
 enamel. 59-01095P; 59-02189P; 59-02190P; 59-02191P
 white, composition for. 59-01094P
 production of, application of value analysis. 59-02390A
 salt. 59-01023A
- Slurries**, TiO_2 , from recycled material. 59-01725P
 brazing. 59-03710P
 cement, reclamation of. 59-03231P
 retarded aqueous hydraulic. 59-04149P
 clay, improving rheology of. 59-02857P
 for whiteware, preparation, shipping, and use. 59-03650A
 frits for, glass, characterization of. 59-00090A
 gellable. 59-00454P
 removal of moisture, method and press for. 59-04714P
- Smectites**, aggregation in, mechanism. 59-02874A
 clay, of Boa Vista, Campina Grande, Paraíba, TEM study. 59-01932A
- Smelting**, See *Metalurgy*.
- Soapstone**. See *Talc*.
- Soda ash**. See *Sodium, carbonate*.
- Soda**. See *Sodium, carbonate*.
- Sodalites**, coloration sensitivity, enhancement by vacuum annealing. 59-00186A
- Sodium**. See also *Alkalies*.
 59-03834A
 Al_2O_3 , beta-, method for making. 59-04862P
 -K superoxides, thermal decomposition kinetics. 59-00942A; 59-00943A
 Na, Cd, $(\text{Si}, \text{O})_n$, crystals, structure refinement. 59-03941A
 NaCl, crystalline cluster model for. 59-04909A
 interaction with limestones during calcination. 59-02082A
 Na, CO₂, lime-caustic processing of, effect of using calcined dolomite on glassmelting. 59-01152A
 Na, CO₂, 1.5D₂O, neutron profile refinement and deuteron positions in. 59-01873A
 NaNbO₃, photoferroelectric phenomena in. 59-00903A
 NaOH, crystallization of Hadong kaolin treated with. 59-00816A
 Na, Ti, O₂, electron microscopic structure analysis. 59-01916A
 Na, V, O₂, beta-phase, Bridgman and Czochralski growth. 59-04885A
 Na, Zr, Ge, O₂, crystals, structure of. 59-03940A; 59-04885A
 -S, batteries. 59-01597P
 -alunite, in flint clays, Makhtesh Ramon, Israel. 59-01703A
 carbonate. 59-03834A
 use for removing S from fuels. 59-00728A
 in cements, portland, sources of error in photometric determination. 59-00072A
 hexafluorosilicate, process for refining. 59-00365P
 ions, conductivity of high-SiO₂ glasses with varied concentrations of. 59-00154A
 and oxide components, in beta-Al₂O₃, chemical reactions between. 59-04030A
 penetration, in rapid ion conductors. 59-00574A
 and rare earths, double silicates of. 59-04921A
 silicates, aqueous solutions, Raman and ir study. 59-04002A
 sulfate. 59-03834A
- Sols**, Brazilian, mineralogy of. 59-01708A
- Solar batteries**. See *Cells, photovoltaic*.
- Solar cells**. See *Cells, photovoltaic*.
- Solar furnaces**. See *Furnaces*.
- Soldering**. See also *Seals and sealing*.
 brazing, slurry. 59-03710P
 to metals, glass for. 59-01310P
- Solders**, ceramic-to-metal. 59-00585P
 metal-ceramic, vacuum tight, effect of industrial parameters on mfg. 59-03676A
- Solid solutions**. See *Solutions, solid*.
- Solid state**, conductors, ionic, for energy storage and conversion. 59-04591A
 electronics, introduction to. 59-01973B
 formation of NdYAG. 59-00774A
 physics and chemistry. 59-05148B
- Solidification**, of crystals, Y, Al₂O₃. 59-04895A
 rate, of industrial plate glass. 59-01242A
 of sludge. 59-02774A
- Solids**, La₂(M^{III})₂CrO₄ [M = Mg, Sr], Cr₂O₃, and La₂O₃, electronic structure, spectroscopic study. 59-04976A
 amorphous, Si-H vibrations in, chemical effects on frequencies. 59-03260A
 application of force to, apparatus for monitoring. 59-00715P
 brittle, atomically sharp cracks in. 59-04883A
 defects and diffusion in. 59-05132B
 ionic, crystalline cluster model for. 59-04909A
 low-Z atoms in, X-ray-absorption-fine-structure studies. 59-02978A
 phase-transitions in, photoacoustic study. 59-05109A
 spectra of. 59-04738A
 transport of, pneumatic. 59-00711A
 vitreous, electrical conductivity, polarization current technique for measuring. 59-00708A
- Sols**. See *Colloids*.
- Solubility**, of AlCl₃, in aqueous HCl. 59-01711A
- of cements, Ca silicate hydrates. 59-00071A
 of fibers, glass, in water, effect of surface structure on. 59-03296A
 of glasses, alkaline borate, increased. 59-01279P
 limits, in binary (Ca,Mn) chalcogenides. 59-00922A
 models, for rare-earth Fe garnets in PbO/B₂O₃ solution. 59-05049A
 reciprocal, of Cd, OsO₄, and Ca, MoO₄. 59-03974A
 solid, in alkaline-earth metal aluminates. 59-04826A
- Solutions**, aqueous, of Al compounds, corrosion of Li₂O-SiO₂ glass in. 59-00159A
 of Na silicates, Raman and ir study. 59-04002A
 attack of glass surfaces by. 59-01137A
 reactions of glass with, effect of surface potential on kinetics. 59-01193A
 chromate, alkali metal, removal of Al₂O₃ from. 59-01722P
 glass, chalcogenide. 59-00284P
 metal-SiO₂, for forming films on semiconductors. 59-03727P
 nuclear waste, containing Zr and halides, method for calcining. 59-00651P
- Solutions, solid**. See also *Phase equilibria*.
 Cd₂-Cu₂Cr₂Se₄, with spinel structure, XRD study. 59-03115A
 CdGa₂Se₄-CdIn₂Se₄, order-disorder transitions in. 59-03985A
 K₂CuF₆-K₂ZnF₆. 59-04906A
 LaB₃-EuB₃, thermal conductivity of. 59-05098A
 Ln₂CoO₄ (Ln = La, Pr, Nd, Sm, Eu, Gd) compounds, synthesis and properties. 59-05062A
 Pb₂-Sn₂Te, effect of In, Ga, and Al on electrical properties. 59-02638A
 Pb(Zr,Ti_{1-x})₂O₇, near phase boundary, electrical conductivity and Seebeck's coeff. 59-02865A
 PbTiO₃, PbZrO₃, thermodynamic study of. 59-00946A
 Si₃N₄-Al₂O₃, effect of Si₃N₄ powder reactivity on preparation. 59-00830A
 Si₃N₄, beta', sintered, fabrication, microstructure, and strength. 59-02870A
 beta-, resistance to molten Si attack. 59-00756A
 beta-, in system Si, Al/N, O. 59-01893A
 (Th,U)O₂, sintering and formation of. 59-04688A
 ZnFe₂O₄-Fe₂O₄, formation of alpha-Fe₂O₄ during oxidation of. 59-00846A
 in aluminates, alkaline-earth metal. 59-04826A
 cristobalite AlPO₄ related, thermal expansion of. 59-02922A
 multicomponent, based on ZrO₂. 59-02456A
 in salt systems, formation of maxima in melting curves. 59-04900A
 spinel, evaporation of ZnO from, in vacuum. 59-01826A
 in system CoO-MgO-Cr₂O₃-Fe₂O₃-TiO₂, formation and color. 59-04523A
 in system Cr₂O₃-Al₂O₃, Vickers microhardness. 59-05114A
 in systems, Nd₂(B₂)₂O₇-(B₂)₂O₇ (B = Ru, Sn, Sb, and Ti). 59-04949A
 Pb(Fe/Al/Ga)₂O₇, crystallography and properties. 59-00817A
 SrGa₂Si₂O₇-SrGa₂Ge₂O₇, elastic and electrical properties. 59-02971A
 TiN-CrN, thermal conductivity of. 59-04028A
 taeniolite-Na taeniolite, properties of. 59-01909A
- Sorel cement**. See *Cements, magnesium oxychloride*.
- Sorption**. See also *Absorption*; *Adsorption*.
 moisture, in whiteware. 59-01462A
 in porous solids, evaluation of method of studying. 59-02784A
- Sound**, ultra-, attenuation in crystals of YAG and Al Mg spinel. 59-00793A
 velocity in glass-forming alkaline-earth metaphosphates. 59-01271A
 ultrasonic, high frequency. 59-04808A
 nondestructive testing of refractory steel-casting stoppers. 59-02459A
 waves, spatially bounded, response of transducers. 59-04585A
- Space**, aero-, materials, trends in. 59-03884A
- Spalling**. See *Refractories*.
- Spark plugs**, mfg. 59-03659P
 seal for. 59-03751P
- Specific gravity**. See *Density*.
- Specific heat**. See *Heat, specific*.
- Spectra**. See also *Optical properties*.
 EPR, of chalcogenide spinels FeCr₂S₄-Se₂. 59-02224A
 of vanadyl and Cr ions in glasses of system Na₂O-ZrO₂-SiO₂. 59-03270A
 ESCA, Auger, and SIMS, of B₂O₃, H₂BO₃, and BN, bonding and electronic structure. 59-04891A
 Moessbauer, of Fe, Ti silicate glasses. 59-04232A
 Raman and ir, of vitreous As₂O₃. 59-03058A
 absorption, electron, in tungstate-phosphate glasses. 59-00184A
 elemental, recording of, with scanning microprobe. 59-01674A
 of glasses. 59-01985B
 Na-Ca silicate with high Fe₂O₃ content, effect of Group II oxides on. 59-01151A
 of ice IV. 59-00863A
 ir, of Al and Mg titanates. 59-03973A
 of glass-forming Sb₂O₃. 59-03330A

- of glasses in systems $\text{Ba}(\text{PO}_3)_2\text{-AlF}_3\text{-RF}$, ($\text{R} = \text{Mg, Ca}$). 59-00177A
vibrational, of CoO . 59-01933A
of water-containing glass. 59-04212A
optical, of synthetic amethyst crystals, peculiarities in. 59-05007A
oscillation, of glass-forming melts in system As-Se-I . 59-02270A
reflectance, measurement of Si film thickness from analysis of. 59-00703A
of solids. 59-04738A
vibration, of MPS , ($\text{M} = \text{In, Ga, Sb, Bi}$). 59-05111A
of glasses in system As-S . 59-01272A
of mixed beta-aluminas, cation interstitial pair modes. 59-02927A
of oxides LaRhO and Rh_2O_3 . 59-05112A
- Spectrometry.**
SIMS, analysis of Na depth profiles in glasses. 59-03251A
X-ray. 59-04747A
emission, X-ray, elemental analysis of thick obsidian by. 59-04719A
atomic, use in multielement analysis of glass fragments. 59-00255A
dc plasma, determination of B in glass by. 59-00162A
fluorescence, determination of major and trace elements in geological and biological samples. 59-04722A
ir, use in determination of cation exchange capacity of clays. 59-01637A
mass, of activity measurements in molten oxide melts. 59-03930A
determination of trace elements in geological samples. 59-04736A
ion, determination of penetration of float glass by Sn. 59-01133A
ion, for determining tracer diffusivity of O in rutile. 59-00821A
- Spectrophotometers.** See also *Photometers*.
wavelength scale of, didymium glass filters for calibrating. 59-00691A
- Spectrophotometry.** See also *Photometry*.
ir, study of cordierite glass crystallization. 59-01194A
- Spectroscopy.**
Moesbauer, of NiFe_2O_4 , precipitation from silicate glass. 59-04227A
of crystal-field properties of $\text{Yb}_2\text{Ti}_2\text{O}_7$. 59-02947A
of formation of nonbridging O in K borate glasses. 59-04226A
Raman, of anion disorder in zirconate $\text{A}_2\text{B}_2\text{O}_7$ compounds. 59-00796A
X-ray, study of effect of 2 alkalis in oxide glasses. 59-01229A
X-ray absorption and photoluminescence, study of $\text{Al-Al}_2\text{O}_3$ interface. 59-02918A
X-ray photoelectron, depth profiles of structural changes in diamond. 59-02959A
X-ray photoelectron and Auger, of V oxides. 59-03117A
of chalcogenides, As. 59-03078A
electron spin double resonance. 59-03133B
ir, of Li borosilicate glasses. 59-02256A
of ceramic raw materials. 59-02787A
of clays from Nepal. 59-02995A
of hardening behavior of lignite filter ash. 59-01044A
of thermal decomposition of $\text{MgCrO}_3 \cdot 5\text{H}_2\text{O}$. 59-04980A
use in quantitative estimation of kaolinite in sediments. 59-01890A
of minerals. 59-02003B
optoacoustic, apparatus for. 59-00718P
photoacoustic, testing of opaque solids and powders. 59-03802A
photoelectron, of surface compositional inhomogeneity in glasses. 59-03284A
study of defect states, valence-alternation-pair, in SiO_2 . 59-00924A
surface, of SrTiO_3 and Pb-SrTiO_3 . 59-05059A
vibrational, of cation-site interactions in phosphate glasses. 59-01273A
- Spheres.**
 Al_2O_3 , high strength, production by hydrogelling slurries. 59-03918P
glass, mfg. 59-04329P
hollow, method and apparatus for producing. 59-00673P
micro-, ultrahigh-index glass. 59-03456P
vacuolated SiO_2 . 59-02915P
slaking-resistant, for refractories. 59-03610P
- Spinel.** See also *Refractories* and specific types.
Al-Mg, refractories based on. 59-02507P
Cd stannate. 59-03079A
Cd-, Cu-, Cr-, Se-, solid solution, XRD study. 59-03115A
Co blue, stain for 'whiteware'. 59-00501A
Fe-aluminate, Fe diffusion in. 59-01852A
Mg-Al, nonstoichiometric, dissociation of network dislocations in. 59-01789A
pure and Fe-doped; electrical conductivity. 59-01513A
 MgAl_2O_4 , prepared by alkoxy method, sintering of. 59-03876A
thermal expansion of. 59-04878A
Ni and Fe silicate, crystal structures and electron densities. 59-01807A
artificial. 59-03496A
chalcogenide, FeCr_2S_4 . 59-02224A
clinkers, synthesized. 59-03573A
composition and stability, analysis of. 59-04876A
ferrites, hot-pressed, with cubic structure. 59-03870A
- particles, order hardening of MgO by. 59-00886A
pigment, black, CoO free, containing NiO , Fe_2O_3 , and Cr_2O_3 . 59-04540P
polycrystalline, dielectric and nonmagnetic, for high-frequency applications. 59-04609P
powders, for production of. 59-02859P
refractory, castable, evaluation by rotary drum corrosion test. 59-03527A
solid solution, pigments made from. 59-04547P
in system $\text{CoO-MgO-Cr}_2\text{O}_3\text{-Fe}_2\text{O}_3\text{-TiO}_2$, formation and color. 59-04523A
- Spinel.**
beta-, glass-ceramics, rapidly crystallized. 59-03446P; 59-04373P
- Spraying.** See also *Electrostatic processes*.
B $_2$ O $_3$, refining of glass material through. 59-01354P
apparatus, for glass fiber reinforced cement products. 59-04377P
arc plasma, of ceramic deposits. 59-02128A
fixture for, rotatable. 59-02773A
flame, repair of BOF linings in Soviet Union. 59-04444A
refractory linings, apparatus for. 59-01411P
supports. 59-03794P
- Sputtering.**
chemical, deposition of TiO_2 from Ti and TiC targets in Ar + O $_2$ discharges. 59-00870A
reactive, H content of SiC prepared by. 59-04570A
dc, phase composition of SnO_2 films made by. 59-03691A
use for adding layers to substrates. 59-00603P
- Stability.**
of Al_2O_3 , beta-, in system Na-Al-Fe-O . 59-00926A
of bredigite, and other Ca-Mg silicates. 59-04014A
chemical, of glass-forming melts in system As-Se-I . 59-02270A
of fibers, glass reinforcement, in portland cement matrix. 59-02286A
of films, during initiation of thermal migration, promoting. 59-02737P
hydrothermal, of vinyl-type polymer concrete with C $_3$ S. 59-01041A
ionic radius and chemical, of silicate glasses. 59-01201A
of positrons, made from BaTiO_3 . 59-03699A
radiation-optical, of Si-rich glasses. 59-04246A
of silicate systems. 59-04015A
thermal, of SiC polytypes, contribution of ionic bonding to. 59-00805A
dense grog refractory with. 59-02424A
increased, refractories with. 59-04422A
quartz glass with. 59-02381P
thermochemical, of orthosilicates and orthogermanates. 59-00945A
of trolleite. 59-01912A
- Stabilization.**
F-center, in first coloring stage of alkali halides. 59-02979A
of clay formations, method for. 59-00746P
of gas-air mixtures, for optimum combustion. 59-01683A
of glasses. inorganic. 59-01969B
mixed cation, of ZrO_2 . 59-03983A
of pigments, CrO_2 magnetic. 59-02741P
of semiconductors, by converting doped polysilicon to polyoxides. 59-02727P
surfacing process using quartz passivating layer. 59-04667P
of sensitizers, used in electroless deposition of Cu on ceramics. 59-03700A
- Stacking faults.**
in crystals, with bcc lattices, direct observation of. 59-03947A
oxidation, kinetics of growth. 59-04983A
sequences, in SiC, electron microscopy identification of. 59-02963A
variations, in cancrinite minerals. 59-03080A
- Stains.** See also *Color*; *Pigments*.
spinel, Co blue, for 'whiteware'. 59-00501A
- Standards.**
ASTM, a legal defense? 59-00952A
British, for determining abrasion resistance of refractories. 59-02491A
German, for testing MgO . 59-00073A
OSHA, impact on university laboratories. 59-05124A
Soviet, for lightweight refractories. 59-02484A
XRD, for powder patterns. 59-01665A
for analysis, thermal. 59-04731A
chemical and technical, for ceramic industry. 59-00679A; 59-00680A; 59-00681A; 59-00682A; 59-00683A; 59-00684A; 59-00685A
color, use of ceramic tiles as, in sanitary ware industry. 59-02572A
manual of symbols and terminology, for physicochemical quantities and units. 59-03136B
for refractories, by Economic Committee of Socialist Countries. 59-02492A
- Stannates.**
Cd, spinel form of. 59-03079A
alkaline earth metal, ferroelectric materials based on. 59-02700P
mono- and dicadmium, preparation and electrical properties. 59-03692A
- Stannic.** See *Tin*.
- Stannous.** See *Tin*.
- Steam.**
atm, vaporization of SiO_2 in. 59-00948A
generation, from glass tank waste heat. 59-01277A
- Sealite.** See also *Talc*.
in India. 59-02845A
physical properties, effect of additives on. 59-02965A
porcelain, effect of alkaline-earth oxides on electrical properties. 59-03678A
- Steels.** See also *Enameling metals*; *Iron*.
Mn, attack of aluminosilicate refractories by. 59-00402A
for bathtubs, porcelain enameled. 59-00105A
casting of, continuous, refractories for. 59-04397A
decarburized, with different Cu levels, etch rate and porcelain adhesion on. 59-03235A
enamel for. 59-03245P
enameling, methods for determining surface cleanliness. 59-00116A; 59-02133A
reinforcements, Atmofix-type low-alloyed, corrosion resistance in concretes. 59-02059A
reinforcing, in hardened slag cement, effect of entrainment on anodic polarization of. 59-04092A
sheet, control of, for vitreous enameling. 59-02170A
strips, electrical, solution for applying tensioning coating to. 59-04155P
structural, in plaster, corrosion of. 59-01035A
- Stones.** See also *Rocks*.
casting. 59-02563P
refractory. 59-00495P
- Stoneware.** See also *Archaeology*; *Bodies, ceramic*; *Dinnerware*.
Fe-containing, monitoring phase composition and structure. 59-01341P
in Hoeher-Grenzhausen, Ger. 59-00029A
from Norton Potteries, Bennington, Vt. 59-02048A
Rhein, from 12th-17th centuries. 59-04078A
furnaces for, gas heated. 59-02086A; 59-02807A
production of, scientific and technical progress. 59-04057B
salt-glazed, of N. America. 59-00030A
washbasin, method of making. 59-02049A
- Strains.**
coeff. of resistivity, for film and cermet resistors. 59-01535A
measurement of, noncontact. 59-00701A
rates, for three- and four-point flexure tests. 59-01666A
spontaneous, in $\text{Tb}_2(\text{MoO}_4)_3$, temp. dependence of. 59-03102A
- Strength.**
of Al_2O_3 , beta-. 59-00575A
of PZT, polycrystalline, effect of surface treatment on. 59-01511A
of $\text{PbBi}_2\text{Nb}_2\text{O}_{10}$, effect of grain orientation on. 59-00560A
of Si_3N_4 , with additions of rare-earth oxides. 59-00872A
beta-, sintered. 59-02870A
of SiC, beta-, method of increasing. 59-03905P
sintered, at high temp. strength in salt and oxidizing environments. 59-03538A
of SiO_2 , fused, method for increasing. 59-00470P
of alloys, Tic-Mo-C-Ni(CO) , effect of carbide additions on. 59-03524A
assured, of ion-exchanged glasses. 59-01107A
of bricks, refractory. 59-03544A
of brittle materials, effect of crack growth on scatter of. 59-03954A
of cements, NMR study. 59-02094A
portland, relation to chemistry and phase content. 59-00068A
of ceramics, statistical comparison, biaxial and uniaxial data. 59-00794A
use of notched bend beams for measuring. 59-00710A
of composites, fiber-reinforced, Monte Carlo study. 59-02877A
compressive, of Ca silicate brick, effect of particle size of sand. 59-00047A
of alkali- and Mg-containing cements, effect of P additives on. 59-03195A
of hydraulic cements, method for increasing. 59-04139P
of concretes, high- Al_2O_3 cement, determination by derivatography. 59-00042A
construction, of glass and glass-ceramics. 59-05130B
control of, quality. 59-04734A
dry, determination of, effect of experimental conditions. 59-04721A
of faience bodies, unfired, from Zhablyano clay, prospects for improving. 59-00517A
fatigue, and fracture, of dense hydroxylapatite. 59-04913A
static, of ceramics, method of measuring. 59-01647A
of fibers, optical. 59-03345A
screen tested optical waveguide. 59-00260A
flexural, of cement composites, method for increasing. 59-03220P
of hot-pressed AlN with Al_2O_3 . 59-03863A
fracture, of Al_2O_3 , notched bend tests. 59-02983A
of Si. 59-01517A
of annealed and tempered glasses under dynamic conditions. 59-00196A
of beta- Si_3N_4 -beta-SiC composites. 59-04952A
of glasses, effect of dispersed phase stresses on. 59-04187A
of glasses, effect of microheterogeneous structure on. 59-02226A
of metallic glasses. 59-03290A
of glass-ceramics, Li silicate, compared to sintered samples. 59-01223A

- in glasses. 59-05133B
commercial. 59-01247A
effect of particle impact angle on. 59-00176A
effect of striae on. 59-04185A
kinetic theory of temp.-force relations. 59-02263A
large-sized plates. 59-00261A
sheets, equations for relating to durability. 59-00187A
silicate, effect of ZnO on. 59-03272A
triplex reinforced, calculation of. 59-01115A
with vacuum deposited Cr, Al, Au, and Ag films.
59-02287A
- grain-size dependence of, dimensional analysis. 59-01813A
of gunite, silicate-bonded, from magnesite and chromite.
59-03572A
- high-temp., of TiC-Mo-C-Ni cermets, effect of carbide
additives on. 59-03523A
of hot-pressed Si₃N₄, with straight-through and chevron
notches comparison of. 59-02932A
of refractories, effect of atm. on. 59-04407A
impact, method for testing. 59-01679P
of partially leached glasses. 59-00155A
liquid N, of coated optical fibers. 59-04219A
of mats, wet glass fiber, method for increasing. 59-02354P
mechanical, of Czochralski- and float-zone-grown Si,
origin of difference in. 59-05003A
of mortars, masonry, effect of additives on. 59-00385A
notched, of composites. 59-02878A
of polycrystalline ceramics, porous. 59-04016A
of refractories, use of computers for studying. 59-04458A
of refractory compounds. 59-00426A
shear, of metal-sapphire contacts, effect of interfacial
species on. 59-04559A
of semisintered oxides. 59-05042A
tensile, of SiO₂ fibers drawn with laser scanning system.
59-02296A
distributions for Si₃N₄ and SiC. 59-00778A
of fused SiO₂ fiber, effect of TiO₂ coating on.
59-03274A
of porous materials, study of effects of pore geometry
on. 59-03851A
time-dependent high temp., of sintered alpha-SiC.
59-01931A
transverse-rupture, of TiC-based cermets at high temps.
59-03539A
wet, of glass fiber mats by treatment with polyelectro-
lytes. 59-02388P
of whiskers, in mulitite-corundum. 59-02493A
- Strengthening,**
of ZrO₂, metastable tetragonal, by surface damage.
59-01913A
cements, portland, method for. 59-04138P
of ceramics. 59-02004B
by martensitic transformations. 59-03070A
chemical, of glass containers. 59-04358P
diamond tools, with glass-ceramic binder. 59-03149A
electrochemical, of industrial sheet glass. 59-02235A
glass. 59-00372P
of glass containers, thin-walled. 59-00373P
of glasses. 59-01358P
by partial leaching. 59-01248A
sheets, by ion-exchange, methods for studying. 59-02209A
sheets, method for. 59-02358P; 59-02359P
ion-exchange, of Na₂O-CaO-SiO₂. 59-03389P
of large glass plates. 59-01200A
of refractories, with stainless steel fibers. 59-01407A
surface, of glass-ceramics. 59-01360P
thermal, of glass. 59-04381P
- Stresses,**
in brittle materials, subjected to radiation heating.
59-01929A
in composites, metal matrix, due to fiber expansion
mismatch. 59-04482A
contact, effect on mirror/flat-size relations. 59-02968A
residual, effect on dynamic fatigue. 59-04197A
dispersed phase, effect on fracture toughness of glass.
59-04187A
effective, in hot-pressing, method for determining.
59-04725A
in enamels, porcelain, effect of temp. change on.
59-02140A
in ferroelectric materials, PZT. 59-00576A
fracture, obtained from elastic crack tip enclave model.
59-04950A
in glasses, chemically strengthened, profile determination
using scattered light. 59-01249A
developed during heat treatment, calculating. 59-02210A
silicate, relaxation of. 59-01116A
temporary, due to heating. 59-01259A
two-phase, arising during leaching. 59-01250A
high-temp., in MgO in compression. 59-00856A
intensity factor estimates, for annular cracks at spherical
voids. 59-03082A
local, in coarse-grained sintered materials, XRD analysis
of. 59-00712A
in magnetite-fayalite systems. 59-01915A
relaxation of, in PZT. 59-01914A
residual, in compressively clad glass rods, optical and
fractographic measurements. 59-02213A
in sharp contact cracking. 59-05037A
in seals, metal-ceramic, relief of. 59-04665P
metal/ceramic abrasible, relief of. 59-03753P
surface, in Si₃N₄/CeO₂, development during oxidation.
59-00822A
- compressive, developed by oxidation-induced phase change.
59-01795A
thermal, in brittle ceramics, effect of heat-transfer
variables on. 59-01770A
in brittle materials, effect of thermal conductivity on.
59-03955A
in clad-glass fibers. 59-02297A
firing aid with resistance to. 59-03598P
graphite with improved resistance to. 59-03896P
thermomechanical, behavior of refractories subjected to.
59-04390A
in tiles, wall. 59-04535A
uniaxial, dependence of forbidden and allowed transition
of TiO₂ on. 59-03108A
effect on zone-center optical phonon of diamonds.
59-02970A
- Striations,**
in glasses, effect on strength. 59-04185A
- Structum,**
SrAl₂O₇, powder diffraction data for. 59-03118A
Sr₂Fe₂O₇, transition from brownmillerite to perovskite
structure. 59-03035A
SrMnO_{3-x}, polymorphs and electrical conductivity.
59-01880A
SrO, or BeO, charge containing, for production of diopside.
59-01285P
F⁺ centers, ENDOR of. 59-00828A
effect of substitution on properties of Ca ferrite
magnets. 59-03674A
SrTiO₃, Nb-doped, measurements of Fermi surface.
59-03013A
Ni-doped, electrochromism in. 59-00839A
and Pt-SrTiO₃, surface spectroscopy. 59-05059A
fluoride, rare-earth-doped, dipolar complexes in. 59-02962A
in glass. 59-02005B
glazes, for faience and majolica. 59-02625P
and pigments. 59-00520A
tetragermanate crystal hydrate. 59-04017A
- Structural clay industry,**
in China. 59-04388A
in German Federal Republic, testing methods for bricks and
tile clays. 59-03481A
Italian plant makes 60 000 tiles per day. 59-03472A
advances in rapid firing. 59-00388A
air, options in quality control. 59-04707A
automation, of roof tile plant of Tuilerie Briqueterie
Francaise. 59-03471A
brick and tile, in Denmark. 59-03464A
dryers, chamber, at Bataszek factory. 59-04754A
energy, conservation. 59-04753A
future of coal in. 59-00726A
heat, waste, utilization of. 59-01684A
kilns, coal fired. 59-04387A
recirculating shuttle, using fiber lining, operation
of. 59-03473A
plastic additive for, sand washing wastes as, evaluation
of. 59-01366A
production, of asbestos-cement roofing, in Berounske
Eternitove Zavody Works. 59-02393A
increasing. 59-03470A
porcelain, in N. K. Krupskaya Lobnensk Plant. 59-00391A;
59-00392A
raw materials, registers for. 59-03478A
use of. 59-03483A
test methods, physical and chemical. 59-02395A; 59-02396A;
59-02397A
tiles, roof, 30 000 per day with 12 people. 59-03460A
roof, Swiss plant produces "old look." 59-03480A
roof, automated production by Ernst Ott Co. in W. Germany.
59-03461A
roof, by Ludowici-Cladon. 59-01363A
roof, features of Meindl plant at Dorfen, Ger. 59-03479A
roof, operation of Guiraud plant, near Toulouse, France.
59-03477A
roof, world-wide status. 59-01362A
tree harvesting, first step in fuel independence. 59-03482A
- Structural clay products.** See also Brick; Tile.
building materials, from hot-pressed fluidized bed ashes.
59-00381A
coated, producing. 59-02405P
composite wall, brick. 59-03486P
continuous strips, cutting of. 59-03487P
drying and firing characteristics, rapid method for
determining. 59-02400A
extruded, effect of die design on quality. 59-00384A
extrusions, soft and stiff, a comparison. 59-00394A
facing ceramics, charge for. 59-02403P
foamed, building elements, mfg. 59-01371P
masonry, hollow load-bearing, advantages of. 59-00378A
mfg. 59-03488P
panels, brick, customized on assembly line. 59-00379A
wall, prefabrication of. 59-04000P
pipe, audit confirms energy savings. 59-04386A
flue liner, automation aids production. 59-00380A
mfg. 59-01368A
vitrified, adapted for joining. 59-00401P
plink, new facing material. 59-00389A
production of. 59-01995B
roofing accessories, firing of—continuous or intermittent
kiln. 59-02392A
technology, formation, and properties. 59-05149B
tiles, facing, charge for. 59-02404P
walls, improving quality of. 59-04044B
- Structural materials.** See Aggregates; Brick; Building
materials; Cements; Concrete; Enamels; Glass;
Insulation; Thermal; Masonry; Structural clay products.
- Structure,**
of Al(OH)₃, amorphous, during vacuum decomposition,
changes in. 59-02930A
of B₂C, sintered. 59-04451A
of Bi₂GeO₇, levorotatory, remeasurement of. 59-03005A
of CaSO₄. 59-02884A
of Ce₂Si₂O₇, La₂Si₂O₇, "Ce₂O₇·2Si₂N₄,"
and "La₂O₇·2Si₂N₄,"—comment. 59-00801A
of Ce₂Si₂O₇, La₂Si₂O₇, "Ce₂O₇·2Si₂N₄,"
and "La₂O₇·2Si₂N₄," reply. 59-00914A
of Co dithionite silicate. 59-03087A
of Fe-B₂C, sintered. 59-00775A
of K₂Ta₂F₁₀, F₁₀O₁₁, 1. 59-03090A
of Na₂TiO₄, electron microscopic analysis. 59-01916A
of NbCoB₂, new borides with. 59-00880A
of Sb₂O₃, nuclear K-radiation study. 59-04978A
of Ti₂WO₆. 59-03089A
of W centers, in tungstate-phosphate glasses. 59-00184A
of WO₃, diffraction study. 59-03106A
of albite and monalbite, high-temp. study. 59-01844A
of alpha-Ba dichromate. 59-03084A
of anionic network, of Pb germanate glasses. 59-01253A
of bentonites, effect of grinding on. 59-01817A
of beta-V nitride. 59-03085A
bond, in chalcogenide glasses. 59-03334A
of bubbles, in porcelain enamels. 59-04151A
of clinkers, portland cement, doped with ZnO. 59-01053A
of composites, self-lubricating, based on WS₂. 59-00776A
crystal, of Ag Bi chromate(VI), neutron diffraction study
of. 59-03104A
of Al₂SiO₅, polymorphs. 59-01928A
of As₂O₃. 59-00806A
of BaAl₂O₇. 59-00807A
of BaFe₂Al₂O₇. 59-00808A
of Cd₂Ge₂O₇. 59-01803A
of Cd₂Na₂(PO₄)₂. 59-04908A
of Ce₂Si₂O₇, 59-01806A
of K₂Ba(GeO₃)₂. 59-00814A
of K dithionite orthovanadate. 59-02945A
of LiC₂BO₃. 59-03939A
of Li₂PO₄. 59-00809A
of Li₂SO₄, ordered. 59-02944A
of Li₂Zn₂GeO₇. 59-00813A
of (MoO₃)₂P₂O₇. 59-00811A
of Na₂Cd₂(SiO₃)₂, refinement of. 59-03941A
of NbMoN₄. 59-00812A
of Na₂Zr₂Ge₂O₇. 59-03940A
of Ni and Fe silicate spinels. 59-01807A
of Pb(C₂H₃O₂)₂, antiferroelectric. 59-02943A
of Pb(Sn₂Sb₂O₇)₂. 59-03855A
of Si₃N₄, Y₂O₃, electron microscopic study. 59-01804A
of Y₂Ge₂(OH)₇. 59-02942A
of boehmite. 59-01805A
of dehydrated H chabazite. 59-00815A
of dehydrated K-exchanged zeolite. 59-00810A
effect of defects on porosity of synthetic mordenite.
59-04907A
and piezoelectric coeff., in levorotatory Bi₂SiO₅.
59-01801A
of zircon. 59-01802A
defect, of MgO with trivalent cation solutes. 59-00818A;
59-00819A
in SiO₂, model of. 59-01214A
of VO₂. 59-02952A; 59-02953A
diamond, crystals with, motion of dislocations. 59-00869A
ion-induced, changes in, spectroscopic depth profiles.
59-02959A
of dithionite Zn silicate. 59-03088A
domain, of crystals of Li-substituted ferrites with Co
additions. 59-00827A
in garnet films, interaction with Bloch walls and
dislocations. 59-02662A
electronic, of B₂O₃, H₂BO₃, and BN, spectra study.
59-04891A
of La₂(M³⁺)₂CrO₇ (M = Mg, Sr), Cr₂O₃, and La₂O₃,
spectroscopic study. 59-04976A
of beta-Al₂O₃, surface with adsorbed Na atom. 59-04561A
of semiconductor surfaces, scattering-theoretic approach
to. 59-03071A
electronic band, of NbO₂. 59-02974A
energy-band, of alpha-quartz. 59-02975A
of films, Se₂-Te₂. 59-03346A
fine, in intrinsic absorption edge of TiO₂. 59-02981A
garnet, defect formation in oxides with. 59-02951A
of glass-ceramics, machinable. 59-02289A
of glasses, Cu phosphate. 59-00233A
Na silicate, based on neutron diffraction data. 59-02290A
Na silicate, molecular dynamic calculation. 59-00223A
Pb silicate, relation of emission properties to.
59-02278A
alkali borate, based on X-ray scattering. 59-01252A
alkali silicate. 59-00212A
alkali-free fluoride. 59-00178A
foam-slag, effect of sulfide S on. 59-03276A
least-squares studies. 59-02204A
metallic alloy, direct observation of. 59-03268A
mineral. 59-03348A
silicate, gas-probe analysis. 59-04200A
in system As-Ge-Se. 59-01135A
in system BaO-V₂O₅-P₂O₅. 59-01251A

- in system $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-MgO-CaO-MnO}$, relation of properties to, 59-02279A
 in system $\text{TeO}_2\text{-P}_2\text{O}_5$, 59-04263A
 in system, $\text{TeO}_2\text{-VO}_2$, 59-00263A
 tellurite, 59-01108A
- of glassy materials, inorganic, 59-03347A
 of interface, ferroelectric-paraelectric, in BaTiO_3 , 59-00933A, 59-00934A
 iso-, of Cd_2OsO_6 and Ca_2MoO_4 , 59-03974A
 liquation, of slag glasses, 59-03302A
 of luminescence band, in quartz glasses, 59-04167A
 of melts, in system PbO-SiO_2 , 59-00179A
 microheterogeneous, effect on fracture toughness of glasses, 59-02226A
 of monoclinic phase, of Fe(II) sulfite trihydrate, 59-03086A
 of phurallumite, 59-00931A
 of pigments, pink, in system $\text{ZrO}_2\text{-TiO}_2\text{-SnO}_2\text{-Cr}_2\text{O}_3$, 59-02604A
 pore, of cement mortars, changes due to temp., 59-04086A
 of hydrated cement pastes, 59-03196A
 of kaolin, effect of H_2SO_4 treatment on, 59-01779A
 proposed for parawollastonite, 59-03069A
 of refractories, magnesian, changes in, during firing, 59-04394A
 scheelite, double tungstates and molybdates of Li and Na and rare-earths with, 59-03950A
 of scolecite, from Poona, India, 59-00932A
 short range, of alkali disilicate glasses, by neutron scattering, 59-04254A
 short-range order, in glasses, 59-04255A
 spinel, composition and stability of phases, analysis of, 59-04876A
 of stone-casting and glass-ceramic materials, Fe-containing, 59-01341P
 submicroheterogeneous, in glasses of system $\text{Be}_2\text{O-SiO}_2$, 59-04218A
 surface, of $\text{Na}_2\text{O-CaO}$ glass, effects of fluorinating agents on, 59-04188A
 of glass fibers, effect on solubility in water, 59-03296A
 of surface layer, of alkali aluminosilicate glasses, internal friction study, 59-01197A
- Structure, micro-** See also *Particles, size; Porosity*.
 of 12H Mg-Si-Al-O-N polycrystalline alloy, 59-01871A
 in Al_2O_3 , 59-00760A
 of Ca-containing Na beta- Al_2O_3 , 59-00764A
 of Li ferrites, effect of flux on, 59-03679A
 of Mn-Zn ferrites, effect of sintering on, 59-03677A
 of SiC, reaction-bonded, 59-00407A
 of Si₃N₄, with additions of rare-earth oxides, 59-00872A
 of basic bricks used in Indian steel plants, 59-02416A
 of cement-lime mortar in brickwork, effect of moisture in bricks on, 59-02066A
 of ceramics made by sintering pozzolana-blast furnace slags, 59-03191A
 of glass-ceramics and photosensitive glasses, 59-01213A; 59-03311A
 of gunning refractories, used for LD converters, 59-03553A
 of hardened alkali pastes of various porosities, 59-02076A
 of hot-deformed cemented carbides, 59-04814A
 in hot-pressed and sintered Si₃N₄, 59-00871A
 of hot-pressed sialon polycrystals, 59-00873A
 of industrial clinkers, 59-03167A
 of monolithic materials formed from $\text{Al}_2\text{O}_3\text{-SiO}_2$ binary, 59-01738A
 of oxide scales on Si and SiC crystals, 59-03017A
 of Portland cement clinkers, 59-00060A; 59-00061A
 discussion, 59-02100A
 reply, 59-02101A
 of powders from porcelain articles, 59-02603A
 of reaction sintered Si₃N₄, 59-00755A
 semiautomated analysis of, 59-03807A
 of sintered beta'-Si₃N₄ solid solution, 59-02870A
 of sintered sialons, 59-01872A
 of wet Portland cement, electron microscopy and gas reaction cell study, 59-01056A
- Substrates**
 Al_2O_3 , metal-film deposition on, 59-00548A
 LiTaO_3 , LPE growth of Li(Nb,Ta)O_3 film waveguides on, 59-03301A
 Li(Nb,Ta)O_3 films, temp. dependence of lattice mismatches between, 59-04918A
 NaCl , nucleation process of CdAs_2 films on, 59-04578A
 NdGaG , magnetic bubble La-Sm-Lu Fe garnet films grown on, 59-01514A
 ceramic, alloy, 59-04539P
 deposition of metal on, 59-04639P
 for electronic circuits, 59-00622P
 production of, 59-03745P
 composite, diamond body/Si₃N₄, process for making, 59-01593P
 conductive, ohmic contact of n-GaAs to, 59-04643P
 dielectric, with metallization containing Ni oxide, 59-04610P
 diffusing metals into, method for, 59-04624P
 film strip, for metallizing ceramics, 59-01600P
 glass, installation of semiconductor chips on, 59-03721P
 protective coating for, 59-00366P
 with high thermal conductivity, 59-00601P
 insulating, deposition of conducting metal layer on, 59-03744P
 layer on, metal silicide, method for providing, 59-02720P
- layered, method for applying additional layer by sputtering, 59-00603P
 metal, corrosion resistant glasses for coating, 59-03372P
 metallic, catalysts having, 59-04845P
 microelectronic, new cleaning method for, 59-04577A
 multilayer, Al_2O_3 -mullite, 59-00544A
 nonmetallic, nonconducting Cu-B coatings on, 59-00594P
 plastic, metallic coating and glass overcoat produces chromatic effect, 59-00375P
 semiconductor, Fe ion implantation reduces sensitivity to temp., 59-04615P
 spinel, growth of ferrite films on, 59-03716P
 surface hardening of, by diffusion, 59-03754P
 system ZnSe film-GaAs, formation kinetics of transition layer, 59-02650A
 treatment of, to form electrodes, 59-03735P
- Sulfates**
 $\text{Ag}_2\text{S}_2\text{O}_8$, new crystal data for, 59-03026A
 $\text{Ba}_2\text{S}_2\text{O}_7\cdot\text{H}_2\text{O}$, crystal data, 59-02940A
 Li_2SO_4 , ordered, crystal structure, 59-02944A
 alkaline earth metal, formation in Cottrell filters during roasting of magnesite, 59-00410A
 role of, in cement clinkering reactions, 59-02109A
- Sulfides**
 MPS, (M = In, Ga, Sb, Bi), vibration spectra, 59-05111A
 electrodes responsive to, SnO_2 , 59-00686A
 in pyritic soils and minerals, determination of, using sulfide ion electrode, 59-01640A
- Sulfites**
 Fe(II) trihydrates, monoclinic phase, structure of, 59-03086A
 Mg, thermal decomposition of, 59-04831A
- Sulfur**
 59-01713A
 and N, removal from flue gases, 59-01695P
 SO_2 , reaction with surface of Fe-containing glasses, 59-02276A
 removal from exhaust gases, 59-01694P
 concretes and mortars, 59-03232P
 desulfurization catalyst, Co-Mo-Al, 59-02889P
 in fuels, use of soda ash to remove, 59-00728A
 -infiltrated concretes, autoclaved, preparation and properties, 59-04109A
 states of, in alkali borate glasses, 59-04258A
 sulfide, effect on structure of foam-slag glasses, 59-03276A
- Superconductors**
 Nb₃Ge, CVD to Cu substrate, method for making, 59-04665P
- Supersonics** See *Sound, supersonic*.
- Surface**
 Fermi, in Mo and W dioxides, effect of pressure, 59-02967A
 of Nb-doped SrTiO₃, measurements of, 59-03013A
 Si, effect of annealing on stacking fault generation due to damage on, 59-04969A
 ZnO, magnetoresistance in accumulation layers, 59-03024A
 mobility in quantized accumulation layer, 59-02980A
 mobility of electrons in accumulation layer, 59-02988A
 abrasion resistance of, testing apparatus for measuring, 59-03816P
 area, of powders, introduction to, 59-03135B
 characterization, peak counting, instruments for, 59-01658A
 contamination, Vol. 1, 59-02006B
 Vol. 2, 59-02007B
 crystallization, of ternary systems, production by matrix method, 59-03999A
 low-Z atoms, X-ray-absorption-fine-structure studies, 59-02978A
 of perovskites, d-band, electronic properties, 59-03091A
 potential, for hydroxides of light elements, change of characteristics of, 59-04888A
 in thermally grown Si-SiO₂ interface, inhomogeneities of, 59-01849A
 relaxation, of Zn blende (110), 59-03092A
 silylated, properties of, 59-05146B
 specific, of powders, X-ray determination, 59-00713A
 tests for, 59-03809A
 stresses, compressive, developed by oxidation-induced phase change, 59-01795A
 tension, of Na₂O-Rb₂O-SiO₂ melts, 59-01256A
- Supensions** See also *Slips*.
 Cr_2O_3 and zircon, atomization of, 59-03497A
 clay, in consolidation region, electroformed sedimentation of, 59-01465A
 flocculation by line mixing, 59-02583A
 dewatering of, method and apparatus, 59-00671P
 flocculated, measurement of rheological characteristics, 59-01652A
 liquid, for casting whiteware into gypsum molds, 59-04548P
 for molds, investment-casting, 59-01459P
 thermoplastic, quartz refractories from, 59-02475A
 of zircon, preparation and properties, 59-04432A
- Swelling**
 and gas release, in ZnO, 59-04023A
 of montmorillonite, Na⁺, relation to surface area and b dimension, 59-01898A
 in neutron-irradiated ceramics, 59-01610A
 of solid solutions, in system taeniolite-Na taeniolite, 59-01909A
- Switches**
 for fibers, light-conducting, 59-04380P
 in glasses, of system $\text{CuO-V}_2\text{O}_5\text{-P}_2\text{O}_5$, 59-03280A
 waveguide, LiNbO₃, optically induced crosstalk in, 59-03323A
- Switching**
 in CsH_2PO_4 , pressure-induced antiferroelectric phase, 59-01921A
 devices, NbO₃, 59-00566A
 electrical, in sintered gamma- $\text{Fe}_2\text{O}_3\text{-Sb}_2\text{O}_3$, 59-00838A
 threshold-, NbO₃, recovery curve for, 59-01897A
- Synthesis**
 of AlN, 59-01764P
 of BN, cubic, solvent effects of fluorides, 59-01911A
 of CrPr₂S₂ and CrPr₂Se, crystals, 59-03094A
 of La₂NbO₇, crystals, 59-05061A
 of LaAl₂O₇, by solid-state reaction, 59-04013A
 of LaSbO₃, 59-04024A
 of Ti nitrides, self-propagating, 59-00919A
 of anorthite, by addition of flux, 59-03654A
 of carbides, Al-Si, 59-01874A
 of ceramic materials, wet chemical, 59-01745A
 of ceramics, by freeze drying, 59-03009A
 of clay-like materials, 59-03850P
 of compounds Ln₂CuO₄ (Ln = La, Pr, Nd, Sm, Eu, Gd), 59-05062A
 of diamonds, apparatus for, 59-03888P
 economics of, 59-01956B
 from glassy C, 59-03864A
 history and present status, 59-02654A
 of faujasite, platelet-type crystalline, 59-02900P
 of fibers, continuous SiC, 59-04830A
 of forsterite, effect of additives on, 59-02966A
 of gems, 59-01977B; 59-04634P
 production techniques, 59-02008B
 of glasses, Si-Na-B-O-N, 59-02293A
 arsenite, 59-00264A
 electrical-insulating, in system $\text{B}_2\text{O}_3\text{-ZnO-BaO-SiO}_2$, 59-01257A
 optical, BaPO₄, F, 59-02294A
 phosphate, 59-02380P
 for recording ¹¹¹In fission tracks, 59-03351A
 of kaolinite, 59-01856A; 59-01857A
 of molybdates, crystals, M₂(MoO₄), M = K, Rb, and R = rare-earths, Y, and Al, 59-05064A
 and tungstates, double, of alkali and rare-earth elements, 59-05063A
 of mullite, solid-phase, from oxides, 59-02490A
 of perovskites, Nd₂TiO₇, 59-05065A
 of pigments, pink, in system $\text{ZrO}_2\text{-TiO}_2\text{-SnO}_2\text{-Cr}_2\text{O}_3$, 59-02604A
 of refractories, 59-00413A
 high-temp., self-propagating, 59-00425A
 plasmachemical, 59-00418A
 of rutile, process for, 59-03846P
 of spinels, clinkers, 59-03573A
 of titanates, of hollandite type, effect of KCl on, 59-04926A
 and zirconates, of the alkaline earths, from their carbonates and dioxides, 59-05066A
 of wollastonite, 59-01724P
 charge for, 59-02517P
 method for, 59-00742P
 for tiles, 59-00521A
 of zeolite, crystalline ZSM-43, 59-04850P
 of zircon, by solid state reaction, 59-03095A
- Systems** See also *Phase equilibria*.
 As-S-Te, optical, magnetic, and transport properties, 59-05001A
 BaIF₄Cl₂MoO₄, 59-04025A
 Dy₂O₃-K₂O-MoO₃, viscosity measurements in, 59-00950A
 Fe oxide-Cr oxide, Moessbauer study, 59-04995A
 Mg(Nb,Ta)-C, X-ray camera study of, 59-04879A
 MgO-MgCl₂-H₂O, 59-04118A
 NaZr₂(PO₄)₂-Na₂Y₂(PO₄)₃, ionic conductivity in, 59-03972A
 Pb-Sn-Se, vapor pressure in, 59-04037A
 Rb₂I₂-CdI₂-PbI₂ and Cs₂I₂-CdI₂-PbI₂, 59-04027A
 Se₂Al₂O₇ and Ba₂SiAl₂O₇, X-ray characterization and luminescence properties, 59-00951A
 Si₃N₄-Y₂O₃-Al₂O₃, sintering of, 59-01907A
 V-O-Te, 59-04026A
 binary, Al₂O₃-SiO₂, monolithic materials formed from, microstructure, 59-01738A
 chemical, multicomponent, calculation of compositions of, using center-of-gravity theory, 59-04886A
 disordered, EXAFS absorption study, 59-04739A
 glass-forming, physics and chemistry of, 59-04053B
 magnetite-fayalite, stresses in, 59-01915A
 metal-ZnO-SiO₂-Si, structures, charge injection to, 59-04890A
 mullite-Al₂O₃, miscibility gap, 59-01827A
 reciprocal, of bromides and iodides of Na, Cd, and Pb, 59-04005A
 salt, formation of maxima in melting curves of solid solutions in, 59-04900A
 fused binary, PbO-Bi₂O₃, PbO-PbMoO₄, and NaCl-RbCl, viscosity in, 59-03110A
 silicate, stability of, 59-04015A
 ternary, crystallization surfaces, production by matrix method, 59-03999A
- Tableware** See *Dinnerware*.
 Tale. See also *Stearite*.
 59-02846A
 for ceramic industry, quality control of, 59-02841A
 composition of, spectral analysis, 59-03797A
 tremolite in, 59-02847A
- Tanks** See *Furnaces, glass*.

Tantalum,

Ta carbide-C fiber, composites, production of. 59-03917P
diborate, vapor deposition of. 59-01787A

Technetium,

in nuclear wastes, recovery of. 59-00650P

Technology,

cement mfg. process. 59-00971B
of cements, asbestos. 59-04054B
and mortars, developments since 1977. 59-05128B
special. 59-01948B
in ceramic industry, economic factors affecting. 59-03122A
chemical, of glass and glass-ceramics in liquid and solid states. 59-04042B
future, in preparation of ceramic raw materials. 59-01705A
glass-ceramic, cockpit, in Europe. 59-02252A
of glass-ceramics. 59-04055B
of high pressure. 59-00965B; 59-00966B
high temp., physical chemistry of. 59-05142B
joining, advances in. 59-00957B
of materials, treatise on. 59-02009B
measurement, of semiconductors. 59-01531A
production, of decorative wares. 59-04049B
of rare earths. 59-01997B; 59-05145B
refractories. 59-01998B
and social needs, in ceramic industry. 59-03127A
of stoneware production, recent progress. 59-04057B

Television tubes. See Tubes.**Tellurium,**

Te, Ge, As., memory state, Hall effect in. 59-04566A
TeO₂, perovskites based on, SHG study of anisotropy in. 59-00935A
interactions of, with different modifications of P. 59-04974A

Temperature,

of SiC, self-bonded, effect on character of fracture. 59-00835A
control, for glass forehearth. 59-02240A
ferroelectric phase transformation, of SbSi in melt SbSi-Sb₂S₃, increasing. 59-02661A
high, physical chemistry of. 59-05142B
science of, future needs and anticipated developments. 59-01972B
measurement of, precision, with Pt thermocouples. 59-04733A
monitoring, tips on. 59-01648A
of powders, nonconducting, in detonation deposition, determination of. 59-00689A
of rotary kiln jacket, measurement and evaluation. 59-02052A
scanner, position selectable, for glass surfaces. 59-04366P
shell, of kilns, in image monitoring of. 59-02090A
surface, in rotary kilns, in measurement. 59-01650A
viscosity, relation for glass. 59-00275A

Temperature measuring,

in kilns, method and apparatus. 59-02819P

Temperature measuring instruments,

Seger cones, use in firing tests. 59-02793A
pyrometers, function and application of. 59-04705A
noncontact-type, for measuring glass sheet temp. 59-03421P
thermocouples, Pt precision measurements with. 59-04733A
for oxidizing environments. 59-00709A
used in bushing for drawing glass fibers, apparatus for calibrating. 59-01280P

Tempering, of glass. See Glass, tempering of.**Tension,**

surface, of Na₂O-Rb₂O-SiO₂ melts. 59-01256A

Terbium,

Tb³⁺, activated glass, magneto-optical study of. 59-00213A
Tb₂(MoO₄)₃, thermal expansivity and strain temp. dependence. 59-03102A
Tb₂Si₂O₇, 59-00572A
orthoferrites, magnetic phase transformations in. 59-03011A
oxide, thermodynamic properties. 59-04033A

Terminology. See Nomenclature.**Testing. See also Analysis and specific types of tests.**

of MgO. 59-00073A
acceptance, of raw materials for dielectric applications. 59-01529A
analytical, good practices. 59-01645A
bend, improved displacement measurement. 59-00696A
bottles, glass, apparatus for. 59-02312P
composite materials, estimation of sample size. 59-02868A
connectors, electrical, equipment for. 59-04611P
of containers, glass, with bright field analyzer. 59-01260A
creep, tensile, of improved Si₃N₄. 59-00777A
enamels, porcelain, used in solar collectors. 59-00120A
fibers, glass. 59-03810A
glasses and crystalline materials, under microgravity, using space shuttle. 59-01244A
high-temp., of periclase refractories. 59-02442A
interferometric, differential, for optical fibers. 59-01136A
of joints, adhesive-bonded, with ultrasonic probe. 59-01670A
of linings, refractory, with increased thermal conductivity, for coke ovens. 59-04452A
microscopy, industrial. 59-01649A
nondestructive, of composite materials. 59-05141B
of graphite-epoxy composites. 59-04821A
of grinding wheels. 59-00001A
of materials. 59-01983B
of materials, with microwaves. 59-01632A

of semiconductors, with emphasis on acoustic emission.

59-00548A

ultrasonic, of refractory stopper. 59-02459A

of opaque solids and powders, using photoacoustic spectroscopy. 59-03802A

optical, for checks in glass containers, machine for.

59-01224A

of glass containers, with Emhart preselector. 59-01172A

powders. 59-04058B

of refractories, high-temp. pneumatic transport facility.

59-01388A

new Soviet Standard for alphabetic notation. 59-02457A

strength, impact, method for. 59-01679P

Tests,

Feret's diameter signature waveform, for shape characterization of fine particles. 59-03811A
for U content, in a material. 59-00716P
X-ray, for determining specific surface of powders. 59-00713A

for abrasion resistance, of surfaces. 59-03816P

absorption, EXAFS, of disordered systems. 59-04739A

based on chord and area data, for calculating particle size distribution. 59-01654A

basicity, indicators of rocks and minerals, thermodynamic calculation. 59-04726A

bend, three-point, procedure for eliminating errors.

59-00675A

using notched beams, for measuring toughness of ceramics. 59-00710A

for bricks and tile clays, in German Federal Republic.

59-03481A

for cement content, in fresh concrete. 59-03193A

for chemical composition, of talc. 59-03797A

coking. British. 59-01634A

compatibility, for high Al₂O₃ ramming refractories.

59-04396A

corrosion, rotary drum, evaluation of spinel castable by.

59-03527A

slag, of ladle linings. 59-03571A

to determine effect stresses, in hot-pressing. 59-04725A

for determining glass point, of composites. 59-04724A

for drying sensitivity, of ceramic bodies. 59-01642A

dye penetrant, dry developer composition for. 59-03813P

for enamels, porcelain. 59-03241A

fatigue, dynamic, crack propagation, statistical reproducibility of. 59-00928A

firing, use of Seger cones. 59-02793A

flexure, biaxial, for ceramics. 59-02785A

three- and four-point, strain rates for. 59-01666A

flow cone, use in predicting physical properties of cement mortars. 59-04119A

freezing, for extruded clay columns. 59-02586A

grain-size, statistics. 59-03800A

imaging, high resolution, of amorphous materials.

59-03801A

indentation-precracking and double-torsion,

for measuring fracture mechanics of Si₃N₄. 59-02993A

for measuring electrical properties, of solid electrolytes.

59-04730A

for measuring flow rate, of powders. 59-03812P

modulation, for measuring integral emissivity. 59-04728A

oxidimetric, of Fe in silicates. 59-04732A

physical and chemical, in heavy clay industry. 59-02395A;

59-02396A; 59-02397A

plant, for utilization of red mud in cement mfg. 59-04106A

quench, specimens, transient stress factors for cracks in.

59-04034A

rapid, for enamels. 59-02171A

for refractories, gunning. 59-03577A

on refractory samples, from People's Republic of China.

59-03575A

for resistance or conductance, of insulators. 59-00698A

ribbon, for thermal shock resistance of refractories.

59-03528A

sintering, source of activation energy errors. 59-04737A

sizing, submicron, without electron microscope. 59-03808A

solar, of porcelain enamel weathering. 59-00117A

spalling, for Q-BOP refractories. 59-03576A

for specific surface and porosity, of ceramics, glasses,

and binders. 59-03809A

spectrometric, for B in raw materials. 59-02783A

standard, for glazed tiles. 59-01482A

strength, dry, effect of experimental conditions. 59-04721A

for structural ceramics, using acoustic microscopy.

59-03795A

suitability, of modified Dallenderfer-Langhammer

apparatus. 59-01667A

thermal. 59-04741A

of brick clays. 59-02401A

shock, on limiter or first wall materials for fusion

reactors. 59-03772A

thermography. 59-01672A

thermogravimetric, of large samples. 59-04742A

water hardness, using polarographic wave of Mg ion.

59-04744A

Texture,

of refractories, SEM study. 59-02486A

Thallium,

Tl₂WO₄, structure of. 59-03089A

TlI, nonbirefringent films for surface protection of

halide optical elements. 59-02362P

Thermal analysis,

gravimetry, differential, of hydration of expansive

cements. 59-04082A

Thermal conductivity. See Conductivity, thermal.

Thermal decomposition. See Decomposition.

Thermal expansion. See Expansion.

Thermal properties,

of Li₂O-2SiO₂, unidirectionally solidified. 59-03879A
of ThO₂, UO₂, and PuO₂, model for electronic contribution to. 59-04687A

of china, bone, effect of Al₂O₃ additions. 59-03639A

decomposition, of Si oxynitride. 59-01927A

degradation, of Si₃N₄-Y₂O₃, effect of C impurity.

59-00831A

expansion, of Al₂SiO₅ polymorphs. 59-01928A

of hot-pressed Si₃N₄. 59-01865A

of hydromagnesite. 59-03100A

increased stability, refractories with. 59-04422A

of oxides, Nb₂O₅, La₂O₃, and Ce₂O₃. 59-04943A

of oxyhydroxyapatite, polycrystalline. 59-00909A

of phase shift, in optical fibers. 59-04265A

radiation, of glasses. 59-03352A

resistance, of commercial glasses. 59-01247A

runaway, in Ge, contributions of multiple reflections to.

59-01796A

of sharp-particle contacts. 59-03101A

stress resistance, high, graphite with. 59-03896P

of microcracked brittle materials, analysis of. 59-00752A

of 11-Å tobermorite, and its lattice parameters. 59-03210A

Thermal shock resistance. See Shock resistance, thermal.

Thermistors. See Resistors, electrical.

Thermochemistry. See Thermodynamics.

Thermocouples. See Temperature measuring instruments.

Thermodynamics,

of CdSb and ZnSb. 59-02687A

of bronzes, Ag₃V₂O₇. 59-05106A

of crystal growth, of CaWO₄ from LiCl and Na₂WO₄.

59-01859A

data, from O concentration cells. 59-04031A

functions, in system Na₂O-GeO₂. 59-02298A

of oxidation-reduction, in system MgO-V₂O₅-VO₂.

59-03989A

of oxides, double, refractory. 59-04594A

properties, of K meta- and disilicates. 59-04032A

of minerals. 59-00976B

of oxides of Pr, Ce, and Tb. 59-04033A

of solid solutions, PbTiO₃, PbZrO₃. 59-00946A

Thermography,

59-01672A

Thermogravimetry. See Thermal analysis, gravimetric.

Thermoluminescence. See Luminescence.

Thermomechanical properties. See Mechanical properties.

Thermometers. See Temperature measuring instruments.

Thermophysical properties. See Physical properties.

Thickness,

of films, X-ray fluorescence measurement. 59-00723P

epitaxial, on substrates, method for monitoring.

59-04630P

Thin sections. See Microscopy.**Thorium,**

(Th,U)O₂, chemical form of solid fission products.

59-03757A

ThO₂, Hertzian indentation of. 59-04959A

ThO₂-UO₂, fuel, performance in Indian Point I plant.

59-02750A

UO₂/ThO₂, fuels, resistance of chloride volatility

reprocessing system for. 59-03759A

absorption of, from Wyoming and Utah U mill tailings

solutions. 59-01698A

oxide, ceramics based on, electromigration in. 59-00840A

deposition of crystals from plasmas of. 59-01811A

Throwing. See Pottery.**Thulium,**

Tm₂Fe₂O₇, molecular-field coeffs. of. 59-04996A

TmFeO₂, acoustic velocity and attenuation shifts at phase

transition. 59-04990A

oxide, reaction with V oxide. 59-04004A

Thyristors. See Transistors.**Tile. See also Pipe.**

art, from New York subway. 1904. 59-00987A

blanks, method and apparatus for decorating. 59-03661P

ceramic, hydraulic presses for. 59-03787A

as color standards, for sanitary ware. 59-02572A

cutting tools for, hand. 59-00669P

drying of, automated rapid. 59-02567A

facade, effect of firing conditions on quality. 59-03638A

facing, from Breisk raw materials. 59-00516A

from Khibnikovskoe clays. 59-00522A

from Nikolaevo deposit clays. 59-02605A

acid-resistant, production at Ryazan plant. 59-00515A

charge for. 59-02403P

charge for mfg. 59-00528P

faience, substitution of Kilsuritsa clays in. 59-02594A

faience, use of Bulgarian raw materials for. 59-

- flux for, vitreous, 59-02627P
glaze, 59-02614P
opaque, 59-02619P
glazed, tests for, 59-01482A
gypsum, acoustic and decorative, production by vibration molding, 59-02596A
industry, in Denmark, 59-03464A
in France, Toulouse plant features one-high firing system, 59-03469A
Moravian Works, Doylestown, Pa., 59-00026A
Moravian Works, founded by Henry Chapman Mercer, 59-00020A
U-refractory setters aid production, 59-0379A
insulating, 59-00458P
removable fastener for, 59-00424A
joints, watertightness of, 59-03643A
mfg., 59-02618P
pressed, mold for, 59-03648A
refractory, for lining ingot molds, 59-00497P
roof, 30 000 per day with 12 people, 59-03460A
Biberschwanz, automated production of, 59-03461A
Italian plant makes 60 000 units per day, 59-03472A
Swiss plant produces "old look", 59-03480A
automation of plant of Tuilerie Briqueterie Francaise, 59-03471A
clay, by Ludowici-Celadon, 59-01363A
clay, potential of, 59-03475A
clay, world-wide status, 59-01362A
features of Meindl plant at Dorfen, Ger., 59-03479A
operation of Guiraud plant, near Toulouse, France, 59-03477A
split, apparatus for handling, 59-03484P
tunnel kiln provides uniform firing system, 59-03476A
stacking machine, 59-00554P
wall, fast firing of, 59-01474A
for furnaces, made from local raw materials, 59-00421A
microstructural changes during firing, 59-01472A; 59-01646A
production of, in Lucemec, 59-02597A
stresses in, 59-04535A
from wollastonite, synthetic, 59-00521A
- Tin,** Sn, P, S, crystals, ferroelectric properties, 59-00844A
crystals, optical properties, 59-00885A
SnO₂, activated sintering of, 59-00736A
additive for increased heat resistance of enamel, 59-04158P
coating of supports with, 59-04284P
electrodes responsive to pH and sulfide, 59-00686A
fast detecting gas sensors, preparation of, 59-04582A
film, process for coating glass sheets with, 59-01349P
films, Sb-doped, effect of Fe, Cu, and S impurities on conductivity, 59-02637A
films, cohesive energy, effect of free-electron density on, 59-01848A
glass coated with, surface electrical breakdown, 59-01255A
SnO₂/n-Si, electron-beam-deposited solar cells, structure and properties, 59-04018A
SnO₂, films, made by dc sputtering, phase composition, 59-03691A
penetration into float glass, spectrometric determination, 59-01133A
stannous selenide, crystals, growth of, 59-05046A
- Titanates.** See also *Dielectrics* and specific types.
Al, and Mg, ir spectra, 59-03973A
temp. stable, 59-00580P
Al₂TiO₅, beta-, decomposition temp. of, 59-02950A
BaTiO₃, PTC-type, TEM of grain boundaries, 59-02689A
degradation in ac field, 59-01510A
derived from BaTiO₃(C₂O₄)-4H₂O, sintering of, 59-03886A
Bi₂Ti₂O₇, hot-forged, grain orientation and electrical properties, 59-04564A
Ca₂Ti₂O₇, formation on thermolysis of Ti and Ca hydroxides, 59-04948A
K, fibrous crystalline, method for making, 59-02526P
Pb zirconate, new phase transition in, 59-00881A
PbTiO₃, crystals, lattice parameters and birefringence, 59-03004A
Sm₂Ti₂O₇, phases of, studied by vibration spectroscopy, 59-05055A
SrTiO₃, Nb-doped, measurements of Fermi surface, 59-03013A
Ni-doped, electrochromism in, 59-00839A
and Pt-SrTiO₃, surface spectroscopy, 59-05059A
Yb₂Ti₂O₇, crystal-field properties, Moessbauer spectroscopy, 59-02947A
Zn and alkaline earth metal, production of, 59-03848P
of alkaline earths, synthesis from carbonates and dioxides in ionic melts, 59-05066A
hollandite-type, effect of KCl on synthesis of, 59-04926A
powders, for production of, 59-02859P
transformations in, high-pressure, 59-01840A
triple, of Sr, Na, and Bi, hot-pressing of, 59-02657A
- Titania.** See *Titanium, dioxide*.
- Titanium,** and Ti oxide, surfaces, optical properties of, 59-05000A
TiO₂, crystals, pressure dependences of elastic constants, 59-03055A
piezoresistivity and semiconductor-semimetal transition, 59-03051A
Ti₂Fe₂O₇, hydrides in region of eta-phase, 59-00858A
Ti, TiO, and Ti₂O₃, reaction with Cr₂O₃, 59-03063A
TiB₂-Ni-P, thermal distribution of, by dc sintering, 59-03880A
TiC, -based cermets, transverse-rupture strength at high temps., 59-03539A
crystals, deformation behavior, 59-00820A
crystals, growth from vapor, by hot wire method, 59-05048A
oxidation of, at various O pressures, 59-00890A
powders, for cemented carbide alloys, 59-04867P
refractory, 59-00479P
whiskers, vapor deposited, catalytic effect of metals and oxides, 59-02926A
TiN, energy of structural vacancies in, 59-04938A
fabrication by high pressure hot-pressing, 59-02869A
TiO₂, H diffusion in, 59-03014A
V₂O₅ alloyed into, lattice changes accompanying electrical transition, 59-02997A
and V₂O₅, supported catalyst containing, 59-02914P
aggregation of, effect on sintering of BaTiO₃, 59-01537A
effect of Cu addition on optical properties, 59-00564A
elastic constant, temp. dependence of, 59-03098A
gels, origin of porosity in, 59-03037A
photoactive electrodes, method of making, 59-04637P
production of, 59-04795P
release method, for Cu casting, 59-02522P
role in mfg. of forsterite-type refractories, 59-01404A
slurries, from recycle material, 59-01725P
sputtering deposition from Ti and TiC targets in Ar + O₂ discharges, 59-00870A
thermistors, method for making, 59-04670P; 59-04671P
transition, stress dependence of, 59-03108A
TiO₂, fracture, stoichiometry effects on, 59-05051A
absorption edge, fine structure in, 59-02981A
carbonitride, microhardness variation in homogeneity field, 59-00795A
diboride and TiC, powders, hydrostatic pressing of, 59-00762A
diffusion of, in Ti:LiNbO₃, optical waveguides, 59-01264A
enamel, acid-resistant, for pig iron, 59-02125A
films, adherence to Al₂O₃, quartz, and glass, 59-01507A
in glasses, K aluminumphosphate, structural role, 59-00262A
ions, in Ba borosilicate glass, EPR of, 59-00165A
synthesis of, self-propagating high-temp., 59-00919A
oxidation of, process for formation of brookite, 59-04798A
- Titanium, carbide.** See also *Cermets*.
- Titanium, dioxide, pigments.** See *Pigments*.
- Titration.** See also *Analysis*.
- Tobermorite,** 11-Å, X-ray analysis of crystallization process, 59-03886A
thermal behavior and lattice parameters, 59-03210A
in autoclaved products, determination of crystallinity, 59-04089A
- Tools,** Cr-Ni steel and Ni alloys, use in continuous furnaces, 59-02804A
from Elbor, glass binder for, 59-00300P
abrasive, binder for, 59-00980P; 59-00981P
composition for impregnating, 59-02015P
diamond, antioxidation coating of, 59-03149A
filler for, 59-00982P
metal-bonded, 59-00983P
based on Si₃N₄, optimization of properties, 59-00765A
ceramic, use in increasing productivity, 59-01727A
cutting, diamond/sintered carbide, 59-01754P
sintered body for, 59-04873P
tip, 59-04847P
diamond, molds or dies for making, 59-04066P
hand, for cutting tiles, 59-00669P
metal working, 59-02895P
milling, 59-03662P
- Tools, cutting.** See also *Abrasives*.
- Tools, grinding.** See *Grinding apparatus*.
- Topography,** X-ray, extinction of Cu precipitate images in Si crystals, 59-04944A
study of domain formation in ferroelectric BaTiO₃, 59-02863A
- Torsion,** of ribbon, amorphous, effect on magnetic properties, 59-04970A
- Trace elements.** See *Elements*.
- Tracers.** See *Radioactive tracers*.
- Transducers,** 59-02688A
composite, Pb(Zr,Ti)O₃ + 0.5Nb₂O₅, interconnected porous, properties of, 59-04583A
electromechanical, for optical applications, 59-04576A
fabrication of, using bondable surfaces with buried contacts, 59-04642P
quartz, piezoelectric, 59-03698A
resonant, piezoelectric, with stable frequency, 59-03741P
strain, attaching to fragile materials, 59-00677A
ultrasonic, electrostrictive materials for, method to evaluate, 59-04575A
for ultrasonic waves, response of, 59-04585A
- Transfers.** See *Decoration*.
- Transformations,** of PbO, alkoxide-derived, by heating and grinding, 59-03883A
high-pressure, in silicates, germanates, and titanates, 59-01840A
martensitic, toughening ceramics by, 59-03070A
- phase, in Na₂Zr₂Si₂PO₁₁, 59-02675A
Vol. 1, 59-03139B
Vol. 2, 59-03140B
of ZrO₂, by ball milling, 59-00899A
polymorphic, Ba₂Nb₂O₇, 59-03998A
quartz-coesite-stishovite, thermochemical and phase stability data, 59-01793A
shock-induced, of andalusite and kyanite powders, 59-01904A
- Transformers,** tapped, for zone balancing in electrical furnaces, 59-04767P
- Transistors,** InP/SiO₂, microwave, 59-00610P
Si on sapphire, method for making, 59-01569P
- Transitions,** in PZT, new phase, 59-00881A
electrical, caused by alloying V₂O₅ into TiO₂, lattice changes accompanying, 59-02997A
ferroelectric, in polycrystalline materials, pyroelectric temp. analysis, 59-03057A
forbidden and allowed, of TiO₂, stress dependence of, 59-03108A
glass, in alkali metaphosphate glasses, 59-01206A
in soft-sphere model, 59-04204A
order-disorder, in CdGa₂Se₂-CdIn₂Se₂ solid solutions, 59-03985A
in crystals, NH₄Br₂Cl₂, 59-00887A
phase, alpha-beta cristobalite, in AlPO₄, Raman study, 59-03059A
analbite to monalbite, 59-01844A
in solids, photoacoustic study, 59-05109A
semiconductor-semimetal, and piezoresistivity in Ti₂O₃, 59-03051A
structural, in glasses during laser heating, 59-04262A
supercooled-liquid/glass, isothermal-isobaric computer simulation, 59-04215A
- Transmission,** of glasses, as related to Fe oxide, 59-02261A
loss, in optical fibers, effect of secondary coating technique on, 59-01150A
radiation induced, in optical materials, 59-00245A
low-energy-electron, in ZnO, optical modulation of, 59-03031A
neutron, of UO₂, temp. dependence, 59-01611A
- Transmittance,** ir, high, optical fibers with, 59-03430P
spectral, in light filters, oxide-metallic coatings on glass for control of, 59-03324A
- Transparent materials,** Y₂O₃, containing MgO or Mg aluminate, 59-02626P
ferroelectric, 59-01603P
- Transport,** Na, in beta-Al₂O₃, 59-01850A
electrical, in NdCrO₃, 59-03959A
in semiconducting Ge₂Bi₂Se₂-Te₂, in glasses, 59-04190A
grain boundary, sintering by, role of surface redistribution, 59-05039A
ionic, chemical change of glass surfaces by, 59-01118A
paths, in liquid phase sintering, determination of, 59-01828A
pneumatic, vertical, of solids, 59-00711A
properties, of As-S-Te, 59-05001A
of ThO₂, UO₂, and PuO₂, model for electronic contribution to, 59-04687A
of pure and C-doped RE hexaboride crystals, 59-04988A
rate, of plate glass strips, measuring, 59-00219A
during sintering, of ionic crystals, 59-04010A
vapor phase, of MoO₃ and MoTe₂, 59-03109A
- Transport processes.** See also *Diffusion; Ions; Kinetics; Resistivity, electrical; Viscosity*.
- in fuels, nuclear, under severe temp. gradients, 59-03774A
- Traps,** electron, in SiO₂, 59-01823A
hole, in bulk of SiO₂ layers, 59-04961A
- Tricalcium.** See *Calcium, tri-*.
- Tridymite,** heat capacities and inversions in, 59-01837A
- Tritium,** energetic, interactions with B.C., 59-03767A
process to retain, 59-04701P
- Trituration.** See *Crushing; Grinding*.
- Tubes,** Co₂, CaO-doped, for O sensors, 59-00546A
SiC, micro, formation by carburization of Si whiskers, 59-01829A
TV, color, aperture mask production, 59-04623P
electron, stem-sealing method for, 59-00371P
enameling of, continuous, apparatus for, 59-04154P
glass, internal coating process for, 59-02339P
metal, bent, with metal-ceramic liner, process for making, 59-04497P
noble-metal, cold-weld sealing of, 59-01663A
- Tungstates,** Bi₂WO₆, transformational superplasticity of, 59-03105A
Ti₂WO₆, structure of, 59-03089A
U-doped, with perovskite structure, quenching of uranate luminescence, QMCC calculations, 59-05028A
Zn and Cd, phase relations and crystal structures, 59-03046A
double, of alkali and rare-earth elements, synthesis of, 59-05063A

- and molybdates, double, of Li and Na and rare-earths with scheelite structure. 59-03950A
- Tungsten,**
-Cu, composites, sintered, from coreduced oxide powders. 59-01839A
- WC, alloys based on, hot-pressed, properties of. 59-00766A
catalyst, production by carburization of W oxides. 59-01762P
electrochemical recycling of, using rotating drum anode. 59-03859A
- WO₃, structure of, diffraction study. 59-03106A
WO₃, CrO₃, and MoO₃, optical properties. 59-02269A
WO₃, optical properties. 59-03034A
WSe₂, structure and properties of self-lubricating material based on. 59-00776A
dioxide, effect of pressure on Fermi surfaces. 59-02967A
-fiberglass, with rectangular core, optical propagation in. 59-00229A
glass, with colloidal graphite. 59-04308P
oxides, of La, enthalpy and heat capacity. 59-04940A
reduced forms of, in W silicophosphate and W aluminosilicate-phosphate glasses. 59-04248A
- Tunneling,**
epitaxial, using oriented growth, formation of. 59-02703P
between metals and insulations, role in contact electrification. 59-01538A
- Turbines,**
blades, composite. 59-04864P
rotor, having root with double curvature. 59-01753P
gas, for automotive use. 59-01965B
operation of, with exhaust gases from glassmelting furnaces. 59-02301A
refractories for, nitride. 59-04427A
rotor assembly, of ceramic blades to metallic disk. 59-04875P
wheels, axial, refractory, mfg. 59-00482P
- Tuyeres.** See *Refractories.*
- Twinning, of crystals.** See *Crystals.*
- Ultrasonics.** See *Sound, ultrasonic.*
- Ultraviolet,**
glass for transmitting. 59-00376P
- Uranium.** See *Uranium, dioxide.*
- Uranium,**
-Pu, kinetics of oxidation under controlled O potential. 59-01607A
-Pu carbides, process for making. 59-04700P
(Th,U)O₂, chemical form of solid fission products. 59-03757A
U₂O₅, particles, method of making. 59-02756P
U₂O₅, 59-04698P
cost of producing from NH₄HCO₃ by ion exchange. 59-00732A
sintering of. 59-01609A
UC₂ and UC₃, fissile fuel, SiC-fission product reactions in. 59-00647A; 59-00648A
UF₄, linings for bombs used to reduce to U. 59-01400A
UO₂, -UC₂, microspheres, rate-control factors in carbothermal preparation. 59-00646A
and UO₂ with Nd₂O₃ addition, sintering kinetics. 59-03763A
/ThO₂, fuels, resistance of chloride volatility reprocessing system for. 59-03759A
-Zircaloy, reactions, kinetics of. 59-04685A
derived from nitrate, uranylacetate, and ammonium diuranate, oxidation of. 59-01612A
effect of Nb₂O₅ additions on electrical conductivity. 59-04679A
fission gas diffusion in. 59-02744A
fuel pellets, effect of fabrication and microstructure on mechanical strength. 59-03760A
internal friction in. 59-04684A
irradiated, microsphere sintering in. 59-04686A
kinetics of sintering. 59-02747A
microspheres, low temp. sintering. 59-02748A
powders, free-flowing, press-formable, method for making. 59-01618P
production. 59-00658P
release of unstable fission products from, during irradiation. 59-03770A
spectral emissivity of. 59-03771A
temp. dependence of neutron transmission of. 59-01611A
in cements, Indian portland, determination by nuclear particle eth. 59-01038A
chromite, high temp. thermal conductivity of. 59-03762A
determination of, in a material. 59-00716P
hexavalent, in natural oxides, location and form of occurrence. 59-03764A
isotopes, continuous separation of. 59-04690P
separation of. 59-03784P
leaching of, in-situ. 59-03839P
niobate, high temp. thermal conductivity of. 59-03762A
ores, characterization of, by thermal methods. 59-01671A
oxidation, catalyses of. 59-03838P
oxide, dry-process fabrication of. 59-00652P
oxides, heating, in microwave ovens. 59-00644A
- Vacuum,**
-tight, ceramics, for electronic equipment. 59-00588P
- Vacuum tubes.** See *Tubes.*
- Valves,**
ball, quartz. 59-00663A
- Vanadates,**
HoVO₄, NMR in. 59-03027A
La Sr, Anderson localization and electrical noise in. 59-02919A
ortho-, K dithorium, crystal structure. 59-02945A
- Vanadium,**
4PbO·V₂O₅ and 8PbO·V₂O₅ phases, coordination of V in. 59-03854A
V₂O₅, alloyed into TiO₂, lattice changes accompanying electrical transition. 59-02997A
V₂O₅, and TiO₂, catalysts containing. 59-02914P
VO, disordered, diffuse scattering due to atomic displacements, study of. 59-02973A
VO₂, lattice parameters and thermal coeffs., X-ray determination. 59-02917A
VO₂, defect structure. 59-02952A
defect structure. 59-02953A
beta-, nitride, structure of. 59-03085A
oxide, bronzes, Ag₂V₂O₇, thermodynamics of. 59-05106A
reactions with oxides of Dy, Tm, Yb, and Lu. 59-04004A
oxides, spectroscopy of, X-ray photoelectron and Auger. 59-03117A
systems, V-(Fe,Co,Ni)-N, constitution of. 59-00803A
- Vaporization,**
of SiO₂, in steam atm. 59-00948A
of oxides, high-melting-point. 59-00854A
- Vapors.** See also *Gases; Water.*
high temp., characterization of. 59-00962B
- Varactors.** See *Diodes.*
- Varistors.** See *Resistors, electrical.*
- Velocity,**
acoustic, at phase transition of TmFeO₃. 59-04990A
of ultrasound, in glass-forming alkaline-earth metaphosphates. 59-01271A
- Vibration,**
Si-H, in amorphous solids, chemical effects on frequencies. 59-03260A
dry, application process for blast furnace trough. 59-02425A
modes, of glasses, effect of anharmonicity. 59-03264A
in step trains. 59-04994A
spectra, of MPS, (M = In, Ga, Sb, Bi). 59-05111A
of glasses in system As-S. 59-01272A
of LaRhO₃ and Rh₂O₃. 59-05112A
treatment, of glass-ceramics. 59-01225A
- Vibrators,**
crystal, quartz, method for forming. 59-02715P
- Viscometers,**
falling ball, for viscoelastic fluids. 59-00694A
- Viscosity.** See also *Density; Friction, internal; Solutions.*
in binary salt systems, PbO-Bi₂O₃, PbO-PbMoO₄, and NaCl-RbCl. 59-03110A
of glasses, P-Se-Te. 59-02303A
quartz. 59-01274A
relation to temp. 59-00275A
in system As-S-Tl. 59-00274A
in system Ba(PO₃)₂-MgF₂-0.4AlF₃-0.6CaF₂. 59-02302A
measurements, in system Dy₂O₃-K₂O-MoO₃. 59-00950A
-temp. relations, in Pb crystal relations. 59-01275A
- Vitreous materials,**
carbon, refractory. 59-03612P
cellulated, process for making. 59-03437P
- Vitrification,**
of glasses, in system GeSe₂-As₂Se₃-Sb₂Se₃. 59-02305A
in system, Sb-O-X (X = Cl, Br, I). 59-00278A
- Volatilization,**
SiO₂, decomposition of mullite by. 59-01809A
of refractory forming elements, from graphite atomization device, for introduction into Ar plasma. 59-01677A
- Volume,**
controlled pore, Al₂O₃ with, method of making with citric acid. 59-02899P
- Wafers,**
treatment of, plasma, apparatus for. 59-04598P
vapor phase epitaxial, of compound semiconductor, mfg. 59-01590P
- Waste,**
U/Th, regeneration and recycling of, process for. 59-00751P
apparatus for treating. 59-04713P
clay, Florida phosphatic, effect of electrolytes on electrophoretic mobilities. 59-02830A
fly dusts, process for using. 59-03230P
industrial, use in mfg. portland cement. 59-00075A
method and composition for fixing, including additive for hydraulic cement. 59-04135P
municipal, cullet from. 59-02216A; 59-02217A
nuclear, crystallization of glass for disposal of. 59-04170A
disposal of. 59-03765A
fuel solutions, method for recovering Pd and Tc values from. 59-00650P
kinetics of surface-layer formation on simulated glass for. 59-04217A
management, scientific basis for. 59-02001B
management, use of ceramics. 59-00961B
method for containing. 59-04696P
method for disposal. 59-02754P
method of preparing glass bodies containing. 59-04697P
system for storage of. 59-03786P
radioactive, LWR, management systems. 59-01608A
- device for taking samples. 59-00721P
dry containment of. 59-03777P
sand washing, as plastic additive for heavy clay industry. 59-01366A
sludge, frit, from slumps, handling. 59-02151A
solid, from porcelain enameling, alternatives for handling. 59-02126A
toxic, device for taking samples. 59-00721P
water, treatment to remove compounds of heavy metals. 59-03793P
- Water glass.** See *Sodium, silicate.*
- Water.** See also *Humidity; Hydration; Moisture; Steam; Vapors.*
in Al₂O₃, Na beta-, effect on ionic conductivity. 59-00836A
breakdown of vitreous La(BO₃)₃, by, kinetics of. 59-01202A
extraction of, from alkali germanosilicate glasses for optical fibers. 59-01162A
in fresh concrete, quantitative analysis of. 59-03226P
in glasses, hydrated silicate, nature of. 59-03317A
hardness, test using polarographic wave of Mg ion. 59-04744A
interaction with glass, behavior of Al during. 59-02205A
reaction with basaltic glasses, early stages of. 59-02225A
reactions with surface of leached glasses—corrosion. 59-01233A
recycled, use and purification in cement industry. 59-03188A
-reducing, admixture for concretes. 59-04126P
resistance, of urea-melamine polymer impregnated gypsum. 59-02114A
-resistant, high strength fibers. 59-02387P
retention, of dry-set mortars, method for improving. 59-04128P
vapor, in furnace atm, effect on enamel ground coat surface properties. 59-00095A
waste, treatment to remove compounds of heavy metals. 59-03793P
wetting of glass batches with. 59-03291A
- Waveguides,**
GaAs and Ga_{1-x}Al_xAs, for laser beams in thin films. 59-01521A
Li(Nb,Ta)O₃, on LiTaO₃ substrates, LPE growth of. 59-03301A
LiNbO₃, Ti-diffused, optical properties and coupling characteristics. 59-03321A
formation by ion implantation. 59-03288A
LiNdP₂O₇, laser performance. 59-01205A
Ti:LiNbO₃, absorption loss and photorefractive-index changes. 59-01099A
fiber, optical. 59-03429P
laser layer, LiBi₂Nd₂-P₂O₇, LPE growth on LiNdP₂O₇ substrate. 59-01524A
light, with high tensile strength coating. 59-04322P
optical, C coating for starting member. 59-04283P
N-doped graded index, method for making. 59-04353P
Ti-diffused LiNbO₃, ferroelectric domain inversion in. 59-00557A
Ti:LiNbO₃, Ti diffusion in. 59-01264A
absorptivity of water in borosilicate glasses for. 59-01215A
coating assembly for. 59-04333P
controlling drawing rollers to produce diam. perturbations in. 59-00287P
coupler for. 59-03279A
dielectric, method of making. 59-02356P
drawing, by heating with laser radiation. 59-04288P
dry, method of making. 59-00342P
effect of thermally tempered sheet and plate glasses. 59-04234A
glass-ceramic coated. 59-04310P
method of making coating die for. 59-03406P
monolithic blank for, process for making. 59-04287P
progress in processes and materials. 59-00241A
with protective coating. 59-01345P
reactants delivery system for mfg. 59-04374P
shipping spool. 59-02368P
sintering of inhomogeneous glasses for. 59-01241A
thin film As₂S₃. 59-02382P
propagation constants, prescribed, design of. 59-02220A
structures, based on glass-forming materials, for integrated optics. 59-04271A
surface or buried, by ion exchange in glass. 59-04206A
- Waves,**
acoustic, surface, applications, PbTiO₃; ceramics for. 59-01536A
magnetoelastic-surface, on YIG substrate. 59-01525A
micro-, measurement of moisture with. 59-00707A
use in nondestructive testing of materials. 59-01632A
whiteware utensils for cooking with. 59-02573A
ultrasonic, spatially bounded, response of transducers for. 59-04585A
- Wear,**
of alloys, Cr-carbide-Ni, at 20-1000°C. 59-00761A
behavior, of blast furnace linings. 59-03498A
of crystals, MgO, on steel disk. 59-00978A; 59-00979A
of electrodes, Mo, in electrically heated glass tanks. 59-01278A
impact, of MgO crystals. 59-04964A; 59-04965A
of mill linings, rubber. 59-03166A
of nozzles, refractory, effect of SiC content on. 59-04406A
of porous Fe-glass materials, under nonlubricated conditions. 59-00780A

- of refractories, basic brick, at high temp. in vacuum. 59-03583A
- in slide valves of steel-pouring ladles. 59-02499A
- resistance, of refractories, to coke particles. 59-03570A
- of slide plates, refractory. 59-04460A
- Wet-thering.**
- of glass, medieval, from York Minster. 59-01032A
- of porcelain enamels, solar tests of. 59-00117A
- Weighing and weights.** See also *Thermal analysis, gravimetry.*
- automatic, in ceramic industry, current techniques. 59-01621A
- Welding.**
- arc, submerged, fused flux for. 59-04161P
- glass plates, process for. 59-01350P
- glasses, tubular. 59-00351P
- Welding, electrodes.** See *Electrodes.*
- Wettability.**
- of glasses, soda-lime, effect of cleaning procedures on. 59-00279A
- Wetting.**
- of Na borate glass, on Au. 59-00122A
- of glass batches, with water. 59-03291A
- Whiskers.** See *Crystals and specific types.*
- Whiteware.** See also *Art and artware; Bodies, ceramic; Dielectrics; Dinnerware; Insulators, electrical; Porcelain; Pottery; Tile.*
- 59-02574A
- acid-resistant. 59-00502A; 59-00507A
- from Slavyansk plant. 59-00519A
- design of. 59-00511A
- increasing quality of, in Shchekinsk "Krisoloupor" plant. 59-00508A
- wide selection with improved quality. 59-00523A
- additives for, rheological, use of hectorite clays. 59-01483A
- baking process for, rapid. 59-02623P
- binders. 59-02570A
- bisques, quality of, as function of raw materials and preparation. 59-04531A
- body calculations, using rational analysis, problems with. 59-02595A
- bottles, fired, with threaded neck. 59-00530P
- casting, effect of particle distribution. 59-02588A
- into gypsum molds. 59-04548P
- castings, initial, from new plaster molds, cause of sticking and cracking. 59-04512A
- china, decorated, firing time reduced 80%. 59-02578A
- clay-polymer floes, in turbulent systems, mechanisms of deaggregation. 59-04524A
- from clays, polyminerall burnt, improving quality of. 59-01499P
- clays for, slurried, preparation, shipping, and use. 59-03650A
- color chart for. 59-04550P
- colors for, comparison of peaches, pinks, and maroons. 59-02582A
- cores in, black, cause of. 59-02571A
- decals, heat releasable. 59-02615P
- heat release layer for. 59-03658P
- decorating, apparatus for. 59-04537P
- method and apparatus. 59-01500P
- pad transfer. 59-01475A
- by screen printing. 59-01506P
- dinnerware, new design concepts. 59-02587A
- drying, water migration during. 59-01484A
- firing of, use of natural gas. 59-02814A
- flat, isostatic dry pressing. 59-02598A
- fluxes, examination of. 59-04521A
- formed by plastic deformation. 59-00503A
- glazes, colored. 59-01487P
- frit for. 59-01489P
- nonfritted. 59-01501P; 59-01502P
- opaque. 59-01503P; 59-01504P; 59-01505P
- textured tear, formulation and control. 59-02585A
- white, with high luster. 59-01490P
- yellow. 59-03655A
- glazing of, automatic. 59-02568A
- green, characteristics of raw materials governing drying. 59-04516A
- industry, body preparation. 59-04511A
- saving energy with new compositions. 59-03652A
- majolica, composite, practical applications for. 59-02576A
- metallization of, paste for. 59-02621P
- mfg., from sericite clay. 59-01481A
- milling, tool. 59-03662P
- mold bodies, method and apparatus for producing. 59-04549P
- moldable compositions, for injection forming. 59-03663P
- molds. 59-04525A
- plaster, cause of faulty castings from. 59-00498A
- for pressing tiles. 59-03648A
- novel, energy efficient process for producing. 59-04551P
- pastes, celonian-based, color of. 59-02575A
- pigments, based on perlite and rare earth oxides. 59-00499A
- ceramic. 59-00526P; 59-03632A; 59-03633A; 59-03634A; 59-03635A
- containing Nd₂O₃. 59-01486P
- in system NiO-Nd₂O₃-Al₂O₃, formation of. 59-02584A
- plasticizers for, organic. 59-00512A; 59-00513A
- porcelain, calcined, preparation of. 59-00537P
- effect of activated bentonite clays in production of. 59-03637A
- electrical, preparation of. 59-00514A
- with high impact strength, made at Kitka plant. 59-03649A
- homogeneity of, chemical. 59-04517A
- industry, statistical control. 59-03653A
- pulverulent, pressing of plates from. 59-00538P
- structural, production technology at Lobnensk plant. 59-04530A
- from powders, slag glass-ceramic. 59-00500A
- prepared by electrophoresis, from agglomerated particles. 59-00540P
- pressing, dry, 20 plates/min automatically. 59-02580A
- production of. 59-02622P
- raw materials, characteristics and applications. 59-04515A
- sink trap, studio. 59-00509A
- slips; casting. 59-04513A
- sorption of, moisture. 59-01462A
- support, for catalysts. 59-00525P
- tiles, facade, effect of firing conditions on quality. 59-03638A
- facade, from Breisk raw materials. 59-00516A
- facing, acid-resistant, produced by Ryazan plant. 59-00515A
- facing, charge for mfg. 59-00528P
- facing, frits for. 59-00504A
- facing, glazes for. 59-00505A
- facing, large. 59-00510A
- floor. 59-00527P
- underglaze paint, composition. 59-02609P
- utensils, for microwaving. 59-02573A
- wet pressing, effect of organic additives on. 59-01471A
- from whitlockite. 59-03665P
- Willemite.**
- as source for new yellow pigment, made by substituting Mn for Zn. 59-02789A
- Windows.** See *Glass.*
- Windshields.** See *Glass.*
- Wire.**
- drawing, dies for. 59-01765P
- micro-, insulated cast, glass for. 59-02329P
- Wire, welding.** See *Welding.*
- Wollastonite.**
- para-, relation between structures proposed for. 59-03069A
- refractories, charge for synthesis of. 59-02517P
- synthesis of, for tiles. 59-00521A
- synthetic. 59-01724P
- method of producing. 59-00742P
- Wurtzite.**
- type compounds, scattering from, X-ray diffuse. 59-03116A
- X rays.**
- camera, study of systems M(Nb,Ta)-C. 59-04879A
- crystallography, computations using programmable calculator. 59-04745A
- diffraction. 59-04746A
- line profiles, of BaTiO₃, width of, through Curie temp. 59-03970A
- spectrometry. 59-04747A
- Xonotlite.**
- structural insulation containing at least 50%. 59-02357P
- Young's modulus.** See *Elasticity.*
- Ytterbia.** See *Ytterbium, oxide.*
- Ytterbium.**
- oxide, reaction with V oxide. 59-04004A
- Yttria.** See *Yttrium, oxide.*
- Yttrium.**
- Y Fe, garnets. 59-00563A
- Y₂O₃, transparent ceramics, containing MgO or Mg aluminate. 59-02626P
- Y₂Al₂O₇, molten, solidification behavior. 59-04895A
- YFeO₃, crystals, cylindrical domains in. 59-00882A
- YIG, garnet, thermal conductivity at low temps. 59-04029A
- oxide, electrical conductivity of. 59-04934A
- Zeolites.**
- K-exchanged, dehydrated, crystal structure. 59-00810A
- Na-A, from clay, preparation of. 59-04819A
- crystallization from clay. 59-04822A
- molecular sieve, thermal analysis of degeneration. 59-03878A
- Sr tetragermanate crystal hydrate. 59-04017A
- ZSM-43, crystalline, synthesis of. 59-04850P
- alpha-, as shape selective catalysts, preparation of. 59-03910P
- catalysts, with SiO₂, Al₂O₃ matrix, method of making. 59-03906P
- composites, balances Al₂O₃ matrix, with catalyst. 59-04838P
- composition. 59-02916P
- crystalline, catalysts. 59-03893P
- crystals, A, small particles of. 59-01766P
- faujasite, exchanged, catalyst containing, method for making. 59-04851P
- gyrolite, occurrence in Ca-hydrosilicate-bonded concretes. 59-04096A
- method for making. 59-03902P
- molecular sieve, Na-X, preparation from clay. 59-04820A
- preparation of. 59-00747P
- scolecite, from Poona, India, structure of. 59-00932A
- Zinc.**
- Ni-, ferrites, grain size dependence of grain-boundary sliding in. 59-04807A
- Zn_{0.8}Cd_{0.2}S, conductivity of, stationary thermally stimulated. 59-03081A
- Zn_{0.8}Cd_{0.2}S, films, single-thermal-source formation of. 59-00573A
- ZnCl₂, optical fibers, for ir transmission. 59-03458P
- ZnO, ceramics, formation by hot-pressing and annealing. 59-02716P
- crystalline films, piezoelectric. 59-02730P
- crystals, with high fluorescence, method of making. 59-02852P
- desorption from, electron-beam-induced, phase-sensitive detection of. 59-05022A
- effect on strength of silicate glasses. 59-03272A
- evaporation, from spinel solid solutions in vacuum. 59-01826A
- films, piezoelectric. 59-01587P
- films, piezoelectric, with additives. 59-00619P
- fully dense, grain growth. 59-02984A
- low voltage varistors. 59-04573A
- low-energy-electron transmission, optical modulation of. 59-03031A
- nonohmic ceramics, capacitance and current, drift phenomena of. 59-04558A
- nonohmic, formation mechanism. 59-03962A
- photoconductors, space-charge polarization in. 59-01533A
- portland cement clinker doped with, structure and properties. 59-01053A
- produced by different annealing temps., electrical properties. 59-02643A
- sinterless, varistors. 59-03748P
- surfaces, magnetoresistance in accumulation layers. 59-03024A
- surfaces, mobility in accumulation layers. 59-02980A
- surfaces, mobility of electrons in accumulation layers. 59-02988A
- swelling and gas release in. 59-04023A
- varistors, barrier model for. 59-04555A
- varistors, effects of hydrostatic pressure on. 59-01512A
- varistors, grain-boundary segregation in. 59-01519A
- varistors, pulse-degradation characteristics. 59-00571A
- varistors, statistics and grain size in. 59-01534A
- ZnS, luminescence of M center. 59-04986A
- phosphor, coactivated with Cu and Au, method of making. 59-04638P
- ZnSe, commercial, use in optical-grade ceramics. 59-02272A
- blende (110), surface relaxation of. 59-03092A
- ferrites, powders, produced by flame spraying. 59-03704A
- filter cake, reaction with refractories. 59-02478A
- titanes, production of. 59-03848P
- Zircon.** See also *Refractories; Zirconium, silicate.*
- and Cr₂O₃, suspensions, atomization of. 59-03497A
- Egyptian, production of ZrO₂ from. 59-04782A
- containing refractories. 59-03630P
- crystal structure, and compressibility, at high pressure. 59-01802A
- decomposition, by Al₂O₃. 59-02422A
- by soda ash sintering. 59-02826A
- ores, grinding. 59-02437A
- plasma dissociated, industrial applications of. 59-01728A; 59-01729A
- refractories, charge for. 59-02516P
- sands, production and market. 59-02848A
- sintering of, effect of minor additives. 59-00832A
- suspensions, aqueous, preparation and properties. 59-04432A
- synthesis of, by solid state reaction. 59-03095A
- Zirconates.**
- A₂B₂O₇ compounds, anion disorder, characterization by Raman spectroscopy. 59-00796A
- alkaline earth metal, ferroelectric materials based on. 59-02700P
- metathio-, Eu, XRD study. 59-05117A
- Zirconia.** See *Zirconium, dioxide.*
- Zirconium.**
- Zr(Ca,Y)O_{2-x}, XRD study. 59-03113A
- ZrC, microcrystalline fabric. 59-00449P
- reactions with metal oxides. 59-03769A
- ZrN, energy of structural vacancies in. 59-04938A
- reactions with Al₂O₃ and Mo. 59-00767A
- ZrO₂·xAl₂O₃, abrasive material, formed by immersion process. 59-03155P
- CaO-stabilized, plastic deformation in. 59-05026A
- Y₂O₃-stabilized, effect of ZrC additive on electrical resistance. 59-03521A
- composites, Ba-mica/Y₂O₃-stabilized, thermal diffusivity of. 59-04832A
- concentrations, bodies, and glazes, determination of ZrO₂ content. 59-03806A
- deposition of crystals from plasmas of. 59-01811A
- fusion-cast refractories, for use with problem glasses. 59-03532A
- isoelectric point. 59-01853A
- metastable tetragonal, strengthening by surface damage. 59-01913A
- micropowders, mfg., characteristics, and sinterability. 59-04813A
- mixed cation stabilization of. 59-03983A
- nonstabilized, fabrication of, by reaction sintering. 59-01732A
- partially stabilized, dynamic fatigue of. 59-02426A
- partially stabilized, processing defects in. 59-01744A
- partially stabilized, use in extrusion dies. 59-01731A

phase transformation by ball milling. 59-00899A
porous ceramics. 59-04494P

porous ceramics containing. 59-02549P

production from Egyptian zircon. 59-04782A

reactivity of, in calcining PZT compositions. 59-01530A

refractories containing. 59-02506P

stabilized, composition for making porous refractories.

59-02565P

stabilized, preparation and characterization. 59-04000A

strong and tough. 59-03083A

tetragonal, sintering of. 59-04011A

ZrO_{2-x} (cubic)-ZrO_{2-y} phase boundary. 59-01935A

-containing glasses, borosilicate. 59-03459P

glazes, glassy phase, liquation and crystallization

processes. 59-01479A

for sanitary ware fired at low temp. 59-02295A

transformation-toughened, impact damage in. 59-01866A

Zirconium, silicate. See also Zircon.

Historical Data on The American Ceramic Society

Year		President Installed	Vice President
1899	Columbus, Ohio	H. A. Wheeler (gen)	Ernest Mayer
1900	Detroit, Mich.	Karl Langenbeck (gen)	C. F. Binns
1901	Old Point Comfort	C. F. Binns (art)	Ernest Mayer
1902	Cleveland, Ohio	Ernest Mayer (W)	F. W. Walker, Sr.
1903	Boston, Mass.	E. C. Stover (W)	Heinrich Ries
1904	Cincinnati, Ohio	F. W. Walker, Sr. (W)	A. V. Bleiningner
1905	Birmingham, Ala.	W. D. Gates (terra cotta)	Ellis Lovejoy
1906	Philadelphia, Pa.	W. D. Richardson (S)	Samuel Geijsbeek
1907	St. Louis, Mo.	S. G. Burt (art)	R. C. Purdy
1908	Columbus, Ohio	A. V. Bleiningner (W)	Charles Weelans
1909	Rochester, N. Y.	R. C. Purdy (gen)	A. S. Watts
1910	Pittsburgh, Pa.	Heinrich Ries (gen)	R. R. Hice
1911	Trenton, N. J.	Charles Weelans (W)	L. E. Barringer
1912	Chicago, Ill.	A. S. Watts (gen)	C. W. Parmelee
1913	Washington, D. C.	Ellis Lovejoy (S)	A. F. Hottinger
1914	Wheeling, W. Va.	C. W. Parmelee (gen)	D. T. Farnham
1915	Detroit, Mich.	R. R. Hice (S)	R. T. Stull
1916	Cleveland, Ohio	L. E. Barringer (W)	F. K. Pence
1917	New York, N. Y.	G. H. Brown (gen)	C. E. Jackson
1918	Indianapolis, Ind.	H. F. Staley (C)	A. F. Greaves-Walker
1919	Pittsburgh, Pa.	R. T. Stull (S)	R. H. Minton
1920	Philadelphia, Pa.	R. H. Minton (W)	E. T. Montgomery
1921	Columbus, Ohio	F. K. Pence (W)	F. B. Ortmann
1922	St. Louis, Mo.	F. H. Riddle (W)	E. Ward Tillotson
1923	Pittsburgh, Pa.	A. F. Greaves-Walker (R)	R. D. Landrum
1924	Atlantic City, N. J.	R. D. Landrum (C)	R. M. Howe and August Staudt
1925	Columbus, Ohio	E. Ward Tillotson (G)	F. H. Rhead
1926	Atlanta, Ga.	R. L. Clare (terra cotta)	B. Mifflin Hood
1927	Detroit, Mich.	B. Mifflin Hood (S)	M. C. Booze
1928	Atlantic City, N. J.	M. C. Booze (R)	R. R. Danielson
1929	Chicago, Ill.	G. A. Bole (gen)	F. A. Harvey
1930	Toronto, Canada	Edward Orton, Jr. (gen)	P. E. Cox
1931	Cleveland, Ohio	E. V. Eskesen (terra cotta)	Alexander Silverman
1932	Washington, D. C.	E. P. Poste (C)	W. Keith McAfee
1933	Pittsburgh, Pa.	J. C. Hostettier (G)	L. J. Trostel, Sr.
1934	Cincinnati, Ohio	W. Keith McAfee (W)	J. M. McKinley
1935	Buffalo, N. Y.	J. M. McKinley (R)	F. C. Flint
1936	Columbus, Ohio	F. C. Flint (G)	R. B. Sosman
1937	New York, N. Y.	R. B. Sosman (R)	V. V. Kelsey
1938	New Orleans, La.	V. V. Kelsey (M)	A. I. Andrews
1939	Chicago, Ill.	A. I. Andrews (C)	J. L. Carruthers
1940	Toronto, Canada	J. L. Carruthers (terra cotta)	J. T. Littleton
1941	Baltimore, Md.	J. T. Littleton (G)	P. D. Helser
1942	Cincinnati, Ohio	L. J. Trostel, Sr. (R)	M. E. Holmes
1943	Pittsburgh, Pa.	C. E. Bales (R)	E. H. Fritz
1944	Pittsburgh, Pa.	E. H. Fritz (W)	C. Forrest Tefft
1945	Buffalo, N. Y.	C. Forrest Tefft (S)	J. E. Hansen
1946	Buffalo, N. Y.	J. E. Hansen (C)	J. D. Sullivan
1947	Atlantic City, N. J.	J. D. Sullivan (R)	J. W. Whittemore
1948	Chicago, Ill.	J. W. Whittemore (gen)	H. M. Kraner
1949	Cincinnati, Ohio	H. M. Kraner (R)	Howells Frechette, A. L. Bennett, Robert Twells
1950	New York, N. Y.	J. W. Hepplewhite (W)	Aaron K. Lyle, Hewitt Wilson, T. A. Klinefelter
1951	Chicago, Ill.	Howard R. Lillie (G)	Probert W. Dager, Ray W. Pafford, Arthur A. Wells
1952	Pittsburgh, Pa.	W. Edward Cramer (W)	Victor C. Swicker, Harry H. Holscher, H. B. DuBois
1953	New York, N. Y.	R. R. Danielson (C)	J. E. Eagle, Joseph A. Pask, S. M. Swain
1954	Chicago, Ill.	Ray W. Pafford (S)	William O. Brandt, John F. McMahon, Rolland R. Roup
1955	Cincinnati, Ohio	Robert Twells (W)	R. S. Bradley, John H. Isenhour, Kenneth C. Lyon
1956	New York, N. Y.	Karl Schwartzwalder (W)	Oscar G. Burch, Louis Navias, C. W. Planje
1957	Dallas, Texas	John F. McMahon (gen)	Wayne A. Deringer, Clarence H. Hahner, J. S. Nordyke
1958	Pittsburgh, Pa.	R. S. Bradley (R)	W. W. Coates, Harry E. Davis, Herbert Insley
1959	Chicago, Ill.	Oscar G. Burch (G)	J. J. Canfield, John H. Koenig, James I. Mueller
1960	Philadelphia, Pa.	George H. Spencer-Strong (C)	Eugene C. Clemens, Frederick H. Norton, Andrew Pereny
1961	Toronto, Canada	John S. Nordyke (M)	V. J. Duplin, Leonard G. Ghering, Elroy E. Howe
1962	New York, N. Y.	John H. Koenig (E)	W. W. Gaskins, Frank Jansma, E. F. Osborn
1963	Pittsburgh, Pa.	Paul V. Johnson (S)	H. P. Bonebrake, Clair R. Oberst, James S. Owens
1964	Chicago, Ill.	Elburt F. Osborn (B)	R. R. Rhodes, G. J. Middleton, W. J. Smothers
1965	Philadelphia, Pa.	Howard P. Bonebrake (M)	R. E. Birch, L. S. O'Bannon, A. E. R. Westman
1966	Washington, D. C.	George J. Bair (G)	Arthur J. Blume, Edward C. Henry, Harry W. Thiemecke
1967	New York, N. Y.	James S. Owens (W)	Howard F. McMurdie, Alfred W. Allen, J. Earl Frazier
1968	Chicago, Ill.	Loran S. O'Bannon (C)	Clarence L. Babcock, Lane Mitchell, Theodore J. M. Planje
1969	Washington, D. C.	Arthur J. Blume (S)	William W. Coffeen, Scoop W. Enloe, Jr., J. O. Everhart
1970	Philadelphia, Pa.	J. Earl Frazier (G)	Eugene E. Bryant, Richard M. Fulrath, Ralph L. Gibson
1971	Chicago, Ill.	William J. Smothers (R)	James R. Johnson, Robert S. Sinclair, Stephen D. Stoddard
1972	Washington, D. C.	T. J. Planje (R)	Joseph E. Burke, Robert S. Du Fresno, William R. Prindle
1973	Cincinnati, Ohio	James R. Johnson (B)	Lyle A. Holmes, Walter W. Perkins, Merton L. Van Dreser
1974	Chicago, Ill.	Joseph E. Burke (B)	William J. Knapp, Malcolm G. McLaren, Haydn H. Murray
1975	Washington, D. C.	Ralston Russell, Jr. (W)	Basil G. Staples, Franklin M. Townsend
1976	Cincinnati, Ohio	Stephen D. Stoddard (N)	Sherwood E. Patek, John A. Stewart, O. J. Whittemore, Jr.
1977	Chicago, Ill.	Lyle A. Holmes (M)	Gordon L. Barna, Seymour L. Blum, Winston Duckworth
1978	Detroit, Mich.	John B. Wachtman, Jr. (B)	William C. Mohr, Guy E. Rindone, Ronald R. Roup
1979	Cincinnati, Ohio	Malcolm G. McLaren (W)	A. Josephine Gitter, Milan Vukovich, James C. Waldal
1980	Chicago, Ill.	William R. Prindle (G)	J. Lambert Bates, Robert H. Insley, William R. Jacoby
			Stephen C. Carniglia, Gilbert Goodman, Charles R. Kurkjian

CERAMIC ABSTRACTS

1980

ARTHUR L. FRIEDBERG, *Executive Director and Publisher*
WILLIAM J. SMOTHERS, *Editor*
BARBARA LAYNE, *Associate Editor*
VIRGINIA VOEDISCH, *Associate Editor*
THOMAS O. MOONEY, *Indexer*

Committee on Publications: J. LAMBERT BATES, *Chairman*;
H. KENT BOWEN, DELBERT E. DAY,
WILLIAM C. MOHR, RICHARD M. SPRIGGS; *ex officio members:*
LOUIS J. TROSTEL, JR., WILLIAM J. SMOTHERS, and ARTHUR L. FRIEDBERG

Editorial Consultant: R. S. SHELDON

Compiled by
The American Ceramic Society
65 Ceramic Drive
Columbus, Ohio 43214

ABSTRACTERS FOR 1980


Ilhan A. Aksay, Turkey
 M. J. Bannister, Australia
 J. Lambert Bates, U.S.
 M. P. Bauleke, U.S.
 Henry P. Beerman, U.S.
 Charles L. Booth, U.S.
 F. N. Bradley, U.S.
 Bohus Brezny, U.S.
 L. L. Y. Chang, U.S.
 G. W. Cleek, U.S.
 T. J. Curci, U.S.
 F. V. DiMarcello, U.S.
 Richard A. Eppler, U.S.
 W. Ralph Factor, U.S.
 M. Farnsworth, U.S.
 J. E. Gillott, Canada
 Irwin Gordon, U.S.
 Charles H. Greene, U.S.
 Cathy D. Gurganious, U.S.
 Cullen L. Hackler, U.S.
 D. P. H. Hasselman, U.S.
 R. H. Insley, U.S.
 Donald A. Jameson,
 England
 B. Z. Kamich, U.S.

T. S. Kannan, India
 D. L. Kinser, U.S.
 T. Kishii, Japan
 Lisa C. Klein, U.S.
 Brent J. Knipfer, U.S.
 Jiri Kristek,
 Czechoslovakia
 M. P. Lepie, U.S.
 Christopher Maurer, U.S.
 Gary L. Messing, U.S.
 Thomas O. Mooney, U.S.
 James L. Murphy, U.S.
 Joseph Nemeth, U.S.
 S. M. (Paul) Oh, U.S.
 Victor R. Palmeri, U.S.
 Kim Papadopoulos, U.S.
 W. W. Perkins, U.S.
 Daniel S. Petty, U.S.
 E. R. Plante, U.S.
 Elizabeth K. Powell, U.S.
 V. S. Ramachandran,
 Canada
 Venkat K. Raman, U.S.
 Paul E. Rempes, Jr., U.S.
 Roy W. Rice, U.S.
 D. R. Rossington, U.S.

Zbynek Ryslavý,
 Czechoslovakia
 Franco Sandrolini, Italy
 Jorgen Selsing, U.S. (2)
 Jaroslav Sestak, (3)
 Czechoslovakia
 Harold Severin, U.S.
 James F. Shackelford, U.S.
 R. G. Shah, India
 S. C. Singhal, U.S.
 W. J. Smothers, U.S.
 Roland B. Snow, U.S.
 J. E. Snyder, U.S.
 Shigeyuki Somiya, Japan
 Fred W. Stover, U.S.
 Lisa F. Taft, U.S.
 Ferenc Tamas, Hungary
 R. L. Thakur, India
 Anthony R. West, Scotland
 O. J. Whittemore, U.S.
 D. T. Williams, U.S.
 Gerd Willman, Germany
 Boon Wong, U.S.
 R. K. Wood, U.S.
 M. F. Yan, U.S.
 Julie C. Yang, U.S.




PRECIPITATED CALCIA STABE



SINGLE CRYSTAL CALCIA STABILIZED ZIRCONIA WAS AGED
TETRAGONAL PRECIPITATES TO FORM. A COMPRESSION SA
AND DEFORMED AT 1300°C. A FOIL OF THE SAMPLE WAS
BRIGHT FIELDS SHOW PRECIPITATE BANDS AND DISLOC

TEM

BILIZED ZIRCONIA



D FOR 10 HOURS AT 1200 °C, CAUSING
SAMPLE WAS CUT FROM THIS CRYSTAL
S EXAMINED UNDER TEM. THESE
CATIONS IN PRECIPITATE-FREE REGIONS.

W.T. DONLON

C.E. VOEGELE

A.H. HEUER

T.E. MITCHELL

CASE WESTERN RESERVE UNIVERSITY